

00312-1004

MATERIAL SAFETY DATA SHEET  
OSHA Hazard Communication  
Standard (29 CFR 1910.1200)



SIMILAR TO OSHA FORMS 20 AND 174  
US Department of Labor  
Printed on 7/30/92 at 15:06:54

Material/Product Identity  
Incredible White Mask Liquid Frisket  
Color: White Liquid ID # N/A

Seg. No. 4 Rev. No. A  
ASTM D4236-89 Certified  
Certification Product  
Regulatory Not known to  
Status be regulated

SECTION I MANUFACTURER'S NAME AND LOCATION 02902-0002

Manufact. Name: Graphic Arts Systems Inc.  
Address line 1: 19499 Miles Road  
Address line 2: Cleveland, OH 44128  
Address line 3: USA Emerg. Tel. No. (800) 468-6942 USA  
Info. Tel. No. (800) 447-2349 Contact Lawrence Katz  
Prep. Date: 7/23/92 Title: President  
*Graphic Arts 7/17/92*

SECTION II HAZARDOUS COMPONENTS/IDENTITY/STANDARDS/CONTENT INFORMATION

Ingredient Listing	CAS No.	OSHA PEL	ACGIH TLV	STEL	% COMP
Latex Emulsion	Mixture	N/L/	N/L	N/L	< 100%
Ammonia	7664-41-7	25 ppm	25 ppm	35 ppm	< 5%

This is a professional artist's product. It consists of a polymer solution with a small quantity of ammonia. The product has been evaluated for expected hazards that may occur in normal use by professional artists. Avoid excessive heat, avoid breathing mists and use with adequate ventilation.

SECTION III PHYSICAL/CHEMICAL CHARACTERISTICS

Boiling Point: Not App. Deg. F (Cel)  
Melting Point: N/K Deg. F (Cel)  
Vapor Pressure: Water-like  
Evaporation Rate: Water-like  
Odor: Slight ammonia odor  
Spec. Grav.: Less than 1 (H2O=1)  
Vapor Density: Same as Water  
Water Solubility: Soluble  
Appearance: Milky Aqueous Liquid

SECTION IV FIRE and EXPLOSION HAZARD DATA

Flash Point: Not App. Deg. F. (Cel) Flash Pt. Method: Not App.  
Lower Flam. Limit: Not App. Upper Flam. Limit: Not App. %  
Exting. Medium: Water spray, dry chemical, CO2  
Specialized Fire Fighting Proc.: Burning dry latex produces dense black clouds of smoke. Wear self-contained breathing apparatus and protective clothing to prevent exposure to usual and expected combustion fumes. No unusual toxic gases are expected.

Unusual Fire & Explosion Hazard: Expect the usual toxic gases to be produced; dried rubber may produce large amounts of black smoke.

SECTION V REACTIVITY DATA

Stable (Unstable): Not Applicable N/A.. Conditions: Excessive Heat; freezing to avoid  
Stable (yes/no): Yes  
Incompat. (Avoid): Solvents, acids, metals, salts may coagulate latex.  
Haz. Decomp. (y/n): No Haz. Polym. (yes/no): No  
Cond. to Avoid: As with any other organic material, combustion and flame in air may produce nitrogen oxides, carbon dioxide and carbon monoxide.

Confirm all information prior to use  
Abbreviations: Not Applicable N/A.. Not Flammable N/F Ceiling Value C  
Not Known N/K Not Determined N/D  
Respirable Fraction R Not Listed N/L  
Permissible Exposure Limit PEL Unknown UNKN  
The data shown is taken from sources judged to be reliable. The user should judge both the accuracy and the suitability of this information for any intention or purpose. No other warranty is given. (TLV Reg. TM, ACGIH) of 4

MATERIAL SAFETY DATA SHEET  
OSHA Hazard Communication  
Standard (29 CFR 1910.1200)



SIMILAR TO OSHA FORMS 20 AND 174  
US Department of Labor  
Printed on 7/30/92 at 15:06:58

Material Identity Incredible White Mask Liquid Frisket  
Color white Liquid ID # N/A

SECTION VI HEALTH HAZARD DATA

Routes of Entry: Inhalation Low hazard; avoid inhaling mist if sprayed.  
Skin Not likely to be absorbed Ingest. Not likely to be ingested  
Health Hazards None expected from ordinary uses of the product; ammonia content, while low, could irritate eyes if vaporized. Avoid eye and skin contact. If sprayed, use adequate cross ventilation. If sprayed or applied by air brush or air gun, avoid breathing mist. Use a NIOSH approved mask suitable for liquid aerosols.  
NTP Carcinogen N/L IARC Carcinogen N/L OSHA Carcinogen N/L  
Signs/Symptoms None expected but eye irritation may occur..  
of Exposure  
Medical Conditions None known. Avoid wearing contact lenses if eye contact to Avoid is possible.  
First Aid If contact with eyes occurs, rinse with lukewarm, clean water for 15 minutes; contact a physician if irritation occurs. Skin Measures contact, wash with water.

SECTION VII PRECAUTIONS FOR SAFE HANDLING AND USE

Spill Contain and collect for disposal.  
Waste Disp Observe all federal, state and local laws concerning health and environment.  
Precautions None known; use caution as spill area may be slippery.  
Other Precautions None known.

SECTION VIII CONTROL MEASURES

Resp. Protect. Not usually required but a suitable mask for aerosols and mists should be worn if material is to be sprayed in large quantity.  
Local Exhaust Not usually required but required if sprayed..  
Spec. Local. Exh. None usually required.  
Mech. Exhaust None required except if sprayed.  
Other Mech. Exhaust None  
Protect. Gloves Vinyl or rubber gloves.  
Eye Protect Not required for ordinary uses of this product  
Protect. Clothing None specifically required; artist smock suggested.  
Work Practices Standard industrial practice for the handling of artist materials should be used..

LABEL STATEMENTS

Acute Toxicity Signal Word 1 No Acute Health Labeling Required  
Acute Phrase 1 DO NOT TAKE INTERNALLY. AVOID CONTACT WITH EYES.  
Acute Phrase 2 KEEP OUT OF REACH OF CHILDREN.  
Acute Phrase 3 Refer to MSDS for additional information.  
Chronic Toxicity Chronic Signal No chronic health labeling required  
Chronic Phrase 1  
Chronic Phrase 2  
Chronic Phrase 3

ASTM D4236 Complies with ASTM D4236-89  
Certification Assurance

=====  
Confirm all information prior to use  
Abbreviations: Not Applicable N/A.. Not Flammable N/F Ceiling Value C  
Not Determined N/D  
Not Known N/K Not Listed N/L  
Respirable Fraction R Unknown UNKWN  
Permissible Exposure Limit PEL ACGIH Threshold Limit Value TLV  
The data shown is taken from sources judged to be reliable. The user should  
judge both the accuracy and the suitability of this information for any  
intention or purpose. No other warranty is given. (TLV Reg. TM, ACGIH)

DOISINDEX INFORMATION SYSTEM PRODUCT INFORMATION FORM - SUBMITTED ON 7/30/92

-----

Brand/Product Name	Incredible White Mask Liquid Frisket
Color Name	White Liquid
Product Sizes	4.5 and 8.5 Fluid Ounce; Larger sizes may be ordered.
Catalog/Reg. #	N/A
Color I.D. Name	N/A
Product Color(s)	N/A
State (pH if Liq.)	9.20
Viscosity	Unknown
Entry into Market	Before 1992
Manufacturer's Name, Address & Telephone Number	Graphic Arts Systems Inc. 19499 Miles Road OH 44128 USA
	Use/Application Art Material- Index # N/A Formula Date Prior to 1992 Industr Use (Y/N) Yes Consumer Use (Y/N) Yes Children's Use (Y/N) Unlikely , Cleveland (800) 447-2349

Toxicity Information, Contact Dr. Jaeger at 201-666-7929 or 800-468-6943

	Chemical Ingredients	CAS #/ID #/Color Index #	% H/L or Range
1	Latex Emulsion	Mixture	< 100%
2	Ammonia	7664-41-7	< 5 %
3			
4			
5			
6			
7			
8			
9			
10			
11			
12			
13			
14			
15			
16			
17			
18			
19			
20			
21			
22			
23			
24			



-----

Submitted by Environmental Medicine, Inc. 263 Center Avenue  
Westwood, NJ 07675 USA on behalf of the named manufacturer

Material/Product Identity  
 Incredible White Mask Liquid Frisket

Seq. No. 4  
 ASTM D4236-89  
 Certification  
 Regulatory  
 Status

Rev. No. A  
 Certified  
 Product  
 Not known to  
 be regulated

White Liquid

N/A

Manufact. Name	Graphic Arts Systems Inc.
Address line 1	19499 Miles Road
Address line 2	Cleveland, OH 44128
Address line 3	USA Emerg. Tel. No. (800)468-6942 USA
Info. Tel. No.	(800) 447-2349 Contact Lawrence Katz
Prep. Date	7/23/92 Title President

-----  
 REQUIRED LABEL STATEMENTS

Conformity Phrase      Complies with ASTM D4236-89

Acute Signal Word      No Acute Health Labeling Required

Acute Phrase 1          DO NOT TAKE INTERNALLY. AVOID CONTACT WITH EYES.

Acute Phrase 2          KEEP OUT OF REACH OF CHILDREN.

Acute Phrase 3          Refer to MSDS for additional information.

Chronic Signal Word      No chronic health labeling required

Chronic Phrase 1

Chronic Phrase 2

Chronic Phrase 3

Mis'c Warning Word      KEEP OUT OF REACH OF CHILDREN

