

Material Safety Data Sheet

MSDS# A600

5-20-03

Page 1 of 3

Sanford Corporation
2711 Washington Boulevard
Bellwood, IL 60104

Telephone No: 1-800-323-0749
Date of Last Revision: October 15, 2001
Medical Emergency No: 1-800-228-5635

SECTION ONE: PRODUCT INFORMATION

PRODUCT NAME: Academy Watercolors
PRODUCT SIZES: 24 and 60 ml
PRODUCT CLASS: Artists' Watercolors

00330- all codes <u>except</u>			
1009	- 3421	- 4911	- 5221
1029	- 3711	- 4921	- 7081
3011	- 3721	- 5141	- 7091
3061	- 4161	- 5150	- 7101
3181	- 4241	- 5160	- 7111
3321	- 4281	- 5171	- 7901
3411	- 4541	- 5201	- 7911
			- 8311

SECTION TWO: HAZARDOUS INGREDIENTS

INGREDIENTS	CAS #	PEL/TLV	MAX WT. %	NTP	IARC
None					

V-3660

SECTION THREE: PHYSICAL AND CHEMICAL CHARACTERISTICS

BOILING POINT: Not determined **MELTING POINT:** Not determined
VAPOR PRESSURE: Not determined **SPECIFIC GRAVITY:** Not determined
SPECIFIC VAPOR DENSITY (AIR = 1): Not determined
SOLUBILITY IN WATER: Not determined **REACTIVITY IN WATER:** Non-reactive
EVAPORATION RATE (BUTYL ACETATE = 1): Not determined
APPEARANCE AND ODOR: Colored paints; essentially odorless

This Material Safety Data Sheet is applicable for the consumer use of the following products: A023, A024, A029, A034, A036, A042, A043, A049, A064, A067, A077, A078, A081, A106, A107, A110, A115, A116, A139, A150, A156, A163, A171, A172, A182, A192, A204, A205, A207, A210, A211, A212, A213, A219, A229, A242

See MSDS A600-A for the following colors: A001, A025, A026, A027, A031, A038, A095, A111, A112, A118, A120, A146, A162, A168, A189, A203, A222, A224
 See MSDS A600-B for the following colors: A048, A232
 See separate MSDS's for each of the following colors: A005, A039, A085, A133, A187

Material Safety Data Sheet**MSDS# A600**

Page 2 of 3

SECTION FOUR: FIRE AND EXPLOSION INFORMATION

FLASH POINT (METHOD): Not available

FLAMMABILITY LIMITS (% BY VOLUME): LOWER: Not explosive UPPER: Not explosive

EXTINGUISHING MEDIA: As appropriate for surrounding area.

FIRE FIGHTING PROCEDURES: No special fire fighting procedures required

UNUSUAL FIRE AND EXPLOSION HAZARDS: Not combustible

SECTION FIVE: REACTIVITY DATA

STABILITY: Stable

CONDITIONS TO AVOID: Excessive heat

CHEMICAL INCOMPATIBILITY: None known

HAZARDOUS DECOMPOSITION: None known

HAZARDOUS POLYMERIZATION: Will not occur.

SECTION SIX: HEALTH HAZARD DATA

PERMISSIBLE EXPOSURE LEVEL: See Section Two for component PEL/TLV's.

PRIMARY ROUTES OF ENTRY:

Inhalation: None under normal use conditions.

Skin: None under normal use conditions.

Eye: None under normal use conditions.

Ingestion: None under normal use conditions.

EFFECTS/SYMPTOMS OF ACUTE EXPOSURE: None expected.

EFFECTS/SYMPTOMS OF CHRONIC EXPOSURE: None expected.

CARCINOGEN LISTING: NTP: NO IARC: NO OSHA: NO

See Section Two for components affected.

Material Safety Data Sheet

MSDS# A600

Page 3 of 3

MEDICAL CONDITIONS USUALLY AGGRAVATED BY OVEREXPOSURE TO THIS PRODUCT: Unknown

FIRST AID MEASURES:

- Inhalation:** Not an inhalation hazard.
- Skin:** Wash with soap and water.
- Eye:** Rinse through with water. If irritation persists, seek medical attention.
- Ingestion:** Seek medical attention.

SECTION SEVEN: SPILL OR LEAK PROCEDURES

PRECAUTIONS TO BE TAKEN DURING STORAGE/HANDLING: None

STEPS TO BE TAKEN IN CASE MATERIAL IS SPILLED: No special spill procedures required.

WASTE DISPOSAL METHOD: Dispose in accordance with Federal, State, and Local Regulations.

SECTION EIGHT: PROTECTIVE EQUIPMENT AND CONTROL MEASURES

RESPIRATORY PROTECTION AND SPECIAL VENTILATION REQUIREMENTS: None required.

OTHER PROTECTIVE EQUIPMENT (GLOVES, GOGGLES, ETC.): None

WORK/HYGIENE PRACTICES: Studio hygiene rules should be observed. Wash thoroughly before eating, drinking, or smoking.

HMIS CODE	
Health	0
Flammability	0
Reactivity	0
Personal Protection	N/A

0=Minimal/4=Extreme Hazard

Sanford Corporation is a member of The Art and Creative Materials Institute, Inc. This product is certified by the Institute to be labeled in accordance with the voluntary chronic hazard labeling standard ASTM D4236 and is labeled with the AP Nontoxic Seal. Products bearing the AP Approved Product Seal of The Art and Creative Materials Institute, Inc. are certified in a program of toxicological evaluation by a medical expert, subject to the approval of the Institute Toxicological Advisory Board, to contain no materials in sufficient quantities to be toxic or injurious to humans, or to cause acute or chronic health problems.

May be used to comply with OSHA Communication Standard 29 CFR 1910.1200. Standard must be consulted for specific requirements.