

## Material Safety Data Sheet

MSDS #: P600-B

**00448-0009**

Page 1 of 3

Sanford Corporation  
2711 Washington Boulevard  
Bellwood, IL 60104

TELEPHONE NO: 1-800-323-0749  
DATE OF LAST REVISION: October 15, 2001  
MEDICAL EMERGENCY NO: 1-800-228-5635

Rev'd 11-04-02

## SECTION ONE: PRODUCT INFORMATION

PRODUCT NAME: Pre-Tested Oil Colors  
PRODUCT SIZES: 37 and 150 ml  
PRODUCT CLASS: Artists' Oil Paint

00448-1013  
- 1014  
- 1023  
- 1033  
- 1034  
- 1323  
- 1324  
- 3863  
- 7963

## SECTION TWO: HAZARDOUS INGREDIENTS

INGREDIENTS	CAS #	PEL/TLV	MAX WT. %	NTP	IARC
Zinc Oxide	1314-13-2	10 mg/m <sup>3</sup>	78.0	-	-

## SECTION THREE: PHYSICAL AND CHEMICAL CHARACTERISTICS

BOILING POINT: Not determined      MELTING POINT: Not determined  
VAPOR PRESSURE: Not determined      SPECIFIC GRAVITY: Not determined  
SPECIFIC VAPOR DENSITY (AIR = 1): Not determined  
SOLUBILITY IN WATER: Not determined      REACTIVITY IN WATER: Non-reactive  
EVAPORATION RATE (BUTYL ACETATE = 1): Not determined  
APPEARANCE AND ODOR: Colored paints; oily odor

This Material Safety Data Sheet is applicable to the consumer use of the following colors: P071, P093, P212, P218, P248, P250

**Material Safety Data Sheet****MSDS #:** P600-B

Page 2 of 3

**SECTION FOUR: FIRE AND EXPLOSION INFORMATION****FLASH POINT (METHOD):** Not available**FLAMMABILITY LIMITS (% BY VOLUME):** LOWER: Not explosive

UPPER: Not explosive

**EXTINGUISHING MEDIA:** As appropriate for surrounding area.**FIRE FIGHTING PROCEDURES:** No special fire fighting procedures required.**UNUSUAL FIRE AND EXPLOSION HAZARDS:** Not combustible.**SECTION FIVE: REACTIVITY DATA****STABILITY:** Stable**CONDITIONS TO AVOID:** Excessive heat**CHEMICAL INCOMPATIBILITY:** None known**HAZARDOUS DECOMPOSITION:** None known**HAZARDOUS POLYMERIZATION:** Will not occur.**SECTION SIX: HEALTH HAZARD DATA****PERMISSIBLE EXPOSURE LEVEL:** See Section Two for Component PEL/TLV's.**PRIMARY ROUTES OF ENTRY:****Inhalation:** None under normal use conditions.**Skin:** None under normal use conditions.**Eye:** None under normal use conditions.**Ingestion:** None under normal use conditions.**EFFECTS/SYMPTOMS OF ACUTE EXPOSURE:** None expected**EFFECTS/SYMPTOMS OF CHRONIC EXPOSURE:** None expected**CARCINOGEN LISTING:** NTP: NO IARC: NO OSHA: NO

See Section Two for components affected.

## Material Safety Data Sheet

MSDS #: P600-B

Page 3 of 3

MEDICAL CONDITIONS USUALLY AGGRAVATED BY OVEREXPOSURE TO THIS PRODUCT: None known

## FIRST AID MEASURES:

Inhalation: Not an inhalation hazard.

Skin: Wash with soap and water.

Eye: Rinse through with water. If irritation persists, seek medical attention.

Ingestion: Seek medical attention. Note to physician: No acute health effects expected.

## SECTION SEVEN: SPILL OR LEAK PROCEDURES

PRECAUTIONS TO BE TAKEN DURING STORAGE/HANDLING: KEEP OUT OF REACH OF CHILDREN.

STEPS TO BE TAKEN IN CASE MATERIAL IS SPILLED: No special spill procedures required.

WASTE DISPOSAL METHOD: Dispose in accordance with Federal, State, and Local Regulations.

## SECTION EIGHT: PROTECTIVE EQUIPMENT AND CONTROL MEASURES

RESPIRATORY PROTECTION AND SPECIAL VENTILATION REQUIREMENTS: None required

OTHER PROTECTIVE EQUIPMENT (GLOVES, GOGGLES, ETC.): None

WORK/HYGIENE PRACTICES: Studio hygiene rules should be observed. Wash thoroughly before eating, drinking, or smoking.

## HMIS CODE

Health:	0
Flammability:	0
Reactivity:	0
Personal Protection:	N/A

**WARNING: DO NOT SPRAY APPLY** – This product contains cadmium, a chemical known to the State of California to cause cancer by means of inhalation.

**WARNING:** This product contains lead, a chemical known to the State of California to cause cancer and birth defects or other reproductive harm.

~~C=Minimal~~ ~~H=Extreme Hazard~~  
Item Numbers: 00448-0009

May be used to comply with OSHA Hazard Communication Standard 29 CFR 1910.1200. Standard must be consulted for specific requirements.

Page 3 of 9

## MATERIAL SAFETY DATA SHEET

00448-3723 -3733 -3734  
 -3743 -3753 -4623 -4633  
 -4634 -4643 -4644 -4653  
 -4713 -4723 -7933

MSDS #: P600-C

Page 1 of 3

Sanford NA  
 2707 Butterfield Road  
 Oak Brook, IL 60523  
 Phone: 630-481-2000 or 800-323-0749

Emergency Medical Number: 888-786-0972

Creation Date: August 1, 2005

## Section One: Product Information

Product Name: Grumbacher Pre-Tested Oil Colors  
 Product Sizes: 37 ml  
 Product Class: Artists' Oil Paint

## Section Two: Ingredients

Ingredients	CAS Number	% by Weight	PEL/TLV
Cadmium Pigment	N/A	40.0%	0.05 mg/m3
Barium Sulfate	7727-43-7	40.0%	10 mg/m3

## Section Three: Hazards Identification

**\*\*WARNING: DO NOT SPRAY APPLY --** This product contains cadmium, a chemical known to the State of California to cause cancer by means of inhalation.

**\*\*WARNING:** This product contains lead, a chemical known to the State of California to cause cancer and birth defects or other reproductive harm.

## Section Four: First Aid Measures

Inhalation: Move to fresh air.  
 Skin Contact: None under normal use conditions.  
 Eye Contact: None under normal use conditions.  
 Ingestion: None under normal use conditions.

This Material Safety Data Sheet is applicable to the consumer use of the following colors: P019, P025, P026, P027, P029, P030, P031, P033, P034, P035, P036

## MATERIAL SAFETY DATA SHEET

MSDS #: P600-C

Page 2 of 3

**Section Five: Fire Fighting Measures**

Flash Point: Not flammable

Flammability Limits (% by volume): Lower: Not explosive Upper: Not explosive

Extinguishing Media: As appropriate for surrounding area.

Special Fire Fighting Measures: No special fire fighting procedures.

Unusual Fire and Explosion Hazards: Not combustible

**Section Six: Accidental Release Measures**

No special spill procedures required

**Section Seven: Handling and Storage**

Handling: No special handling requirements.

Storage: KEEP OUT OF REACH OF CHILDREN.

**Section Eight: Exposure Controls and Personal Protection**

Respiratory Protection and Special Ventilation Requirements: None required

Other Protective Equipment (Gloves, Goggles, Etc.): None

Work/Hygiene Practices: Studio hygiene rules should be observed. Wash thoroughly before eating, drinking, or smoking.

**Section Nine: Physical and Chemical Properties**

Boiling Point: Not determined Melting Point: Not determined

Vapor Pressure: Not determined Specific Gravity: Not determined

Specific Vapor Density (AIR = 1): Not determined Evaporation Rate (Butyl Acetate = 1): Not determined

Solubility in Water: Not determined Reactivity in Water: Non-reactive

Appearance and Odor: Colored paints; oily odor

**Section Ten: Stability and Reactivity**

Stability: Stable

Conditions to Avoid: Excessive heat

Chemical Incompatibility: None known

Hazardous Decomposition: None known

Hazardous Polymerization: Will not occur

## MATERIAL SAFETY DATA SHEET

MSDS #: P600-C

Page 3 of 3

**Section Eleven: Toxicological Information**

IARC Monographs: No

National Toxicology Program: No

OSHA Regulated: No

Effects/Symptoms of  
Acute Exposure: None expectedEffects/Symptoms of  
Chronic Exposure: None expectedMedical Conditions Usually  
Aggravated By Overexposure  
of This Product: None known**Section Twelve: Ecological Information**

Not available

**Section Thirteen: Disposal Considerations**

Dispose in accordance with Federal, State, and Local Regulations.

**Section Fourteen: Transport Information**Environmentally Hazardous Substance, Liquid, n.o.s., (Cadmium Selenide), 9, UN3082, PGIII, Ltd. Qtys  
Environmentally Hazardous Substance, Liquid, n.o.s., (Cadmium Selenide), UN3082, PGIII, Ltd Qtys, packing instruction Y911**Section Fifteen: Regulatory Information**

TSCA INVENTORY:

The product on this Material Safety Data Sheet is not listed on the United States Environmental Protection Agency Toxic Substances Control Act Inventory. However, the components of the product are included in the TSCA Inventory.

**Section Sixteen: Other Information****HMIS Code**

Health	1
Flammability	0
Reactivity	0
Personal Protection	N/A

Sanford Corporation is a member of the Art and Creative Materials Institute, Inc. This product is certified by the Institute to be labeled in accordance with the voluntary chronic hazard labeling standard ASTM D4236 and is labeled with the CL (Cautionary Label) Seal. Products bearing the CL Seal are certified to be properly labeled in a program of toxicological evaluation by a medical expert for any known health risks and with information on the safe and proper use of these materials. Conforms to ASTM D4236.

0=Minimal / 4 = Severe

May be used to comply with OSHA Hazard Communication Standard 29 CFR 1910.1200. Standard must be consulted for specific requirements.

**Material Safety Data Sheet**

**MSDS #: P600**

Page 1 of 3

Sanford Corporation  
 2711 Washington Boulevard  
 Bellwood, IL 60104

TELEPHONE NO: 1-800-323-0749  
 DATE OF LAST REVISION: October 15, 2001  
 MEDICAL EMERGENCY NO: 1-800-228-5635

*Revd 11-04-02 ✓*

00448-				
- 2023	- 3133	- 4043	- 5273	- 8043
- 2043	- 3253	- 4493	- 5923	- 8053
- 2253	- 3273	- 4913	- 6003	- 8063
- 2254	- 3343	- 4923	- 6023	- 8073
- 2273	- 3703	- 4933	- 6553	- 8123
- 2563	- 3713	- 5143	- 7073	- 8213
- 2613	- 3783	- 5203	- 7183	- 8313
- 3013	- 3793	- 5223	- 7563	- 9033
- 3063	- 3803	- 5253	- 7953	- 9063
- 3123				

**SECTION ONE: PRODUCT INFORMATION**

PRODUCT NAME: Pre-Tested Oil Colors  
 PRODUCT SIZES: 37 and 150 ml  
 PRODUCT CLASS: Artists' Oil Paint

**SECTION TWO: HAZARDOUS INGREDIENTS**

INGREDIENTS	CAS #	PEL/TLV	MAX WT. %	NTP	IARC
None					

**SECTION THREE: PHYSICAL AND CHEMICAL CHARACTERISTICS**

BOILING POINT: Not determined      MELTING POINT: Not determined  
 VAPOR PRESSURE: Not determined      SPECIFIC GRAVITY: Not determined  
 SPECIFIC VAPOR DENSITY (AIR = 1): Not determined  
 SOLUBILITY IN WATER: Not determined      REACTIVITY IN WATER: Non-reactive  
 EVAPORATION RATE (BUTYL ACETATE = 1): Not determined  
 APPEARANCE AND ODOR: Colored paints; oily odor

This Material Safety Data Sheet is applicable to the consumer use of the following colors: P001, P002, P006, P016, P021, P023, P024, P061, P064, P076, P080, P086, P110, P112, P115, P116, P120, P134, P142, P150, P156, P160, P163, P168, P169, P170, P171, P172, P182, P202, P203, P205, P208, P211, P215, P216, P220, P222, P223, P230, P244, P306, P307

**Material Safety Data Sheet****MSDS #:** P600

Page 2 of 3

**SECTION FOUR: FIRE AND EXPLOSION INFORMATION****FLASH POINT (METHOD):** Not available**FLAMMABILITY LIMITS (% BY VOLUME):** LOWER: Not explosive

UPPER: Not explosive

**EXTINGUISHING MEDIA:** As appropriate for surrounding area.**FIRE FIGHTING PROCEDURES:** No special fire fighting procedures required.**UNUSUAL FIRE AND EXPLOSION HAZARDS:** Not combustible.**SECTION FIVE: REACTIVITY DATA****STABILITY:** Stable**CONDITIONS TO AVOID:** Excessive heat**CHEMICAL INCOMPATIBILITY:** None known**HAZARDOUS DECOMPOSITION:** None known**HAZARDOUS POLYMERIZATION:** Will not occur.**SECTION SIX: HEALTH HAZARD DATA****PERMISSIBLE EXPOSURE LEVEL:** See Section Two for Component PEL/TLV's.**PRIMARY ROUTES OF ENTRY:****Inhalation:** None under normal use conditions.**Skin:** None under normal use conditions.**Eye:** None under normal use conditions.**Ingestion:** None under normal use conditions.**EFFECTS/SYMPTOMS OF ACUTE EXPOSURE:** None expected**EFFECTS/SYMPTOMS OF CHRONIC EXPOSURE:** None expected**CARCINOGEN LISTING:** NTP: NO IARC: NO OSHA: NO

See Section Two for components affected.

**Material Safety Data Sheet****MSDS #: P600**

Page 3 of 3

**MEDICAL CONDITIONS USUALLY AGGRAVATED BY OVEREXPOSURE TO THIS PRODUCT:** None known

**FIRST AID MEASURES:**

**Inhalation:** Not an inhalation hazard.

**Skin:** Wash with soap and water.

**Eye:** Rinse through with water. If irritation persists, seek medical attention.

**Ingestion:** Seek medical attention. Note to physician: No acute health effects expected.

**SECTION SEVEN: SPILL OR LEAK PROCEDURES**

**PRECAUTIONS TO BE TAKEN DURING STORAGE/HANDLING:** KEEP OUT OF REACH OF CHILDREN.

**STEPS TO BE TAKEN IN CASE MATERIAL IS SPILLED:** No special spill procedures required.

**WASTE DISPOSAL METHOD:** Dispose in accordance with Federal, State, and Local Regulations.

**SECTION EIGHT: PROTECTIVE EQUIPMENT AND CONTROL MEASURES**

**RESPIRATORY PROTECTION AND SPECIAL VENTILATION REQUIREMENTS:** None required

**OTHER PROTECTIVE EQUIPMENT (GLOVES, GOGGLES, ETC.):** None

**WORK/HYGIENE PRACTICES:** Studio hygiene rules should be observed. Wash thoroughly before eating, drinking, or smoking.

**HMIS CODE**

Health:	0
Flammability:	0
Reactivity:	0
Personal Protection:	N/A

Sanford Corporation is a member of The Art and Creative Materials Institute, Inc. This product is certified by the Institute to be labeled in accordance with the voluntary chronic hazard labeling standard ASTM D4236 and is labeled with the AP Nontoxic Seal. Products bearing the AP Approved Product Seal of The Art and Creative Materials Institute, Inc. are certified in a program of toxicological evaluation by a medical expert, subject to review by the Institute Toxicological Advisory Board, to contain no materials in sufficient quantities to be toxic or injurious to humans, or to cause acute or chronic health problems.

~~0=Minimal Hazard~~ ~~4=Extreme Hazard~~

Item Numbers: 00448-0009

May be used to comply with OSHA Hazard Communication Standard 29 CFR 1910.1200. Standard must be consulted for specific requirements.

Page 9 of 9