

APR-22-2002 MON 01:02 PM COLART AMERICAS

FAX NO. 732 562 0941

22/04/02 08:17 FAX

→→→ PISCATAWAY

P. 01  
02

*Recd 11-21-02*

*00618-2025  
2026*

GLOSS SUPER HEAVY GEL Page 1 of 3 22/04/02

**Material Safety Data Sheet**

LIQUITEX

GLOSS SUPER HEAVY GEL

**Section I**

ColArt Americas, Inc  
11 Constitution Avenue  
Piscataway  
New Jersey 08855-1398

Emergency Telephone Number 1-800-828-3385  
Telephone Number for Information 732- 562- 0770

Date prepared 22/04/02

**Section II Hazard Ingredients/Identity Information**

Hazardous Components	CAS No.	OSHA PEL	ACGIH TLV
2-amino-2-methyl-1-propanol	124-68-5	no data	
Residual monomer	n/a		

**Section III Physical/Chemical Characteristics**

Boiling Point:	> 100 °C	Specific Gravity	1.2
Vapour pressure:	ca. 17 mm Hg	Melting Point:	n/a °C
Vapour density:	as water	Evaporation rate	BUAc=1 0.38
Solubility in water:	Dilutable		
Appearance and odour	White paste. Slight monomer odour		

**Section IV Fire and Explosion Hazard Data**

Flash Point	n/a °C	Flammable limits	LEL: n/a UEL: n/a
Extinguishing Media	Use media appropriate to surrounding conditions.		
Special Fire Fighting Procedures	Wear self contained breathing apparatus.		
Unusual Fire and Explosion Hazards	May spatter above boiling point. Dry films will burn.		

**Section V Reactivity Data**

Stability:	Unstable: no Stable: Yes	Conditions to avoid:	none
Incompatibility:	Acidic media		
Hazardous Decomposition	Carbon oxides, monomer fumes in fire		
Hazardous Polymerisation	none		

*V-4565*

HPK-22-ZUUZ MON 01:02 PM COLART AMERICAS  
22/04/02 08:17 FAX

FAX NO. 732 562 0941  
PISCATAWAY

P. 02  
03

GLOSS SUPER HEAVY GEL

Page 2 of 3

22/04/02

**Section VI Health Hazard Data**

Route of Entry	Inhalation? <input checked="" type="checkbox"/>	Skin? <input checked="" type="checkbox"/>	Ingestion? <input checked="" type="checkbox"/>
<b>Health Hazards:</b>			
Residual monomer may be irritating to eyes and respiratory system.			
May cause headache,nausea and skin irritation.			
Cardiogenicity :	NTP: n/s	IARC Monographs:	n/s
	OSHA Regulated		n/s
Signs and Symptoms of Exposure	Irritation of eyes and respiratory system		
Medical Conditions aggravated by exposure			
<b>First Aid Procedures</b>			
Eyes:	Wash with water for 15 minutes		
	Get medical attention		
Skin:	Wash off with water		
Inhalation:	Remove to fresh air		
Ingestion:	Give water to drink		
	Get medical attention		

**Section VII Precautions for Safe Handling and Use**

Steps to be taken if material is spilled	Absorb on inert substrate
Sweep up immediately	
Waste Disposal Method	According to local regulations
<b>Precautions to be taken in Handling and Storage</b>	
Normal hygiene	
Avoid unnecessary personal contact	
Avoid extremes of temperature	
Other precautions	None

HPK-22-2002 MON 01:02 PM COLART AMERICAS  
22/04/02 08:17 FAX

FAX NO. 732 562 0941  
PISCATAWAY

P. 03  
04

GLOSS SUPER HEAVY GEL

Page 3 of 3

22/04/02

**Section VIII Control Measures**

Respiratory protection	Not normally required		
Ventilation	Ensure good extraction/ventilation		
Local exhaust	Not normally required		
Mechanical	Not normally required		
Protective gloves	Not required	Eye protection	If using large quantities
Other protective equipment	Protective clothing		
Work/Hygiene Practices	Avoid contact with skin and eyes		
Avoid inhalation			

This product has been evaluated by a toxicologist and is labeled for acute and chronic health hazards in conformity with the Labeling of Hazardous Art Materials Act and Federal regulation 16 CFR 1500.14 of the Federal Hazardous Substances Act.

This product conforms to ASTM D4236 Standard Practice for Labeling Art Materials for Chronic Adverse Health Hazards