

<b>00669-1013</b>
<b>-1015</b>
<b>-1017</b>

### Material Safety Data Sheet

**Product Name:**  
LIQUITEX(R) SOLUVAR(TM) MATTE PICTURE VARNISH

**Product Family:**

**1. Chemical Product and Company Identification**

Colart Americas, Inc.  
11 Constitution Avenue  
PO Box 1396  
Piscataway, NJ 08855  
1-800-445-4278

EMERGENCY TELEPHONE NUMBER:  
1-800-628-3385

**SUBSTANCE:**  
LIQUITEX(R) SOLUVAR(TM) MATTE PICTURE VARNISH

**TRADE NAMES/SYNONYMS:**  
LIQUITEX SOLUVAR MATTE PICTURE VARNISH  
PRODUCT CODES: 6102; 6108; 6132

**PRODUCT USE:**  
Arts and Crafts

**CREATION DATE:**  
Nov 06 1997

**REVISION DATE:**  
Sep 22 2005

**2. Composition, Information on Ingredients**

**COMPONENT:**  
Petroleum distillates  
Acrylic resin

**CAS NUMBER:**  
Not assigned.

**EC NUMBER:**  
Not assigned.

**3. Hazards Identification**

**EC CLASSIFICATION (CALCULATED):**  
Flammable  
Dangerous for the Environment

**EMERGENCY OVERVIEW:**

**PHYSICAL FORM:**  
liquid

**ODOR:**  
fruity odor

**MAJOR HEALTH HAZARDS:**  
eye irritation, allergic reactions

**PHYSICAL HAZARDS:**  
Combustible liquid and vapor.

**POTENTIAL HEALTH EFFECTS:**  
INHALATION:

**SHORT TERM EXPOSURE:**  
irritation, nausea, headache, symptoms of drunkenness

LIQUITEX® SOLUVAR™  
MATTE PICTURE VARNISH

Page 1

**LONG TERM EXPOSURE:**  
same as effects reported in short term exposure

**SKIN CONTACT:**  
**SHORT TERM EXPOSURE:**  
allergic reactions

**LONG TERM EXPOSURE:**  
same as effects reported in short term exposure

**EYE CONTACT:**  
**SHORT TERM EXPOSURE:**  
irritation

**LONG TERM EXPOSURE:**  
same as effects reported in short term exposure

**INGESTION:**  
**SHORT TERM EXPOSURE:**  
harmful if swallowed

**LONG TERM EXPOSURE:**  
no information on significant adverse effects

**CARCINOGEN STATUS:**  
**OSHA:**  
No

**NTP:**  
No

**IARC:**  
No

#### **4. First Aid Measures**

**INHALATION:**  
Remove from exposure immediately. Use a bag valve mask or similar device to perform artificial respiration (rescue breathing) if needed. Get medical attention.

**SKIN CONTACT:**  
Remove contaminated clothing, jewelry, and shoes immediately. Wash with soap or mild detergent and large amounts of water until no evidence of chemical remains (at least 15-20 minutes). Get medical attention, if needed.

**EYE CONTACT:**  
Wash eyes immediately with large amounts of water or normal saline, occasionally lifting upper and lower lids, until no evidence of chemical remains. Get medical attention immediately.

**INGESTION:**  
Get medical attention, if needed. Contact local poison control center or physician immediately.

#### **5. Fire Fighting Measures**

**FIRE AND EXPLOSION HAZARDS:**  
Moderate fire hazard. Vapor/air mixtures are explosive above flash point.

**EXTINGUISHING MEDIA:**  
regular dry chemical, regular foam, carbon dioxide

**FIRE FIGHTING:**

Move container from fire area if it can be done without risk.  
Cool containers with water spray until well after the fire is out. Avoid inhalation of material or combustion by-products. Water may be ineffective.

FLASH POINT: 120 F (49 C)

FLAMMABILITY CLASS (OSHA): II

**6. Accidental Release Measures****OCCUPATIONAL RELEASE:**

Avoid heat, flames, sparks and other sources of ignition. Absorb with sand or other non-combustible material. Collect spilled material in appropriate container for disposal.

**7. Handling and Storage**

Subject to storage regulations: U.S. OSHA 29 CFR 1910.106. See original container for storage recommendations. Keep separated from incompatible substances.

**8. Exposure Controls, Personal Protection****EXPOSURE LIMITS:**

LIQUITEX(R) SOLUVR(TM) MATTE PICTURE VARNISH:  
No occupational exposure limits established.

**VENTILATION:**

Provide local exhaust ventilation system. Ensure compliance with applicable exposure limits.

**EYE PROTECTION:**

Wear splash resistant safety goggles. Provide an emergency eye wash fountain and quick drench shower in the immediate work area.

**CLOTHING:**

Wear appropriate chemical resistant clothing.

**GLOVES:**

Wear appropriate chemical resistant gloves.

**PROTECTIVE MATERIAL TYPES:**

neoprene

**RESPIRATOR:**

No respirator is required under normal conditions of use.  
Under conditions of frequent use or heavy exposure, respiratory protection may be needed.

**9. Physical and Chemical Properties****PHYSICAL STATE:**

liquid

**TEXTURE:**

viscous

**ODOR:**

fruity odor

**BOILING POINT:**

300- 410 F

**FREEZING POINT:**

Not available

VAPOR PRESSURE:  
Not available

VAPOR DENSITY: Air = 1  
> 1

SPECIFIC GRAVITY:  
Not available

WATER SOLUBILITY:  
Not available

PH:  
Not available

VOLATILITY:  
Not available

ODOR THRESHOLD:  
Not available

EVAPORATION RATE: BuAc = 1  
< 1

#### 10. Stability and Reactivity

REACTIVITY:  
Stable at normal temperatures and pressure.

CONDITIONS TO AVOID:  
Avoid heat, flames, sparks and other sources of ignition.

INCOMPATIBILITIES:  
oxidizing materials

HAZARDOUS DECOMPOSITION:  
Thermal decomposition products: oxides of carbon

POLYMERIZATION:  
Will not polymerize.

#### 11. Toxicological Information

LIQUITEX(R) SOLUVR(TM) MATTE PICTURE VARNISH:  
LOCAL EFFECTS:

Irritant: eye

TARGET ORGANS:  
immune system (sensitizer)

MEDICAL CONDITIONS AGGRAVATED BY EXPOSURE:  
eye disorders, respiratory disorders, skin disorders

#### 12. Ecological Information

Not available

#### 13. Disposal Considerations

Dispose in accordance with all applicable regulations. Subject to disposal regulations: U.S. EPA 40 CFR 262. Hazardous Waste Number(s): D001.

#### 14. Transport Information

No classification assigned.

LAND TRANSPORT ADR/RID:  
No classification assigned.

LIQUITEX® SOLUVR™  
MATTE PICTURE VARNISH

Page 4

AIR TRANSPORT IATA/ICAO:  
No classification assigned.

MARITIME TRANSPORT IMDG: .  
No classification assigned.

#### 15. Regulatory Information

##### U.S. REGULATIONS:

TSCA INVENTORY STATUS:  
Yes

TSCA 12(b) EXPORT NOTIFICATION:  
Not listed.

CERCLA SECTION 103 (40CFR302.4):  
No

SARA SECTION 302 (40CFR355.30):  
No

SARA SECTION 304 (40CFR355.40):  
No

SARA SECTION 313 (40CFR372.65):  
No

SARA HAZARD CATEGORIES, SARA SECTIONS 311/312 (40CFR370.21):  
ACUTE:  
Yes

CHRONIC:  
Yes

FIRE:  
Yes

REACTIVE:  
No

SUDDEN RELEASE:  
No

OSHA PROCESS SAFETY (29CFR1910.119):  
No

STATE REGULATIONS:  
California Proposition 65:  
No

EUROPEAN REGULATIONS:  
EC NUMBER:  
Not applicable

#### 16. Other Information

The information contained herein is provided for identification of hazards in normal use and does not constitute a product specification.

