

08018.TXT

Make sure that equipment is available for cooling the vessels, to prevent the danger of overpressure and overheating in the event of fire in the vicinity. Refer to the other sections of this data sheet for information relating to health and environmental risks.

Safety data sheet: BRERA ACRYLIC 08018 - 2 -
Printed on 3.09.2000 Revision n. 4 Dated 3.29.1999

8. Exposure controls/personal protection.

Follow the good industrial hygiene practices adopting suitable individual protective measures such as gloves and overalls. Do not eat or smoke while handling the product. Wash hands before eating and at the end of the work shift. Periodic health controls are recommended at the discretion of the doctor.

9. Physical and chemical properties

Appearance	Paste
Colour	white
Odour	Slightly ammoniacal
pH	8,5-9
Flash point	> 56°
Solubility	Insoluble, dilute with water
Viscosity	17000 cps
Specific gravity.....	20° 1,300 kg/l 0,2

10. Stability and reactivity

The product is stable in normal conditions of use and storage. In the event of thermal decomposition or fire, vapours potentially dangerous to health may be released.

11. Toxicological information

No episodes of damage to health following exposure to the product have been reported. In any case it is advisable to operate according to good industrial hygiene practices.

12. Ecological information

Use in accordance with good working practices, avoiding dispersion of the product in the environment. In sections n° 10 and 16, data and judgements expressed on aquatic toxicity, mobility, persistence, and biodegradability, and bioaccumulation potential are reported.

13. Disposal considerations

To discharge observing the local laws in force.

Page 2

08018.TXT

14. Transport informations

Road and rail transport
Not classified

Carriage by sea (shipping)
Not classified

Air transportation
Not classified

Safety data sheet: BRERA ACRYLIC 08018 - 3 -
Printed on 3.09.2000 Revision n. 4 Dated 3.29.1999

15. Regulatory information

The medical check up is not compulsory for the personnel who are exposed to the product. However an annual check up and relative exams are advised whenever the doctor considers them to be necessary. The product does not require labelling as it is not included in the hazzardous category.

16. Further information

The present sheet has been drawn up according to community regulations in force. General references: 1 - Directive 88/379/EEC 2 - Directive 91/325/EEC 3 - The Merck Index Ed. 10 4 - Handling Chemicals Safety 5 - Niosh - Registry of Toxic Effects of Chemical Substances 6 - INRS - Fiche Toxicologique 7 - Patty - Industrial Hygiene and Toxicology 8 - N.I. Sax - Dangerous properties of Industrial Materials - 7 Ed., 1988 9 - EEC Directive 93/18 of 5-4-93 (third revision Dir. 88/379) 10 - EEC Directive 93/21 of 27-4-93 (XVIII revision Dir. 67/548) 11 - IMO (Inter. Maritime Organization), Report N. 35, 1989. Note for the user: The data contained in this sheet are the result of the most up-to-date information available in our Company. The user must ensure that the information is suitable and complete in relation to the specific use of the product.

08052.TXT

Make sure that equipment is available for cooling the vessels, to prevent the danger of overpressure and overheating in the event of fire in the vicinity. Refer to the other sections of this data sheet for information relating to health and environmental risks.

Safety data sheet: BRERA ACRYLIC 08052 - 2 -
Printed on 3.09.2000 Revision n. 4 Dated 3.29.1999

8. Exposure controls/personal protection.

Follow the good industrial hygiene practices adopting suitable individual protective measures such as gloves and overalls. Do not eat or smoke while handling the product. Wash hands before eating and at the end of the work shift. Periodic health controls are recommended at the discretion of the doctor.

9. Physical and chemical properties

Appearance	Paste
Colour	Orange
Odour	Slightly ammoniacal
pH	8,5-9
Flash point	> 56°
Solubility	Insoluble, dilute with water
Viscosity	22000 cps
Specific gravity.....	20° 1,080 kg/l 0,2

10. Stability and reactivity

The product is stable in normal conditions of use and storage. In the event of thermal decomposition or fire, vapours potentially dangerous to health may be released.

11. Toxicological information

No episodes of damage to health following exposure to the product have been reported. In any case it is advisable to operate according to good industrial hygiene practices.

12. Ecological information

Use in accordance with good working practices, avoiding dispersion of the product in the environment. In sections n° 10 and 16, data and judgements expressed on aquatic toxicity, mobility, persistence, and biodegradability, and bioaccumulation potential are reported.

13. Disposal considerations

To discharge observing the local laws in force.

Page 2

08052.TXT

14. Transport informations

Road and rail transport
Not classified

Carriage by sea (shipping)
Not classified

Air transportation
Not classified

Safety data sheet: BRERA ACRYLIC 08052 - 3 -
Printed on 3.09.2000 Revision n. 4 Dated 3.29.1999

15. Regulatory information

The medical check up is not compulsory for the personnel who are exposed to the product. However an annual check up and relative exams are advised whenever the doctor considers them to be necessary. The product does not require labelling as it is not included in the hazzardous category.

16. Further information

The present sheet has been drawn up according to community regulations in force. General references: 1 - Directive 88/379/EEC 2 - Directive 91/325/EEC 3 - The Merck Index Ed. 10 4 - Handling Chemicals Safety 5 - Niosh - Registry of Toxic Effects of Chemical Substances 6 - INRS - Fiche Toxicologique 7 - Patty - Industrial Hygiene and Toxicology 8 - N.I. Sax - Dangerous properties of Industrial Materials - 7 Ed., 1988 9 - EEC Directive 93/18 of 5-4-93 (third revision Dir. 88/379) 10 - EEC Directive 93/21 of 27-4-93 (XVIII revision Dir. 67/548) 11 - IMO (Inter. Maritime Organization), Report N. 35, 1989. Note for the user: The data contained in this sheet are the result of the most up-to-date information available in our Company. The user must ensure that the information is suitable and complete in relation to the specific use of the product.

08100.TXT

Make sure that equipment is available for cooling the vessels, to prevent the danger of overpressure and overheating in the event of fire in the vicinity. Refer to the other sections of this data sheet for information relating to health and environmental risks.

Safety data sheet: BRERA ACRYLIC 08100 - 2 -
 Printed on 3.09.2000 Revision n. 4 Dated 3.29.1999

8. Exposure controls/personal protection.

Follow the good industrial hygiene practices adopting suitable individual protective measures such as gloves and overalls. Do not eat or smoke while handling the product. Wash hands before eating and at the end of the work shift. Periodic health controls are recommended at the discretion of the doctor.

9. Physical and chemical properties

Appearance	Paste
Colour	Limon yellow
Odour	Slightly ammoniacal
pH	8,5-9
Flash point	> 56°
Solubility	Insoluble, dilute with water
Viscosity	23000 cps
Specific gravity.....	20° 2,600 kg/l 0,2

10. Stability and reactivity

The product is stable in normal conditions of use and storage. In the event of thermal decomposition or fire, vapours potentially dangerous to health may be released.

11. Toxicological information

No episodes of damage to health following exposure to the product have been reported. In any case it is advisable to operate according to good industrial hygiene practices.

12. Ecological information

Use in accordance with good working practices, avoiding dispersion of the product in the environment. In sections n° 10 and 16, data and judgements expressed on aquatic toxicity, mobility, persistence, and biodegradability, and bioaccumulation potential are reported.

13. Disposal considerations

To discharge observing the local laws in force.

Page 2

08131.TXT

Allow containers to cool in order to avoid product decomposition and generation of substances which might injure the health and be dangerous for safety reasons. wear the fire equipment all the time.

Safety data sheet: BRERA ACRYLIC 08131 - 2 -
 Printed on 3.09.2000 Revision n. 6 Dated 3.09.2000

6. Accidental release measures

Limit the spreading of the spillage with inert absorbent material (sand, earth etc). Neutralize and remove as far as possible the treated mass; wash the remainder with plenty of water.

7. Handling and storage

Make sure that equipment is available for cooling the vessels, to prevent the danger of overpressure and overheating in the event of fire in the vicinity. Refer to the other sections of this data sheet for information relating to health and environmental risks.

8. Exposure controls/personal protection.

Follow the good industrial hygiene practices adopting suitable individual protective measures such as gloves and overalls. Do not eat or smoke while handling the product. wash hands before eating and at the end of the work shift. Periodic health controls are recommended at the discretion of the doctor.

9. Physical and chemical properties

Appearance	Paste
Colour	Light ocre
Odour	Slightly ammoniacal
pH	8,5-9
Flash point	> 56ø
Solubility	Insoluble, dilute with water
Viscosity	24000 cps
Specific gravity.....	20ø 1,200 kg/l 0,2

10. Stability and reactivity

The product is stable in normal conditions of use and storage. In the event of thermal decomposition or fire, vapours potentially dangerous to health may be released.

11. Toxicological information

No episodes of damage to health following exposure to the product have been reported. In any case it is advisable to operate according to good industrial hygiene practices.

Page 2

08219.TXT

Make sure that equipment is available for cooling the vessels, to prevent the danger of overpressure and overheating in the event of fire in the vicinity. Refer to the other sections of this data sheet for information relating to health and environmental risks.

Safety data sheet: BRERA ACRYLIC 08219 - 2 -
 Printed on 3.09.2000 Revision n. 4 Dated 3.29.1999

8. Exposure controls/personal protection.

Follow the good industrial hygiene practices adopting suitable individual protective measures such as gloves and overalls. Do not eat or smoke while handling the product. Wash hands before eating and at the end of the work shift. Periodic health controls are recommended at the discretion of the doctor.

9. Physical and chemical properties

Appearance	Paste
Colour	Red
Odour	Slightly ammoniacal
pH	8,5-9
Flash point	> 56ø
Solubility	Insoluble, dilute with water
Viscosity	20000 cps
Specific gravity.....	20ø 1,070 kg/l 0,2

10. Stability and reactivity

The product is stable in normal conditions of use and storage. In the event of thermal decomposition or fire, vapours potentially dangerous to health may be released.

11. Toxicological information

No episodes of damage to health following exposure to the product have been reported. In any case it is advisable to operate according to good industrial hygiene practices.

12. Ecological information

Use in accordance with good working practices, avoiding dispersion of the product in the environment. In sections n° 10 and 16, data and judgements expressed on aquatic toxicity, mobility, persistence, and biodegradability, and bioaccumulation potential are reported.

13. Disposal considerations

To discharge observing the local laws in force.

Page 2

08219.TXT

14. Transport informations

Road and rail transport
Not classified

Carriage by sea (shipping)
Not classified

Air transportation
Not classified

Safety data sheet: BRERA ACRYLIC 08219 - 3 -
Printed on 3.09.2000 Revision n. 4 Dated 3.29.1999

15. Regulatory information

The medical check up is not compulsory for the personnel who are exposed to the product. However an annual check up and relative exams are advised whenever the doctor considers them to be necessary. The product does not require labelling as it is not included in the hazzardous category.

16. Further information

The present sheet has been drawn up according to community regulations in force. General references: 1 - Directive 88/379/EEC 2 - Directive 91/325/EEC 3 - The Merck Index Ed. 10 4 - Handling Chemicals Safety 5 - Niosh - Registry of Toxic Effects of Chemical Substances 6 - INRS - Fiche Toxicologique 7 - Patty - Industrial Hygiene and Toxicology 8 - N.I. Sax - Dangerous properties of Industrial Materials - 7 Ed., 1988 9 - EEC Directive 93/18 of 5-4-93 (third revision Dir. 88/379) 10 - EEC Directive 93/21 of 27-4-93 (XVIII revision Dir. 67/548) 11 - IMO (Inter. Maritime Organization), Report N. 35, 1989. Note for the user: The data contained in this sheet are the result of the most up-to-date information available in our Company. The user must ensure that the information is suitable and complete in relation to the specific use of the product.

08321.TXT

Make sure that equipment is available for cooling the vessels, to prevent the danger of overpressure and overheating in the event of fire in the vicinity. Refer to the other sections of this data sheet for information relating to health and environmental risks.

Safety data sheet: BRERA ACRYLIC 08321 - 2 -
 Printed on 3.09.2000 Revision n. 4 Dated 3.29.1999

8. Exposure controls/personal protection.

Follow the good industrial hygiene practices adopting suitable individual protective measures such as gloves and overalls. Do not eat or smoke while handling the product. Wash hands before eating and at the end of the work shift. Periodic health controls are recommended at the discretion of the doctor.

9. Physical and chemical properties

Appearance	Paste
Colour	Deep green
Odour	Slightly ammoniacal
pH	8,5-9
Flash point	> 56ø
Solubility	Insoluble, dilute with water
Viscosity	22000 cps
Specific gravity.....	20ø 1,100 kg/l 0,2

10. Stability and reactivity

The product is stable in normal conditions of use and storage. In the event of thermal decomposition or fire, vapours potentially dangerous to health may be released.

11. Toxicological information

No episodes of damage to health following exposure to the product have been reported. In any case it is advisable to operate according to good industrial hygiene practices.

12. Ecological information

Use in accordance with good working practices, avoiding dispersion of the product in the environment. In sections n° 10 and 16, data and judgements expressed on aquatic toxicity, mobility, persistence, and biodegradability, and bioaccumulation potential are reported.

13. Disposal considerations

To discharge observing the local laws in force.

Page 2

08321.TXT

14. Transport informations

Road and rail transport
Not classified

Carriage by sea (shipping)
Not classified

Air transportation
Not classified

Safety data sheet: BRERA ACRYLIC 08321 - 3 -
Printed on 3.09.2000 Revision n. 4 Dated 3.29.1999

15. Regulatory information

The medical check up is not compulsory for the personnel who are exposed to the product. However an annual check up and relative exams are advised whenever the doctor considers them to be necessary. The product does not require labelling as it is not included in the hazzardous category.

16. Further information

The present sheet has been drawn up according to community regulations in force. General references: 1 - Directive 88/379/EEC 2 - Directive 91/325/EEC 3 - The Merck Index Ed. 10 4 - Handling Chemicals Safety 5 - Niosh - Registry of Toxic Effects of Chemical Substances 6 - INRS - Fiche Toxicologique 7 - Patty - Industrial Hygiene and Toxicology 8 - N.I. Sax - Dangerous properties of Industrial Materials - 7 Ed., 1988 9 - EEC Directive 93/18 of 5-4-93 (third revision Dir. 88/379) 10 - EEC Directive 93/21 of 27-4-93 (XVIII revision Dir. 67/548) 11 - IMO (Inter. Maritime Organization), Report N. 35, 1989. Note for the user: The data contained in this sheet are the result of the most up-to-date information available in our Company. The user must ensure that the information is suitable and complete in relation to the specific use of the product.

08364.TXT

Make sure that equipment is available for cooling the vessels, to prevent the danger of overpressure and overheating in the event of fire in the vicinity. Refer to the other sections of this data sheet for information relating to health and environmental risks.

Safety data sheet: BRERA ACRYLIC 08364 - 2 -
 Printed on 3.09.2000 Revision n. 4 Dated 3.29.1999

8. Exposure controls/personal protection.

Follow the good industrial hygiene practices adopting suitable individual protective measures such as gloves and overalls. Do not eat or smoke while handling the product. Wash hands before eating and at the end of the work shift. Periodic health controls are recommended at the discretion of the doctor.

9. Physical and chemical properties

Appearance	Paste
Colour	Blue
Odour	slightly ammoniacal
pH	8,5-9
Flash point	> 56ø
Solubility	Insoluble, dilute with water
Viscosity	20000 cps
Specific gravity.....	20ø 1,240 kg/l 0,2

10. Stability and reactivity

The product is stable in normal conditions of use and storage. In the event of thermal decomposition or fire, vapours potentially dangerous to health may be released.

11. Toxicological information

No episodes of damage to health following exposure to the product have been reported. In any case it is advisable to operate according to good industrial hygiene practices.

12. Ecological information

Use in accordance with good working practices, avoiding dispersion of the product in the environment. In sections n° 10 and 16, data and judgements expressed on aquatic toxicity, mobility, persistence, and biodegradability, and bioaccumulation potential are reported.

13. Disposal considerations

To discharge observing the local laws in force.

Page 2

08492.TXT

Make sure that equipment is available for cooling the vessels, to prevent the danger of overpressure and overheating in the event of fire in the vicinity. Refer to the other sections of this data sheet for information relating to health and environmental risks.

Safety data sheet: BRERA ACRYLIC 08492 - 2 -
Printed on 3.09.2000 Revision n. 4 Dated 3.29.1999

8. Exposure controls/personal protection.

Follow the good industrial hygiene practices adopting suitable individual protective measures such as gloves and overalls. Do not eat or smoke while handling the product. Wash hands before eating and at the end of the work shift. Periodic health controls are recommended at the discretion of the doctor.

9. Physical and chemical properties

Appearance	Paste
Colour	Deep brown
Odour	Slightly ammoniacal
pH	8,5-9
Flash point	> 56ø
Solubility	Insoluble, dilute with water
viscosity	20000 cps
Specific gravity.....	20ø 1,180 kg/l 0,2

10. Stability and reactivity

The product is stable in normal conditions of use and storage. In the event of thermal decomposition or fire, vapours potentially dangerous to health may be released.

11. Toxicological information

No episodes of damage to health following exposure to the product have been reported. In any case it is advisable to operate according to good industrial hygiene practices.

12. Ecological information

Use in accordance with good working practices, avoiding dispersion of the product in the environment. In sections nø 10 and 16, data and judgements expressed on aquatic toxicit, mobility, persistence, and biodegradability, and bioaccumulation potential are reported.

13. Disposal considerations

To discharge observing the local laws in force.

08492.TXT

14. Transport informations

Road and rail transport
Not classified

Carriage by sea (shipping)
Not classified

Air transportation
Not classified

Safety data sheet: BRERA ACRYLIC 08492 - 3 -
Printed on 3.09.2000 Revision n. 4 Dated 3.29.1999

15. Regulatory information

The medical check up is not compulsory for the personnel who are exposed to the product. However an annual check up and relative exams are advised whenever the doctor considers them to be necessary. The product does not require labelling as it is not included in the hazzardous category.

16. Further information

The present sheet has been drawn up according to community regulations in force. General references: 1 - Directive 88/379/EEC 2 - Directive 91/325/EEC 3 - The Merck Index Ed. 10 4 - Handling Chemicals Safety 5 - Niosh - Registry of Toxic Effects of Chemical Substances 6 - INRS - Fiche Toxicologique 7 - Patty - Industrial Hygiene and Toxicology 8 - N.I. Sax - Dangerous properties of Industrial Materials - 7 Ed., 1988 9 - EEC Directive 93/18 of 5-4-93 (third revision Dir. 88/379) 10 - EEC Directive 93/21 of 27-4-93 (XVIII revision Dir. 67/548) 11 - IMO (Inter. Maritime Organization), Report N. 35, 1989. Note for the user: The data contained in this sheet are the result of the most up-to-date information available in our Company. The user must ensure that the information is suitable and complete in relation to the specific use of the product.

08493.TXT

Make sure that equipment is available for cooling the vessels, to prevent the danger of overpressure and overheating in the event of fire in the vicinity. Refer to the other sections of this data sheet for information relating to health and environmental risks.

Safety data sheet: BRERA ACRYLIC 08493 - 2 -
Printed on 3.09.2000 Revision n. 4 Dated 3.29.1999

8. Exposure controls/personal protection.

Follow the good industrial hygiene practices adopting suitable individual protective measures such as gloves and overalls. Do not eat or smoke while handling the product. Wash hands before eating and at the end of the work shift. Periodic health controls are recommended at the discretion of the doctor.

9. Physical and chemical properties

Appearance	Paste
Colour	Brown
Odour	Slightly ammoniacal
pH	8,5-9
Flash point	> 56ø
Solubility	Insoluble, dilute with water
Viscosity	17400 cps
Specific gravity.....	20ø 1,160 kg/l 0,2

10. Stability and reactivity

The product is stable in normal conditions of use and storage. In the event of thermal decomposition or fire, vapours potentially dangerous to health may be released.

11. Toxicological information

No episodes of damage to health following exposure to the product have been reported. In any case it is advisable to operate according to good industrial hygiene practices.

12. Ecological information

Use in accordance with good working practices, avoiding dispersion of the product in the environment. In sections n° 10 and 16, data and judgements expressed on aquatic toxicity, mobility, persistence, and biodegradability, and bioaccumulation potential are reported.

13. Disposal considerations

To discharge observing the local laws in force.

Page 2

08493.TXT

14. Transport informations

Road and rail transport
Not classified

Carriage by sea (shipping)
Not classified

Air transportation
Not classified

Safety data sheet: BRERA ACRYLIC 08493 - 3 -
Printed on 3.09.2000 Revision n. 4 Dated 3.29.1999

15. Regulatory information

The medical check up is not compulsory for the personnel who are exposed to the product. However an annual check up and relative exams are advised whenever the doctor considers them to be necessary. The product does not require labelling as it is not included in the hazzardous category.

16. Further information

The present sheet has been drawn up according to community regulations in force. General references: 1 - Directive 88/379/EEC 2 - Directive 91/325/EEC 3 - The Merck Index Ed. 10 4 - Handling Chemicals Safety 5 - Niosh - Registry of Toxic Effects of Chemical Substances 6 - INRS - Fiche Toxicologique 7 - Patty - Industrial Hygiene and Toxicology 8 - N.I. Sax - Dangerous properties of Industrial Materials - 7 Ed., 1988 9 - EEC Directive 93/18 of 5-4-93 (third revision Dir. 88/379) 10 - EEC Directive 93/21 of 27-4-93 (XVIII revision Dir. 67/548) 11 - IMO (Inter. Maritime Organization), Report N. 35, 1989. Note for the user: The data contained in this sheet are the result of the most up-to-date information available in our Company. The user must ensure that the information is suitable and complete in relation to the specific use of the product.