

✓ 3272-06
-07

01007-1007
-1009

MATERIAL SAFETY DATA SHEET

PRODUCT NAME: BULLSEYE 1-2-3 PRIMER/SEALER
 PRODUCT CODE: WZ2000
 PRODUCT USE: Paint

HMIS CODES: H P R P
 1 0 0 E

===== SECTION I - MANUFACTURER IDENTIFICATION =====

MANUFACTURER'S NAME: WILLIAM ZINSSER & COMPANY, INC.
 ADDRESS: 39 BELMONT DRIVE, SOMERSET, NJ 08875
 EMERGENCY PHONE: CHMTREC 800-424-9300 INFORMATION PHONE: (908) 469-4367
 DATE REVISED : 09-01-94 NAME OF PREPARER : L. MICHALEWICZ
 REASON REVISED : Various updates

===== SECTION II - HAZARDOUS INGREDIENTS/SARA III INFORMATION =====

| HAZARDOUS COMPONENTS/WEIGHT PERCENT | OCCUPATIONAL EXPOSURE LIMITS | | | |
|---|------------------------------|-----------|---------|---|
| | OSHA PEL | ACGIH TLV | STEL | LD50 SPECIES & ROUTE |
| *Zinc Oxide [CAS 1314-13-2] 1 | 10 mg/M3 | 10 mg/M3 | 5 mg/M3 | |
| Talc [CAS 14807-96-6] < 5.0% | 20Mppcf | 2 mg/M3 | | |
| Calcium Carbonate [CAS 471-34-1] < 5.0% | 15 mg/m3 | 10 mg/m3 | | |
| Titanium Dioxide [CAS 13463-67-7] 10 | 15 mg/M3 | 10 mg/M3 | 5 mg/M3 | >9500 mg/kg rat (oral) |
| Calcium Carbonate [CAS 1317-65-3] 10 | 15 mg/m3 | 10 mg/m3 | | |
| *Ethylene Glycol [CAS 107-21-1] 3 | 50 ppm | 50 ppm | 50 ppm | 4.0 g/kg oral rat acute 1.0 g/kg oral human |

* Indicates toxic chemical(s) subject to the reporting requirements of section 313 of Title III and of 40 CFR 372.

WZ1000

MATERIAL SAFETY DATA SHEET

PAGE 3 OF 4

SECTION VI - HEALTH HAZARD DATA

INHALATION HEALTH RISKS AND SYMPTOMS OF EXPOSURE

None known.

SKIN AND EYE CONTACT HEALTH RISKS AND SYMPTOMS OF EXPOSURE

Direct contact of paint will result in temporary eye irritation, redness, and blurriness. May cause dry skin or mild irritation.

SKIN ABSORPTION HEALTH RISKS AND SYMPTOMS OF EXPOSURE

NA

INGESTION HEALTH RISKS AND SYMPTOMS OF EXPOSURE

May cause nausea, irritation, vomiting and diarrhea.

HEALTH HAZARDS (ACUTE AND CHRONIC)

Similar products have been used for many years without reported health risks. No chronic effects have been reported.

CARCINOGENICITY: NTP? NO IARC MONOGRAPHS? NO OSHA REGULATED? NO

NA

TERATOGENICITY

Not determined

MUTAGENICITY

Not determined

TOXICOLOGICALLY SYNERGISTIC PRODUCTS

Unknown

MEDICAL CONDITIONS GENERALLY AGGRAVATED BY EXPOSURE

None known.

EMERGENCY AND FIRST AID PROCEDURES

Inhalation overexposure: Move person to fresh air.

Eye contact: Flush immediately with water for at least 15 minutes. Seek immediate medical attention.

Skin contact: Wash immediately with soap and water, rinse thoroughly.

Ingestion: Do not induce vomiting. Drink 1 - 2 glasses of water. Treat symptomatically.

If conditions of exposure persist or the victim is unconscious CALL A PHYSICIAN or SEEK MEDICAL ATTENTION IMMEDIATELY.

W22000

MATERIAL SAFETY DATA SHEET

PAGE 4 OF 4

SECTION VII - PRECAUTIONS FOR SAFE HANDLING AND USE

STEPS TO BE TAKEN IN CASE MATERIAL IS RELEASED OR SPILLED

Stop leakage if no risk is evident. Absorb small spills with an appropriate absorbent material. Dike large spills to contain run off for later disposal and clean-up.

WASTE DISPOSAL METHOD

Collect all liquid waste into metal containers. Dispose of as hazardous waste. Dry latex paint is non-hazardous. Refer to federal, state and local regulations for proper disposal methods. Follow all pertinent laws.

PRECAUTIONS TO BE TAKEN IN HANDLING AND STORING

Keep from freezing. Store in cool dry place. Rotate stock to prevent obsolescence. Follow Dot, OSHA 1910.106 and other regulations on storage and handling. Do not store at high temperatures, 140F and above.

OTHER PRECAUTIONS

Keep container closed when not in use. Stop use if allergic reaction appears. Read this document before use. Keep away from children. Observe safe and hygienic practice when using this product. Follow all federal, state, local and pertinent laws and regulations that apply.

SECTION VIII - CONTROL MEASURES

RESPIRATORY PROTECTION

Use an appropriate NIOSH approved respirator when applying this product by spray.

VENTILATION

Local exhaust or mechanical ventilation is adequate to maintain vapor level TLV levels.

PROTECTIVE GLOVES

Work gloves.

EYE PROTECTION

Wear goggles, face shield when spraying. Use eye protection when wearing contacts.

OTHER PROTECTIVE CLOTHING OR EQUIPMENT

Wear clothing to protect skin. Wear headcover to protect from spills and overspray.

WORK/HYGIENIC PRACTICES

Eye wash equipment should be available in the work area.

SECTION IX - DISCLAIMER

DISCLAIMER

The information herein is prepared from various sources and deemed to be reliable. No warranties or claims are expressed or implied by William Zinsser & Co., Inc. on the accuracy of the information. All liabilities are disclaimed from any information provided.

4-4