

Date of preparation: 19 Jun 1990 -PRODUCT# ARTISTIC-ACRYLICS- PAGE# 105
MSDS SAFETY DATA SHEET NFCA 1-72
For coatings, resins and related materials.
(Approved by U.S. Department of Labor (similar)-Form OSHA-20)

UPDATED- JANUARY 9, 1990

01019-1006
-1007
-1009

{45107-05} ✓
-06
-07

SECTION I

NFCA/HMIS DATA

Health Hazard	0	0 Minimal Hazard
Flammability Hazard	0	1 Slight Hazard
Reactivity Hazard	0	2 Moderate Hazard
Max. Personal Protection	A	3 Serious Hazard
		4 Severe Hazard

Manufacturer's Name: CAL-WESTERN PAINTS
Street Address: 11748 SLAUSON AVE., SANTA FE SPRINGS, CA 90670
Emergency telephone #: (213) 723-6362
Product Class ACRYLIC LATEX
Manufacturer's Code Identification: 574
Trade Name: ARTISTIC ACRYLIC GLAZE

COLOR NAME: CLEAR

SECTION II-HAZARDOUS INGREDIENTS

INGREDIENT CAS#	PERCENT BY WEIGHT	TLV PPM	OSHA PEL mg/M3	VAPOR LEL	TEMP. PRESSURE
-----------------	-------------------	---------	----------------	-----------	----------------

-NONE LISTED-

SUSPECTED CANCER AGENT?: NO-This product's ingredients are not found on the following lists / Federal OSHA / NTP / IARC.

SECTION III-PHYSICAL DATA

Boiling Range: 212 degrees F	Vapor Density: Heavier than air
Evaporation Rate: Slower than ether	% Volatile by Volume: 72.80%
Weight per Gallon: 8.70 +/- .15	V.O.C. (grams/liter) (excluding water): 126.35

SECTION IV-FIRE & EXPLOSION HAZARD DATA

Dot Category: NON-COMBUSTIBLE (AQUEOUS SYSTEM)
Flash Point: N/A LEL: 3.2

Extinguishing Media: FOR RESIDUAL SOLIDS, USE WATER SPRAY, CARBON DIOXIDE, DRY CHEMICAL.

Unusual Fire & Explosion Hazards: CLOSED CONTAINERS MAY EXPLODE DUE TO THE BUILD UP OF STEAM PRESSURE WHEN EXPOSED TO EXTREME HEAT.

Special Fire Fighting Procedures: IF WATER IS USED, FOG NOZZLES ARE

V-6607

Date of preparation: 19 Jun 1990 -PRODUCT# ARTISTIC-ACRYLICST PAGE# 100
 PRÉFERABLE. USE WATER TO COOL CLOSED CONTAINERS.

SECTION V - HEALTH HAZARD

Threshold Limit Value: SEE SECTION II

Effects of Short Term Overexposure:

Swallowing

Unknown.

Inhalation

Inhalaton of mists may cause mild respiratory irritation.

Skin

May cause transient skin irritation.

Effects of Overexposure: MAY CAUSE HEADACHES AND NAUSEA BY INHALATION, POSSIBLE PRIMARY IRRITATION BY EYE CONTACT. SKIN CONTACT MAY CAUSE REDDENING OF SKIN.

Emergency & First Aid Procedures:

INHALATION:

REMOVE FROM EXPOSURE TO FRESH AIR..

SPLASH(EYES):

FLUSH IMMEDIATELY WITH LARGE AMOUNTS OF WATER FOR AT LEAST 15 MINUTES LIFTING UPPER AND LOWER LIDS OCCASIONALLY. TAKE TO A PHYSICIAN FOR MEDICAL TREATMENT.

SPLASH(SKIN):

REMOVE WITH SOAP AND WATER. REMOVE CONTAMINATED CLOTHING. OBTAIN MEDICAL ATTENTION IF IRRITATION PERSISTS.

INGESTION:

IF SWALLOWED, CALL POISON CONTROL CENTER, HOSPITAL EMERGENCY ROOM, OR PHYSICIAN IMMEDIATELY.

SECTION VI - REACTIVITY DATA

Stability: STABLE

Conditions to Avoid: N/A

Incompatibility: N/A

Hazardous Decomposition Products: N/A

Hazardous Polymerization: WILL NOT OCCUR

Conditions to Avoid: N/A

SECTION VII - SPILL OR LEAK PROCEDURES

Steps to be taken in case material is released or spilled: CONTAIN & REMOVE WITH INERT ABSORBENT.

Waste Disposal Method: DISPOSE IN ACCORDANCE WITH LOCAL, STATE, AND FEDERAL REGULATIONS.

SECTION VIII - SPECIAL PROTECTION INFORMATION

Respiratory Protection: NONE REQUIRED IF GOOD VENTILATION IS MAINTAINED.

Ventilation: GENERAL (MECHANICAL) ROOM VENTILATION IS EXPECTED TO BE

Date of preparation: 19 JUN 1990 - PRODUCT# ARTISTIC-ACRYLIC- PAGE# 107
SATISFACTORY

Protective Gloves: RECOMMENDED.
Eye Protection: SAFETY GLASSES.
Other Protection: EYE BATH.

SECTION IX - SPECIAL PRECAUTIONS

Precautions to be taken in handling and storing: SHOULD BE STORED AT ROOM TEMPERATURE TO PROLONG SHELF LIFE. KEEP FROM FREEZING. KEEP CONTAINER CLOSED.

OTHER PRECAUTIONS - KEEP OUT OF REACH OF CHILDREN.
DO NOT GET IN EYES.
AVOID SKIN CONTACT.
PREVENT PROLONGED OR REPEATED BREATHING OF VAPOR OR SPRAY MIST.

HYGIENIC PRACTICES - WASH HANDS BEFORE EATING OR USING THE WASHROOM.

NOTICE: the data and recommendations presented herein are based upon our research and the research of others, and are believed to be accurate. No guarantee of their accuracy is made, however, and the product discussed are distributed without warranty, expressed or implied, and the person receiving said product shall make his own determination of the suitability thereof for his particular purpose.