

01551-1009

MSDS Professional Permalba Oil Colors - Caution Labels



Material Safety Data Sheet  
Martin/F. Weber Company  
<<Close MSDS>>

General Health &  
Safety Information  
Date Prepared:

29 October 2003

Revised 05-21-04 ✓

For Health Emergencies, CALL A POISON CONTROL CENTER

For Transportation Emergencies ONLY: Call Chem-Tel:  
USA, Canada, Puerto Rico, US Virgin Islands: Call 800-255-3924  
Outside North America: Call Collect 813-248-0585

SECTION 1 - PRODUCT & COMPANY IDENTIFICATION

- 1.1 PRODUCT NAME Professional Permalba Oil Colors
- 1.2 ITEM NUMBERS AND SIZES Colors listed in Section 2 below - 37ml and 150ml tubes
- 1.3 COMPANY IDENTIFICATION  
Martin/F. Weber Company  
2727 Southampton Road  
Philadelphia, PA 19154-1293 USA  
Phone: 215-677-5600 Fax: 215-677-3336  
email: info@weberart.com

V-4475

SECTION 2 - COMPOSITION AND INGREDIENTS

Martin/F. Weber Company is a member of the **Art & Creative Materials Institute**, (ACMI) 1280 Main Street, 2nd. Floor, PO Box 479, Hanson, MA 02341 USA. ACMI is a non-profit, international organization which tests and evaluates art materials formulations for toxicity, recommends and requires appropriate labeling. Our art and craft materials are certified by the institute to be labeled in accordance with the voluntary chronic hazard labeling standard, ASTM D-4236 of the American Society for Testing & Materials.

This standard is incorporated into the US Federal Hazard Substances Act and it's LHAMA (Labeling for Hazardous Art Materials) amendment. The products on this MSDS have been tested and evaluated in accordance with ASTM D-4236, the US Federal Hazard Substances Act and LHAMA. Those tests have determined that the products contain *NO MATERIALS* in sufficient quantities to be toxic or injurious to humans or to cause acute or chronic health problems in normal use

Despite these tests and evaluation, California Proposition 65 requires manufacturers to label products which contain *any* measurable amount of cadmium, lead, cobalt, nickel or chromium with a California only warning. Since advancements in scientific measuring techniques can detect trace elements as low as 1 part per billion, (0.0000001% by weight) some products which have been tested and evaluated by an independent Board Certified Toxicologist, and which determined that the products contain *NO MATERIALS* in sufficient quantities to be toxic or injurious to humans or to cause acute or chronic health problems in normal use carry California only warnings.

They can not carry the **AP Non-Toxic Seal** of ACMI. However, they do carry the labeling "Conforms to ASTM D-4236" with no other cautionary labeling required under the US FHSA and LHAMA.

## MSDS Professional Permalba Oil Colors - Caution Labels

Item Number	Size and Color	California Labeling	Item Number	Size and Color	California Labeling
1002	PROF. PERM. 37ML BRILLIANT YELLOW LIGHT	Pb, Cd	1055	PROF. PERM. 37ML ULTRAMARINE VIOLET	Pb, Cd
1005	PROF. PERM. 37ML CADMIUM ORANGE	Cd	1056	PROF. PERM. 37ML UNBLEACHED TITAN	Pb, Cd
1006	PROF. PERM. 37ML CADMIUM RED DEEP	Cd	1062	PROF. PERM. 37ML ZINC WHITE	Pb, Cd
1007	PROF. PERM. 37ML CADMIUM RED LIGHT	Cd	1205	PROF. PERMALBA 150ML CADMIUM ORANGE	Cd
1008	PROF. PERM. 37ML CADMIUM RED MEDIUM	Cd	1207	PROF. PERMALBA 150ML CADMIUM RED LIGHT	Cd
1009	PROF. PERM. 37ML CADMIUM YELLOW DEEP	Cd	1208	PROF. PERMALBA 150ML CADMIUM RED MEDIUM	Cd
1010	PROF. PERM. 37ML CADMIUM YELLOW LIGHT	Cd	1211	PROF. PERMALBA 150M CADMIUM YELLOW MEDIUM	Cd
1011	PROF. PERM. 37ML CADMIUM YELLOW MEDIUM	Cd	1212	PROF. PERMALBA 150ML CERULEAN BLUE GENUINE	Co
1012	PROF. PERM. 37ML CERULEAN BLUE GENUINE	Co	1262	PROF. PERMALBA 150ML ZINC WHITE	Pb, Cd
1014	PROF. PERM. 37ML COBALT BLUE GENUINE	Co	2757	ORIGINAL PERMALBA® WHITE 37ML	Pb, Cd
1016	PROF. PERM. 37ML COBALT VIOLET PERMANENT	Pb, Cd	2758	ORIGINAL PERMALBA® WHITE 150ML	Pb, Cd
			2759	ORIGINAL PERMALBA® WHITE 473ML	Pb, Cd

COMPONENT	CAS #	MAX. AMOUNT (% Weight)
CADMIUM PIGMENT - Colors with Cadmium in Name - above	1306-23-6	33
ZINC OXIDE PIGMENT	1314-13-2	36
{Trace Contaminants Lead (Pb) Cadmium (Cd)}		Lead - .00072012 Cadmium - .00360060
COBALT PIGMENT	1345-19-3 1345-16-0	38

MSDS Professional Permalba Oil Colors - Caution Labels

## SECTION 3 - HAZARDS IDENTIFICATION

## 3.1 EMERGENCY OVERVIEW

<b>Appearance</b>	Colored Paste
<b>Physical State</b>	Paste
<b>Odor</b>	Characteristic Linseed or Safflower Oil
<b>Hazards of Product</b>	Do Not Spray Apply Colors which Contain Cadmium Pigment

## 3.2 POTENTIAL HEALTH EFFECTS

Effects of Single Acute Overexposure:	Not Applicable
Chronic, Prolonged or Repeated Overexposure:	Not Applicable
Medical Conditions Aggravated by Exposure:	

## 3.3 POTENTIAL ENVIRONMENTAL EFFECTS

## SECTION 4 - FIRST AID PROCEDURES

4.1 INHALATION	Not Applicable
4.2 EYE CONTACT	Not Applicable
4.3 SKIN CONTACT	Not Applicable
4.4 SWALLOWING	Not Applicable
4.5 NOTES TO PHYSICIAN	

## SECTION 5 - FIRE FIGHTING MEASURES

## 5.1 FLAMMABLE PROPERTIES

<b>Flash Point - Closed Cup</b>	> 350° F (177° C)
<b>Flash Point - Open Cup</b>	
<b>Auto-Ignition Temperature</b>	
<b>Flammable Limits in Air</b>	

5.2 EXTINGUISHING MEDIA Dry Chemical, Carbon Dioxide, Foam

## 5.3 EXTINGUISHING MEDIA TO AVOID

## 5.4 SPECIAL FIRE FIGHTING PROCEDURES

## 5.5 SPECIAL PROTECTIVE EQUIPMENT FOR FIREFIGHTERS

## 5.6 UNUSUAL FIRE AND EXPLOSION HAZARDS

MSDS Professional Permalba Oil Colors - Caution Labels

**5.7 HAZARDOUS COMBUSTION PRODUCTS****SECTION 6 - ACCIDENTAL RELEASE MEASURES**

Steps to be Taken if Material is Released or Spilled

Clean up paint, and paint mixed with solvents, using rags or paper towels. Place in air-tight containers for disposal.

**SECTION 7 - HANDLING AND STORAGE**

7.1 GENERAL HANDLING

After use, wash hands before eating, drinking or smoking

7.2 STORAGE

**SECTION 8 - EXPOSURE CONTROLS AND PERSONAL PROTECTION**

8.1 EXPOSURE LIMITS

Not Applicable

8.2 PERSONAL PROTECTION

**Respiratory Protection:**

Do Not Spray Apply Colors which contain Cadmium Pigment

**Ventilation:**

Not Applicable

**Eye Protection:**

Not Applicable

**Protective Gloves:**

Rubber or vinyl gloves, or a barrier cream are useful for general cleanliness

**Other Protective Equipment:**

8.3 ENGINEERING CONTROLS

**SECTION 9 - PHYSICAL AND CHEMICAL PROPERTIES****Physical State**

Paste

**Appearance**

Viscous Colored Paste

**pH**

&lt; 7

**Solubility in Water (by Weight)**

Negligible

**Odor**

Characteristic Linseed or Safflower Oil

**Flash Point - Closed Cup**

&gt; 350° F (177° C)

**Flash Point - Open Cup****Percent Volatiles**

Non-volatile

**Boiling Point (760mm Hg)****Freezing Point****Specific Gravity (H<sub>2</sub>O=1)**

&gt; 1

**Vapor Pressure at 20°C****Vapor Density (air = 1)**

MSDS Professional Permalba Oil Colors - Caution Labels

Evaporation Rate (Butyl Acetate =  
1)

Melting Point

---

#### SECTION 10 - STABILITY AND REACTIVITY

10.1 Stability / Instability      Stable

**Conditions to Avoid:**

**Incompatible Materials:**

10.2 Hazardous Polymerization      Will not occur

10.3 Inhibitors / Stabilizers

---

#### SECTION 11 TOXICOLOGICAL INFORMATION

ACUTE TOXICITY: NotApplicable

CHRONIC TOXICITY: NotApplicable

---

#### SECTION 12 - ECOLOGICAL INFORMATION

12.1 Environmental Fate

12.2 Ecotoxicity

12.3 Further Information

---

#### SECTION 13 - DISPOSAL CONSIDERATIONS

13.1 Waste Disposal Method:

13.2 Disposal Considerations:

---

#### SECTION 14 - TRANSPORTATION INFORMATION

U.S. D.O.T.

---

#### SECTION 15 - REGULATORY INFORMATION

15.1 Federal / National

MSDS Professional Permalba Oil Colors - Caution Labels

#### 15.2 State / Local:

##### California Proposition 65 Labeling:

For those products identified in Section 2 as containing Lead (Pb) - WARNING. This product contains lead, a chemical known to the State of California to cause cancer and birth defects or other reproductive harm.

For those products identified in Section 2 as containing Cadmium (Cd) - WARNING. This product contains cadmium, a chemical known to the State of California to cause cancer by means of inhalation.

For those products identified in Section 2 as containing Cobalt (Co), - WARNING - This product contains a chemical known to the State of California to cause cancer.

---

### SECTION 16 - OTHER INFORMATION

The information presented here is current as of the date of this Material Safety Data Sheet. Since use of this information and the product are not under the control of Martin/F. Weber Company, it is the user's obligation to determine conditions of safe use and to carefully read the product label and follow all instructions for safe use of the product.

General Health &  
Safety Information

▲ Top of Page ▲

<<Close MSDS>>

C:\Wally III\ACMI\MSDS\Prima\Prima Colors, Mediums, Gesso.doc

# MATERIAL SAFETY DATA SHEET

## SECTION I: PRODUCT AND COMPANY IDENTIFICATION

**Product Name:** Prima Oil Colors and Acrylic Colors & Mediums  
**Item Number:** See attached list.  
**Date Prepared:** October 3, 2001  
**Manufacture:** Martin/F. Weber Co.  
**Address:** 2727 Southampton Rd  
Philadelphia PA 19154  
**Phone:** 215-677-5600

**For Emergencies Call Chem-Tel:**  
USA, Canada, Puerto Rico, US Virgin Islands Call 800-255-3924  
Outside North American Call Collect 813-248-0585

## SECTION II: HAZARDOUS INGREDIENTS/IDENTITY INFORMATION

Martin/F. Weber Co. is a member of The Art & Creative Materials Institute (ACMI), 1280 Main St., 2nd Floor, PO Box 479, Hanson MA 02341. Our art and craft materials are certified by the institute to be labeled in accordance with the voluntary chronic hazard labeling standard ASTM D4236 (American Society for Testing & Materials). This product is appropriately labeled with the nontoxic "AP" Approved Product Seal of ACMI. It has been certified in a program of toxicological evaluation by a medical expert, subject to review by the institute's toxicological advisory board to contain no materials in sufficient quantities to be toxic or injurious to humans or to cause acute or chronic health problems.

## SECTION III: PHYSICAL/CHEMICAL CHARACTERISTICS

<b>Boiling Point:</b>	N/A	<b>Specific Gravity (H<sub>2</sub>O=1):</b>	N/A
<b>Vapor Pressure @ 20 C:</b>	N/A	<b>Melting Point:</b>	N/A
<b>Vapor Density (AIR=1):</b>	N/A	<b>Evaporation Rate (Butyl Acetate=1):</b>	N/A
<b>Solubility in Water:</b>	N/A		
<b>Appearance and Odor:</b>	White, creamy, little to no odor.		

## SECTION IV: FIRE AND EXPLOSION HAZARD DATA

**Flash Point:** N/A      **Flammable Limits:** LEL: N/A    UEL: N/A  
**Extinguishing Media:** N/A

## SECTION V: REACTIVITY DATA

**Stability:** N/A  
**Incompatibility (Materials to avoid):** N/A  
**Hazardous Polymerization:** N/A

C:\Wally III\ACMT\MSDS\Prima\Prima Colors, Mediums, Gesso.doc

**Product Name:** Prima Oil Colors and Acrylic Colors & Mediums  
**Item Number:** See attached list.

#### SECTION VI: HEALTH HAZARD DATA

**Route(s) of Entry:**      **Inhalation?**                      **Skin?**                      **Ingestion?**  
Nontoxic  
**Health Hazards (Acute & Chronic):** Nontoxic  
**Carcinogenicity:** N/A    **NTP?**                      **IARC Monographs?**                      **OSHA Regulated?**  
**Signs & Symptoms of Exposure:** N/A  
**Emergency & First Aid Procedures:**

#### SECTION VII: PRECAUTIONS FOR SAFE HANDLING & USE

**Steps to Be Taken in Case Material is Released or Spilled**  
Clean up with rags or paper towels.  
**Waste Disposal Method** In accordance with local, state and federal regulations.  
**Precautions to Be Taken in Handling & Storing** N/A  
**Other Precautions** N/A

#### SECTION VIII: CONTROLS MEASURES

**Respiratory Protection (Specify Type):** N/A  
**Ventilation:** N/A  
**Local Exhaust:**  
**Protective Gloves:** N/A                      **Eye Protection:**  
**Other Protective Clothing or Equipment:** N/A  
**Work/Hygienic Practices:** Wash hands before eating, drinking or smoking.

C:\Wally ITACM\MSDS\Prima\Prima Colors, Mediums, Gesso.doc

**Prima Acrylic Colors**

37ml Tube Item #	118ml Tube Item #	236ml Jar Item #	Description
2601	2401	2801	Alizarin Crimson
2602	2402	2802	Burnt Sienna
2603	2403	2803	Burnt Umber
2604	2404	2804	Cadmium Orange Hue
2605	2405	2805	Cadmium Red Light Hue
2606	2406	2806	Cadmium Red Medium Hue
2625	2425		Cadmium Yellow Dark Hue
2607	2407	2807	Cadmium Yellow Light Hue
2608	2408	2808	Cerulean Blue Hue
2609	2409	2809	Cobalt Blue Hue
2610	2410	2810	Dioxazine Purple
2623	2423	2811	Gray
2631	2431	2812	Hansa Yellow Medium
2632	2432	2813	Hookers Green Deep
2613	2413	2814	Iridescent Gold
	2433	2815	Iridescent Silver
2611	2411	2816	Iridescent White
2634	2434	2817	Ivory Black
2612	2412	2818	Mars Black
	2436	2819	Paynes Gray
2614	2414	2820	Permanent Green Light
2637	2437	2821	Phthalo Blue
2615	2415	2822	Phthalo Green
2628	2428		Phthalo Yellow Green
	2416	2823	Pink
	2430		Quinacridone Crimson
2629	2429		Quinacridone Red
2617	2417	2824	Quinacridone Violet
2618	2418	2825	Raw Sienna
2619	2419	2826	Raw Umber
2620	2420	2827	Titanium White
2621	2421	2828	Turquoise
2622	2422	2829	Ultramarine Blue
2627	2427		Violet Light
2626	2426		Warm White
2624	2424	2830	Yellow Oxide

**Prima Acrylic Mediums in 236ml Jars**

Item #	Description
2831	Gel Extender-Gloss
2832	Gel Extender-Matte
2833	Gel Extender-Semi-Gloss
2834	Gel Retarder
2835	Modeling Paste
2836	Pumice Gel Coarse

**Prima Oil Colors**

37ml Tube Item #	Description
2201	Alizarin Crimson
2202	Burnt Sienna
2203	Burnt Umber
2204	Cadmium Red Light Hue
2205	Cadmium Red Medium Hue
2206	Cadmium Yellow Light Hue
2207	Cadmium Yellow Medium Hue
2209	Cobalt Blue Hue
2210	Cobalt Violet Hue
2211	Ivory Black
2213	Turquoise
2214	Naples Yellow Hue
2216	Phthalo Green
2217	Pink
2218	Titanium White
2219	Raw Sienna
2220	Van Dyke Brown
2221	Sap Green
2222	Ultramarine Blue
2224	Yellow Ochre

**Prima Acrylic Gesso**

Item #	Description
1362	White Gesso 236ml
1363	White Gesso 473ml
1364	Black Gesso 473ml
1366	White Gesso 3.79l
1367	Black Gesso 3.79l

**Prima Acrylic Mediums in 236ml Bottles**

Item #	Description
2850	Brush Cleaner
2851	Crackle Medium
2852	Flow Medium
2853	Glazing Medium
2854	Gloss Varnish
2855	Matte Varnish
2856	Glass & Tile Medium
2857	Fabric Medium

MSDS Odorless Turpenoid® Turpentine Substitute



## Material Safety Data Sheet

Martin/F. Weber Company

&lt;&lt;Close MSDS&gt;&gt;

General Health &  
Safety Information

Date Prepared:

29 October 2003

For Health Emergencies, CALL A POISON CONTROL CENTER

For Transportation Emergencies ONLY: Call Chem-Tel:  
USA, Canada, Puerto Rico, US Virgin Islands: Call 800-255-3924  
Outside North America: Call Collect 813-248-0585

## SECTION 1 - PRODUCT &amp; COMPANY IDENTIFICATION

1.1 PRODUCT NAME	Odorless Turpenoid® Turpentine Substitute
1.2 ITEM NUMBERS AND SIZES	1681 - 118ml, 1682 - 236ml, 1683 - 473ml, 1684 - 946ml, 1685 - 3.79l, 1689 - Display Assortment
1.3 COMPANY IDENTIFICATION	Martin/F. Weber Company 2727 Southampton Road Philadelphia, PA 19154-1293 USA Phone: 215-677-5600 Fax: 215-677-3336 email: info@weberart.com

## SECTION 2 - COMPOSITION INFORMATION

COMPONENT	CAS #	MAX. AMOUNT (% Weight)
Petroleum Naptha	8052-41-3	100%

## SECTION 3 - HAZARDS IDENTIFICATION

## 3.1 EMERGENCY OVERVIEW

Appearance	Clear Liquid
Physical State	Liquid
Odor	Light to negligible petroleum solvent
Hazards of Product	Combustible, aspiration hazard, Harmful or Fatal if Swallowed, Harmful by Breathing Vapors, May irritate chest or eyes

## 3.2 POTENTIAL HEALTH EFFECTS

Effects of Single Acute Overexposure:	Nausea, headache, confusion, instability, irritation of eyes and chest.
Chronic, Prolonged or Repeated Overexposure:	Nausea, headache, confusion, instability, irritation of eyes and chest.
Medical Conditions Aggravated by Exposure:	

MSDS Odorless Turpenoid® Turpentine Substitute

## 3.3 POTENTIAL ENVIRONMENTAL EFFECTS

## SECTION 4 - FIRST AID PROCEDURES

4.1 INHALATION	Move to fresh air
4.2 EYE CONTACT	Wash eye liberally with water for 10 minutes or more. Seek medical attention, promptly.
4.3 SKIN CONTACT	Apply hand cream to affected areas
4.4 SWALLOWING	Do Not induce vomiting. Aspiration Hazard. Call Physician or Poison Control Center Immediately
4.5 NOTES TO PHYSICIAN	

## SECTION 5 - FIRE FIGHTING MEASURES

5.1 FLAMMABLE PROPERTIES	
<b>Identification Number</b>	UN 1263
<b>Flash Point - Closed Cup</b>	120° F (49° C) - 130° F (54° C)
<b>Flash Point - Open Cup</b>	
<b>Auto-Ignition Temperature</b>	
<b>Flammable Limits in Air</b>	Lower Explosion Limit (LEL) 0.7%, Upper Explosion Limit (UEL) 5%
5.2 EXTINGUISHING MEDIA	Dry Chemical, Foam, Carbon Dioxide
5.3 EXTINGUISHING MEDIA TO AVOID	Water
5.4 SPECIAL FIRE FIGHTING PROCEDURES	Not Applicable
5.5 SPECIAL PROTECTIVE EQUIPMENT FOR FIREFIGHTERS	Not Applicable
5.6 UNUSUAL FIRE AND EXPLOSION HAZARDS	Not Applicable
5.7 HAZARDOUS COMBUSTION PRODUCTS	Not Applicable

## SECTION 6 - ACCIDENTAL RELEASE MEASURES

Steps to be Taken if Material is Released or Spilled	Clean up small spills with rags or paper towels. Place into air-tight metal container for disposal.
--	---

## SECTION 7 - HANDLING AND STORAGE

7.1 GENERAL HANDLING	Avoid contact with skin. Use exhaust fan to remove vapors and assure adequate cross ventilation. Do not use near heat, sparks or flame.
7.2 STORAGE	Keep from heat, sparks or flame. KEEP OUT OF THE REACH OF CHILDREN.

MSDS Odorless Turpenoid® Turpentine Substitute

**SECTION 8 - EXPOSURE CONTROLS AND PERSONAL PROTECTION**

<b>8.1 EXPOSURE LIMITS</b>	OSHA PEL 100ppm TWA, ACGIH TV - 100ppm.
<b>8.2 PERSONAL PROTECTION</b>	Rubber or vinyl gloves are useful to minimize skin contact.
<b>Respiratory Protection:</b>	Not required if adequate cross ventilation is maintained.
<b>Ventilation:</b>	Local exhaust fan along with fresh air source to avoid vapor buildup
<b>Eye Protection:</b>	Yes, to avoid splashed material in eyes
<b>Protective Gloves:</b>	Rubber or vinyl gloves to minimize skin contact.
<b>Other Protective Equipment:</b>	Suitable to existing work environment
<b>8.3 ENGINEERING CONTROLS</b>	Not Applicable

**SECTION 9 - PHYSICAL AND CHEMICAL PROPERTIES**

<b>Physical State</b>	Liquid
<b>Appearance</b>	Clear light liquid
<b>pH</b>	N/A
<b>Solubility in Water (by Weight)</b>	Negligible <5%
<b>Odor</b>	Light to negligible petroleum solvent
<b>Flash Point - Closed Cup</b>	120° F (49° C) - 130° F (54° C)
<b>Flash Point - Open Cup</b>	
<b>Percent Volatiles</b>	100%
<b>Boiling Point (760mm Hg)</b>	340 - 400° F (171° - 204° C)
<b>Freezing Point</b>	Not Applicable
<b>Specific Gravity (H<sub>2</sub>O=1)</b>	0.759
<b>Vapor Pressure at 20°C</b>	2mm Hg
<b>Vapor Density (air = 1)</b>	4.9
<b>Evaporation Rate (Butyl Acetate = 1)</b>	
<b>Melting Point</b>	Not Applicable

**SECTION 10 - STABILITY AND REACTIVITY**

## 10.1 Stability / Instability

**Conditions to Avoid:****Incompatible Materials:**

## 10.2 Hazardous Polymerization

## 10.3 Inhibitors / Stabilizers

MSDS Odorless Turpenoid® Turpentine Substitute

SECTION 11 TOXICOLOGICAL INFORMATION

ACUTE TOXICITY:  
CHRONIC TOXICITY:

SECTION 12 - ECOLOGICAL INFORMATION

- 12.1 Environmental Fate
- 12.2 Ecotoxicity
- 12.3 Further Information

SECTION 13 - DISPOSAL CONSIDERATIONS

- 13.1 Waste Disposal Method:
- 13.2 Disposal Considerations:

SECTION 14 - TRANSPORTATION INFORMATION

U.S. D.O.T.                      Ground Transportation: ORM-D Consumer Commodity  
    Ocean Transportation: Paint Related Material, 3.3, UN 1263, PG III, Limited Quantity

SECTION 15 - REGULATORY INFORMATION

- 15.1 Federal / National
- 15.2 State / Local

SECTION 16 - OTHER INFORMATION

The information presented here is current as of the date of this Material Safety Data Sheet. Since use of this information and the product are not under the control of Martin/F. Weber Company, it is the user's obligation to determine conditions of safe use and to carefully read the product label and follow all instructions for safe use of the product.

General Health &  
Safety Information

← Top of Page →

<<Close MSDS>>