

58660.TXT

EYES: Irrigate copiously with clean, fresh water for at least 15 minutes. Immediately seek medical advice.

SKIN: Immediately wash with plenty of water. Remove all contaminated clothing. Obtain immediate medical attention. Wash contaminated clothing separately before using them.

Safety data sheet: AUXILIARY PRODUCTS 58660 - 2 -
 Printed on 3.09.2000 Revision n. 9 Dated 3.09.2000

INHALATION: Remove to fresh air. If breathing is irregular or stopped, administer artificial respiration. Obtain immediate medical attention.

INGESTION: Obtain immediate medical attention. Induce vomiting only if indicated by the doctor. Give nothing by mouth to an unconscious person.

5. Fire-fighting measures

Allow containers to cool in order to avoid product decomposition and generation of substances which might injure the health and be dangerous for safety reasons. Wear the fire equipment all the time.

6. Accidental release measures

Contain spills immediately with inert materials (e.g. sand, earth).

7. Handling and storage

Make sure that equipment is available for cooling the vessels, to prevent the danger of overpressure and overheating in the event of fire in the vicinity. Refer to the other sections of this data sheet for information relating to health and environmental risks.

8. Exposure controls/personal protection.

XYLENE, MIXTURE OF ISOMERS
 . TLV TWA 434,000 mg/m³ ACGIH

Follow the good industrial hygiene practices adopting suitable individual protective measures such as gloves and overalls. Do not eat or smoke while handling the product. Wash hands before eating and at the end of the work shift. Periodic health controls are recommended at the discretion of the doctor.

9. Physical and chemical properties

Appearance	Liquid
Colour	Colourless
Odour	White spirit
Flash point	> 21ø
Specific gravity.....	20ø 0,900 kg/l 0,1

58660.TXT

10. Stability and reactivity

The product is stable in normal conditions of use and storage. Due to thermal decomposition or in the event of a fire vapours may be produced potentially dangerous to health.
 The xylene present is stable but may give violent reactions if placed in contact with strong oxidants such as nitric acid, sulfuric acid, perchlorates and similar agents. It is biodegradable in water and decomposes in the sunlight (photodegradable). (Ref. H.C.S. Verschueren).

Safety data sheet: AUXILIARY PRODUCTS 58660 - 3 -
 Printed on 3.09.2000 Revision n. 9 Dated 3.09.2000

11. Toxicological information

This product is harmful. Even though it is not a probable way of exposure, ingestion may cause depression of the CNS, with headache, vertigo, muscular weakness, drowsiness, lack of coordination, weariness, blurred vision and speech.
 Ingestion may also cause abdominal pains with nausea and vomit.

12. Ecological information

Use according to good industrial hygiene practices avoiding dispersion of the product in the environment.

13. Disposal considerations

To discharge observing the local laws in force.

14. Transport informations

Road and rail transport
 RID/ADR 3,31c 30/1300 3

Carriage by sea (shipping)
 IMDG 3/III
 UN NUMBER 1300

Air transportation
 ICAO/IATA 3/III

15. Regulatory information

Health hazard symbol	Xn HARMFUL
Dang.for the environm.symbol	N DANGEROUS FOR THE ENVIROMENT

- R10	FLAMMABLE.
- R51	TOXIC TO AQUATIC ORGANISMS.
- R65	HARMFUL: MAY CAUSE LUNG DAMAGE IF SWALLOWED
- S 2	KEEP OUT OF REACH OF CHILDREN.

Page 3

- 58660.TXT
- S 9 KEEP CONTAINER IN A WELL-VENTILATED PLACE.
 - S16 KEEP AWAY FROM SOURCES OF IGNITION - NO SMOKING.
 - S23 DO NOT BREATHE GAS/FUMES/VAPOUR/SPRAY (APPROPRIATE WORDING TO BE SPECIFIED BY THE MANUFACTURER).
 - S24/25 AVOID CONTACT WITH SKIN AND EYES.
 - S29 DO NOT EMPTY INTO DRAINS.
 - S33 TAKE PRECAUTIONARY MEASURES AGAINST STATIC DISCHARGES.
 - S43 IN CASE OF FIRE, USE ... (INDICATE IN THE SPACE THE PRECISE TYPE OF FIRE-FIGHTING EQUIPMENT. IF WATER INCREASES RISK, ADD "NEVER USE WATER").
 - S45 IN CASE OF ACCIDENT OR IF YOU FEEL UNWELL, SEEK MEDICAL ADVICE IMMEDIATELY (SHOW THE LABEL WHERE POSSIBLE).
 - S62 IF SWALLOWED, DO NOT INDUCE VOMITING: SEEK MEDICAL ADVICE IMMEDIATELY AND SHOW THIS CONTAINER OR LABEL.

Safety data sheet: AUXILIARY PRODUCTS 58660 - 4 -
 Printed on 3.09.2000 Revision n. 9 Dated 3.09.2000

Contains:
 NAFTA PETROLEUM

A semestral medical examination is required for paraffinic hidrocarbons present in this product, assimilable to petrol (see u.30 DPR 303/56)
 Emission enclosed in class VTH schedule of D.M 12-7-90

16. Further information

The present sheet has been drawn up according to community regulations in force. General references: 1 - Directive 88/379/EEC 2 - Directive 91/325/EEC 3 - The Merck Index Ed. 10 4 - Handling Chemicals Safety 5 - Niosh - Registry of Toxic Effects of Chemical Substances 6 - INRS - Fiche Toxicologique 7 - Patty - Industrial Hygiene and Toxicology 8 - N.I. Sax - Dangerous properties of Industrial Materials - 7 Ed., 1988 9 - EEC Directive 93/18 of 5-4-93 (third revision Dir. 88/379) 10 - EEC Directive 93/21 of 27-4-93 (XVIII revision Dir. 67/548) 11 - IMO (Inter. Maritime Organization), Report N. 35, 1989. Note for the user: The data contained in this sheet are the result of the most up-to-date information available in our Company. The user must ensure that the information is suitable and complete in relation to the specific use of the product.