

**01616-1009**  
**-2009**

# Material Safety Data Sheet

**CHROMA INC**  
 Manufacturer  
**205 BUCKY DRIVE**  
 Address  
**LITITZ PA 17543**  
  
**(717)626-8866**  
 Phone Number (For Information)  
**(717)626-8866**  
 Emergency Phone Number Telex\*

**ATELIER FAST MEDIUM/ FIXER**  
 Identity (Trade Name As Used On Label)  
 MSDS Number\*  
 CAS Number\*  
**01/07**  
 Date Prepared  
 Prepared By\*  
 Note: Blank spaces are not permitted. If any item is not applicable, or no information is available, the space must be marked to indicate that

## SECTION 1 - MATERIAL IDENTIFICATION AND INFORMATION

COMPONENTS — Chemical Name & Common Names (Hazardous Components 1% or greater; Carcinogens 0.1% or greater)	% *	OSHA PEL	ACGIH TLV	OTHER LIMITS RECOMMENDED
ADDITIVE FOR ARTISTS' ACRYLIC PAINTS				
CERTIFIED NON-TOXIC BY (ART & CREATIVE MATERIALS INSTITUTE)				
1. ACRYLIC EMULSION				
2. PRESERVATIVE				
3. AMINE				
4. WATER				
Non-Hazardous Ingredients				
<b>TOTAL</b>	<b>100</b>			

## SECTION 2 - PHYSICAL / CHEMICAL CHARACTERISTICS

Boiling Point	N/A	Specific Gravity (H <sub>2</sub> O = 1)	APPROX 1 G/ML
Vapor Pressure (mm Hg and Temperature)	NOT KNOWN	Melting Point	NOT KNOWN
Vapor Density (Air = 1)	LIGHTER THAN AIR	Evaporation Rate (- 1)	SLOWER THAN ETHER
Solubility in Water	TOTALLY SOLUBLE	Water Reactive	NOT KNOWN

Appearance and Odor: MILKY WHITE LIQUID, SLIGHT AMMONIA ODOR

## SECTION 3 - FIRE AND EXPLOSION HAZARD DATA

Flash Point and Method Used	N/A	Auto-Ignition Temperature	N/A	Flammability Limits in Air % by Volume	N/A	LEL	UNKNOW	UEL	UNKNOW
Extinguisher Media	N/A								
Special Fire Fighting Procedures	N/A								

Unusual Fire and Explosion Hazards: N/A

\*Optional

**SECTION 4 - REACTIVITY HAZARD DATA** PAGE 2 - ATELIER FAST MEDIUM/FIXER

<b>STABILITY</b> <input checked="" type="checkbox"/> Stable <input type="checkbox"/> Unstable	Conditions To Avoid N/A
Incompatibility (Materials to Avoid) NONE	
Hazardous Decomposition Products NONE	
<b>HAZARDOUS POLYMERIZATION</b> <input type="checkbox"/> May Occur <input checked="" type="checkbox"/> Will Not Occur	Conditions To Avoid N/A

**SECTION 5 - HEALTH HAZARD DATA**

<b>PRIMARY ROUTES OF ENTRY</b>	<input type="checkbox"/> Inhalation <input type="checkbox"/> Skin Absorption	<input type="checkbox"/> Ingestion <input checked="" type="checkbox"/> Not Hazardous	<b>CARCINOGEN LISTED IN</b>	<input type="checkbox"/> NTP <input type="checkbox"/> IARC Monograph	<input type="checkbox"/> OSHA <input checked="" type="checkbox"/> Not Listed
<b>HEALTH HAZARDS</b>	Acute NONE				
	Chronic NONE				
Signs and Symptoms of Exposure NONE					
Medical Conditions Generally Aggravated by Exposure NONE					
EMERGENCY FIRST AID PROCEDURES - Seek medical assistance for further treatment, observation and support if necessary.					
Eye Contact	NONE				
Skin Contact	NONE				
Inhalation	NONE				
Ingestion	NONE				

**SECTION 6 - CONTROL AND PROTECTIVE MEASURES**

Respiratory Protection (Specify Type)	NONE NEEDED UNDER NORMAL CONDITIONS OF USE				
Protective Gloves	NOT REQUIRED		Eye Protection	NOT REQUIRED	
<b>VENTILATION TO BE USED</b>	<input type="checkbox"/> Local Exhaust: N/A	<input type="checkbox"/> Mechanical (general): N/A	<input type="checkbox"/> Special: N/A		
	<input type="checkbox"/> Other (specify) N/A				
Other Protective Clothing and Equipment	NOT REQUIRED				
Hygienic Work Practices	AS WITH ANY WATER-BASED PRODUCT				

**SECTION 7 - PRECAUTIONS FOR SAFE HANDLING AND USE / LEAK PROCEDURES**

Steps to be Taken if Material is Spilled or Released	DIKE AND CONTAIN SPILL WITH INERT MATERIALS ( SAND, SAWDUST, ETC.) AND TRANSFER TO CONTAINERS FOR DISPOSAL.
Waste Disposal Methods	NORMAL DISPOSAL
Precautions to be Taken in Handling and Storage	NO PARTICULAR PRECAUTIONS
Other Precautions and/or Special Hazards	NONE

NFPA Rating* Health	Flammability	Reactivity	Special	HMS Rating* Health	Flammability	Reactivity	Personal Protection
---------------------	--------------	------------	---------	--------------------	--------------	------------	---------------------

\*Optional © Copyright 1996, Science Related Materials, Inc. All Rights Reserved. Reorder No. 2217-2

**02007-1015****-1017**

CHROMA AUSTRALIA PTY LTD ACN 001 594 609 17 MUNDOWI RD MT KURING-GAI NSW 2080, Australia TEL: (02) 9457 9922 FAX: (02) 9457 8082 EMERGENCY TEL: AS ABOVE, or POISONS INFORMATION CENTRE		PAGE 1 of 2 DATE of ISSUE: 1 SEPTEMBER 2006
<b>Material Safety Data Sheet</b> Not Classified as Hazardous According to the Criteria Of Worksafe Australia		
Product name: ATELIER BINDER MEDIUM Other names: ----	U.N. No: N/A Hazardchem: N/A Dangerous Goods Class & Sub Risk: N/A Poisons Schedule: N/A	
Manufacturer's Product Code: various Use: USED TO SEAL SURFACES FOR PAINTING & MAY BE USED FOR GLAZING & COLLAGE.		
<b>Physical Description/Properties</b>		
Appearance: OFF WHITE TO CREAMY LIQUID Boiling Point/Melting Point (°C) N/A Vapour Pressure (pascals or mm of Hg at 25°C) N/A Specific Gravity: APPROX 1 g/ml Other properties	Flash Point (°C): N/A Flammability limits (%): N/A Solubility in Water (g/L): soluble	
Ingredients		
<b>IDENTIFICATION</b>		
Chemical entity	CAS No.	Proportion
ACRYLIC EMULSION	NON HAZ	COMMERCIAL IN CONFIDENCE
AMMONIA	7-664-41-7	<1%
PRESERVATIVE	62530-20-1	0.5%
<b>HEALTH HAZARD INFORMATION</b>		
<b>HEALTH EFFECTS:</b>		
Acute: Swallowed	NONE ALLOCATED	
Eye	DIRECT CONTACT MAY CAUSE SLIGHT IRRITATION	
Skin	PROLONGED OR REPEATED CONTACT MAY CAUSE SLIGHT SKIN IRRITATION	
Inhaled	INHALATION OF VAPOUR MAY CAUSE IRRITATION	
Chronic	NONE ALLOCATED	
<b>FIRST AID:</b>		
Swallowed	IF SWALLOWED GIVE TWO GLASSES OF WATER TO DRINK	
Eye	FLUSH EYES WITH A LARGE AMOUNT OF WATER	
Skin	WASH AFFECTED SKIN AREAS THOROUGHLY	
Inhaled	MOVE SUBJECT TO FRESH AIR	
<b>ADVICE TO DOCTOR</b>	THIS PRODUCT CARRIES THE C.P. NON-TOXIC SEAL AND IS CERTIFIED BY A TOXICOLOGIST IN ASSOCIATION WITH THE ART & CRAFT MATERIALS INSTITUTE, BOSTON Ma 02110 USA.	

ATELIER BINDER MEDIUM

Page 2 of 2

<b>PRECAUTIONS FOR USE</b>
<b>EXPOSURE STANDARDS</b> NONE
<b>ENGINEERING CONTROLS</b> USE IN WELL VENTILATED AREAS
<b>PERSONAL PROTECTION</b> NONE REQUIRED IF USED IN A WELL VENTILATED AREA
<b>FLAMMABILITY</b> N/A
<b>SAFE HANDLING INFORMATION</b>
<b>STORAGE &amp; TRANSPORT</b> KEEP FROM FREEZING. RECOMMENDED STORAGE CONDITIONS ARE BETWEEN 1° C AND 50 °C.
<b>SPILLS &amp; DISPOSAL</b> FOR LARGER QUANTITIES, CONTAIN ANY SPILLS WITH INERT MATERIALS, (SAND, SAWDUST ETC) AND TRANSFER TO CONTAINERS FOR DISPOSAL. CONTACT LOCAL WASTE DISPOSAL AUTHORITY FOR DISPOSAL METHODS. SOAK UP SMALLER SPILLS WITH A RAG AND DISPOSE OF CAREFULLY.
<b>FIRE/EXPLOSION HAZARD</b> NONE
<b>OTHER INFORMATION</b>
<b>CONTACT POINT</b> MT KURING-GAI AUSTRALIA
<b>DATE OF ISSUE: 1 SEPTEMBER 2006</b>

**02007-1095**

# Material Safety Data Sheet

**ATELIER UNLOCKING FORMULA**

**CHROMA INC**  
 Manufacturer  
 205 BUCKY DRIVE  
 Address  
 LITITZ PA 17543  
 (717)626-8866  
 Phone Number (For Information)  
 (717)626-8866  
 Emergency Phone Number Telex\*

Identity (Trade Name As Used On Label)  
 MSDS Number\*  
 CAS Number\* 06/06  
 Date Prepared  
 Prepared By\*  
 Note: Blank spaces are not permitted. If any item is not applicable, or no information is available, the space must be marked to indicate that

**SECTION 1 - MATERIAL IDENTIFICATION AND INFORMATION**

COMPONENTS — Chemical Name & Common Names (Hazardous Components 1% or greater; Carcinogens 0.1% or greater)	%	OSHA PEL	ACGIH TLV	OTHER LIMITS RECOMMENDED
CONTAINS:				
ISOPROPYL ALCOHOL				CAS: 67-63-0
RESIN				CAS: 2530-83-8
WATER				
FLAMMABLE 3 UN1219, II				
Non-Hazardous Ingredients				
TOTAL	100			

**SECTION 2 - PHYSICAL / CHEMICAL CHARACTERISTICS**

Boiling Point 180° - 181°F	Specific Gravity (H <sub>2</sub> O = 1) .79@68
Vapor Pressure (mm Hg and Temperature) 96 AT 100°F	Melting Point N/A
Vapor Density (Air = 1) N/A	Evaporation Rate n-BU acetate = 1) 2.3
Solubility in Water 100.00 AT 68°F	Water Reactive

Appearance and Odor CLEAR COLORLESS LIQUID, STRONG ODOR

**SECTION 3 - FIRE AND EXPLOSION HAZARD DATA**

Flash Point and Method Used 53°F TCC	Auto-Ignition Temperature 662°F	Flammability Limits in Air % by Volume	LEL 2.0	UEL 12.7
Extinguisher Media WATER, FOAM, OR DRY CHEMICAL				
Special Fire Fighting Procedures AS ABOVE				

Unusual Fire and Explosion Hazards NONE

\*Optional

**SECTION 4 - REACTIVITY HAZARD DATA** PAGE 2 - ATELIER UNLOCKING FORMULA

<b>STABILITY</b> <input checked="" type="checkbox"/> Stable <input type="checkbox"/> Unstable	Conditions To Avoid N/A
Incompatibility (Materials to Avoid)	CAUSTICS, AMINES, ALKANOLA MINES, ALDEHYDES, STRONG OXIDIZING AGENTS AND HAZARDOUS DECOMPOSITION PRODUCTS
HAZARDOUS POLYMERIZATION <input type="checkbox"/> May Occur <input checked="" type="checkbox"/> Will Not Occur	Conditions To Avoid N/A

**SECTION 5 - HEALTH HAZARD DATA**

<b>PRIMARY ROUTES OF ENTRY</b>	<input checked="" type="checkbox"/> Inhalation <input checked="" type="checkbox"/> Skin Absorption	<input checked="" type="checkbox"/> Ingestion <input type="checkbox"/> Not Hazardous	<b>CARCINOGEN LISTED IN</b>	<input type="checkbox"/> NTP <input type="checkbox"/> IARC Monograph	<input type="checkbox"/> OSHA <input type="checkbox"/> Not Listed
<b>HEALTH HAZARDS</b>	Acute	PROLONGED OR REPEATED CONTACT WITH SKIN MAY IRRITATE AND CAUSE DERMATITIS, HIGH VAPOR CONCENTRATIONS ARE IRRITATING TO THE EYE AND RESPIRATORY TRACT. MAY CAUSE HEADACHES AND DIZZINESS MAY HAVE OTHER			
	Chronic	DERMATITIS, HIGH VAPOR CONCENTRATIONS ARE IRRITATING TO THE EYE AND RESPIRATORY TRACT. MAY CAUSE HEADACHES AND DIZZINESS MAY HAVE OTHER			
Signs and Symptoms of Exposure	DERMATITIS				
Medical Conditions Generally Aggravated by Exposure	CENTAL NERVOUS EFFECTS.				
EMERGENCY FIRST AID PROCEDURES - See: medical assistance for further treatment, observation and support if necessary.					
Eye Contact	IMMEDIATELY FLUSH EYES WITH LARGE AMOUNTS OF WATER FOR AT LEAST 15 MINUTES				
Skin Contact	IMMEDIATELY FLUSH WITH LARGE AMOUNTS OF WATER, USE SOAP IF AVAILABLE REMOVE CONTAMINATED CLOTHING.				
Inhalation	IMMEDIATELY REMOVE THE AFFECTED VICTIM FROM EXPOSURE.				
Ingestion	IF SWALLOWED DO NOT INDUCE VOMITING. KEEP AT REST AND GET PROMPT MEDICAL ATTENTION				

**SECTION 6 - CONTROL AND PROTECTIVE MEASURES**

Respiratory Protection (Specify Type)	NOT REQUIRED UNDER NORMAL USE		
Protective Gloves	NOT REQUIRED UNDER NORMAL USE	Eye Protection	NOT REQUIRED UNDER NORMAL USE
<b>VENTILATION TO BE USED</b>	<input type="checkbox"/> Local Exhaust <input type="checkbox"/> Other (specify)	<input type="checkbox"/> Mechanical (general)	<input type="checkbox"/> Special
Other Protective Clothing and Equipment	NOT REQUIRED UNDER NORMAL USE		
Hygienic Work Practices	AVOID SKIN CONTACT AND PROLONGED OR REPEATED INHALATION		

**SECTION 7 - PRECAUTIONS FOR SAFE HANDLING AND USE / LEAK PROCEDURES**

Steps to be Taken if Material is Spilled Or Released	REMOVE ALL IGNITION SOURCES, DIKE WITH VERY ABSORBENT MATERIAL AND SAND, EARTH, SAWDUST, ETC. UNIT RATE CONFINED SPACES. KEEP OUT OF SEWER AND WATERWAYS.
Waste Disposal Methods	CONTACT LOCAL WASTE MANAGEMENT AUTHORITY
Precautions to be Taken in Handling and Storage	DO NOT STORE NEAR HEAT, SPARK, OR FLAME.
Other Precautions and/or Special Hazards	AVOID SKIN CONTACT AND PROLONGED OR REPEATED INHALATION
NFPA Rating* Health ___ Flammability ___ Reactivity ___ Special ___	HMS Rating* Health <u>2</u> Flammability <u>3</u> Reactivity <u>0</u> Personal Protection ___

**02007-1075**

# Material Safety Data Sheet

**CHROMA INC**  
 Manufacturer  
 205 BUCKY DRIVE  
 Address  
 LITITZ PA 17543  
 (717)626-8866  
 Phone Number (For Information)  
 (717)626-8866  
 Emergency Phone Number \_\_\_\_\_ Telex\* \_\_\_\_\_

**ATELIER SLOW MEDIUM**

Identity (Trade Name As Used On Label)  
 MSDS Number\*  
 CAS Number\*  
 Date Prepared 01/07  
 Prepared By\*  
 Note: Blank spaces are not permitted. If any item is not applicable or no information is available, the space must be marked to indicate that

## SECTION 1 - MATERIAL IDENTIFICATION AND INFORMATION

COMPONENTS — Chemical Name & Common Names (Hazardous Components 1% or greater; Carcinogens 0.1% or greater)	% *	OSHA PEL	ACGIH TLV	OTHER LIMITS RECOMMENDED
ADDITIVE FOR ARTISTS' ACRYLIC PAINTS.				
CERTIFIED NON-TOXIC BY (ART & CREATIVE MATERIALS INSTITUTE).				
1. DISPERSING AGENT				
2. PRESERVATIVE				
3. AMINE				
4. WATER				
Non-Hazardous Ingredients				
<b>TOTAL</b>	100			

## SECTION 2 - PHYSICAL / CHEMICAL CHARACTERISTICS

Boiling Point N/A	Specific Gravity (H <sub>2</sub> O = 1) APPROX 1 G/ML
Vapor Pressure (mm -g and Temperature) NOT KNOWN	Melting Point NOT KNOWN
Vapor Density (Air = 1) LIGHTER THAN AIR	Evaporation Rate ( = 1) SLOWER THAN ETHER
Solubility in Water TOTALLY SOLUBLE	Water Reactive NOT KNOWN
Appearance and Odor CLEAR LIQUID, NO ODOR	

## SECTION 3 - FIRE AND EXPLOSION HAZARD DATA

Flash Point and Method Used N/A	Auto-ignition Temperature N/A	Flammability Limits in Air % by Volume N/A	LEL UNKNOWN	UEL UNKNOWN
Extinguisher Media N/A				
Special Fire Fighting Procedures N/A				

Unusual Fire and Explosion Hazards N/A

\*Optional

**SECTION 4 - REACTIVITY HAZARD DATA** PAGE 2 - ATELIER SLOW MEDIUM

<b>STABILITY</b> <input checked="" type="checkbox"/> Stable <input type="checkbox"/> Unstable	Conditions To Avoid N/A
Incompatibility (Materials to Avoid)	NONE
Hazardous Decomposition Products	NONE
<b>HAZARDOUS POLYMERIZATION</b> <input type="checkbox"/> May Occur <input checked="" type="checkbox"/> Will Not Occur	Conditions To Avoid N/A

**SECTION 5 - HEALTH HAZARD DATA**

<b>PRIMARY ROUTES OF ENTRY</b>	<input type="checkbox"/> Inhalation <input type="checkbox"/> Skin Absorption <input checked="" type="checkbox"/> Not Hazardous	<b>CARCINOGEN LISTED IN</b>	<input type="checkbox"/> NTP <input type="checkbox"/> IARC Monograph	<input type="checkbox"/> OSHA <input checked="" type="checkbox"/> Not Listed
<b>HEALTH HAZARDS</b>	Acute NONE Chronic NONE			
Signs and Symptoms of Exposure	NONE			
Medical Conditions Generally Aggravated by Exposure	NONE			
<b>EMERGENCY FIRST AID PROCEDURES - Seek medical assistance for further treatment, observation and support if necessary.</b>				
Eye Contact	NONE			
Skin Contact	NONE			
Inhalation	NONE			
Ingestion	NONE			

**SECTION 6 - CONTROL AND PROTECTIVE MEASURES**

Respiratory Protection (Specify Type)	NONE NEEDED UNDER NORMAL CONDITIONS OF USE			
Protective Gloves	NOT REQUIRED	Eye Protection	NOT REQUIRED	
<b>VENTILATION TO BE USED</b>	<input type="checkbox"/> Local Exhaust N/A <input type="checkbox"/> Other (specify) N/A	<input type="checkbox"/> Mechanical (general) N/A	<input type="checkbox"/> Special N/A	
Other Protective Clothing and Equipment	NOT REQUIRED			
Hygienic Work Practices	AS WITH ANY WATER-BASED PRODUCT			

**SECTION 7 - PRECAUTIONS FOR SAFE HANDLING AND USE / LEAK PROCEDURES**

Steps to be Taken if Material is Spilled Or Released	DIKE AND CONTAIN SPILL WITH INERT MATERIALS ( SAND, SAWDUST, ETC.) AND TRANSFER TO CONTAINERS FOR DISPOSAL.
Waste Disposal Methods	NORMAL DISPOSAL
Precautions to be Taken in Handling and Storage	NO PARTICULAR PRECAUTIONS
Other Precautions and/or Special Hazards	NONE

NFPA Rating* Health ___ Flammability ___ Reactivity ___ Special ___	HMS Rating* Health ___ Flammability ___ Reactivity ___ Personal Protection ___
---	--

**01616-All Coded Except:****-3105 -3108 -3565 -3568****-4125 -4128 -4185 -4188****-4355 -4358****-4535 -4538**

CHROMA AUSTRALIA PTY LTD ACN 001 594 609 PAGE 1 of 2  
 17 MUNDOWI RD  
 MT KURING-GAI NSW 2080, Australia DATE of ISSUE: 24 NOVEMBER 2005  
 TEL: (02) 9457 9922 FAX: (02) 9457 8082  
 EMERGENCY TEL: AS ABOVE. or Poisons Information Centre

**Material Safety Data Sheet**  
**Not Classified as Hazardous According to the Criteria of Worksafe Australia**

**IDENTIFICATION**

Product name: ATELIER INTERACTIVE ARTISTS ACRYLICS U.N. No: N/A  
 Other names: --- Hazchem: N/A  
 Dangerous Goods Class & Sub Risk: N/A  
 Poisons Schedule: N/A  
 Manufacturer's Product Code: VARIOUS  
 Use: ARTISTS IMPASTO ACRYLIC PAINT  
 Physical Description/Properties  
 Appearance: THICK PASTE various colours Flash Point (°C): N/A  
 Boiling Point/Melting Point (°C) N/A Flammability limits (%): N/A  
 Vapour Pressure (pascals or mm of Hg at 25°C) Solubility in Water (g/L): soluble  
 Specific Gravity Approx no greater than 1g/ml  
 Other properties None

**Ingredients**

Chemical entity	CAS No.	Proportion
ACRYLIC EMULSIONS	NON HAZ	COMMERCIAL IN CONFIDENCE
PRESERVATIVE	149-30-4/2634-33-30.15%	
ALKALINE STABILISER	124-68-24	<1%
PIGMENT, varied	---	COMMERCIAL IN CONFIDENCE
THICKENERS	NON HAZ	<20%
WATER	7732-18-5	<10%

**HEALTH HAZARD INFORMATION**

**HEALTH EFFECTS:**

Acute: Swallowed NONE ALLOCATED  
 Eye DIRECT CONTACT MAY CAUSE SLIGHT IRRITATION  
 Skin PROLONGED OR REPEATED CONTACT MAY CAUSE SLIGHT SKIN IRRITATION  
 Inhaled INHALATION OF VAPOUR MAY CAUSE IRRITATION  
 Chronic NONE ALLOCATED

**FIRST AID:**

Swallowed IF SWALLOWED GIVE TWO GLASSES of WATER TO DRINK  
 Eye FLUSH EYES WITH A LARGE AMOUNT OF WATER  
 Skin WASH AFFECTED AREAS THOROUGHLY  
 Inhaled MOVE SUBJECT TO FRESH AIR

**ADVICE TO DOCTOR**

THIS PRODUCT CARRIES THE A.P. NON-TOXIC SEAL AND IS CERTIFIED BY A TOXICOLOGIST IN ASSOCIATION WITH THE ART & CRAFT MATERIALS INSTITUTE (ACMI), BOSTON Ma 02110. USA

Page 2 of 2

**PRECAUTIONS FOR USE****EXPOSURE STANDARDS**

NONE

**ENGINEERING CONTROLS**

USE IN WELL VENTILATED AREAS

**PERSONAL PROTECTION**

NONE REQUIRED IF USED IN A WELL VENTILATED AREA

**FLAMMABILITY**

NOT APPLICABLE

**SAFE HANDLING INFORMATION****STORAGE & TRANSPORT**

KEEP FROM FREEZING. RECOMMENDED STORAGE CONDITIONS ARE BETWEEN 1° C AND 50 °C.

**SPIILLS & DISPOSAL**

FOR MINOR SPILLS, MOP UP WITH RAGS &amp; DISPOSE OF. FOR LARGER QUANTITIES, CONTAIN ANY SPILLS WITH SAND AND TRANSFER TO CONTAINERS FOR DISPOSAL. CONTACT LOCAL WASTE DISPOSAL AUTHORITY FOR DISPOSAL ADVICE.

**FIRE/EXPLOSION HAZARD**

NONE

**OTHER INFORMATION****CONTACT POINT**

MIT KURING-GAI AUSTRALIA

DATE OF ISSUE: 24 NOVEMBER 2005