



OLD HOLLAND CLASSIC COLOURS



01750-1001
-1801
-1805
-2101
-2102
-2105
-3001
-3002

Material Safety Data Sheet 2001/68EC Refined Linseed Oil

1) Identification of the substance and of the company,

Identification of the substance: REFINED LINSEEDOIL

Art.Nr. 1104
Art.Nr. 1105
Art.Nr. 1106
Art.Nr. 1134

Alternative names: Acid refined linseed oil, Alkall refined linseed oil, RBD linseed oil.

Identification of the company:

Old Holland Classic Colours
Nijental 36/38
3792 KC Driebergen
The Netherlands

2) Composition and information on ingredients

Compositon: (vegetable triglyceride oil, derived from the flax plant *Linum ustassimum*.
Delivered in its refined form (acid degummed and/or bleached and/or neutralised)
with a fatty acid spread.

CAS-number 8001 26 1
EINECS-number: 232 278 6
Hazardous components: none (R-phrases: none, S-phrases: none)

3) Hazards identification

Main hazard: none that require special labelling
Special hazard: self-ignition of soled clothes or rags is possible: burn up or spread out to dry.

4) First-Aid Measures

Eye contact: flush with plenty of water: call for medical advice if necessary.
Skin contact: Wash with water and soap.
Ingestions: laxative, not toxic: call for medical advice if necessary.

Product: Lijnolie

This information is accurate to the best knowledge of Old Holland, however it is furnished without warranty expressed or implied.

Old Holland Classic Colours, Nijental 36-38 3972GS Driebergen Netherland, Tel+31 343516224 Fax +31 343516342



OLD HOLLAND CLASSIC COLOURS

Inhalation: not applicable, no vapours at ambient temperatures.



5) Fire-Fighting measures

Extinguishing media:

Suitable: CO₂ foam, dry powder, sand.

Not to be used: water may spit and spread the fire.

Dangers during combustion: production of a heavy acrid smoke, drops can cause severe burns Protection against fire: keep away from the flames and sparks.

Special exposure hazards: prolonged heating at 230°C can cause combustions and decomposition

6) Release measures Accidental

Linseed oil is a drying oil, which if left over a few days, will form a hard film.

After spillage/leakage: evacuations is not necessary.

On Soil wear slip-proof shoes, clean and wash with water and soap, contain larger volumes with sand or earth, sweep up and dispose of in accordance with regulations, spray regularly and keep moist to prevent self ignition.

In water: the product floats and can be skimmed off.

7) Handling and storage

Handling: respect the normal precautions for handling liquid chemicals, wear non-absorbent gloves and safety goggles when handling hot oil.

Storage: store in a cool, dry and dark place, use plastic and/or steel drums/containers/tanks, keep away from oxidising chemicals.

8) Exposure control and personal protection

Ingredients with threshold limits: none

Respiratory protection: not required at normal temperatures.

Hand protection: use barrier crème or wear non-absorbent gloves when handling regularly.

Eye protection: wear goggles when handling hot oil.

Skin protection: wear normal industrial clothing and wash regularly.

9) Physical and chemical properties

Physical state:	(20°C) liquid
Colour:	yellow
Odour:	typical vegetable oil
Melting point:	(1013 hPa): below 0 °C
Boiling point:	(1013hPa): >300°C, with decomposition
Density:	(20 °C) 0.926-0.933
Vapour pressure:	(20°C) very low (100°C): very low
Viscosity:	(20°C) ±0.5 poise
Solubility in water:	insoluble
Soluble in:	aliphatic hydrocarbon and aromatic solvents

Product: Lijnolie

This information is accurate to the best knowledge of Old Holland, however it is furnished without warranty expressed or implied.

Old Holland Classic Colours, Nijendal 36-38 3972GS Driebergen Netherland, Tel+31

343518224 Fax +31 343516342



OLD HOLLAND CLASSIC COLOURS

Flash points > 250°C
Auto-ignition temperature: very high



10) **Stability and reactivity**

Conditions to avoid: very fine dispersions may possibly self ignite in contact with air

Materials to avoid: avoid contact with strong oxidising chemicals.

Hazardous decomposition products: stable under normal conditions, produces a complex

Mixture of irritating fumes during combustion.

11) **Toxicological information**

The oil is not considered as toxic.

Oral: harmless, no side effects encountered.

Skin: harmless, no side effects encountered.

Inhalation: under normal conditions, this oil does not exude any fumes.

Eyes: harmless, flush immediately with plenty of water.

12) **Ecological information**

Biodegradation: RDA-test $\geq 40\%$, considered ultimately biodegradable

Fish toxicity: no data available, not considered as toxic.

Bacterial toxicity: no data available, not considered as toxic.

13) **Disposal instructions**

Keep this product out of the sewage and of the surface waters

Waste and used packing should be treated according to local regulations

14) **Transportation information**

Following our present state of knowledge, there are no restrictions.

15) **Regulatory information**

Following our present state of knowledge, not to be classified according to directives 67/548/EEC, 76/769/EEC and 1999/45/EC

16) **Other information**

Date printed October 17th 2005

Revision date July 27th 2002

Information included in this document is given in good faith and constitutes our present state of

Product: Lijnolie

This information is accurate to the best knowledge of Old Holland, however it is furnished without warranty expressed or implied.

Old Holland Classic Colours, Nijendal 36-38 3972GS Driebergen Netherland, Tel+31

343518224 Fax +31 343516342



OLD HOLLAND CLASSIC COLOURS

knowledge relevant to safety regulations. However, we do not accept responsibility for injury or damage, where products supplied by our services are used in applications other than those specified

Contact:
Old Holland Classic Colours,
Driebergen
Tel + 31 343 518224

Product: Lijnolie

This information is accurate to the best knowledge of Old Holland, however it is furnished without warranty expressed or implied.

Old Holland Classic Colours, Nijental 36-38 3972GS Driebergen Netherland, Tel+31

343518224 Fax +31 343516342