

(2424-00)

* Incredible NIB Frisket Kit *

02902-0002

MATERIAL SAFETY DATA SHEET
OSHA Hazard Communication
Standard (29 CFR 1910.1200)



SIMILAR TO OSHA FORMS 20 AND 174
US Department of Labor
Printed on 7/30/92 at 15:06:54

Material/Product Identity: Incredible White Mask Liquid Frisket
Color: White Liquid ID # N/A
Seq. No. 4 Rev. No. A
ASTM D4236-89 Certified
Certification Product
Regulatory Status Not known to be regulated

SECTION I MANUFACTURER'S NAME AND LOCATION 00312-1004

Manufact. Name: Graphic Arts Systems Inc.
Address line 1: 19499 Miles Road
Address line 2: Cleveland, OH 44128
Address line 3: USA Emerg. Tel. No. (800) 468-6942 USA
Info. Tel. No. (800) 447-2349 Contact Lawrence Katz
Prep. Date: 7/23/92 Title President
Current per Brandy Graphic Arts 7/17/95

SECTION II HAZARDOUS COMPONENTS/IDENTITY/STANDARDS/CONTENT INFORMATION

Ingredient Listing	CAS No.	OSHA PEL	ACGIH TLV	STEL	% COMP
Latex Emulsion	Mixture	N/L	N/L	N/L	< 100%
Ammonia	7664-41-7	25 ppm	25 ppm	35 ppm	< 5 %

This is a professional artist's product. It consists of a polymer solution with a small quantity of ammonia. The product has been evaluated for expected hazards that may occur in normal use by professional artists. Avoid excessive heat, avoid breathing mists and use with adequate ventilation.

SECTION III PHYSICAL/CHEMICAL CHARACTERISTICS

Boiling Point: Not App. Deg. F (Cel)
Melting Point: N/K Deg. F (Cel)
Vapor Pressure: Water-like
Evaporation Rate: Water-like
Odor: Slight ammonia odor
Spec. Grav. Less than 1 (H2O=1)
Vapor Density: Same as Water
Water Solubility: Soluble
Appearance: Milky Aqueous Liquid

SECTION IV FIRE and EXPLOSION HAZARD DATA

Flash Point: Not App. Deg. F (Cel)
Lower Flam. Limit: Not App. %
Extng. Medium: Water spray, dry chemical, CO2
Specialized Fire Fighting Proc.: Burning dry latex produces dense black clouds of smoke. Wear self-contained breathing apparatus and protective clothing to prevent exposure to usual and expected combustion fumes. No unusual toxic gases are expected.
Unusual Fire & Explosion Hazard: Expect the usual toxic gases to be produced; dried rubber may produce large amounts of black smoke.

SECTION V REACTIVITY DATA

Stable (Unstable): Conditions Excessive Heat; freezing to avoid
Stable (yes/no): Yes
Incompat. (Avoid): Solvents, acids, metals, salts may coagulate latex.
Haz. Decomp. (y/n): No Haz. Polym. (yes/no) No
Cond. to Avoid: As with any other organic material, combustion and flame in air may produce nitrogen oxides, carbon dioxide and carbon monoxide.

Confirm all information prior to use
Abbreviations: Not Applicable N/A.. Not Flammable N/F Ceiling Value C
Not Known N/K Not Determined N/D
Respirable Fraction R Not Listed N/L
Permissible Exposure Limit PEL Unknown UNKWN
ACGIH Threshold Limit Value TLV
The data shown is taken from sources judged to be reliable. The user should
Item Numbers: 02902-0002 Page 1 of 4
No other warranty is given. (TLV Reg. TM, ACGIH)



MATERIAL SAFETY DATA SHEET
 OSHA Hazard Communication
 Standard (29 CFR 1910.1200)

SIMILAR TO OSHA FORMS 20 AND 174
 US Department of Labor
 Printed on 7/30/92 at 15:06:58

Material Identity Incredible White Mask Liquid Frisket
 Color White Liquid ID # N/A

SECTION VI HEALTH HAZARD DATA

Routes of Entry: Inhalation Low hazard; avoid inhaling mist if sprayed.
 Skin Not likely to be absorbed Ingest. Not likely to be ingested
 Health Hazards None expected from ordinary uses of the product; ammonia content, while low, could irritate eyes if vaporized. Avoid eye and skin contact. If sprayed, use adequate cross ventilation. If sprayed or applied by air brush or air gun, avoid breathing mist. Use a NIOSH approved mask suitable for liquid aerosols.

NTP Carcinogen N/L IARC Carcinogen N/L OSHA Carcinogen N/L
 Signs/Symptoms of Exposure None expected but eye irritation may occur..

Medical Conditions None known. Avoid wearing contact lenses if eye contact to Avoid is possible.

First Aid Measures If contact with eyes occurs, rinse with lukewarm, clean water for 15 minutes; contact a physician if irritation occurs. Skin contact, wash with water.

SECTION VII PRECAUTIONS FOR SAFE HANDLING AND USE

Spill Waste Disp Contain and collect for disposal. Observe all federal, state and local laws concerning health and environment.
 Precautions Other Precautions None known; use caution as spill area may be slippery. None known.

SECTION VIII CONTROL MEASURES

Resp. Protect. Not usually required but a suitable mask for aerosols and mists should be worn if material is to be sprayed in large quantity.
 Local Exhaust Spec. Local. Exh. Not usually required but required if sprayed..
 Mech. Exhaust None usually required.
 Other Mech. Exhaust None required except if sprayed.
 Protect. Gloves Vinyl or rubber gloves.
 Eye Protect Not required for ordinary uses of this product
 Protect. Clothing None specifically required; artist smock suggested.
 Work Practices Standard industrial practice for the handling of artist materials should be used..

LABEL STATEMENTS

Acute Toxicity Signal Word 1 No Acute Health Labeling Required
 Acute Phrase 1 DO NOT TAKE INTERNALLY. AVOID CONTACT WITH EYES.
 Acute Phrase 2 KEEP OUT OF REACH OF CHILDREN.
 Acute Phrase 3 Refer to MSDS for additional information.
 Chronic Toxicity Chronic Signal No chronic health labeling required
 Chronic Phrase 1
 Chronic Phrase 2
 Chronic Phrase 3

ASTM D4236 Complies with ASTM D4236-89
 Certification Assurance

=====
 Confirm all information prior to use
 Abbreviations: Not Applicable N/A.. Not Flammable N/F Ceiling Value C
 Not Determined N/D
 Not Known N/K Not Listed N/L
 Respirable Fraction R Unknown UNKWN
 Permissible Exposure Limit PEL ACGIH Threshold Limit Value TLV
 The data shown is taken from sources judged to be reliable. The user should judge both the accuracy and the suitability of this information for any intention or purpose. No other warranty is given. (TLV Reg. TM, ACGIH)
 =====

TOXINDEX INFORMATION SYSTEM PRODUCT INFORMATION FORM - SUBMITTED ON 7/30/92

Brand/Product Name Incredible White Mask Liquid Frisket
 Color Name White Liquid
 Product Sizes 4.5 and 8.5 Fluid Ounce; Larger sizes may be ordered.
 Catalog/Reg. # N/A Use/Application Art Material
 Color I.D. Name N/A Index # N/A
 Product Color(s) N/A Formula Date Prior to 1992
 State (pH if Liq.) 9.20 Industr Use (Y/N) Yes
 Viscosity Unknown Consumer Use (Y/N) Yes
 Entry into Market Before 1992 Children's Use (Y/N) Unlikely
 Manufacturer's Graphic Arts Systems Inc.
 Name, Address & 19499 Miles Road , Cleveland
 Telephone Number OH 44128 USA (800) 447-2349

Toxicity Information, Contact Dr. Jaeger at 201-666-7929 or 800-468-6943

Chemical Ingredients	CAS #/ID #/Color Index #	% H/L or Range
1 Latex Emulsion	Mixture	< 100%
2 Ammonia	7664-41-7	< 5 %
3		
4		
5		
6		
7		
8		
9		
10		
11		
12		
13		
14		
15		
16		
17		
18		
19		
20		
21		
22		
23		
24		



Submitted by Environmental Medicine, Inc. 263 Center Avenue

Item Numbers: 02902-0002

Westwood, NJ 07675 USA on behalf of the named manufacturer Page 3 of 4

Material/Product Identity
 Incredible White Mask Liquid Frisket

White Liquid

N/A

Seq. No. 4
 ASTM D4236-89
 Certification
 Regulatory
 Status

Rev. No. A
 Certified
 Product
 Not known to
 be regulated

Manufact. Name Graphic Arts Systems Inc.
 Address line 1 19499 Miles Road
 Address line 2 Cleveland, OH 44128
 Address line 3 USA Emerg. Tel. No. (800) 468-6942 USA
 Info. Tel. No. (800) 447-2349 Contact Lawrence Katz
 Prep. Date 7/23/92 Title President

 REQUIRED LABEL STATEMENTS

Conformity Phrase Complies with ASTM D4236-89
 Acute Signal Word No Acute Health Labeling Required
 Acute Phrase 1 DO NOT TAKE INTERNALLY. AVOID CONTACT WITH EYES.
 Acute Phrase 2 KEEP OUT OF REACH OF CHILDREN.
 Acute Phrase 3 Refer to MSDS for additional information.
 Chronic Signal Word No chronic health labeling required
 Chronic Phrase 1
 Chronic Phrase 2
 Chronic Phrase 3
 Mis'c Warning Word KEEP OUT OF REACH OF CHILDREN

