

FORM 101 (REV. 01-1993) HUNT FOAM BOARD SERVICE

\* 13202-1003  
- 1013  
- 1014

**Material Safety Data Sheet**  
May be used to comply with  
OSHA's Hazard Communication Standard,  
29 CFR 1910.1200. Standard must be  
consulted for specific requirements.

(908210  
-25)

**U.S. Department of Labor**  
Occupational Safety and Health Administration  
(Non-Mandatory Form)  
Form Approved  
OMB No. 1218-0072



IDENTITY (As Used on Label and List)

QUICK STIK FOAMBOARD, INCLUDING HI-TACK

**Section I**

Manufacturer's Name <b>HUNT BIENFANG</b>	Emergency Telephone Number <b>(704) 872-9511</b>
Address (Number, Street, City, State, and ZIP Code) <b>2020 West Front St.</b>	Telephone Number for Information <b>(704) 872-9511</b>
<b>Statesville, NC 28677</b>	Date Prepared <b>February 21, 1994</b>
	Signature of Preparer (optional) <i>Burl Martin</i>

**Section II -- Hazardous Ingredients/Identity Information**

Hazardous Components (Specific Chemical Identity, Common Name(s))	CSHA PEL	ACGIH TLV	Other Limits Recommended	% (optional)
<b>Isopentane 78-78-4</b>	NA	NA		
<b>Polystyrene 9003-53-6</b>	NA	NA		
<b>Talc 14807-96-6</b>	NA	NA		

Nonhazardous according to 29 CFR 1910.1200

Product contains one or more of the following as major ingredients:

- Ethylene vinyl acetate polymer; styrene butadiene polymer, polyolefin polymers
- Styrene isoprene polymer; petroleum derived tackifying resins
- Rosin derived tackifying resins; paraffin waxes and oils, terpene derived tackifying resins
- Microcrystalline waxes and oils; naphthanic waxes and oils

V-3260

**Section III -- Physical/Chemical Characteristics**

Boiling Point	NA	Specific Gravity (H <sub>2</sub> O = 1)	< 1
Vapor Pressure (mm Hg.)	NA	Melting Point	220°F
Vapor Density (AIR = 1)	NA	Evaporation Rate (Butyl Acetate = 1)	NA

Solubility in Water  
**Not Soluble**

Appearance and Odor  
**Off-white to tan colored solid with resinous odor**

**Section IV -- Fire and Explosion Hazard Data**

Flash Point (Method Used)	NA	Flammable Limits	LEL	UEL
			NA	NA

Extinguishing Media  
**Water Spray**

Special Fire Fighting Procedures  
**Decomposition may produce hazardous chemicals such as CO, NO<sub>2</sub>, and other unknown hazards and smoke. Material is combustible. Wear self contained breathing apparatus.**

Unusual Fire and Explosion Hazards  
**Polystyrene emits styrene, CO, and other hydrocarbons when burning.**

NOV 11 1994 01:47PM HUNT COST SERVICE

F.4

**Section V -- Reactivity Data**

Stability	Unstable		Conditions to Avoid Oxidizing materials may cause reaction
	Stable	X	

Incompatibility (Materials to Avoid)

Hazardous Decomposition or Byproducts

Oxides of carbon and smoke

Hazardous Polymerization	May Occur		Conditions to Avoid
	Will Not Occur	X	

**Section VI -- Health Hazard Data**

Route(s) of Entry:	Inhalation? NA	Skin? NA	Ingestion? NOT likely
--------------------	-------------------	-------------	--------------------------

Health Hazards (Acute and Chronic)

May be obstruction if swallowed. Excessive heating may produce vapors causing irritation of mucous membrane and respiratory tract.

Carcinogenicity:	NTP? NO	IARC Monographs? NO	OSHA Regulated? NO
------------------	------------	------------------------	-----------------------

Signs and Symptoms of Exposure      Eyes : irritation or redness

Medical Conditions Generally Aggravated by Exposure      Eyes: irritation or redness

Emergency and First Aid Procedures      Eyes: flush with water

**Section VII -- Precautions for Safe Handling and Use**

Steps to Be Taken in Case Material is Released or Spilled

Sweep up and place in container for recycle or disposal

Waste Disposal Method

Disposal should be done in accordance with all local, state, and federal laws & regulations.

Precautions to Be Taken in Handling and Storing

Keep in dry place. Keep containers closed. Prolonged exposure to sun or UV light may effect color.

Other Precautions

Take precautions for static electricity generated during mechanical/pneumatic transfer of product.

**Section VIII -- Control Measures**

Respiratory Protection (Specify Type)      NA

Ventilation	Local Exhaust	Special
	Mechanical (General)	Other

Protective Gloves      Generally not needed      Eye Protection      Generally not needed

Other Protective Clothing or Equipment      None

Work/Hygienic Practices      Normal good working practices should be adopted.