

FORM 101 (REV. 01-1993) HUNT FOAM BOARD SERVICE

* 13202-1003
- 1013
- 1014

Material Safety Data Sheet
May be used to comply with
OSHA's Hazard Communication Standard,
29 CFR 1910.1200. Standard must be
consulted for specific requirements.

(908210
-25)

U.S. Department of Labor
Occupational Safety and Health Administration
(Non-Mandatory Form)
Form Approved
OMB No. 1218-0072



IDENTITY (As Used on Label and List)

QUICK STIK FOAMBOARD, INCLUDING HI-TACK

Section I

Manufacturer's Name HUNT BIENFANG	Emergency Telephone Number (704) 872-9511
Address (Number, Street, City, State, and ZIP Code) 2020 West Front St. Statesville, NC 28677	Telephone Number for Information (704) 872-9511
	Date Prepared February 21, 1994
	Signature of Preparer (optional) <i>Paul Martin</i>

Section II -- Hazardous Ingredients/Identity Information

Hazardous Components (Specific Chemical Identity, Common Name(s))	CSHA PEL	ACGIH TLV	Other Limits Recommended	% (optional)
Isopentane 78-78-4	NA	NA		
Polystyrene 9003-53-6	NA	NA		
Talc 14807-96-6	NA	NA		

Nonhazardous according to 29 CFR 1910.1200

Product contains one or more of the following as major ingredients:

- Ethylene vinyl acetate polymer; styrene butadiene polymer, polyolefin polymers
- Styrene isoprene polymer; petroleum derived tackifying resins
- Rosin derived tackifying resins; paraffin waxes and oils, terpene derived tackifying resins
- Microcrystalline waxes and oils; naphthanic waxes and oils

V-3260

Section III -- Physical/Chemical Characteristics

Boiling Point	NA	Specific Gravity (H ₂ O = 1)	< 1
Vapor Pressure (mm Hg.)	NA	Melting Point	220°F
Vapor Density (AIR = 1)	NA	Evaporation Rate (Butyl Acetate = 1)	NA

Solubility in Water
Not Soluble

Appearance and Odor
Off-white to tan colored solid with resinous odor

Section IV -- Fire and Explosion Hazard Data

Flash Point (Method Used)	NA	Flammable Limits	LEL	UEL
			NA	NA

Extinguishing Media
Water Spray

Special Fire Fighting Procedures
Decomposition may produce hazardous chemicals such as CO, NO_x, and other unknown hazards and smoke. Material is combustible. Wear self contained breathing apparatus.

Unusual Fire and Explosion Hazards
Polystyrene emits styrene, CO, and other hydrocarbons when burning.

NOV 11 1994 01:47PM HUNT COST SERVICE

F.4

Section V -- Reactivity Data

Stability	Unstable		Conditions to Avoid Oxidizing materials may cause reaction
	Stable	X	

Incompatibility (Materials to Avoid)

Hazardous Decomposition or Byproducts

Oxides of carbon and smoke

Hazardous Polymerization	May Occur		Conditions to Avoid
	Will Not Occur	X	

Section VI -- Health Hazard Data

Route(s) of Entry:	Inhalation? NA	Skin? NA	Ingestion? NOT likely
--------------------	-------------------	-------------	--------------------------

Health Hazards (Acute and Chronic)

May be obstruction if swallowed. Excessive heating may produce vapors causing irritation of mucous membrane and respiratory tract.

Carcinogenicity:	NTP? NO	IARC Monographs? NO	OSHA Regulated? NO
------------------	------------	------------------------	-----------------------

Signs and Symptoms of Exposure Eyes : irritation or redness

Medical Conditions Generally Aggravated by Exposure Eyes: irritation or redness

Emergency and First Aid Procedures Eyes: flush with water

Section VII -- Precautions for Safe Handling and Use

Steps to Be Taken in Case Material is Released or Spilled

Sweep up and place in container for recycle or disposal

Waste Disposal Method

Disposal should be done in accordance with all local, state, and federal laws & regulations.

Precautions to Be Taken in Handling and Storing

Keep in dry place. Keep containers closed. Prolonged exposure to sun or UV light may effect color.

Other Precautions

Take precautions for static electricity generated during mechanical/pneumatic transfer of product.

Section VIII -- Control Measures

Respiratory Protection (Specify Type) NA

Ventilation	Local Exhaust	Special
	Mechanical (General)	Other

Protective Gloves Generally not needed Eye Protection Generally not needed

Other Protective Clothing or Equipment None

Work/Hygiene Practices Normal good working practices should be adopted.