


MAY-31-2005 12:49



Rec'd 5-31-05

13512-0009  
-1001  
-9001**ALLIED LABORATORIES CORP.**716 North Iowa Avenue  
Villa Park, IL 60181  
Phone: 630.279.0390  
Fax: 630.279.3114Scratch Art Company, Inc.  
P.O.Box 303  
Avon, MA 02322

May 23, 2001

Attn: Nathan Polsky

Allied Report # 23189


A sample of Scratch Lite "Stained Glass" Sheets, a product of the Scratch Art Company, was examined to determine whether or not the labeling of the product conforms to standards established by the Federal Hazardous Substances Act (FHAMA) and by ASTM D-4236.

The product is a transparent plastic sheet, impregnated with various dyes, coated with a layer of black ink. Scratching off some of the black ink with a wooden stick leaves a multicolored pattern. The black ink dust which is produced should not become airborne.

The phrase "Conforms with ASTM D-4236" should be on the package.

Based on my forty plus years of professional experience, I believe the product will not present chronic health hazards to users.

This conclusion is based on the knowledge that, when properly used, there is only minimal contact of the coating materials with the skin. Any small amounts which may adhere to the skin may be safely removed by brushing, or by washing with soap and water.

  
\_\_\_\_\_  
Irving L. Domsky, Ph.D.  
Laboratory Director