

05/19/2007 13:27 6507378887

YASUTOMO AND COMPANY

PAGE 01/02

**20872-1009**

**MATERIAL SAFETY DATA SHEET**  
 May be used to comply with OSHA's Hazard Communication  
 Standard 29 CFR 1910.1200 -  
 Standard must be consulted for specific requirements

U.S. DEPARTMENT OF LABOR  
 OCCUPATIONAL SAFETY & HEALTH ADMINISTRATION  
 (Non-Mandatory Form) FORM APPROVED  
 OMB No. 1218-0072

IDENTITY: (As used on Label & List) **SUMI STICKS: SSB101, 112, 305, 306** NOTE: Blank spaces are not permitted. If any items are not applicable, or no information is available, the space must be marked to indicate that (N/A)

**SECTION I**

MANUFACTURER'S NAME <b>YASUTOMO &amp; COMPANY</b>	EMERGENCY PHONE NUMBER: <b>CALL YOUR LOCAL POISON CONTROL CENTER</b>
ADDRESS (Number, Street, City, State & Zip) <b>490 ECCLES AVENUE</b>	INFORMATION NUMBER: <b>650-737-8888</b>
<b>SOUTH SAN FRANCISCO, CA 94080</b>	DATE PREPARED: <b>updated: MAY 10, 2006</b>
	SIGNATURE OF PREPARED (optional)

**SECTION II - HAZARDOUS INGREDIENTS / IDENTIFY INFORMATION**

HAZARDOUS COMPONENTS (Specific Chemical Identity, Common Name(s))	OSHA PEL	ACGIH TLV	OTHER LIMITS RECOMMENDED	% (OPTIONAL)
<b>BOHNEOL / HEALTH LABEL CONFIRMS W/ D4236</b>				

**SECTION III - PHYSICAL / CHEMICAL CHARACTERISTICS**

BOILING POINT: <b>N/A</b>	SPECIFIC GRAVITY (H <sub>2</sub> O = 1)
VAPOR PRESSURE (mm Hg): <b>N/A</b>	MELTING POINT:
VAPOR DENSITY (AIR = 1): <b>N/A</b>	EVAPORATION RATE: (butyl acetate = 1)
SOLUBILITY IN WATER: <b>N/A</b>	
APPEARANCE & ODOR: <b>BLACK SOLID</b>	

**SECTION IV - FIRE & EXPLOSION HAZARD DATA**

FLASH POINT (Method Used): <b>N/A</b>	FLAMMABLE LIMITS: <b>NOT FLAMMABLE</b>	LEL: <b>N/A</b>	UEL: <b>N/A</b>
EXTINGUISHING MEDIUM: <b>N/A</b>			
SPECIAL FIRE FIGHTING PROCEDURES: <b>NONE</b>			
USUAL FIRE & EXPLOSION HAZARDS: <b>NONE</b>			

OSHA 174, OCTOBER 2005  
 5/10/2006 - Page 1 of 2

05/19/2007 13:27

6507378887

YASUTOMO AND COMPANY

PAGE 02/02

## MATERIAL SAFETY DATA SHEET

(PAGE 2 OF 2)

U.S. DEPARTMENT OF LABOR

IDENTITY: (As used on Label & List)		SUMI STICKS: SSB101, 112, 305, 306	
<b>SECTION V – REACTIVITY DATA</b>			
STABILITY:	UNSTABLE	CONDITIONS TO AVOID:	NONE
	STABLE		
	X		
INCOMPATIBILITY (Materials to Avoid)			
HAZARDOUS DE-COMPOSITION OR BYPRODUCTS:			
HAZARDOUS POLYMERIZATION:	MAY OCCUR	CONDITIONS TO AVOID:	NONE
	WILL NOT OCCUR		
	X		
<b>SECTION VI – HEALTH HAZARD DATA</b>			
ROUTE(S) OF ENTRY:	INITIALATION?	SKIN?	INGESTION?
	X		X
HEALTH HAZARDS (Acute & Chronic):			
ACUTELY TOXIC / IRRITANT TO EYES, NOSE & THROAT			
CARCINOGENICITY:	NTP?	IARC MONOGRAPHIS?	OSHA REGULATED?
	N/A		
SIGNS & SYMPTOMS OF EXPOSURE:			
N/A			
MEDICAL CONDITIONS – GENERALLY AGGRAVATED BY EXPOSURE:			
N/A			
EMERGENCY & FIRST AID PROCEDURES:			
AVOID INGESTION. KEEP OUT OF REACH OF CHILDREN. IF SWALLOWED, GET PROMPT MEDICAL ATTENTION. CONTACT LOCAL POISON CONTROL CENTER			
<b>SECTION VII – PRECAUTIONS FOR SAFE HANDLING &amp; USE</b>			
STEPS TO BE TAKEN IN CASE MATERIAL IS RELEASED OR SPILLED:			
NONE			
WASTE DISPOSAL METHOD:			
NONE			
PRECAUTIONS TO BE TAKEN IN HANDLING & STORING:			
NONE			
OTHER PRECAUTIONS:			
NONE			
<b>SECTION VIII – CONTROL MEASURES</b>			
RESPIRATORY PROTECTION (Specify Type)			
NONE			
VENTILATION:	LOCAL EXHAUST	SPECIAL:	N/A
	MECHANICAL (General)	OTHER:	N/A
PROTECTIVE GLOVES:	NONE	EYE PROTECTION:	NONE
OTHER PROTECTIVE CLOTHING OR EQUIPMENT:	NONE		
WORK / HYGIENIC PRACTICES:	N/A		

OSHA 174, OCTOBER 2005  
5/10/2006 – PAGE 2 of 2