

21832-XXXX

**MATERIAL SAFETY DATA SHEET***May be used to comply with OSHA's Hazard Communication**Standard 29 CFR 1910.1200 ~**Standard must be consulted for specific requirements*

U.S. DEPARTMENT OF LABOR

OCCUPATIONAL SAFETY &amp; HEALTH ADMINISTRATION

(Non Mandatory Form)

FORM APPROVED

OMB No. 1218-0072

IDENTITY: (As used on Label & List) GX100, GX101 SERIES  
GEL EXTREME & PASTELS

NOTE: Blank spaces are not permitted. If any items are not applicable, or no information is available, the space must be marked to indicate that N/A

**SECTION I****MANUFACTURER'S NAME**

YASUTOMO &amp; COMPANY

**ADDRESS (Number, Street, City, State & Zip)**

490 ECCLES AVENUE

SOUTH SAN FRANCISCO, CA 94080

**EMERGENCY PHONE NUMBER:**

CALL YOUR LOCAL POISON CONTROL CENTER

**INFORMATION NUMBER:**

650-737-8888

**DATE PREPARED:**

updated MAY 10, 2006

SIGNATURE OF PREPARED (optional)

**SECTION II - HAZARDOUS INGREDIENTS / IDENTIFY INFORMATION****HAZARDOUS COMPONENTS**

(Specify: Chemical Identity; Common Name(s))

OSHA PEL

ACGIH TLV

**OTHER LIMITS**

RECOMMENDED

% (OPTIONAL)

NO HAZARDOUS MATERIALS. ACID FREE

AP NON TOXIC LABEL CONFORMS W/ ASTM D4236

**SECTION III - PHYSICAL / CHEMICAL CHARACTERISTICS****BOILING POINT:**

100°C

**SPECIFIC GRAVITY (H<sub>2</sub>O = 1)**

0.85 - 1.3

**VAPOR PRESSURE (mm Hg):**

UNKNOWN

**MELTING POINT:**

N/A

**VAPOR DENSITY (AIR = 1)**

UNKNOWN

**EVAPORATION RATE: (butyl acetate = 1)**

LESS THAN 1

**SOLUBILITY IN WATER**

COMPLETE

**APPEARANCE & ODOR:**

COLOR &amp; MINIMUM ODOR

**SECTION IV - FIRE & EXPLOSION HAZARD DATA****FLASH POINT (Method Used):**

N/A

**FLAMMABLE LIMITS:**

NONE

**LEL:**

UEL

**EXTINGUISHING MEDIA:**

N/A

**SPECIAL FIRE FIGHTING PROCEDURES:**

N/A

**USUAL FIRE & EXPLOSION HAZARDS:**

N/A

**SECTION V - REACTIVITY DATA****STABILITY:**

UNSTABLE

**CONDITIONS TO AVOID:**

STABLE

X

**INCOMPATIBILITY (Materials to Avoid)**

N/A

OSHA 174, OCTOBER 2005  
6/21/2006 ~ PAGE 1 of 2

## MATERIAL SAFETY DATA SHEET

(PAGE 2 OF 2)

U.S. DEPARTMENT OF LABOR

IDENTITY: (As used on Label &amp; List)

GEL EXTREME &amp; PASTELS: GX 100, GX 101 SERIES

## SECTION V – REACTIVITY DATA (continued)

HAZARDOUS DECOMPOSITION OR BYPRODUCTS:

N/A

HAZARDOUS POLYMERIZATION:

MAY OCCUR

CONDITIONS TO AVOID:

WILL NOT OCCUR

X

## SECTION VI – HEALTH HAZARD DATA

ROUTE(S) OF ENTRY:

INHALATION? FRESH AIR

SKIN? WASH W/

INGESTION? DO NOT

SEEK MEDICAL AID IF NEEDED

SOAP &amp; WATER

INDUCE VOMITTING

HEALTH HAZARDS (Acute &amp; Chronic):

EYE CONTACT: FLUSH W/ WATER FOR 15 MIN. CALL PHYSICIAN IF NEEDED

CARCINOGENICITY:

NTP?

IARC MONOGRAPHS?

OSHA REGULATED?

N/A

N/A

N/A

SIGNS &amp; SYMPTOMS OF EXPOSURE:

MAY CAUSE SKIN OR EYE IRRITATION TO CERTAIN INDIVIDUALS.

MEDICAL CONDITIONS – GENERALLY AGGRAVATED BY EXPOSURE:

NONE KNOWN.

EMERGENCY &amp; FIRST AID PROCEDURES:

SEE SECTION VI ABOVE.

## SECTION VII – PRECAUTIONS FOR SAFE HANDLING &amp; USE

STEPS TO BE TAKEN IN CASE MATERIAL IS RELEASED OR SPILLED:

WIPE UP SMALL SPILLS W/ CLOTH

WASTE DISPOSAL METHOD

WHEN DISPOSING LARGE AMOUNT, IN ACCORDANCE W/ EXISTING FEDERAL  
STATE & LOCAL ENVIRONMENTAL REGULATIONS.

PRECAUTIONS TO BE TAKEN IN HANDLING &amp; STORING:

STORE IN COOL, DRY AREA. AVOID FREEZING, SPARKS &amp; OPEN FLAMES.

OTHER PRECAUTIONS:

## SECTION VIII – CONTROL MEASURES

RESPIRATORY PROTECTION (Specify Type)

EXCESSIVE SPILLAGE, USE CHEMICAL RESISTANT MASK

VENTILATION:

LOCAL EXHAUST

SPECIAL:

N/A

N/A

MECHANICAL (General)

OTHER:

N/A

N/A

PROTECTIVE GLOVES:

RESISTANT GLOVES

EYE PROTECTION:

RESISTANT GOOGLES

OTHER PROTECTIVE CLOTHING OR EQUIPMENT:

N/A

WORK / HYGENIC PRACTICES:

WASH HANDS W/ SOAP &amp; WATER

OSHA 174, OCTOBER 2005  
6/21/2006 – PAGE 2 of 2