

3. 4-04-05

* General's Powdered Graphite

22843-1006

03/30/2005 12:52 16503697169

GENERAL PENCIL RWC

Material Safety Data Sheet

May be used to comply with

OSHA's Hazard Communication Standard.

29 CFR 1910.1200 Standard must be

consulted for specific requirements

Art-Office

School-Craft

Charcoal-Graphite

Pastels-Colored

U.S. Department of Labor

Occupational Safety and Health Administration

(Non-Mandatory Form)

Form Approved

OMB No. 1218-0077

V-1870

MIS # 970P6

IDENTITY (As Used on Label and LSI)
All wood cased pencil products

NOTE: Blank spaces are not permitted. If an item is not applicable, or no information is available, the space must be marked to indicate this.

Section I

Manufacturer's Name
GENERAL PENCIL CO.Emergency Telephone Number
1-800-537-0734Address (Number, Street, City, State, and ZIP Code)
67 Fleet St. Jersey City N.J. 07306Telephone Number (In NJ)
1-201-653-5351-1-415-369-4889California--3168 Bay Rd. Box 5311
Redwood City, CA 94063

Date Prepared

Revised 4-15-95

Signature of Preparer (optional)

Section II - Hazardous Ingredients/Identity Information

Hazardous Components (Specific Chemical Identity, Common Name(s)) OSHA PEL ACGIH TLV Other Limits Recommended Yes (optional)

N/A-----Pencil products bearing the PMA Certification Mark(seal) of the Pencil Makers Assoc. Inc. are not within the scope of the OSHA Hazard Communication Standard.. Pencils and graphite products are articles, not chemicals, 29 C.F.R. part 1910.1200 (B)(5)

Pencil products bearing the PMA Certification Mark(seal) are Certified in a program of toxicologic evaluation by a medical expert subject to review by the program's Toxicological review Bd. to contain no materials in sufficient quantities to offer an acute or chronic health hazard to humans..

No acute or chronic health labeling is required under provision of federal law, the federal hazardous substance act, or under ASTM Standard D 4236..

Section III - Physical/Chemical Characteristics

Boiling Point	N/A	N/A	Specific Gravity (H ₂ O = 1)	N/A
Vapor Pressure (mm Hg)	N/A	N/A	Melting Point	N/A
Vapor Density (AIR = 1)	N/A	N/A	Evaporation Rate (Butyl Acetate = 1)	N/A
Solubility in Water	N/A			

Appearance and Odor

Solid Stick Form----Cedar fragrance

Dk. Grey--Black

Section IV - Fire and Explosion Hazard Data

Flash Point (Method Used)	365° F	Flammable Limits	LEL N/A	UEL N/A
---------------------------	--------	------------------	---------	---------

Extinguishing Media

Foam, Carbon dioxide, dry chemical

Special Fire Fighting Procedures

A self contained breathing device should be used when there is potential exposure to combustion products burning in bulk.

Up-Down Fire and Explosion Hazard

Pencil products stored in bulk are subject to ignition by fire and may, in case of fire, release toxic and other irritating gases.

03/30/2005 12:52 1650369/169

GENERAL PENCIL RWL

PAGE 03

Section V — Reactivity Data

Stability	Unstable	N/A	Conditions to Avoid
	Stable	N/A	

Incompatibility (Materials to Avoid) N/A

Hazardous Decomposition or Byproducts N/A

Hazardous Polymerization N/A	May Occur	N/A	Conditions to Avoid
	Will Not Occur	N/A	

Section VI — Health Hazard Data

Routes of Entry N/A Inhalation? N/A Skin? N/A Ingestion? N/A

Health Hazards (Acute and Chronic) N/A

Carcinogenicity N/A NTP? N/A IARC Monograph? N/A OSHA Regulated? N/A

Signs and Symptoms of Exposure N/A

Medical Conditions Generally Aggravated by Exposure N/A

Emergency and First Aid Procedures N/A

Section VII — Precautions for Safe Handling and Use N/A

Steps to Be Taken in Case Material is Released or Spilled N/A

Waste Disposal Method N/A

Precautions to Be Taken in Handling and Storing N/A

Other Precautions N/A

Section VIII — Control Measures N/A

Respiratory Protection (Specify Type) N/A

Ventilation N/A	Local Exhaust	N/A	Special	N/A
	Mechanical (General)	N/A	Other	N/A

Protective Gloves N/A Eye Protection N/A

Other Protective Clothing or Equipment N/A

Hygienic Practices N/A

03/30/2005 12:52 1650369/169

GENERAL PENCIL KWC

PAGE 01

Pencil Makers in the USA Since 1889

GENERAL PENCIL COMPANY, INC.3160 Bay Rd · PO Box 5311
Redwood City, CA 94063Tel: (650) 369-4889
Fax: (650) 369-7169**THE ORIGINAL**
KISS-OFF™
STAIN REMOVERSince 1889
GENERAL'S®*The Master's*
BRUSH CLEANER
REGISTERED*Fax*

To:	<i>Theresa Roberts</i>	Date:	<i>3/30/05</i>
Company:	<i>Dick Blick</i>	From:	<i>Shirley</i>
Fax:	<i>309-343-3999</i>	Pages:	<i>3- including cover</i>
Phone:		Re:	<i>MSDS</i>

☐ Urgent ☐ Please Acknowledge ☐ Please Reply ☐ Please Comment ☐ For Review ☐ Please Recycle

*Hi Theresa —**Per your request we are
faxing the MSDS for you.**Thank you,**Shirley**Customer Service*