

09/26/2002 17:03 FAX 480 443 0118

XYRON INC

002

Recd 09-26-02



**SAFETY DATA SHEET**

23122 - XXXX  
 23123 - XXXX  
 23124 - XXXX

**1. PRODUCT INFORMATION**

Product: 5 inch cartridges  
 Product Reference Number: US5018001, US5017001, US5047001, US5113001,  
 US5025001, US5023001, US5024001  
 Supplier: Xyron, Inc.  
 15820 N. 84th Street  
 Scottsdale, AZ 85260

**2. PHYSICAL DATA**

Each cartridge contains two rolls. Each roll is one of the following:

- One roll of self-wound acrylic adhesive coated on silicone coated paper wound on a cardboard core.
- One roll of self-wound acrylic adhesive coated on silicone coated polypropylene wound on a cardboard core.
- One roll of self-wound acrylic adhesive coated on magnetic material protected by acrylic adhesive coated silicone paper wound on a cardboard core.
- One roll of self-wound polypropylene film or polyester film wound on a cardboard core.

Two of the above rolls are:

Mounted in a polystyrene, ABS, or polypropylene housing. Protected by shrink wrap film. Packaged in a cardboard box.

**3. HAZARDS IDENTIFICATION**

Hazard constituents: None in concentrations present.

Chemical name	%	CAS No. or Note
Silicone coated paper	0-18	can be incinerated
Silicone coated polypropylene	0-25	can be incinerated
Magnetic (bonded magnet - isotropic ferrite) material	0-60	
packaging (cardboard)	13-35	can be recycled
Acrylic adhesive	3-11	can be incinerated
Plastic (styrene, polypropylene, or, ABS)	13-35	can be incinerated
Cardboard cores	5-14	can be incinerated
Polypropylene film	0-4	can be incinerated
Lead	N/A	Detection limit: 1ppm
Cadmium	N/A	Detection limit: 1ppm
Mercury	N/A	Detection limit: 1ppm
Chromium	N/A	Detection limit: 1ppm

V-4651

**4. FIRST AID MEASURES**

General Advice:

Wash hands with soap and water after handling any foreign substance.

**5. FIRE FIGHTING MEASURES**

Suitable extinguishing media: foam, carbon dioxide, dry powder or water spray

Wear self-contained breathing apparatus and protective clothing to prevent smoke contact with skin and eyes.

Under fire conditions the magnet can release Carbon Monoxide, Sulfur Dioxide, Carbon Dioxide, and Hydrogen Chloride.

**6. ACCIDENTAL RELEASE MEASURES**

Not applicable

The data contained herein is based on information currently available to us and is believed to be factual. This document does not constitute a warranty and is produced as a guide only for the benefit of the customer.

09/26/2002 17:03 FAX 480 443 0118

XYRON INC

003

---

**7. HANDLING STORAGE**

---

Handling: Keep away from sources of ignition. Any paper, film or adhesive can be forced to burn by continuous application of intense heat.

Storage: Store in cool, dry place. Store in shipping box to exclude dust, dirt and light.  
Keep magnetic cartridges away from equipment that could be influenced by the magnetic field of magnet.

---

**8. PERSONAL PROTECTION**

---

None required.

---

**9. PHYSICAL CHEMICAL PROPERTIES**

---

Refer to sections two and three.

---

**10. STABILITY REACTIVITY**

---

Stable under normal conditions of use and if stored as directed.

---

**11. TOXICOLOGICAL INFORMATION**

---

No hazardous components in concentrations present. See section 3.

No heavy metals

---

**12. ECOLOGICAL INFORMATION**

---

See section 3

---

**13. DISPOSAL CONSIDERATIONS**

---

Dispose in accordance with local, state and federal Waste Disposal Regulations

The packaging can be recycled. All other waste can be incinerated.

---

**14. TRANSPORT INFORMATION**

---

Not classified as dangerous in the meaning of Transport Regulations.

---

**15. REGULATORY INFORMATION**

---

This product does not require any special handling in accordance with the regulations.

---

**16. OTHER INFORMATION**

---