

03/22/2005 13:35 FAX 2155470842

CLARENCE J VENNE LLC

006

3-24-05

23843-1001

Material Safety Data Sheet

Clarence J. Venne L.L.C.
1425 Hanford Street
Levittown, PA 19057

Phone #'s:
Emergency (215) 547-7110
Chemtrec (800) 424-9300

Section 1 Product Identification

| | | |
|-------------------|---------------------------------|---------------------|
| Product name: | Dab 'N Stic Paper Glue | HMIS Explanation |
| Type: | Synthetic Polymer Solution | 0= Least 1= Slight |
| HMIS for Product: | Health: 1 Fire: 0 Reactivity: 0 | 2= Moderate 3= High |
| Carcinogenic: | No (NTP, OSHA, ACGIH) | 4= Severe |

Transportation Requirements:

DOT Classification: Not regulated
DOT Shipping Name: Dab 'N Stic Paper Glue
Date prepared: 06/16/00

Section 2 Hazardous Ingredients

Not hazardous as defined in 29CFR 1910.1200

Section 3 Physical Data

| | | | |
|--------------------|-----------|-------------------|----------|
| pH: | 4.0 - 7.0 | Boiling point: | 212°F |
| % Volatile by wt: | 90 | Water solubility: | Miscible |
| Density, lbs./gal: | 8.5 ± 0.2 | | |

| | |
|--------------------------------------|--------------------|
| Vapor Density, Air =1 | Lighter than air. |
| Evaporation rate, (Butyl Acetate =1) | Slower than ether. |
| Physical state: | Emulsion |

Section 4 Reactivity information

Stability: Yes Hazardous polymerization: Will not occur

Section 5 Personal Protection

Respiratory Protection: Not normally required if properly ventilated. However if vapor or mist levels are causing irritations, use NIOSH approved mask or respirator.

Skin Protection: Prevent prolonged or repeated contact by using impervious gloves and protective clothing.

Eye Protection: Glasses/Goggles recommended and available eye bath.

Special Equipment: Local exhaust ventilation with a minimum capture velocity of 100 ft./min. at point of monomer evolution.

Special Caution: Keep adhesive from drying on skin or splashing into eyes.

1

03/22/2005 13:35 FAX 2155470842

CLARENCE J VENNE LLC

007

Section 6 Health Information Symptoms of Overexposure

Inhalation: Vapors or mists may cause nausea, headache and/or breathing Problems when present in high vapor concentrations.

Skin: Irritating to skin upon repeated or prolonged contact.

Eyes: Irritating to eyes.

Chronic: LD 50 oral & dermal unknown:

Section 7 Emergency First Aid

Inhalation: Remove to fresh air. If breathing remains a problem, contact physician.

Skin: Wash affected area with soap and water. If irritation persists contact physician.

Eye Contact: Flush with warm water for 15 minutes. If irritation persists, contact physician.

Ingestion: Symptoms of ingestion unknown. We recommend that person induce vomiting and call physician at once.

Section 8 Fire and Explosion Hazard Data

Flash Point: n/a Lel: n/a
Flammable Limits: n/a Uel: n/a

Extinguishing media for dry solids:
Water, carbon dioxide and dry chemicals.

Special Fire Fighting Procedure:
Flood with water

Unusual Fire & Explosion:
Container may rupture if closed unit is exposed to high heat pressure buildup.

Section 9 Storage and Spills

Storage: Keep drums cool, dry and away from sources of high heat.
Do not freeze.
Keep away from open flames.

Spills: Wipe up with absorbent materials and dispose into closed drums.
Keep out of sewers and water systems.

Waste Disposal: Per federal and state regulations.

Section 10 Toxic Information

N/A

03/22/2005 13:35 FAX 2155470842

CLARENCE J VENNE LLC

008

Section 11 Regulation Information

U.S. Federal Regulation

Toxic Substance Control Act (TSCA)

All components are included in the EPA Toxic Substance Control Act (TSCA) Chemical Inventory.

EPA SARA Title III Section 313 (40 CFR 372)

This product contains the following substance subject to the reporting requirements of Section 313 of Title III of the Superfund and Reauthorization Amendment of Act of 1986 and 40 CFR 372:
None

N/A = Not applicable N/D = Not Determined < = Less than