MATERIAL SAFETY DATA SHEET

23903 - 1004 - 1005

PRODUCT TRADE NAME ROSS RUBBER CEMENT	. D LLL L L L	TATION	
ROSS RUBBER CEMENT	FORMULA/MOLECULAR WEI		
· ·	N/A	- SOLUTION	•
CHEMICAL NAME/SYNONYMS			NUMBER
RUBBER ADHESIVE / POLYISOPRENE RUBBER	R	N/A	- SOLUTI
COMMON NAME	DOT	HAZARD CLASS	SIFICATI
CEMENT, RUBBER	FLAM	MABLE LIQUID), NA 11
TECHNICAL CONTACT NAME	TEL.#	EMERGE	NCY TEL
J. KUKREJA 1-800-521-8246 US / 1-800-	387-5275	CAN POISON	CONTROL
SECTION II - PRODUCT DI	ESCRIPTI	ON	
APPEARANCE		ODOR	
PALE YELLOW, TRANSLUCENT LIQUID		HYDROCAF	REON-LIK
PHYSICAL DATA			
WATER SOLUBILITYIMMISCI	BLE		
BOILING POINTT (SOLVENT) 68 Deg			
SPECIFIC GRAVITY	•		
PERCENT VOLATILE (SOLVENT)APPROXI	MATELY 8	157 	
AZARDOUS INGREDIENTS CAS.# A			TLV
EXANE 110-54-3 89	5 +/- 5¥	FLAMMABLE LIQUID	50 ppm
ON-HAZARDOUS INGREDIENTS CAS.# AF	PPROX.	HAZARD	TLV
UBBER. 13	3 ≒		
UM 4	£*		
SECTION III - FIRE AND EX	PLOSTON	DATA	
ASH POINT/DEGREE F.	TEST_METHOD		
7 Deg F	TCC		
, Dog	-		
COMMENDED EXTINGUISHING MEDIA			
TER CARBON DIOXIDE FOAM	OTH	ER	
X		: DRY CHEM	1ICAL
USUAL FIRE OR EXPLOSION HAZARDS (COND-1			
USUAL FIRE OR EXPLOSION HAZARDS (CONDI E OF WATER MAY SPREAD FIRE (SOLVENT FL	COATS ON	WATER)	
E OF WATER MAY SPREAD FIRE (SOLVENT FL			
E OF WATER MAY SPREAD FIRE (SOLVENT FL ATING MAY CAUSE PRESSURE BUILD-UP AND			•
E OF WATER MAY SPREAD FIRE (SOLVENT FL ATING MAY CAUSE PRESSURE BUILD-UP AND E CONTAINER.			·
E OF WATER MAY SPREAD FIRE (SOLVENT FL ATING MAY CAUSE PRESSURE BUILD-UP AND E CONTAINER. ECIAL FIRE FIGHTING PROCEDURES	POSSIBLE	E RUPTURE OF	
E OF WATER MAY SPREAD FIRE (SOLVENT FL ATING MAY CAUSE PRESSURE BUILD-UP AND E CONTAINER. ECIAL FIRE FIGHTING PROCEDURES OL FIRE-EXPOSED CONTAINERS WITH WATER.	POSSIBLE WHEN FI	E RUPTURE OF	, WEAR
E OF WATER MAY SPREAD FIRE (SOLVENT FL ATING MAY CAUSE PRESSURE BUILD-UP AND E CONTAINER. ECIAL FIRE FIGHTING PROCEDURES	POSSIBLE WHEN FI	E RUPTURE OF	, WEAR

Item Numbers: 23903-1004

PAGE 2 OF 3 OF RRC <u>SECTION IV - REACTIVITY DATA</u> STABILITY UNDER NORMAL CONDITIONS STABLE UNSTABLE (CONDITIONS TO AVOID) INCOMPATIBLE MATERIALS (MATERIALS TO AVOID) NONE KNOWN ACID OXIDIZERS OTHER WATER HAZARDOUS POLYMERIZATION MAY OCCUR (CONDITIONS TO AVOID) WILL NOT OCCUR Х SECTION V - ACUTE HEALTH AND SAFETY DATA TEST TYPE RESULT ANIMAL SPECIES HAZARD DESCRIPTION NONE CONDUCTED BY ROSS ADHESIVES. SECTION VI - HANDLING PRECAUTIONS/FIRST AID RECOMMENDATIONS SKIN AND EYE CONTACT: CAUTION: SKIN CONTACT: LIQUID OR VAPOR IRRITATES SKIN. AVOID CONTACT WITH SKIN OR CLOTHING. WEAR PROTECTIVE EQUIPMENT SPECIFIED IN SECTION VIII. WASH THOROUGHLY AFTER HANDLING. EYE CONTACT: LIQUID OR VAPOR IRRITATES EYES. AVOID CONTACT WITH SKIN OR CLOTHING. WEAR PROTECTIVE EQUIPMENT SPECIFIED IN SECTION VIII. WASH THOROUGHLY AFTER HANDLING. INHALATION EXPOSURE: WARNING: VAPOR IS HARMFUL. USE THE VENTILATION SPECIFIED IN SECTION VII. FIRST AID: IF INHALED, REMOVE TO FRESH AIR. IF BREATHING IS DIFFICULT, GIVE OXYGEN. CALL A PHYSICIAN. ORAL INGESTION: WARNING: HARMFUL IF SWALLOWED. IF SWALLOWED THEN DO NOT INDUCE VOMITING. IMMEDIATELY FIRST AID: DRINK A LARGE QUANTITY OF MILK OR WATER AND CALL A PHYSICIAN. SECTION VII - SPILL PROCEDURES STEPS TO TAKE IF SPILLED REMOVE ALL IGNITION SOURCES. DIKE TO CONTAIN SPILLED LIQUID. WEARING RECOMMENDED PROTECTIVE EQUIPMENT (PLUS RESPIRATORY PROTECTION) AND USING EXPLOSION-PROOF EQUIPMENT, REMOVE BULK OF LIQUID. ADD DRY MATERIAL TO ABSORB REMAINING LIQUID; FICK UP AND CONTAINERIZE FOR PRODUCT RECOVERY OR DISPOSAL. RINSE AREA WITH WATER; COLLECT RINSED WATER FOR DISPOSAL. WASTE DISPOSAL THIS PRODUCT IF DISPOSED AS SHIPPED MEETS EPA CRITERIA OF A HAZARDOUS WASTE AS SPECIFIED IN 40 CFR 261 ON THE BASIS OF ITS IGNITABILITY. DISPOSE OF IN A LICENSED HAZARDOUS WASTE DISPOSAL FACILITY IN ACCORDANCE WITH APPLICABLE FEDERAL, STATE AND LOCAL REGULATIONS.

Page 2 of 3

CCC

PAGE 3 OF 3 OF RRC

SECTION	VIII - SPECIAL	PROTECTION INFORMATION
VENTILATION REQUIRE	MENTS	
GENERAL AREA L	OCAL	NOT NECESSARY UNDER
EXHAUST: E	HAUST: X NORMAL USE CONDITIONS:	
PERSONAL PROTECTIVE EYE PROTECTION TYPE: X SAFETY GLASSES WITH SIDE SHIELDS OR CHEMICAL GOGGLES.	EQUIPMENT RECORDS IN TYPE: X RUBBER OR VING GLOVES; WORK CLOTHING.	TYPE: N/A

SECTION IX - SPECIAL PRECAUTIONS

DO NOT STORE OR HANDLE IN THE PRESENCE OF HEAT, SPARKS OR OPEN FLAME. GROUND OR BOND CONTAINERS WHEN TRANSFERRING.

THE INFORMATION SUPPLIED HERE RELATES TO THE PRODUCT NAME AND IS BASED UPON INFORMATION CONROS CORPORATION CONSIDERS TO BE ACCURATE. NO WARRANTY, EXPRESS OR IMPLIED, IS INTENDED. THIS INFORMATION IS OFFERED SOLELY FOR YOUR CONSIDERATION AND INTERPRETATION.

PREPARED BY: R. PATEL UPDATED J. KUKREJA DATE PREPARED: JUN 1986 UPDATED SEP 1997

CONROS CORPORATION TORONTO , ONTARIO , CANADA

Page 3 of 3