

Rev'd 06-03-02

25300 - all codes  
except  
0069  
1003  
1603

MATERIAL SAFETY DATA SHEET

MEDEA Airbrush Products  
P.O. Box 14397  
Portland, OR 97214

PH: 503-253-0721  
FX: 503-253-0721

SECTION I - PRODUCT IDENTIFICATION

Jurek Professional Textile Colours  
-various colors

SECTION II - HAZARDOUS INGREDIENTS

This material is not considered hazardous under the OSHA Hazard Communication standard CFR Title 29 1910.1200.

N.A. -Not Applicable

SECTION III - PHYSICAL DATA

Boiling Range : 212 F Vapor Density : Heavier than air.  
Odor : Ammoniacal  
Appearance : Various, pasty Evaporation Rate: Slower than ether.  
Volatile by Weight: 63.6%  
Volatile by Volume: 63.3% Solubility : Dispersible  
Product Density : 8.4lbs./gal.

SECTION IV - FIRE AND EXPLOSION HAZARD DATA

FLAMMABILITY CLASSIFICATION:  
OSHA - Combustible Liquid - Class IIIB  
DOT - Not Required

Extinguishing Media: Unknown  
Flash Point: N.A. (Cleveland open cup)

Unusual Fire and Explosion Hazards: N.A.  
Special Firefighting Procedures: N.A.

SECTION V - HEALTH HAZARD DATA

Effects of Over Exposure: Inhalation - Irritation to respiratory tract, headache, dizziness and nausea.  
Skin Contact - Primary irritation.  
Eye Contact - Primary irritation.  
Medical Conditions Aggravated by Exposure: None recognized.  
Primary Route(s) of Entry: Dermal, Inhalation

Emergency and First Aid Procedures: Inhalation - Remove to fresh air, restore breathing. Consult a physician.  
Skin/Eye Contact - Flush immediately with water. If in eyes, consult a physician.

V.2875

\*\*\*\*\*

SECTION VI - REACTIVITY DATA

\*\*\*\*\*

Stability: This product is stable under normal storage conditions.

Hazardous Polymerization: Will not occur under normal conditions.

Hazardous Decomposition Products: None known.

Conditions to Avoid: None known.

Incompatibility: None known.

\*\*\*\*\*

SECTION VII - SPILL OR LEAK PROCEDURES

\*\*\*\*\*

Steps to be Taken in Case Material is Released or Spilled: Soak liquids with dry absorbent and ventilate area. No ignition sources. Keep away from sewers and water systems by diking. Spill may be slippery.

Waste Disposal Method: Collect dry refuse into a suitable container for disposal. Dispose in accordance with federal and local regulations.

\*\*\*\*\*

SECTION VIII - SAFE HANDLING AND USE INFORMATION

\*\*\*\*\*

Respiratory Protection: NIOSH/OSHA approved respirator types suitable for materials in Section II recommended. Approved chemical/mechanical filters recommended when ventilation is restricted.

Ventilation: Sufficient ventilation, in volume and in pattern, should be provided to keep air contamination below current applicable OSHA permissible exposure limit or ACGHI's TLV limit.

Protective Gloves: The gloves listed below may provide protection against permeation. Gloves of other chemically resistant materials may not provide adequate protection: neoprene.

Eye Protection: Chemical goggles with side shields or face shield recommended.

Other Protective Equipment: Use protective creams where skin contact is likely. Remove and wash contaminated clothing before reuse.

Hygienic Practices: Wash hands before eating or smoking.

21

