

25308

-1113	-3764	-5236	-7105
-1114	-3765	-5253	-7153
-1474	-3766	-5254	-7154
-2013	-3803	-5255	-7155
-2014	-3805	-5256	-7156
-2505	-3806	-5463	-7287
-2613	-3813	-5464	-7803
-2614	-3814	-5466	-7804
-2616	-4005	-5763	-7805
-3003	-4083	-5764	-7806
-3005	-4084	-5765	-7913
-3006	-4085	-5766	-7914
-3063	-4086	-5913	-7915
-3064	-4103	-5914	-7916
-3065	-4104	-5915	-8013
-3066	-4105	-5916	-8014
-3083	-4106	-6043	-8015
-3084	-4513	-6044	-8016
-3085	-4515	-6133	-8033
-3086	-4516	-6134	-8034
-3143	-4604	-6135	-8035
-3144	-4704	-6136	-8036
-3145	-5035	-6603	-8037
-3146	-5213	-6604	-8143
-3304	-5214	-6605	-8144
-3713	-5215	-6606	-8145
-3714	-5216	-7013	-8146
-3715	-5233	-7014	
-3716	-5234	-7015	
-3763	-5235	-7016	

MATERIAL SAFETY DATA SHEET
07-05-02

CREATEX
COLORS 14 Airport Park Road
East Granby, CT. 06026
(860) 653-5505
(860) 653-0643 fax

PRODUCT IDENTIFICATION

IDENTITY: (As used on label) Airbrush Transparent Colors Includes: Red, Yellow, Golden Yellow, Scarlet, Orange, Burnt Orange, Flamingo Pink, Fuchsia, Burgundy, Deep Red, Blue Violet, Violet, Red Violet, Lavender, Caribbean Blue, Pthalo Blue, Ultra marine Blue, Deep Blue, Light Green, Pthalo Green, Aqua, Turquoise, Leaf Green, Tropical Green, Fleshtone, Beige, Light Brown, Dark Brown, Gray, Iron Oxide Red, Tinting White, Tinting Black	Synonyms:
Chemical family: ---	Formula: Aqueous dispersion of organic pigment and acrylic polymer.

HAZARDOUS INGREDIENTS

COMPONENT	CAS #	%	OSHA/PEL
Not a hazardous material as outlined by the OSHA Hazard Communication standards Meets ASTM D-2436 Standards			

PHYSICAL/CHEMICAL CHARACTERISTICS

Boiling /melting point: 200°-215° F
Solubility in water: water expendable
Vapor pressure (mm Hg): NA
Vapor density: 1
Specific Gravity (H₂O-1): 1.1
Evaporation Rate: (BuAct=1): 1
Appearance and Odor: various colored liquid, slight acrylic odor

FIRE AND EXPLOSION HAZARD DATA

Extinguisher Media: Water or CO ₂ foam
Fire fighting Procedures: Standard fire fighting procedures
Unusual Fire and Explosion Hazards: Product itself is non-flammable, will not support combustion.

REACTIVITY DATA

Stability: <input checked="" type="checkbox"/> Stable <input type="checkbox"/> Unstable Conditions to avoid: none found
Incompatibility (materials to avoid) : NA
Hazardous Decomposition or Byproducts: Thermal decomposition
Hazardous Polymerization: <input type="checkbox"/> may occur <input checked="" type="checkbox"/> will not occur Conditions to avoid: NA

Item Numbers: 25308-1113, 25308-1114, 25308-1474, 25308-2013, 25308-2014, 25308-2505, 25308-2613, 25308-2614, 25308-2616, 25308-3003, 25308-3005, 25308-3006, 25308-3063, 25308-3064, 25308-3065, 25308-3066, 25308-3083, 25308-3084, 25308-3085, 25308-3086, 25308-3086, 25308-3143, 25308-3144, 25308-3145, 25308-3146, 25308-3304, 25308-3713, 25308-3714, 25308-3715, 25308-3716, 25308-3763, 25308-3764, 25308-3765, 25308-3766, 25308-3803, 25308-3805, 25308-3806, 25308-3813, 25308-3814, 25308-4005, 25308-4083, 25308-4084, 25308-4085, 25308-4086, 25308-4103, 25308-4104, 25308-4106, 25308-4513, 25308-4515, 25308-4516, 25308-4604, 25308-4704, 25308-5035, 25308-5213, 25308-5214, 25308-5215, 25308-5216, 25308-5233, 25308-5234, 25308-5235, 25308-5236, 25308-5253, 25308-5254, 25308-5255, 25308-5256, 25308-5463, 25308-5464, 25308-5466, 25308-5763, 25308-5764, 25308-5765, 25308-5766, 25308-5913, 25308-5914, 25308-5915, 25308-5916, 25308-6043, 25308-6044, 25308-6133, 25308-6134, 25308-6135, 25308-6136, 25308-6603, 25308-6604, 25308-6605, 25308-6606, 25308-7013, 25308-7014, 25308-7015, 25308-7016, 25308-7153, 25308-7154, 25308-7155, 25308-7156, 25308-7287, 25308-7803, 25308-7804, 25308-7805, 25308-7806, 25308-7913, 25308-7914, 25308-7915, 25308-7916, 25308-8013, 25308-8014, 25308-8015, 25308-8016, 25308-8033, 25308-8034, 25308-8035, 25308-8036, 25308-8037, 25308-8143, 25308-8144, 25308-8145, 25308-8146, 25308-5917

V-1100

Continued on back
HEALTH INFORMATION

Primary Route of Exposure:			
Inhalation:	Skin: X	Ingestion:	Eyes:
Carcinogen:	IARC: no	NTP: no	OSHA: no
Signs and Symptoms of Exposure: none found			
Medical Conditions Generally Aggravated by Exposure: none found			
Emergency and First Aid Procedures: Eye Contact, flush with water for 10 min. and consult physician if irritation persists. Ingestion, If victim is conscious give water, <i>don't</i> induce vomiting. Call physician.			

SPECIAL PROTECTION DATA

Respiratory Protection: No special respiratory protection equipment is recommended under normal conditions of anticipated use with adequate ventilation. If mists are generated, wear a NIOSH/MSHA approved respirator.
Ventilation: Always use with adequate ventilation
Protective Gloves: use rubber gloves if handling.
Other Protective Clothing: No special clothing normally required. Where use can result in skin contact, wash thoroughly before eating, drinking, smoking.

SPILL AND LEAK PROCEDURES

Steps to be taken in case of material spill: Dike and contain spill with inert material (sand, earth, etc.) Transfer liquid to containers for recovery or disposal. Wash area with soap and water. Keep spill out of sewers and open bodies of water.
Storing/Handling: Keep container closed when not in use.
Waste Disposal Method: Sanitary landfill in accordance with local, state, and federal regulations.
Other Precautions: none