

(20720-01)

Primary Set

25309-1009

MATERIAL SAFETY DATA SHEET

Rcvd 07-05-02

**CREATEX
COLORS**

14 Airport Park Road,
East Granby, CT. 06026
(860) 653-5505
(860) 653-0643 fax

PRODUCT IDENTIFICATION

IDENTITY: (As used on label)	Synonyms:
Airbrush Transparent Colors Includes: Red, Yellow, Golden Yellow, Scarlet, Orange, Burnt Orange, Flamingo Pink, Fuchsia, Burgundy, Deep Red, Blue Violet, Violet, Red Violet, Lavender, Caribbean Blue, Pthalo Blue, Ultra marine Blue, Deep Blue, Light Green, Pthalo Green, Aqua, Turquoise, Leaf Green, Tropical Green, Fleshtone, Beige, Light Brown, Dark Brown, Gray, Iron Oxide Red, Tinting White, Tinting Black	---
Chemical family:	Formula
---	Aqueous dispersion of organic pigment and acrylic polymer.

HAZARDOUS INGREDIENTS

COMPONENT	CAS #	%	OSHA/PEL
Not a hazardous material as outlined by the OSHA Hazard Communication standards Meets ASTM D-2436 Standards			

PHYSICAL/CHEMICAL CHARACTERISTICS

Boiling /melting point: 200°-215° F
Solubility in water: water expendable
Vapor pressure (mm Hg): NA
Vapor density: 1
Specific Gravity (H ₂ O-1): 1.1
Evaporation Rate: (BuAct=1): 1
Appearance and Odor: various colored liquid, slight acrylic odor

FIRE AND EXPLOSION HAZARD DATA

Extinguisher Media: Water or CO ₂ foam
Fire fighting Procedures: Standard fire fighting procedures
Unusual Fire and Explosion Hazards: Product itself is non-flammable, will not support combustion.

REACTIVITY DATA

Stability: (X) Stable () Unstable Conditions to avoid: none found
Incompatibility (materials to avoid) : NA
Hazardous Decomposition or Byproducts: Thermal decomposition
Hazardous Polymerization: () may occur (X) will not occur Conditions to avoid: NA

Item Numbers 25309-1009

V. 3660

HEALTH INFORMATION

Primary Route of Exposure:			
Inhalation:	Skin: X	Ingestion:	Eyes:
Carcinogen:	IARC: no	NTP: no	OSHA: no
Signs and Symptoms of Exposure: Eyes- tearing and slight burning. Effort should be made to avoid eye and prolonged skin contact. Wash hands frequently if handling.			
Medical Conditions Generally Aggravated by Exposure: Any preexisting dermatitis.			
Emergency and First Aid Procedures: Eye Contact, flush with water for 15 min. keep eyelids open and consult physician if irritation persists. Skin contact-clean immediately with water.			

SPECIAL PROTECTION DATA

Respiratory Protection: None generally needed.
Ventilation: Always use with adequate ventilation
Protective Gloves: Use rubber or vinyl gloves if handling.
Other Protective Clothing: Goggles or face shield should be worn if splashing is possible. Avoid contact with skin . Eyewash should be available.

SPILL AND LEAK PROCEDURES

Steps to be taken in case of material spill: Dike and contain spill with inert material (sand, earth, etc.) Transfer liquid to containers for recovery or disposal. Wash area with soap and water. Keep spill out of sewers and open bodies of water.
Storing/Handling: Keep container closed when not in use.
Waste Disposal Method: Sanitary landfill in accordance with local, state, and federal regulations.
Other Precautions: Avoid unnecessary contact

MATERIAL SAFETY DATA SHEET

**CREATEX
COLORS**

 14 Airport Park Road
 East Granby, CT. 06026
 (860) 653-5505
 (860) 653-0643 fax

PRODUCT IDENTIFICATION

IDENTITY: (As used on label)	Synonyms:
Airbrush Opaque Colors Includes: Opaque Red, Opaque Black, Opaque Yellow, Opaque White, Opaque Lilac, Opaque Sky Blue, Opaque Coral, Opaque Blue, Opaque Purple, Opaque Light Green, Opaque aqua, Opaque Pink, Pro Flo White, Pro Flo Black	---
Chemical family:	Formula
---	Aqueous dispersion of organic pigment and acrylic polymer.

HAZARDOUS INGREDIENTS

COMPONENT	CAS #	%	OSHA/PEL
Not a hazardous material as outlined by the OSHA Hazard Communication standards Meets ASTM D-2436 Standards			

PHYSICAL/CHEMICAL CHARACTERISTICS

Boiling /melting point: 200°-215° F
Solubility in water: water expendable
Vapor pressure (mm Hg): NA
Vapor density: 1
Specific Gravity (H ₂ O-1): 1.1
Evaporation Rate: (BuAct=1): 1
Appearance and Odor: various colored liquid, slight acrylic odor

FIRE AND EXPLOSION HAZARD DATA

Extinguisher Media: Water or CO ₂ foam
Fire fighting Procedures: Standard fire fighting procedures
Unusual Fire and Explosion Hazards: Product itself is non-flammable, will not support combustion.

REACTIVITY DATA

Stability: (X) Stable () Unstable Conditions to avoid: none found
Incompatibility (materials to avoid) : NA
Hazardous Decomposition or Byproducts: Thermal decomposition
Hazardous Polymerization: () may occur (X) will not occur Conditions to avoid: NA

Item Numbers: 25309-1009

Page 3 of 4

HEALTH INFORMATION

Primary Route of Exposure:			
Inhalation:	Skin: X	Ingestion:	Eyes:
Carcinogen:	IARC: no	NTP: no	OSHA: no
Signs and Symptoms of Exposure: none found			
Medical Conditions Generally Aggravated by Exposure: none found			
Emergency and First Aid Procedures:			
<u>Eye Contact</u> , flush with water for 10 min. and consult physician if irritation persists.			
<u>Ingestion</u> , if victim is conscious give water, <i>don't</i> induce vomiting. Call physician.			

SPECIAL PROTECTION DATA

Respiratory Protection: No special respiratory protection equipment is recommended under normal conditions of anticipated use with adequate ventilation. If mists are generated, wear a NIOSH/MSHA approved respirator.
Ventilation: Always use with adequate ventilation
Protective Gloves: use rubber gloves if handling.
Other Protective Clothing: No special clothing normally required. Where use can result in skin contact, wash thoroughly before eating, drinking, smoking.

SPILL AND LEAK PROCEDURES

Steps to be taken in case of material spill: Dike and contain spill with inert material (sand, earth, etc.) Transfer liquid to containers for recovery or disposal. Wash area with soap and water. Keep spill out of sewers and open bodies of water.
Storing/Handling: Keep container closed when not in use.
Waste Disposal Method: Sanitary landfill in accordance with local, state, and federal regulations.
Other Precautions: none