

5741 xx ✓  
5743 xx

MATERIAL SAFETY DATA SHEET  
(MSDS)

33106-1005  
CELLUCLAY - 1006  
- 1024

SECTION I

EMERGENCY TELEPHONE NO.

TRADE NAME  
(if None, Put Chemical) CELLUCLAY

(617) 583-0025 (DAY)

CHEMICAL NAME  
AND SYNONYMS NA

MANUFACTURER'S NAME  
AND TELEPHONE NO. Activa Products

(617) 583-0025

ADDRESS (Number, Street  
City, State, Zip Code) P.O. Box 172

Westford MA 01886

SECTION II - HAZARDOUS INGREDIENTS

%	TLV	PEL	UNITS
---	-----	-----	-------

Product consists of:  
Gypsum  
Starch  
Printed clay coat sulfite paper  
- (as Cellulose (paper fiber))  
Perlite  
Sodium benzoate

100	10*	15*	MG/M3
	10*	15*	MG/M3
	10*	15*	MG/M3
	**	50	MPPCF
	NE	NE	

\*TLV and PEL are as nuisance particulate, total dust.

\*\*TLV-10 mg/m3

V-45

SECTION III - PHYSICAL DATA

BOILING POINT (°F)	NA	SPECIFIC GRAVITY (H <sub>2</sub> O=1)	>60
VAPOR PRESSURE (MM Hg.)	NA	PERCENT VOLATILE BY VOLUME (%)	NA
VAPOR DENSITY (AIR=1)	NA	pH	NA
SOLUBILITY IN WATER	Appreciable	EVAPORATION RATE	NA

APPEARANCE AND ODOR Greyish powder; odorless

SECTION IV - FIRE AND EXPLOSION HAZARD DATA

FLASH POINT (Method used)	NONE	FLAMMABLE LIMITS	LEL NE	UEL NE
EXTINGUISHING MEDIA	Water			
SPECIAL FIRE FIGHTING PROCEDURES	No special procedures required.			
UNUSUAL FIRE AND EXPLOSION HAZARDS	Dust clouds will present a fire hazard when exposed to heat or flame.			

**SECTION V - HEALTH HAZARD INFORMATION**

**SYMPTOMS/EFFECTS OF OVEREXPOSURE** Inhalation of dust may cause respiratory irritation. Prolonged contact may cause mild skin irritation in sensitive individuals. Eye contact causes irritation.

**FIRST AID**

**EYES** Flush eyes with large amounts of water. Get medical attention if irritation persists.

**SKIN** Wash thoroughly with soap and water. Get medical attention if irritation persists.

**INHALATION** Move victim to fresh air. Get medical help if irritation persists.

**INGESTION** Contact local poison control center or physician IMMEDIATELY!

**SECTION VI - REACTIVITY DATA**

**STABILITY** Normally Stable.

Avoid heat, open flame

**INCOMPATIBLE MATERIALS** Strong oxidizers

**HAZARDOUS DECOMPOSITION PRODUCTS** Combustion may produce Carbon monoxide, Carbon dioxide, Sulfur dioxide

**SECTION VII - SPILL OR LEAK PROCEDURES**

**PROCEDURES** Carefully clean up spilled material and place in dry containers for reuse or disposal. Avoid excessive dust generation.

**WASTE DISPOSAL METHOD** Dispose of in accordance with Local, State, and Federal regulations.

**SECTION VIII - SPECIAL PROTECTION INFORMATION**

**RESPIRATORY** Not normally required. If TLV is exceeded, or for symptoms of overexposure, wear a NIOSH-approved dust/mist respirator.

**EYEWEAR** If potential for eye contact exists, wear chemical goggles.

**CLOTHING/GLOVES** Not normally required.

**VENTILATION** Local exhaust may be necessary under some handling/use conditions. Specific needs should be addressed by supervisory or health/safety personnel.

**SECTION IX - SPECIAL PRECAUTIONS**

Store in dry area. This product does not contain any carcinogens (at 0.1% or greater) as defined by IARC, NTP, or OSHA.

APPROVAL

NAME

*Lizabeth J. Calliton, CIH*

TITLE

*August 13, 1986*

DATE

The information contained herein has been developed based upon current available scientific data. New information may be developed from time to time which may render the conclusions of this report obsolete. Therefore, no warranty is extended as to the accuracy of this information to the user's intended purpose or for the consequences of its use or misuse.

Item Numbers: 33106-1005, 33106-1006, 33106-1024