

21/11 '02 THU 12:36 FAX +852 2754 2622

FARFALLA LTD

74219-1009

80'S TELDL

Pottery

742 21-1009

Rec'd 2-11-03



Intertek Testing Services
Labtest

7/3
CLAYS

Hong Kong Government Recognized Service Supplier
Approved Laboratory of International Wool Secretariat

Members of:
American National Standards Institute
American Society for Testing and Materials
British Standards Institute
Hong Kong Association of Certification Laboratories
Hong Kong Toys Council

TEST REPORT

TESTS CONDUCTED

NUMBER: TPH348288

4 LABELLING OF HAZARDOUS ART MATERIALS ACT (LHAMA) REVIEW

THE REVIEW OF THE FORMULATION OF THE SUBMITTED POTTERS WHEEL CLAYS (BROWN, BEIGE) SAMPLE WERE CONDUCTED BY A DIPLOMATE OF AMERICAN BOARD OF TOXICOLOGY INC. IN COMPLIANCE WITH FHSA AND SPECIFICALLY CPSC'S LHAMA REGULATIONS, THE REVIEW HAD INCLUDED ALL CRITERIA AS OUTLINED IN ASTM D-4236 AND 16 CFR 1500.135. THOSE CRITERIA WERE SUBMITTED TO CPSC.

THE REVIEW TOOK INTO ACCOUNT ALL AVAILABLE DATA, INCLUDING THE RELEVANT DATA FROM NATIONAL TOXICOLOGY PROGRAM, INTERNATIONAL AGENCY FOR RESEARCH ON CANCER AND OTHER SOURCES IN THE NATIONAL LIBRARY OF MEDICINE DATA BANK, TO ASSESS THE NEED FOR CHRONIC HEALTH HAZARD WARNINGS. THIS REVIEW CONSIDERED CARCINOGENICITY, REPRODUCTIVE HEALTH HAZARD, NEUROTOXICITY, ETC. AVAILABLE MSDS WERE VIEWED. AS WELL, RELEVANT DATA CONCERNING BIOAVAILABILITY AND EXPOSURE WERE CONSIDERED. IN THE ABSENCE OF SPECIFIC DATA, REASONABLE JUDGEMENTS WERE MADE TO ASSURE A REALISTIC ASSESSMENT OF HAZARD WAS REFLECTED ON THE ULTIMATE ART MATERIAL PACKAGE.

ONLY THE FORMULAS OF SUBMITTED SAMPLES APPLY TO THE CONTAINED HEREIN ADVICE. PLEASE ADVISE IF THERE ARE ANY ALTERATIONS TO ANY OF THE FORMULAS.

THE ULTIMATE ASSESSMENT OF HAZARD WAS BASED UPON IDENTITY OF THE ART MATERIALS FORMULAS AND THEIR INGREDIENTS AS REVEALED BOTH BY YOU AND YOUR RAW MATERIAL AND FINISHED PRODUCT SUPPLIERS. HEALTH AND SAFETY DATA WAS ALSO SUPPLIED AND CONSIDERED.

EACH FORMULA WHICH HAS BEEN DETERMINED TO CONFORM WITH THE REGULATION CAN BE LABELLED AS FOLLOWS :

'CONFORMS TO ASTM PRACTICE D-4236'

ALTERNATIVE LANGUAGE AS OUTLINED IN FR 57, 197 pp 46670 IS ALSO ACCEPTABLE.

THIS REVIEW WILL NEED TO BE UPDATED EVERY FIVE YEARS, OR, UPON REFORMULATION, OR UPON OUR LEARNING OF NEW SIGNIFICANT SAFETY INFORMATION. IN THE EVENT OF A FINALIZATION OF A GUIDANCE DOCUMENT BY CPSC, WE WILL NEED TO COMPLY WITH THAT GUIDANCE IN ALL RESPECTS.

DATE SAMPLE RECEIVED : APR 14, 2000
TESTING PERIOD : APR 15, 2000 TO MAY 03, 2000

V3/0

21/11 '02 THU 12:33 FAX -852 2754 2622

FARFALLA LTD

001

ITS Intertek Testing Services Labtest

Hong Kong Government Recognized Service Supplier
Approved Laboratory of International Wool Secretariat

Members of:
American National Standards Institute Hong Kong Association of Certification Laboratories
American Society for Testing and Materials Hong Kong Toys Council
British Standards Institute

1/3

TEST REPORT

APPLICANT: CURIOSITY DEVELOPMENT INC.
11111 DEPPER ROAD, HUNT VALLEY
MD 21301
USA

NUMBER: TPH348288

DATE: MAY 04, 2000

SAMPLE DESCRIPTION:

FIVE (5) SETS OF SUBMITTED SAMPLE SAID TO BE :
ITEM NAME : POTTERS WHEEL.
REF. NO. : 20706.
LABELLED AGE WARNING : CHOKING HAZARD - SMALL PARTS. NOT FOR CHILDREN
UNDER 3 YEARS.
VENDOR : GALEY.
COUNTRY OF ORIGIN : CHINA.

TESTS CONDUCTED:

AS REQUESTED BY THE APPLICANT, FOR DETAILS REFER TO ATTACHED PAGE(S)


TO BE CONTINUED

ATTN = MS TRACY JOHNSON.

LAB TEST REPORT IS PROVIDED
FOR YR REF. TKS!

FANNY 21/11/02

PREPARED AND CHECKED BY:
FOR INTERTEK TESTING SERVICES HK LTD


PAUL YAO
GENERAL MANAGER

PAGE 1 OF 7

Intertek Testing Services Hong Kong Ltd.
2/F, Garment Centre, 576 Castle Peak Road, Kowloon, Hong Kong
Tel: (852) 2173 8883 Fax: (852) 2786 1903

21/11 '02 THU 12:34 FAX -852 2754 2622

FARFALLA LTD



Intertek Testing Services
Labtest

2/7

Hong Kong Government Recognized Service Supplier
Approved Laboratory of International Wool Secretariat

Members of:
American National Standards Institute
American Society for Testing and Materials
British Standards Institute

Hong Kong Association of Certification Laboratories
Hong Kong Toys Council

TEST REPORT

NUMBER: TFH348288

CONCLUSION:

<u>TESTED SAMPLES</u>	<u>STANDARD - U.S. ASTM F963-96a</u>	<u>RESULT</u>
SUBMITTED SAMPLE SETS	PHYSICAL AND MECHANICAL TESTS	PASS

FLAMMABILITY TEST OF MATERIALS OTHER THAN TEXTILE MATERIALS / / PASS

TESTED COMPONENTS OF	TOXIC ELEMENTS TEST	PASS
SUBMITTED SAMPLE SETS		

BASED ON THE REVIEW, THE SUBMITTED SAMPLES CAN BE LABELED AS
"CONFORMS TO ASTM PRACTICE D-4236"

REMARK : THE PRODUCER'S/DISTRIBUTOR'S NAME WAS FOUND ON THE TOY/PACKAGING. HOWEVER AS SPECIFIED IN SECTION 7 OF U.S. ASTM F963-96a, THE FINAL PRODUCT OR ITS PACKAGING MUST ALSO BE MARKED WITH THE ADDRESS.

PREPARED AND CHECKED BY:
FOR INTERTEK TESTING SERVICES HK LTD

PAUL YAO
GENERAL MANAGER

21/11 '02 THU 12:34 FAX -852 2754 2622

FARFALLA LTD

0000

ITS Intertek Testing Services

Labtest

Hong Kong Government Recognized Service Supplier
Approved Laboratory of International Wool Secretariat

Members of:
American National Standards Institute
American Society for Testing and Materials
British Standards Institute

Hong Kong Association of Certification Laboratories
Hong Kong Toys Council

3/7

TEST REPORT

TESTS CONDUCTED

NUMBER: TFH348288

1 PHYSICAL AND MECHANICAL TESTS

AS PER ASTM STANDARD CONSUMER SAFETY SPECIFICATION ON TOY SAFETY F963-96a.

APPLICANT'S SPECIFIED AGE GROUP FOR TESTING : AGES 8 AND UP.

THE SUBMITTED SAMPLES WERE UNDERGONE THE USE AND ABUSE TESTS IN ACCORDANCE WITH THE FEDERAL HAZARDOUS SUBSTANCES ACT (FHSA), TITLE 16, CODE OF FEDERAL REGULATIONS : -

<u>TEST</u>	<u>FHSA</u>	<u>PARAMETER</u>
IMPACT TEST	SECTION 1500.53 (b)	4 X 3.0 ft
TORQUE TEST	SECTION 1500.53 (e)	4 in-lbf
TENSION TEST	SECTION 1500.53 (f)	15 lbf
COMPRESSION TEST	SECTION 1500.53 (g)	30 lbf

<u>SECTION</u>	<u>TESTING ITEMS</u>	<u>ASSESSMENT</u>
4.5	IMPULSIVE NOISE	P
4.6	SMALL OBJECTS	NA
4.7	ACCESSIBLE EDGES	NA
4.8	ACCESSIBLE POINTS	NA
4.9	PROJECTIONS	NA
4.10	NAILS AND FASTENERS	NA
4.11	WIRES OR RODS	NA
4.12	PACKAGING FILM	NA
4.13	CORDS AND ELASTICS	NA
4.14	WHEELS, TIRES AND AXLES	NA
4.15	FOLDING MECHANISMS AND HINGES	NA
4.16	HOLES, CLEARANCE, AND ACCESSIBILITY OF MECHANISMS	NA
4.17	STABILITY AND OVER-LOAD REQUIREMENTS	NA
4.18	CONFINED SPACES	NA
4.19	SIMULATED PROTECTIVE DEVICES, SUCH AS HELMETS, HATS AND GOGGLES	NA
4.20	PROJECTILE TOYS	NA
4.21	RATTLES	NA
4.22	PACIFIERS	NA

PAGE 3 OF 7

Intertek Testing Services Hong Kong Ltd.

2/E, Garment Centre, 576 Castle Peak Road, Kowloon, Hong Kong

Tel: (852) 2173 8888 Fax: (852) 2736 1903

21/11 02 THU 12:35 FAX -852 2754 2622

FARFALLA LTD

2000



Intertek Testing Services
Labtest

5/7

Hong Kong Government Recognized Service Supplier
Approved Laboratory of International Work Secretariat

Members of:
American National Standards Institute
American Society for Testing and Materials
British Standards Institute
Hong Kong Association of Certification Laboratories
Hong Kong Toys Council

TEST REPORT

TESTS CONDUCTED

NUMBER: TFH348288

2 FLAMMABILITY TEST

AS PER SECTION 4.2 OF THE ASTM STANDARD CONSUMER SAFETY SPECIFICATION ON TOY SAFETY F963-96a.

<u>SAMPLE</u>	<u>IGNITION POINT</u>	<u>BURN LENGTH (INCH)</u>	<u>TIME (SEC)</u>	<u>ACTUAL BURN RATE (INCH/SEC)</u>	<u>ROUND UP BURN RATE (INCH/SEC)</u>	<u>LIMIT (INCH/SEC)</u>
SPONGE	CORNER	2.25	20	0.11	0.10	0.10

THE TOY SAMPLE AND ITS ACCESSORIES WERE TESTED, THE ABOVE RESULT ONLY SHOWED THE MOST SEVERE BURN RATE.

DATE SAMPLE RECEIVED : APR 14, 2000 AND MAY 03, 2000
TESTING PERIOD : APR 14, 2000 TO MAY 03, 2000

3 TOXIC ELEMENTS ANALYSIS

AS PER SECTION 4.3.5 OF THE ASTM STANDARD CONSUMER SAFETY SPECIFICATION ON TOY SAFETY F963-96a, ACID DIGESTION AND EXTRACTION METHODS WERE USED AND TOXIC ELEMENTS CONTENT WERE DETERMINED BY INDUCTIVELY COUPLED ARGON PLASMA SPECTROMETRY.

	<u>RESULT IN ppm</u>						<u>LIMIT</u>
	<u>(1)</u>	<u>(2)</u>	<u>(3)</u>	<u>(4)</u>	<u>(5)</u>	<u>(6)</u>	<u>ppm</u>
TOTAL LEAD (Pb)	<10	<10	<10	<10	<10	<10	600
SOL. BARIUM (Ba)	<2	<2	<2	<2	<2	<2	1000
SOL. LEAD (Pb)	<2	<2	<2	<2	<2	<2	90
SOL. CADMIUM (Cd)	<2	<2	<2	<2	<2	<2	75
SOL. ANTIMONY (Sb)	<2	<2	<2	<2	<2	<2	60
SOL. SELENIUM (Se)	<2	<2	<2	<2	<2	<2	500
SOL. CHROMIUM (Cr)	<2	<2	<2	<2	<2	<2	60
SOL. MERCURY (Hg)	<2	<2	<2	<2	<2	<2	60
SOL. ARSENIC (As)	<2	<2	<2	<2	<2	<2	25

SOL. = SOLUBLE

< = LESS THAN

ppm = PARTS PER MILLION BASED ON DRY WEIGHT OF SAMPLE

6

21/11 '02 THU 12:36 FAX -852 2754 2622

FARFALLA LTD

2000

ITS Intertek Testing Services Labtest

Hong Kong Government Recognized Service Supplier
Approved Laboratory of International Wool Secretariat

Members of:
American National Standards Institute
American Society for Testing and Materials
British Standards Institute
Hong Kong Association of Certification Laboratories
Hong Kong Toys Council

TEST REPORT

TESTS CONDUCTED

NUMBER: TPH348288

	<u>RESULT IN ppm</u>	<u>LIMIT</u>
TOTAL LEAD (Pb)	(7) <10	ppm 600
SOL. BARIUM (Ba)	<2	1000
SOL. LEAD (Pb)	<2	90
SOL. CADMIUM (Cd)	<2	75
SOL. ANTIMONY (Sb)	<2	60
SOL. SELENIUM (Se)	<2	500
SOL. CHROMIUM (Cr)	<2	60
SOL. MERCURY (Hg)	<2	60
SOL. ARSENIC (As)	<2	25

SOL. = SOLUBLE
< = LESS THAN
ppm = PARTS PER MILLION

TESTED COMPONENTS :

- (1) BLUE PAINT.
- (2) GREEN PAINT.
- (3) YELLOW PAINT.
- (4) PURPLE PAINT.
- (5) RED PAINT.
- (6) BLACK PAINT.
- (7) WHITE COATING ON BLACK PLASTIC SHEET (ADAPTOR LABEL).

DATE SAMPLE RECEIVED : APR 14, 2000 AND APR 25, 2000
TESTING PERIOD : APR 14, 2000 TO MAY 02, 2000



FAX



100 Northpointe Parkway

Buffalo, New York 14228-1884 USA

Tel: (716) 506-3300

Fax: (716) 506-3301

Date: January 14, 2000.

Transmission No.:

Number of pages including cover sheet: 4

If transmission is incomplete, call: 716-506-3483

Document will be sent via: U.S. Mail 24 Hour Delivery

TO: Michelle Daley
 COMPANY: CURIOSITY KITS
 FAX NUMBER: 410-584-1247
 cc:

FROM: Mary Regula
 DEPARTMENT: Client Services

RE: ZOOM POWER BALL/LABELING FOR ELECTRICAL ADAPTER

Hi Michelle:

I received and reviewed the report from Inchcape. As there should have been some microbial tests conducted, I have forwarded the report to our microbiologist, Laura McKenrick, for further review and advisement. She will call you on Monday to discuss your mold situation and additional steps to be taken. (I will be out of the office).

Additionally, I have attached some labeling information for your review. The cautionary labeling is addressed on page two, but I thought the other information was of importance as well.

Have a good weekend.

Mary

This transmission is intended only for the use of the individual or entity to which it is addressed and may contain confidential information that is privileged and exempt from disclosure under applicable law.

If you have received this transmission in error, please notify us immediately by telephone to arrange for its return. Thank you.



Intertek Testing Serv Attn.: Mr. Lawrence Tang
Labtest

FARFALLA

From: Frankie Cheng

Total 4 pages

Hong Kong Government Recognized Service Supplier
Approved Laboratory of International Wood Secretariat

Members of:
American National Standards Institute
American Society for Testing and Materials
British Standards Institute

Hong Kong Association of Certification Laboratories
Hong Kong Toys Council

TEST REPORT

APPLICANT:

NUMBER: TFH292882

DATE: MAY 31, 1999

SAMPLE DESCRIPTION:

SEVEN (7) SETS OF SUBMITTED SAMPLE SAID TO BE :
ITEM NAME : #80851 - POTTERS WHEEL (4 SETS).
#80852 - CLAY REFILL (3 SETS).

LABELLED AGE GROUP : AGES 8 AND UP.
COUNTRY OF ORIGIN : CHINA.

TESTS CONDUCTED:

AS REQUESTED BY THE APPLICANT, FOR DETAILS REFER TO ATTACHED PAGE(S)

CONCLUSION:

TESTED SAMPLES	STANDARD - U.S. ASTM F963-96a	RESULT
SUBMITTED SAMPLE SETS	PHYSICAL AND MECHANICAL TESTS EXCLUDING LABELLING REQUIREMENT OF SECTION 4.31 AND 5.16	PASS
	FLAMMABILITY TEST OF OTHER THAN TEXTILES	PASS
PAINT OF SUBMITTED SAMPLE SETS	TOXIC ELE	PASS

POTTERY STUCCO REFORM

PREPARED AND CHECKED BY:
FOR INTERTEK TESTING SERVICES HK LTD

[Signature]
PAUL YAO
GENERAL MANAGER

PAGE 1 OF 4

Intertek Testing Services Hong Kong Ltd.
2/F, Garment Centre, 578 Castle Peak Road, Kowloon, Hong Kong.
Tel: (852) 2173 8688 Fax: (852) 2786 1903

Attention is drawn to the terms and conditions printed overleaf.

ITS Intertek Testing Services

Labtest

Hong Kong Government Recognized Service Supplier
Approved Laboratory of International Wool Secretariat

Members of:
American National Standards Institute
American Society for Testing and Materials
British Standards Institute
Hong Kong Association of Certification Laboratories
Hong Kong Toys Council

TEST REPORT

TESTS CONDUCTED

NUMBER: TFH292882

1 PHYSICAL AND MECHANICAL TESTS

AS PER ASTM STANDARD CONSUMER SAFETY SPECIFICATION ON TOY SAFETY F963-96a.

APPLICANT'S SPECIFIED AGE GROUP FOR TESTING : AGES 8 AND UP.

<u>SECTION</u>	<u>TESTING ITEMS</u>	<u>ASSESSMENT</u>
4.5	IMPULSIVE NOISE	P
4.6	SMALL OBJECTS	NA
4.7	ACCESSIBLE EDGES	NA
4.8	ACCESSIBLE POINTS	NA
4.9	PROJECTIONS	NA
4.10	NAILS AND FASTENERS	NA
4.11	WIRES OR RODS	NA
4.12	PACKAGING FILM	NA
4.13	CORDS AND ELASTICS	NA
4.14	WHEELS, TIRES AND AXLES	NA
4.15	FOLDING MECHANISMS AND HINGES	NA
4.16	HOLES, CLEARANCE, AND ACCESSIBILITY OF MECHANISMS	NA
4.17	STABILITY AND OVER-LOAD REQUIREMENTS	NA
4.18	CONFINED SPACES	NA
4.19	SIMULATED PROTECTIVE DEVICES, SUCH AS HELMETS, HATS AND GOGGLES	NA
4.20	PROJECTILE TOYS	NA
4.21	RATTLES	NA
4.22	PACIFIERS	NA
4.23	SQUEEZE TOYS	NA
4.24	TEETHERS AND TEETHING TOYS	NA
4.25	TOYS INTENDED TO BE ATTACHED TO A CRIB OR PLAYPEN	NA
4.26	TOY CHESTS	NA
4.27	BATTERY-OPERATED TOYS	P
4.28	FLOTATION TOYS	NA
4.29	STROLLER AND CARRIAGE TOYS	NA
4.30	STUFFED AND BEANBAG-TYPE TOYS	NA
4.31	ART MATERIALS	#1
4.32	TOY GUN MARKING	NA

PAGE 2 OF 4

Intertek Testing Services Hong Kong Ltd.
2/F, Garment Centre, 578 Castle Peak Road, Kowloon, Hong Kong.
Tel: (852) 2173 8888 Fax: (852) 2786 1903

ITS Intertek Testing Services
Labtest

Hong Kong Government Recognized Service Supplier
Approved Laboratory of International Wool Secretariat

Members of:
American National Standards Institute
American Society for Testing and Materials
British Standards Institute
Hong Kong Association of Certification Laboratories
Hong Kong Toys Council

TEST REPORT

TESTS CONDUCTED

NUMBER: TPH292882

SECTION	TESTING ITEMS	ASSESSMENT
4.33	BALLOONS	NA
4.34	MARBLES	NA
4.35	BALLS	NA
4.36	PRESCHOOL PLAY FIGURES	NA
4.37	POMPOMS	NA
5	LABELLING	P#1
6	INSTRUCTIONAL LITERATURE	P
7	PRODUCER'S MARKINGS	
	- NAME OF PRODUCER/DISTRIBUTOR (PACKAGE)	YES
	- ADDRESS (PACKAGE)	YES

REMARK : THE SUBMITTED SAMPLES WERE UNDERGONE THE TESTS IN ACCORDANCE WITH SECTION 8.5 THROUGH SECTION 8.16 E.G. NORMAL USE TESTING, DROP TEST, TORQUE TEST, TENSION TEST, COMPRESSION TEST, FLEXURE TEST ETC., WHICHEVER IS APPLICABLE.

P = PASS NA = NOT APPLICABLE

#1 AS REQUESTED BY APPLICANT, SECTIONS 4.31 AND 5.16 WERE NOT ASSESSED.

DATE SAMPLE RECEIVED : APR 09, 1999 TO MAY 27, 1999
TESTING PERIOD : APR 09, 1999 TO MAY 28, 1999

2 **FLAMMABILITY TEST**

AS PER SECTION 4.2 OF THE ASTM STANDARD CONSUMER SAFETY SPECIFICATION ON TOY SAFETY F963-96a.

SAMPLE	IGNITION POINT	BURN LENGTH (INCH)	TIME (SEC)	BURN RATE (INCH/SEC)	LIMIT (INCH/SEC)

ALL STYLES OF THE TOY SAMPLE AND ITS ACCESSORIES WERE TESTED, THE ABOVE RESULT ONLY SHOWED THE MOST SEVERE BURN RATE.

DATE SAMPLE RECEIVED : APR 09, 1999
TESTING PERIOD : APR 09, 1999 TO APR 22, 1999

PAGE 3 OF 4

Intertek Testing Services Hong Kong Ltd.
2/F, Garment Centre, 578 Castle Peak Road, Kowloon, Hong Kong.
Tel: (852) 2173 8888 Fax: (852) 2798 1903

ITS Intertek Testing Services Labtest

Hong Kong Government Recognized Service Supplier
Approved Laboratory of International Wool Secretariat

Members of:
 American National Standards Institute Hong Kong Association of Certification Laboratories
 American Society for Testing and Materials Hong Kong Toys Council
 British Standards Institute

TEST REPORT

TESTS CONDUCTED

NUMBER: TPF292882

3 TOXIC ELEMENTS ANALYSIS ON PAINT

AS PER SECTION 4.3.5 OF THE ASTM STANDARD CONSUMER SAFETY SPECIFICATION ON TOY SAFETY F963-96a, ACID DIGESTION AND EXTRACTION METHODS WERE USED AND TOXIC ELEMENTS CONTENT WERE DETERMINED BY INDUCTIVELY COUPLED ARGON PLASMA SPECTROMETRY.

	RESULT IN ppm						LIMIT PPM
	(1)	(2)	(3)	(4)	(5)	(6)	
TOTAL LEAD (Pb)	<10	<10	<10	<10	<10	<10	600
SOL. BARIUM (Ba)	<2	49	<2	10	21	<2	1000
SOL. LEAD (Pb)	<2	<2	<2	<2	<2	<2	90
SOL. CADMIUM (Cd)	<2	<2	<2	<2	<2	<2	75
SOL. ANTIMONY (Sb)	<2	<2	<2	<2	<2	<2	60
SOL. SELENIUM (Se)	<2	<2	<2	<2	<2	<2	500
SOL. CHROMIUM (Cr)	<2	<2	<2	<2	<2	<2	60
SOL. MERCURY (Hg)	<2	<2	<2	<2	<2	<2	60
SOL. ARSENIC (As)	<2	<2	<2	<2	<2	<2	25

SOL. = SOLUBLE

< = LESS THAN

ppm = PARTS PER MILLION BASED ON DRY WEIGHT OF SAMPLE

TESTED COMPONENTS :

- (1) PURPLE PAINT.
- (2) YELLOW PAINT.
- (3) PINK PAINT.
- (4) ORANGE PAINT.
- (5) GREEN PAINT.
- (6) LIGHT BLUE PAINT.

DATE SAMPLE RECEIVED : APR 09, 1999

TESTING PERIOD : APR 09, 1999 TO APR 14, 1999

PAGE 4 OF 4

Intertek Testing Services Hong Kong Ltd.
 2/F., Garment Centre, 570 Castle Peak Road, Kowloon, Hong Kong.
 Tel: (852) 2173 8888 Fax: (852) 2788 1903



ACTS TESTING LABS (H.K.) LTD.
設試檢定(香港)有限公司
2/F., Pacific Trade Centre, 2 Kai Hing Road
Kowloon, Hong Kong
Tel 2331 0888 Fax 2331 0882

TEST REPORT No. (0297)288-0160

December 15, 1997
Page 1 of 4

LAW TAI HANG ART BRUSH FACTORY LTD.
11/F., MAI WO IND. BLDG.,
90-98 KWAI CHEONG ROAD
KWAI CHUNG
N.T.
HONG KONG

To: Farfalla Ltd.
Attn: Ms. Joan Fua
Fax: 2754 2622/72
From:

Attn: Alex Tsang/Maggie Kam

SUBJECT:

Evaluation of the product formulation. Information and data concerning 24 PCS POSTER COLOUR, which was provided by the client on October 15, 1997.

INTRODUCTION:

The information provided by the client was reviewed for potential chronic adverse health hazards in accordance with Title 16, Code of Federal Regulations (CFR), Chapter II - Consumer Product Safety Commission (CPSC), Subchapter C - Federal Hazardous Substances Act Regulations, Part 1500, Section 1500.14(b)(8), the Labeling requirements of Art Materials of "The Labeling of Hazardous Art Materials Act (LHAMA)."

- Sample Description : 24 PCS POSTER COLOUR
A) RED
B) ORANGE
C) YELLOW
D) LIGHT GREEN
E) PURPLE
F) BLACK
G) CHERRY PINK
H) LIGHT BROWN
I) DARK GREEN
J) WHITE
K) BLUE
L) GREYISH BLUE
M) FLUORESCENT PEACH
N) FLUORESCENT ORANGE
O) FLUORESCENT YELLOW
P) LIGHT BLUE
Q) EGG YELLOW
R) GREY
S) FLUORESCENT PINK
T) DARK FLUORESCENT ORANGE
U) FLUORESCENT GREEN
V) MAGENTA
W) LIGHT GREYISH BLUE
X) BROWN

ACTS TESTING LABS (H.K.) LTD. is a member of the ACTS TESTING LABS GROUP. Any copying or reproduction of this report or of the data contained therein is strictly prohibited without the written consent of ACTS TESTING LABS (H.K.) LTD. The information contained herein is for the use of the client only and is not to be distributed to other parties. The client is responsible for the accuracy of the data provided by the client. ACTS TESTING LABS (H.K.) LTD. is not responsible for any damage or loss resulting from the use of the data provided herein. A signed copy of this report will be provided to the client upon payment of the applicable fee. ACTS TESTING LABS (H.K.) LTD. is a member of the ACTS TESTING LABS GROUP. U.S.A. Hong Kong France Canada Singapore Indonesia U.K.



LAW TAI HANG ART BRUSH FACTORY LTD.
TEST REPORT No. (0297)288-0160
December 15, 1997
Page 2 of 4

EXECUTIVE SUMMARY:


After review by a certified toxicologist, it has been determined that the samples will not pose chronic adverse health effects in humans when the samples are used as intended. These samples, therefore, do not require chronic health hazard labeling.

The samples must bear the following or comparable statement: "Conforms to ASTM D-4236".

This LHAMA evaluation was conducted in accordance with the guidelines specified by the Consumer Product Safety Commission in Title 16, Code of Federal Regulations (CFR), Section 1500.135.

The attachment indicates the components which have been reviewed.

ACTS TESTING LABS (H.K.) LTD.


Dr. Samuel Wong
Manager
Chemical Division

SW/ec



LAW TAI HANG ART BRUSH FACTORY LTD.
TEST REPORT NO. (0297)288-0160
December 18, 1997
Page 3 of 4

ATTACHMENT

Component	Comment
1) RED	Conforms
2) ORANGE	Conforms
3) YELLOW	Conforms
4) LIGHT GREEN	Conforms
5) PURPLE	Conforms
6) BLACK	Conforms
7) CHERRY PINK	Conforms
8) LIGHT BROWN	Conforms



LAW TAI HANG ART BRUSH FACTORY LTD.
 TEST REPORT No. (0297)288-0160
 December 15, 1997
 Page 4 of 4

ATTACHMENT

Component	Comment
9) DARK GREEN	Conforms
10) WHITE	Conforms
11) BLUE	Conforms
12) GREYISH BLUE	Conforms
13) FLUORESCENT PEACH	Conforms
14) FLUORESCENT ORANGE	Conforms
15) FLUORESCENT YELLOW	Conforms
16) LIGHT BLUE	Conforms
17) EGG YELLOW	Conforms
18) GREY	Conforms
19) FLUORESCENT PINK	Conforms
20) DARK FLUORESCENT ORANGE	Conforms
21) FLUORESCENT GREEN	Conforms
22) MAGENTA	Conforms
23) LIGHT GREYISH BLUE	Conforms
24) BROWN	Conforms