Version 2.1 (08/03/2021) - Page 1/9

TEMPERA A L'OEUF BLANC DE ZINC - N131001.119

SAFETY DATA SHEET

(REACH regulation (EC) n° 1907/2006 - n° 2015/830)

SECTION 1 : IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1. Product identifier

Product name : TEMPERA A L'OEUF BLANC DE ZINC Product code : N131001.119. UFI : JVKC-4P4A-GR06-F4NT

1.2. Relevant identified uses of the substance or mixture and uses advised against Paint for artist

1.3. Details of the supplier of the safety data sheet

Registered company name : MAX SAUER SAS. Address : 2 rue Lamarck, CS30204.22000.Saint Brieuc.FRANCE. Telephone : 00 33 (0)2 96 68 20 00. Fax : 00 33 (0)2 96 61 77 19. regulatory.affairs@raphael.fr

1.4. Emergency telephone number : +33 (0)1 45 42 59 59.

Association/Organisation : INRS / ORFILA http://www.centres-antipoison.net.

SECTION 2 : HAZARDS IDENTIFICATION

2.1. Classification of the substance or mixture

In compliance with EC regulation No. 1272/2008 and its amendments.

Skin sensitisation, Category 1 (Skin Sens. 1, H317).

Hazardous to the aquatic environment - Acute hazard, Category 1 (Aquatic Acute 1, H400).

Hazardous to the aquatic environment - Chronic hazard, Category 1 (Aquatic Chronic 1, H410).

This mixture does not present a physical hazard. Refer to the recommendations regarding the other products present on the site.

2.2. Label elements

In compliance with EC regulation No. 1272/2008 and its amendments.

Hazard pictograms :



GHS07 GHS09 Signal Word : WARNING Product identifiers : 613-326-00-9 2-METHYLISOTHIAZOL-3(2H)-ONE 613-088-00-6 1,2-BENZISOTHIAZOL-3(2H)-ONE 613-167-00-5 REACTION MASS OF 5-CHLORO-2-METHYL-2H-ISOTHIAZOL-3-ONE AND 2-METHYL-2H-ISOTHIAZOL-3ONE (3:1) Hazard statements : H317 May cause an allergic skin reaction.

H317	May cause an allergic skin reaction.
H410	Very toxic to aquatic life with long lasting effects.
Precautionary statements - General :	
P101	If medical advice is needed, have product container or label at hand.
P102	Keep out of reach of children.
Precautionary statements - Prevention :	
P261	Avoid breathing dust/fume/gas/mist/vapours/spray.
P272	Contaminated work clothing should not be allowed out of the workplace.

Item Numbers: 00028-1032, 00028-1042

TEMPERA A L'OEUF BLANC DE ZINC - N131001.119

P280	Wear protective gloves/protective clothing/eye protection/face protection/hearing protection/
Precautionary statements - Response :	
P321	Specific treatment (see on this label).
P362 + P364	Take off contaminated clothing and wash it before reuse.
Precautionary statements - Disposal :	
P501	Dispose of contents/container to

2.3. Other hazards

The mixture does not contain substances classified as 'Substances of Very High Concern' (SVHC) >= 0.1% published by the European CHemicals Agency (ECHA) under article 57 of REACH: http://echa.europa.eu/fr/candidate-list-table The mixture fulfils neither the PBT nor the vPvB criteria for mixtures in accordance with annexe XIII of the REACH regulations EC 1907/2006.

SECTION 3 : COMPOSITION/INFORMATION ON INGREDIENTS

3.2. Mixtures

Composition :			
Identification	(EC) 1272/2008	Note	%
INDEX: 030-013-00-7	GHS09	[1]	50 <= x % < 100
CAS: 1314-13-2	Wng		
EC: 215-222-5	Aquatic Acute 1, H400		
	M Acute = 1		
ZINC OXIDE	Aquatic Chronic 1, H410		
	M Chronic $= 1$		
CAS: 56-81-5		[1]	2.5 <= x % < 10
EC: 200-289-5			
REACH: exemption (annexe V)			
GLYCEROL			
INDEX: 613-326-00-9	GHS06, GHS05, GHS09	[1]	$0 \le x \% < 1$
CAS: 2682-20-4	Dgr		
EC: 220-239-6	Acute Tox. 3, H301		
REACH: 01-2120764690-50-XXXX	Acute Tox. 3, H311		
	Skin Corr. 1B, H314		
2-METHYLISOTHIAZOL-3(2H)-ONE	Skin Sens. 1A, H317		
	Eye Dam. 1, H318		
	Acute Tox. 2, H330		
	Aquatic Acute 1, H400		
	M Acute = 10		
	Aquatic Chronic 1, H410		
	M Chronic $= 1$		
	EUH:071		
INDEX: 613-088-00-6	GHS05, GHS07, GHS09	[1]	$0 \le x \% < 1$
CAS: 2634-33-5	Dgr		
EC: 220-120-9	Acute Tox. 4, H302		
REACH: 01-2120761540-60-XXXX	Skin Irrit. 2, H315		
	Eye Dam. 1, H318		
1,2-BENZISOTHIAZOL-3(2H)-ONE	Skin Sens. 1, H317		
	Aquatic Acute 1, H400		
	M Acute = 1		

Version 2.1 (08/03/2021) - Page 2/9

Version 2.1 (08/03/2021) - Page 3/9

TEMPERA A L'OEUF BLANC DE ZINC - N131001.119

INDEX: 613-167-00-5	GHS06, GHS05, GHS09	В	0 <= x % < 1
CAS: 55965-84-9	Dgr	В	$0 \leq -x 70 \leq 1$
CAS: 55705-84-9	Acute Tox. 3, H301		
REACTION MASS OF	Acute Tox. 2, H310		
5-CHLORO-2-METHYL-2H-ISOTHIAZOL-3-	Skin Corr. 1C, H314		
ONE AND	Skin Sens. 1A, H317		
2-METHYL-2H-ISOTHIAZOL-3-ONE (3:1)	Eve Dam. 1, H318		
	Acute Tox. 2, H330		
	Aquatic Acute 1, H400		
	MAcute = 100		
	Aquatic Chronic 1, H410		
	M Chronic = 100		
	EUH:071		

(Full text of H-phrases: see section 16)

Information on ingredients :

[1] Substance for which maximum workplace exposure limits are available.

SECTION 4 : FIRST AID MEASURES

As a general rule, in case of doubt or if symptoms persist, always call a doctor.

NEVER induce swallowing by an unconscious person.

4.1. Description of first aid measures

In the event of splashes or contact with skin :

Remove contaminated clothing and wash the skin thoroughly with soap and water or a recognised cleaner.

Watch out for any remaining product between skin and clothing, watches, shoes, etc.

In the event of an allergic reaction, seek medical attention.

If the contaminated area is widespread and/or there is damage to the skin, a doctor must be consulted or the patient transferred to hospital.

In the event of swallowing :

Do not give the patient anything orally.

In the event of swallowing, if the quantity is small (no more than one mouthful), rinse the mouth with water and consult a doctor.

Seek medical attention immediately, showing the label.

4.2. Most important symptoms and effects, both acute and delayed

No data available.

4.3. Indication of any immediate medical attention and special treatment needed

No data available.

SECTION 5 : FIREFIGHTING MEASURES

Non-flammable.

5.1. Extinguishing media

5.2. Special hazards arising from the substance or mixture

A fire will often produce a thick black smoke. Exposure to decomposition products may be hazardous to health.

Do not breathe in smoke.

In the event of a fire, the following may be formed :

- carbon monoxide (CO)
- carbon dioxide (CO2)

5.3. Advice for firefighters

No data available.

Version 2.1 (08/03/2021) - Page 4/9

TEMPERA A L'OEUF BLANC DE ZINC - N131001.119

SECTION 6 : ACCIDENTAL RELEASE MEASURES

6.1. Personal precautions, protective equipment and emergency procedures

Consult the safety measures listed under headings 7 and 8.

For non first aid worker

Avoid any contact with the skin and eyes.

For first aid worker

First aid workers will be equipped with suitable personal protective equipment (See section 8).

6.2. Environmental precautions

Contain and control the leaks or spills with non-combustible absorbent materials such as sand, earth, vermiculite, diatomaceous earth in drums for waste disposal.

Prevent any material from entering drains or waterways.

6.3. Methods and material for containment and cleaning up

Clean preferably with a detergent, do not use solvents.

6.4. Reference to other sections

No data available.

SECTION 7 : HANDLING AND STORAGE

Requirements relating to storage premises apply to all facilities where the mixture is handled.

Individuals with a history of skin sensitisation should not, under any circumstance, handle this mixture.

7.1. Precautions for safe handling

Always wash hands after handling.

Remove and wash contaminated clothing before re-using.

Fire prevention :

Prevent access by unauthorised personnel.

Recommended equipment and procedures :

For personal protection, see section 8.

Observe precautions stated on label and also industrial safety regulations.

Prohibited equipment and procedures :

No smoking, eating or drinking in areas where the mixture is used.

7.2. Conditions for safe storage, including any incompatibilities

No data available.

Storage

Keep out of reach of children.

Packaging

Always keep in packaging made of an identical material to the original.

7.3. Specific end use(s)

No data available.

SECTION 8 : EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1. Control parameters

Occupational exposure limits :

- ACGIH TLV (American Conference of Governmental Industrial Hygienists, Threshold Limit Values, 2010) :

CAS	TWA :	STEL :	Ceiling :	Definition :	Criteria :
1314-13-2	2 (R) mg/m3	10 (R) mg/m3			
56-81-5	10 mg/m3				
- Germany - AC	GW (BAuA - TRGS	900, 08/08/2019)):		
CAS	VME :	VME :	Excess	Notes	

Version 2.1 (08/03/2021) - Page 5/9

TEMPERA A L'OEUF BLANC DE ZINC - N131001.119

- France (INRS - ED984 / 2019-1487) :

CAS	VME-ppm :	VME-mg/m3:	VLE-ppm :	VLE-mg/m3:	Notes :	TMP No :		
1314-13-2	-	5	-	-	-	-		
56-81-5	-	10	-	-	-	-		
- UK / WEL (Workplace exposure limits, EH40/2005, 2011) :								
CAS	TWA :	STEL :	Ceiling :	Definition :	Criteria :]		
56-81-5	- ppm	- ppm						
	10 mg/m ³	- mg/m ³				J		

8.2. Exposure controls

Personal protection measures, such as personal protective equipment

Pictogram(s) indicating the obligation of wearing personal protective equipment (PPE) :



Use personal protective equipment that is clean and has been properly maintained.

Store personal protective equipment in a clean place, away from the work area.

Never eat, drink or smoke during use. Remove and wash contaminated clothing before re-using. Ensure that there is adequate ventilation, especially in confined areas.

- Eye / face protection

Avoid contact with eyes.

Use eye protectors designed to protect against liquid splashes

Before handling, wear safety goggles in accordance with standard EN166.

- Hand protection

Use suitable protective gloves that are resistant to chemical agents in accordance with standard EN374.

Gloves must be selected according to the application and duration of use at the workstation.

Protective gloves need to be selected according to their suitability for the workstation in question : other chemical products that may be handled, necessary physical protections (cutting, pricking, heat protection), level of dexterity required.

Type of gloves recommended :

- Natural latex

Recommended properties :

- Impervious gloves in accordance with standard EN374

- Body protection

Avoid skin contact.

Wear suitable protective clothing.

Suitable type of protective clothing :

In the event of substantial spatter, wear liquid-tight protective clothing against chemical risks (type 3) in accordance with EN14605 to prevent skin contact.

In the event of a risk of splashing, wear protective clothing against chemical risks (type 6) in accordance with EN13034 to prevent skin contact.

Work clothing worn by personnel shall be laundered regularly.

After contact with the product, all parts of the body that have been soiled must be washed.

SECTION 9 : PHYSICAL AND CHEMICAL PROPERTIES

.1. Information on basic physical and chemical p	roperues
General information :	
Physical state :	Viscous liquid.
mportant health, safety and environmental inforr	nation
pH :	Not stated.
	Slightly basic.
Boiling point/boiling range :	Not specified.
Flash Point :	101.00 °C.
Vapour pressure (50°C) :	Not relevant.
Density :	> 1

SAFETY DATA SHEET (REGULATION (EC) n° 190' MAX SAUER SAS	7/2006 - REACH)	Version 2.1 (08/03/2021) - Pag
	DEUF BLANC DE ZINC - N131001.119	•
Water solubility :	Dilutable.	
Melting point/melting range :	Not specified.	
Self-ignition temperature :	Not specified.	
Decomposition point/decomposition range :	Not specified.	
9.2. Other information		
No data available.		
SECTION 10 : STABILITY AND REACTIVITY		
10.1. Reactivity		
No data available.		
10.2. Chemical stability		
This mixture is stable under the recommended has	ndling and storage conditions in section 7	
10.3. Possibility of hazardous reactions		
No data available.		
10.4. Conditions to avoid		
No data available.		
10.5. Incompatible materials		
No data available.		
10.6. Hazardous decomposition products		
The thermal decomposition may release/form :		
- carbon monoxide (CO)		
- carbon dioxide (CO2)		
SECTION 11 : TOXICOLOGICAL INFORMATI 11.1. Information on toxicological effects		
May cause an allergic reaction by skin contact.		
11.1.1. Substances		
Acute toxicity :		
GLYCEROL (CAS: 56-81-5)	LD50 > 27200	
Oral route :	LD50 > 27200 mg/kg Species : Rat	
Dermal route :	LD50 > 10000 mg/kg	
Dermai foute .	LD30 > 10000 mg/kg	
11.1.2. Mixture		
No toxicological data available for the mixture.		
SECTION 12 : ECOLOGICAL INFORMATION		
Very toxic to aquatic life with long lasting effects		
The product must not be allowed to run into drain	as or waterways.	
12.1. Toxicity		
12.1.1. Substances		
GLYCEROL (CAS: 56-81-5)		
Fish toxicity :	EC50 mg/l	
·	Duration of exposure : 96 h	
Cructocore toricity.	$EC50 mc^{/1}$	
Crustacean toxicity :	EC50 mg/l Species : Daphnia magna	
	Duration of exposure : 24 h	
Algae toxicity :	EC50 mg/l	
- Made under licence of European Lab	el System® MSDS software from InfoDyne - http://www.info	odyne.fr -

Page 6 of 9

Version 2.1 (08/03/2021) - Page 7/9

TEMPERA A L'OEUF BLANC DE ZINC - N131001.119

Species : Scenedesmus quadricauda Duration of exposure : 7 days	
	2.1.2. Mixtures
	No aquatic toxicity data available for the mixture.
	2.2. Persistence and degradability
	2.2.1. Substances
DCO = 1.16 g/g	GLYCEROL (CAS: 56-81-5) Chemical oxygen demand :
DBO5 = 0.87 g/g	Five-day biochemical oxygen demand :
Rapidly degradable.	Biodegradability :
	2.3. Bioaccumulative potential
	2.3.1. Substances
log Koe = -1.75 OECD Guideline 107 (Partition Coefficient (n-octanol / water), Shake Flask Me	GLYCEROL (CAS: 56-81-5) Octanol/water partition coefficient :
	1 2.4. Mobility in soil No data available.
	12.5. Results of PBT and vPvB assessment
	No data available.
	12.6. Other adverse effects
	No data available.
container must be determined in accordance with Directive 2008/98/EC.	
	3.1. Waste treatment methodsDo not pour into drains or waterways.
ering human health, without harming the environment and, in particular	Waste : Waste management is carried out without endang without risk to water, air, soil, plants or animals.
ent legislation, preferably via a certified collector or company.	-
	Do not contaminate the ground or water with waste
	Soiled packaging :
ner.	Empty container completely. Keep label(s) on container
	Give to a certified disposal contractor.
	CTION 14 : TRANSPORT INFORMATION
f the ADR for road, RID for rail, IMDG for sea and ICAO/IATA for air 020).	Transport product in compliance with provisions transport (ADR 2019 - IMDG 2018 - ICAO/IATA
	14.1. UN number 3082
UBSTANCE, LIQUID, N.O.S.	14.2. UN proper shipping name UN3082=ENVIRONMENTALLY HAZARDOUS (zinc oxide)
UBSTANCE, LIQUID, N.O.S.	1 4.2. UN proper shipping name UN3082=ENVIRONMENTALLY HAZARDOUS :

Version 2.1 (08/03/2021) - Page 8/9

TEMPERA A L'OEUF BLANC DE ZINC - N131001.119

14.3. Transport hazard class(es)



14.4. Packing group

III

14.5. Environmental hazards

- Environmentally hazardous material :



14.6. Special precautions for user

ADR/RID	Class	Code	Pack gr.	Label	Ident.	LQ	Provis.	EQ	Cat.	Tunnel
	9	M6	III	9	90	5 L	274 335 375	E1	3	-
							601			

Not subject to this regulation if Q <= 51/5 kg (ADR 3.3.1 - DS 375)

IMDG	Class	2°Label	Pack gr.	LQ	EMS	Provis.	EQ	Stowage	Segregation
			_					Handling	
	9	-	III	5 L	F-A, S-F	274 335 969	E1	Category A	-
	Not subject to this regulation if $\Omega \leq \pm 51/5$ kg (IMDG 3.3.1 - 2.10.2.7)								

Not subject to this regulation if $Q \le 51/5$ kg (IMDG 3.3.1 - 2.10.	2.7)
---	------

IATA	Class	2°Label	Pack gr.	Passager	Passager	Cargo	Cargo	note	EQ
	9	-	III	964	450 L	964	450 L	A97 A158	E1
								A197	
	9	-	III	Y964	30 kg G	-	-	A97 A158	E1
					-			A197	

Not subject to this regulation if $Q \le 51/5$ kg (IATA 4.4.4 - DS A197)

For limited quantities, see part 2.7 of the OACI/IATA and chapter 3.4 of the ADR and IMDG.

For excepted quantities, see part 2.6 of the OACI/IATA and chapter 3.5 of the ADR and IMDG.

14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

No data available.

SECTION 15 : REGULATORY INFORMATION

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

- Classification and labelling information included in section 2:

- The following regulations have been used:
- EU Regulation No. 1272/2008 amended by EU Regulation No. 2020/217 (ATP 14)
- Container information:
- The mixture is contained in packaging that does not exceed 125 ml.
- Particular provisions :
- No data available.
- German regulations concerning the classification of hazards for water (WGK, AwSV vom 18/04/2017, KBws) : WGK 2 : Hazardous for water.
- 15.2. Chemical safety assessment

No data available.

- Made under licence of European Label System® MSDS software from InfoDyne - http://www.infodyne.fr -

TEMPERA A L'OEUF BLANC DE ZINC - N131001.119

SECTION 16 : OTHER INFORMATION

Since the user's working conditions are not known by us, the information supplied on this safety data sheet is based on our current level of knowledge and on national and community regulations.

The mixture must not be used for other uses than those specified in section 1 without having first obtained written handling instructions.

It is at all times the responsibility of the user to take all necessary measures to comply with legal requirements and local regulations.

The information in this safety data sheet must be regarded as a description of the safety requirements relating to the mixture and not as a guarantee of the properties thereof.

Wording of the phrases mentioned in section 3 :

8 1	
H301	Toxic if swallowed.
H302	Harmful if swallowed.
H310	Fatal in contact with skin.
H311	Toxic in contact with skin.
H314	Causes severe skin burns and eye damage.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H318	Causes serious eye damage.
H330	Fatal if inhaled.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
EUH071	Corrosive to the respiratory tract.

Abbreviations :

UFI : Unique Formula Identifier

ADR : European agreement concerning the international carriage of dangerous goods by Road.

IMDG : International Maritime Dangerous Goods.

IATA : International Air Transport Association.

ICAO : International Civil Aviation Organisation

RID : Regulations concerning the International carriage of Dangerous goods by rail.

WGK : Wassergefahrdungsklasse (Water Hazard Class).

GHS07 : Exclamation mark

GHS09 : Environment

PBT: Persistent, bioaccumulable and toxic.

vPvB : Very persistent, very bioaccumulable.

SVHC : Substances of very high concern.

Version 2.1 (08/03/2021) - Page 9/9