SAFETY DATA SHEET (REGULATION (EC) n° 1907/2006 - REACH) MAX SAUER SAS Version 5.1 (08/03/2021) - Page 1/9

TEMPÉRA À L'OEUF JAUNE CADMIUM ORANGÉ VÉRITABLE - N131001.537

# SAFETY DATA SHEET

## (REACH regulation (EC) n° 1907/2006 - n° 2015/830) SECTION 1 : IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING 1.1. Product identifier Product name : TEMPÉRA À L'OEUF JAUNE CADMIUM ORANGÉ VÉRITABLE Product code : N131001.537. UFI: KRRD-PPN8-HR01-XU7S 1.2. Relevant identified uses of the substance or mixture and uses advised against Paint for artist 1.3. Details of the supplier of the safety data sheet Registered company name : MAX SAUER SAS. Address : 2 rue Lamarck, CS30204.22000.Saint Brieuc.FRANCE. Telephone : 00 33 (0)2 96 68 20 00. Fax : 00 33 (0)2 96 61 77 19. regulatory.affairs@raphael.fr 1.4. Emergency telephone number : +33 (0)1 45 42 59 59. Association/Organisation : INRS / ORFILA http://www.centres-antipoison.net. SECTION 2 : HAZARDS IDENTIFICATION 2.1. Classification of the substance or mixture In compliance with EC regulation No. 1272/2008 and its amendments. Skin sensitisation, Category 1 (Skin Sens. 1, H317). Hazardous to the aquatic environment - Chronic hazard, Category 3 (Aquatic Chronic 3, H412). This mixture does not present a physical hazard. Refer to the recommendations regarding the other products present on the site. 2.2. Label elements In compliance with EC regulation No. 1272/2008 and its amendments. Hazard pictograms : GHS07 Signal Word : WARNING Product identifiers : 613-326-00-9 2-METHYLISOTHIAZOL-3(2H)-ONE 1,2-BENZISOTHIAZOL-3(2H)-ONE 613-088-00-6 REACTION MASS OF 5-CHLORO-2-METHYL-2H-ISOTHIAZOL-3-ONE AND 613-167-00-5 2-METHYL-2H-ISOTHIAZOL-3-ONE (3:1) Hazard statements : H317 May cause an allergic skin reaction. H412 Harmful to aquatic life with long lasting effects. Precautionary statements - General : P101 If medical advice is needed, have product container or label at hand. P102 Keep out of reach of children. Precautionary statements - Prevention : P261 Avoid breathing dust/fume/gas/mist/vapours/spray. P272 Contaminated work clothing should not be allowed out of the workplace.

Item Numbers: 00028-4832

- Made under licence of European Label System® MSDS software from InfoDyne - http://www.infodyne.fr -

Page 1 of 9

## SAFETY DATA SHEET (REGULATION (EC) n° 1907/2006 - REACH) Version 5.1 (08/03/2021) - Page 2/9 MAX SAUER SAS TEMPÉRA À L'OEUF JAUNE CADMIUM ORANGÉ VÉRITABLE - N131001.537

# P280Wear protective gloves/protective clothing/eye protection/face<br/>protection/hearing protection/ ...Precautionary statements - Response :Specific treatment (see ... on this label).P321Specific treatment (see ... on this label).P362 + P364Take off contaminated clothing and wash it before reuse.Precautionary statements - Disposal :Dispose of contents/container to ...P501Dispose of contents/container to ...Other information :Dispose of contents/container to ...

#### 2.3. Other hazards

The mixture does not contain substances classified as 'Substances of Very High Concern' (SVHC)  $\geq 0.1\%$  published by the European CHemicals Agency (ECHA) under article 57 of REACH: http://echa.europa.eu/fr/candidate-list-table The mixture fulfils neither the PBT nor the vPvB criteria for mixtures in accordance with annexe XIII of the REACH regulations EC 1907/2006.

# SECTION 3 : COMPOSITION/INFORMATION ON INGREDIENTS

# 3.2. Mixtures

Composition :			
Identification	(EC) 1272/2008	Note	%
CAS: 7727-43-7		[1]	10 <= x % < 25
EC: 231-784-4			
SULFATE DE BARYUM			
CAS: 21645-51-2		[1]	2.5 <= x % < 10
EC: 244-492-7			
REACH: 01-2119529246-39-XXXX			
HYDROXYDE D'ALUMINIUM			
CAS: 56-81-5		[1]	2.5 <= x % < 10
EC: 200-289-5		[1]	2.5 <= x /0 < 10
REACH: exemption (annexe V)			
(unitexe v)			
GLYCEROL			
INDEX: 613-326-00-9	GHS06, GHS05, GHS09	[1]	$0 \le x \% < 1$
CAS: 2682-20-4	Dgr		
EC: 220-239-6	Acute Tox. 3, H301		
REACH: 01-2120764690-50-XXXX	Acute Tox. 3, H311		
	Skin Corr. 1B, H314		
2-METHYLISOTHIAZOL-3(2H)-ONE	Skin Sens. 1A, H317		
	Eye Dam. 1, H318		
	Acute Tox. 2, H330		
	Aquatic Acute 1, H400		
	M Acute = 10		
	Aquatic Chronic 1, H410		
	M Chronic $= 1$		
	EUH:071		
INDEX: 613-088-00-6	GHS05, GHS07, GHS09	[1]	0 <= x % < 1
CAS: 2634-33-5	Dgr		
EC: 220-120-9	Acute Tox. 4, H302		
REACH: 01-2120761540-60-XXXX	Skin Irrit. 2, H315		
	Eye Dam. 1, H318		
1,2-BENZISOTHIAZOL-3(2H)-ONE	Skin Sens. 1, H317		
	Aquatic Acute 1, H400		
	M Acute = 1		

#### SAFETY DATA SHEET (REGULATION (EC) n° 1907/2006 - REACH) MAX SAUER SAS TEMPÉRA À L'OFUE LAUNE CADMIUM ORANCÉ VÉRITARIE - N131001 537

TEMPERA A L'OEUF JAUNE CADMIUM ORANGE VERITABLE - N131001.537				
K: 613-167-00-5	GHS06, GHS05, GHS09	В	$0 \le x \% < 1$	
55965-84-9	Dgr			
	A sute Tey 2 11201			

CAS: 55965-84-9	Dgr		
	Acute Tox. 3, H301		
REACTION MASS OF	Acute Tox. 2, H310		
5-CHLORO-2-METHYL-2H-ISOTHIAZOL-3-	Skin Corr. 1C, H314		
ONE AND	Skin Sens. 1A, H317		
2-METHYL-2H-ISOTHIAZOL-3-ONE (3:1)	Eye Dam. 1, H318		
	Acute Tox. 2, H330		
	Aquatic Acute 1, H400		
	MAcute = 100		
	Aquatic Chronic 1, H410		
	M Chronic = 100		
	EUH-071		

(Full text of H-phrases: see section 16)

# Information on ingredients :

INDEX

[1] Substance for which maximum workplace exposure limits are available.

# SECTION 4 : FIRST AID MEASURES

As a general rule, in case of doubt or if symptoms persist, always call a doctor.

NEVER induce swallowing by an unconscious person.

## 4.1. Description of first aid measures

## In the event of splashes or contact with skin :

Remove contaminated clothing and wash the skin thoroughly with soap and water or a recognised cleaner.

Watch out for any remaining product between skin and clothing, watches, shoes, etc.

In the event of an allergic reaction, seek medical attention.

If the contaminated area is widespread and/or there is damage to the skin, a doctor must be consulted or the patient transferred to hospital.

## In the event of swallowing :

Do not give the patient anything orally.

In the event of swallowing, if the quantity is small (no more than one mouthful), rinse the mouth with water and consult a doctor.

Seek medical attention immediately, showing the label.

## 4.2. Most important symptoms and effects, both acute and delayed

No data available.

## 4.3. Indication of any immediate medical attention and special treatment needed

No data available.

# SECTION 5 : FIREFIGHTING MEASURES

# Non-flammable.

# 5.1. Extinguishing media

## 5.2. Special hazards arising from the substance or mixture

A fire will often produce a thick black smoke. Exposure to decomposition products may be hazardous to health.

Do not breathe in smoke.

In the event of a fire, the following may be formed :

- carbon monoxide (CO)
- carbon dioxide (CO2)

## 5.3. Advice for firefighters

No data available.

Version 5.1 (08/03/2021) - Page 4/9

# TEMPÉRA À L'OEUF JAUNE CADMIUM ORANGÉ VÉRITABLE - N131001.537

SECTION 6 : ACCI	DENTAL RELI	EASE MEASU	JRES			
6.1. Personal prec	autions, protecti	ve equipment	and emergency	procedures		
Consult the safety	measures listed	under headings	s 7 and 8.			
For non first aid v	vorker					
Avoid any contac	t with the skin ar	d eyes.				
For first aid work	er					
First aid workers	will be equipped	with suitable p	ersonal protecti	ve equipment (Se	ee section 8).	
6.2. Environmenta	l precautions					
Contain and condition diatomaceous ear			non-combustib	ole absorbent m	naterials such a	s sand, earth, vermiculite
Prevent any mate	rial from entering	drains or wate	erways.			
6.3. Methods and	material for con	tainment and o	cleaning up			
Clean preferably	with a detergent,	do not use solv	vents.			
6.4. Reference to o	other sections					
No data available						
SECTION 7 : HAN	DLING AND ST	ORAGE				
Requirements rel	ating to storage p	remises apply t	o all facilities w	here the mixture	is handled.	
Individuals with	a history of skin s	ensitisation sh	ould not, under a	any circumstance	e, handle this mi	xture.
7.1. Precautions for	or safe handling					
Always wash han	ds after handling					
Remove and was	-		e-using.			
Fire prevention :						
Prevent access by	unauthorised pe	rsonnel.				
Recommended eq	ipment and pro	cedures :				
For personal prot						
Observe precauti	ons stated on labe	and also indu	strial safety regu	ulations.		
Prohibited equipn	ent and procedu	ires :				
No smoking, eati	-		e mixture is used	1.		
<b>7.2. Conditions for</b> No data available	r safe storage, in					
Storage	•					
Keep out of reach	of children					
Packaging	of enharch.					
Always keep in p	ookoging modo o	f an identical m	otorial to the ori	ginal		
	0 0	an identical n	laterial to the off	igilial.		
7.3. Specific end u						
No data available	•					
SECTION 8 : EXPO	SURE CONTR	OLS/PERSO	NAL PROTECT	ΓΙΟΝ		
8.1. Control parar	neters					
Occupational exp	osure limits :					
- ACGIH TLV (A		nce of Govern	mental Industria	l Hygienists, Thi	eshold Limit Va	lues, 2010) :
CAS	TWA :	STEL :	Ceiling :	Definition :	Criteria :	1
7727-43-7	10 mg/m3					

CAS	1 11 1	SILL.	comig .	Deminuon.	Cincina.
7727-43-7	10 mg/m3				
56-81-5	10 mg/m3				
- Germany - AG	W (BAuA - TRO	S 900, 08/08/2	019) :		
CAS	VME :	VME :	Excess	Notes	
56-81-5		200 mg/m <sup>3</sup>		2 (I)	

# SAFETY DATA SHEET (REGULATION (EC) n° 1907/2006 - REACH) MAX SAUER SAS

Version 5.1 (08/03/2021) - Page 5/9

# TEMPÉRA À L'OEUF JAUNE CADMIUM ORANGÉ VÉRITABLE - N131001.537

- France (INRS -	- ED984 / 2019-14	87):				
CAS	VME-ppm :	VME-mg/m3	: VLE-ppm :	VLE-mg/m3 :	Notes :	TMP No :
56-81-5	-	10	-	-	-	-
- UK / WEL (W	orkplace exposure	limits, EH40/20	005, 2011) :			
CAS	TWA :	STEL :	Ceiling :	Definition :	Criteria :	
7727-43-7	- ppm	- ppm				
	$4 \text{ mg/m}^3$	- mg/m <sup>3</sup>				
21645-51-2	10 mg/m3	-	-	-	TI	
56-81-5	- ppm	- ppm				
	10 mg/m <sup>3</sup>	- mg/m <sup>3</sup>				

## 8.2. Exposure controls

## Personal protection measures, such as personal protective equipment

Pictogram(s) indicating the obligation of wearing personal protective equipment (PPE) :



Use personal protective equipment that is clean and has been properly maintained.

Store personal protective equipment in a clean place, away from the work area.

Never eat, drink or smoke during use. Remove and wash contaminated clothing before re-using. Ensure that there is adequate ventilation, especially in confined areas.

# - Eye / face protection

Avoid contact with eyes.

Use eye protectors designed to protect against liquid splashes

Before handling, wear safety goggles in accordance with standard EN166.

## - Hand protection

Use suitable protective gloves that are resistant to chemical agents in accordance with standard EN374.

Gloves must be selected according to the application and duration of use at the workstation.

Protective gloves need to be selected according to their suitability for the workstation in question : other chemical products that may be handled, necessary physical protections (cutting, pricking, heat protection), level of dexterity required.

- Type of gloves recommended :
- Natural latex

Recommended properties :

- Impervious gloves in accordance with standard EN374

#### - Body protection

0 1 T.....

Avoid skin contact.

Wear suitable protective clothing.

Suitable type of protective clothing :

In the event of substantial spatter, wear liquid-tight protective clothing against chemical risks (type 3) in accordance with EN14605 to prevent skin contact.

In the event of a risk of splashing, wear protective clothing against chemical risks (type 6) in accordance with EN13034 to prevent skin contact.

Work clothing worn by personnel shall be laundered regularly.

After contact with the product, all parts of the body that have been soiled must be washed.

#### SECTION 9 : PHYSICAL AND CHEMICAL PROPERTIES

9.1. Information on basic physical and chemical properties	
General information :	
Physical state :	Viscous liquid.
Important health, safety and environmental information	
pH :	Not stated.
	Slightly basic.
Boiling point/boiling range :	Not specified.
Flash point interval :	Not relevant.

AFETY DATA SHEET (REGULATION (EC) n° 1907/200 IAX SAUER SAS	
TEMPÉRA À L'OEUF JAUNE CAD	OMIUM ORANGÉ VÉRITABLE - N131001.537
Vapour pressure (50°C) :	Not relevant.
Density :	>1
Water solubility :	Dilutable.
Melting point/melting range :	Not specified.
Self-ignition temperature :	Not specified.
Decomposition point/decomposition range :	Not specified.
9.2. Other information	
No data available.	
SECTION 10 : STABILITY AND REACTIVITY	
10.1. Reactivity	
No data available.	
10.2. Chemical stability	
This mixture is stable under the recommended handling	g and storage conditions in section 7.
10.3. Possibility of hazardous reactions	
No data available.	
10.4. Conditions to avoid	
No data available.	
10.5. Incompatible materials	
No data available.	
10.6. Hazardous decomposition products	
The thermal decomposition may release/form :	
- carbon monoxide (CO)	
- carbon dioxide (CO2)	
SECTION 11 : TOXICOLOGICAL INFORMATION	
11.1. Information on toxicological effects	
May cause an allergic reaction by skin contact.	
11.1.1. Substances	
Acute toxicity :	
GLYCEROL (CAS: 56-81-5) Oral route :	LD50 > 27200 mg/kg
	Species : Rat
Dermal route :	LD50 > 10000 mg/kg
Bornai routo .	2230 × 10000 mg/kg
SULFATE DE BARYUM (CAS: 7727-43-7)	
Oral route :	LD50 > 15000 mg/kg
	Species : Rat (recommended by the CLP)
11.1.2. Mixture	
No toxicological data available for the mixture.	
SECTION 12 : ECOLOGICAL INFORMATION	
Harmful to aquatic life with long lasting effects.	
The product must not be allowed to run into drains or v	waterways.
12.1. Toxicity	
12.1.1. Substances	
SULFATE DE BARYUM (CAS: 7727-43-7)	
Crustacean toxicity :	EC50 = 32  mg/l

Crustacean toxicity :

EC50 = 32 mg/l Species : Daphnia magna

Page 6 of 9

X SAUER SAS	
TEMPERA A L'OEUF JAUNE CA	ADMIUM ORANGÉ VÉRITABLE - N131001.537
	Duration of exposure : 48 h
GLYCEROL (CAS: 56-81-5)	
Fish toxicity :	EC50 mg/l
	Duration of exposure : 96 h
Crustacean toxicity :	EC50 mg/l
-	Species : Daphnia magna
	Duration of exposure : 24 h
Algae toxicity :	EC50 mg/l
	Species : Scenedesmus quadricauda
	Duration of exposure : 7 days
12.1.2. Mixtures	
No aquatic toxicity data available for the mixture.	
12.2. Persistence and degradability	
12.2.1. Substances	
SULFATE DE BARYUM (CAS: 7727-43-7)	
Biodegradability :	no degradability data is available, the substance is considered as not degrading quickly.
GLYCEROL (CAS: 56-81-5)	
Chemical oxygen demand :	DCO = 1.16  g/g
Five-day biochemical oxygen demand :	DBO5 = 0.87  g/g
Biodegradability :	Rapidly degradable.
12.3. Bioaccumulative potential	
12.3.1. Substances	
GLYCEROL (CAS: 56-81-5)	
Octanol/water partition coefficient :	log Koe = -1.75 OECD Guideline 107 (Partition Coefficient (n-octanol / water), Shake Flask Me
12.4. Mobility in soil	
No data available.	
12.5. Results of PBT and vPvB assessment	
No data available.	
12.6. Other adverse effects	
No data available.	
German regulations concerning the classification of	f hazards for water (WGK, AwSV vom 18/04/2017, KBws) :

# SECTION 13 : DISPOSAL CONSIDERATIONS

Proper waste management of the mixture and/or its container must be determined in accordance with Directive 2008/98/EC.

## 13.1. Waste treatment methods

Do not pour into drains or waterways.

# Waste :

Waste management is carried out without endangering human health, without harming the environment and, in particular without risk to water, air, soil, plants or animals.

Recycle or dispose of waste in compliance with current legislation, preferably via a certified collector or company.

Do not contaminate the ground or water with waste, do not dispose of waste into the environment.

Version 5.1 (08/03/2021) - Page 8/9

# TEMPÉRA À L'OEUF JAUNE CADMIUM ORANGÉ VÉRITABLE - N131001.537

## Soiled packaging :

Empty container completely. Keep label(s) on container. Give to a certified disposal contractor.

## SECTION 14 : TRANSPORT INFORMATION

Exempt from transport classification and labelling.

14.1. UN number

## 14.2. UN proper shipping name

- 14.3. Transport hazard class(es)
- 14.4. Packing group
- 14.5. Environmental hazards
- -
- 14.6. Special precautions for user

## SECTION 15 : REGULATORY INFORMATION

- 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture
- Classification and labelling information included in section 2:

The following regulations have been used:

- EU Regulation No. 1272/2008 amended by EU Regulation No. 2020/217 (ATP 14)
- Container information:

The mixture is contained in packaging that does not exceed 125 ml.

- **Particular provisions :** No data available.
- German regulations concerning the classification of hazards for water (WGK, AwSV vom 18/04/2017, KBws) : WGK 2 : Hazardous for water.
- 15.2. Chemical safety assessment

No data available.

## SECTION 16 : OTHER INFORMATION

Since the user's working conditions are not known by us, the information supplied on this safety data sheet is based on our current level of knowledge and on national and community regulations.

The mixture must not be used for other uses than those specified in section 1 without having first obtained written handling instructions.

It is at all times the responsibility of the user to take all necessary measures to comply with legal requirements and local regulations.

The information in this safety data sheet must be regarded as a description of the safety requirements relating to the mixture and not as a guarantee of the properties thereof.

### Wording of the phrases mentioned in section 3 :

0 1	
H301	Toxic if swallowed.
H302	Harmful if swallowed.
H310	Fatal in contact with skin.
H311	Toxic in contact with skin.
H314	Causes severe skin burns and eye damage.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H318	Causes serious eye damage.

Item Numbers: 00028-4832

## SAFETY DATA SHEET (REGULATION (EC) n° 1907/2006 - REACH) Version 5.1 (08/03/2021) - Page 9/9 MAX SAUER SAS TEMPÉRA À L'OEUF JAUNE CADMIUM ORANGÉ VÉRITABLE - N131001.537

11000	<b>E</b>
H330	Fatal if inhaled.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
EUH071	Corrosive to the respiratory tract.
Abbreviations ·	

Abbreviations :

UFI : Unique Formula Identifier

ADR : European agreement concerning the international carriage of dangerous goods by Road.

IMDG : International Maritime Dangerous Goods.

IATA : International Air Transport Association.

ICAO : International Civil Aviation Organisation

RID : Regulations concerning the International carriage of Dangerous goods by rail.

WGK : Wassergefahrdungsklasse (Water Hazard Class).

GHS07 : Exclamation mark

PBT: Persistent, bioaccumulable and toxic.

vPvB : Very persistent, very bioaccumulable.

SVHC : Substances of very high concern.