Version 4.1 (08/03/2021) - Page 1/9

TEMPERA A L'OEUF JAUNE CADMIUM CLAIR VERITABLE - N131001.529

# SAFETY DATA SHEET

(REACH regulation (EC) n° 1907/2006 - n° 2015/830)

# SECTION 1 : IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

#### 1.1. Product identifier

Product name : TEMPERA A L'OEUF JAUNE CADMIUM CLAIR VERITABLE Product code : N131001.529. UFI : D2RD-NP43-2R03-N3K8

1.2. Relevant identified uses of the substance or mixture and uses advised against

1.3. Details of the supplier of the safety data sheet

Registered company name : MAX SAUER SAS.

Address : 2 rue Lamarck, CS30204.22000.Saint Brieuc.FRANCE.

Telephone : 00 33 (0)2 96 68 20 00. Fax : 00 33 (0)2 96 61 77 19.

regulatory.affairs@raphael.fr

1.4. Emergency telephone number : +33 (0)1 45 42 59 59.

Association/Organisation : INRS / ORFILA http://www.centres-antipoison.net.

# SECTION 2 : HAZARDS IDENTIFICATION

2.1. Classification of the substance or mixture

In compliance with EC regulation No. 1272/2008 and its amendments.

Skin sensitisation, Category 1 (Skin Sens. 1, H317).

Hazardous to the aquatic environment - Chronic hazard, Category 3 (Aquatic Chronic 3, H412).

This mixture does not present a physical hazard. Refer to the recommendations regarding the other products present on the site.

# 2.2. Label elements

In compliance with EC regulation No. 1272/2008 and its amendments.

Hazard pictograms :



GHS07		
Signal Word :		
WARNING		
Product identifiers : 613-326-00-9 613-088-00-6 613-167-00-5	2-METHYLISOTHIAZOL-3( 1,2-BENZISOTHIAZOL-3( REACTION MASS OF 5-C 2-METHYL-2H-ISOTHIAZ	2H)-ÓNE HLORO-2-METHYL-2H-ISOTHIAZOL-3-ONE AND
Hazard statements :		
H317	May	cause an allergic skin reaction.
H412	Harm	ful to aquatic life with long lasting effects.
Precautionary statement	s - General :	
P101	If me	dical advice is needed, have product container or label at hand.
P102	Keep	out of reach of children.
Precautionary statement	s - Prevention :	
P261	Avoi	d breathing dust/fume/gas/mist/vapours/spray.
P272	Conta	aminated work clothing should not be allowed out of the workplace.
P280		protective gloves/protective clothing/eye protection/face ction/hearing protection/

Item Numbers: 00028-4962

- Made under licence of European Label System® MSDS software from InfoDyne - http://www.infodyne.fr -

Page 1 of 9

#### SAFETY DATA SHEET (REGULATION (EC) n° 1907/2006 - REACH) Version 4.1 (08/03/2021) - Page 2/9 MAX SAUER SAS TEMPERA A L'OEUF JAUNE CADMIUM CLAIR VERITABLE - N131001.529

Precautionary statements - Response :	
P321	Specific treatment (see on this label).
P362 + P364	Take off contaminated clothing and wash it before reuse.
Precautionary statements - Disposal :	
P501	Dispose of contents/container to
Other information :	

# 2.3. Other hazards

The mixture does not contain substances classified as 'Substances of Very High Concern' (SVHC)  $\geq 0.1\%$  published by the European CHemicals Agency (ECHA) under article 57 of REACH: http://echa.europa.eu/fr/candidate-list-table The mixture fulfils neither the PBT nor the vPvB criteria for mixtures in accordance with annexe XIII of the REACH regulations EC 1907/2006.

# SECTION 3 : COMPOSITION/INFORMATION ON INGREDIENTS

# 3.2. Mixtures

Composition :			
Identification	(EC) 1272/2008	Note	%
CAS: 7727-43-7		[1]	10 <= x % < 25
EC: 231-784-4			
SULFATE DE BARYUM			
CAS: 21645-51-2		[1]	2.5 <= x % < 10
EC: 244-492-7			
REACH: 01-2119529246-39-XXXX			
HYDROXYDE D'ALUMINIUM			
CAS: 56-81-5		[1]	2.5 <= x % < 10
EC: 200-289-5			
REACH: exemption (annexe V)			
GLYCEROL			
INDEX: 613-326-00-9	GHS06, GHS05, GHS09	[1]	$0 \le x \% < 1$
CAS: 2682-20-4	Dgr		
EC: 220-239-6	Acute Tox. 3, H301		
REACH: 01-2120764690-50-XXXX	Acute Tox. 3, H311		
	Skin Corr. 1B, H314		
2-METHYLISOTHIAZOL-3(2H)-ONE	Skin Sens. 1A, H317		
	Eye Dam. 1, H318		
	Acute Tox. 2, H330		
	Aquatic Acute 1, H400		
	M Acute = 10		
	Aquatic Chronic 1, H410		
	M Chronic = $1$		
	EUH:071		
INDEX: 613-088-00-6	GHS05, GHS07, GHS09	[1]	$0 \le x \% < 1$
CAS: 2634-33-5	Dgr	· ·	
EC: 220-120-9	Acute Tox. 4, H302		
REACH: 01-2120761540-60-XXXX	Skin Irrit. 2, H315		
	Eye Dam. 1, H318		
1,2-BENZISOTHIAZOL-3(2H)-ONE	Skin Sens. 1. H317		
	Aquatic Acute 1, H400		
	M Acute = $1$		

Version 4.1 (08/03/2021) - Page 3/9

# TEMPERA A L'OEUF JAUNE CADMIUM CLAIR VERITABLE - N131001.529

	-		
INDEX: 613-167-00-5	GHS06, GHS05, GHS09	В	$0 \le x \% < 1$
CAS: 55965-84-9	Dgr		
	Acute Tox. 3, H301		
REACTION MASS OF	Acute Tox. 2, H310		
5-CHLORO-2-METHYL-2H-ISOTHIAZOL-3-	Skin Corr. 1C, H314		
ONE AND	Skin Sens. 1A, H317		
2-METHYL-2H-ISOTHIAZOL-3-ONE (3:1)	Eye Dam. 1, H318		
	Acute Tox. 2, H330		
	Aquatic Acute 1, H400		
	M Acute = 100		
	Aquatic Chronic 1, H410		
	M Chronic $= 100$		
	EUH:071		

(Full text of H-phrases: see section 16)

# Information on ingredients :

[1] Substance for which maximum workplace exposure limits are available.

# SECTION 4 : FIRST AID MEASURES

As a general rule, in case of doubt or if symptoms persist, always call a doctor.

NEVER induce swallowing by an unconscious person.

### 4.1. Description of first aid measures

### In the event of splashes or contact with skin :

Remove contaminated clothing and wash the skin thoroughly with soap and water or a recognised cleaner.

Watch out for any remaining product between skin and clothing, watches, shoes, etc.

In the event of an allergic reaction, seek medical attention.

If the contaminated area is widespread and/or there is damage to the skin, a doctor must be consulted or the patient transferred to hospital.

### In the event of swallowing :

Do not give the patient anything orally.

In the event of swallowing, if the quantity is small (no more than one mouthful), rinse the mouth with water and consult a doctor.

Seek medical attention immediately, showing the label.

#### 4.2. Most important symptoms and effects, both acute and delayed

No data available.

#### 4.3. Indication of any immediate medical attention and special treatment needed

No data available.

# SECTION 5 : FIREFIGHTING MEASURES

# Non-flammable

# 5.1. Extinguishing media

## 5.2. Special hazards arising from the substance or mixture

A fire will often produce a thick black smoke. Exposure to decomposition products may be hazardous to health.

Do not breathe in smoke.

In the event of a fire, the following may be formed :

- carbon monoxide (CO)
- carbon dioxide (CO2)

### 5.3. Advice for firefighters

No data available.

Version 4.1 (08/03/2021) - Page 4/9

# TEMPERA A L'OEUF JAUNE CADMIUM CLAIR VERITABLE - N131001.529

# SECTION 6 : ACCIDENTAL RELEASE MEASURES 6.1. Personal precautions, protective equipment and emergency procedures Consult the safety measures listed under headings 7 and 8. For non first aid worker Avoid any contact with the skin and eyes. For first aid worker First aid workers will be equipped with suitable personal protective equipment (See section 8). 6.2. Environmental precautions Contain and control the leaks or spills with non-combustible absorbent materials such as sand, earth, vermiculite, diatomaceous earth in drums for waste disposal. Prevent any material from entering drains or waterways. 6.3. Methods and material for containment and cleaning up Clean preferably with a detergent, do not use solvents. 6.4. Reference to other sections No data available. SECTION 7 : HANDLING AND STORAGE Requirements relating to storage premises apply to all facilities where the mixture is handled. Individuals with a history of skin sensitisation should not, under any circumstance, handle this mixture. 7.1. Precautions for safe handling Always wash hands after handling. Remove and wash contaminated clothing before re-using. **Fire prevention :** Prevent access by unauthorised personnel. Recommended equipment and procedures : For personal protection, see section 8. Observe precautions stated on label and also industrial safety regulations. Prohibited equipment and procedures : No smoking, eating or drinking in areas where the mixture is used. 7.2. Conditions for safe storage, including any incompatibilities No data available. Storage Keep out of reach of children. Packaging Always keep in packaging made of an identical material to the original. 7.3. Specific end use(s) No data available. SECTION 8 : EXPOSURE CONTROLS/PERSONAL PROTECTION 8.1. Control parameters Occupational exposure limits : - ACGIH TLV (American Conference of Governmental Industrial Hygienists, Threshold Limit Values, 2010) : STEL Ceiling ·

CAS	I WA.	SILL.	Cennig .	Deminuon.	Cinteria.
7727-43-7	10 mg/m3				
56-81-5	10 mg/m3				
- Germany - AG	W (BAuA - TRGS	5 900, 08/08/20	19) :		
CAS	VME :	VME :	Excess	Notes	
56-81-5		200 mg/m <sup>3</sup>		2 (I)	

Version 4.1 (08/03/2021) - Page 5/9

## **TEMPERA A L'OEUF JAUNE CADMIUM CLAIR VERITABLE - N131001.529**

- France (INRS - ED984 / 2019-1487) :						
CAS	VME-ppm :	VME-mg/m3	: VLE-ppm :	VLE-mg/m3 :	Notes :	TMP No :
56-81-5	-	10	-	-	-	-
- UK / WEL (Wo	rkplace exposure	limits, EH40/20	05, 2011) :			
CAS	TWA :	STEL :	Ceiling :	Definition :	Criteria :	
7727-43-7	- ppm	- ppm				
	$4 \text{ mg/m}^3$	- mg/m <sup>3</sup>				
21645-51-2	10 mg/m3	-	-	-	TI	
56-81-5	- ppm	- ppm				
	$10 \text{ mg/m}^3$	$- mg/m^3$				

### 8.2. Exposure controls

#### Personal protection measures, such as personal protective equipment

Pictogram(s) indicating the obligation of wearing personal protective equipment (PPE) :



Use personal protective equipment that is clean and has been properly maintained.

Store personal protective equipment in a clean place, away from the work area.

Never eat, drink or smoke during use. Remove and wash contaminated clothing before re-using. Ensure that there is adequate ventilation, especially in confined areas.

# - Eye / face protection

Avoid contact with eyes.

Use eye protectors designed to protect against liquid splashes

Before handling, wear safety goggles in accordance with standard EN166.

#### - Hand protection

Use suitable protective gloves that are resistant to chemical agents in accordance with standard EN374.

Gloves must be selected according to the application and duration of use at the workstation.

Protective gloves need to be selected according to their suitability for the workstation in question : other chemical products that may be handled, necessary physical protections (cutting, pricking, heat protection), level of dexterity required.

- Type of gloves recommended :
- Natural latex

Recommended properties :

- Impervious gloves in accordance with standard EN374

#### - Body protection

0 1 T.....

Avoid skin contact.

Wear suitable protective clothing.

Suitable type of protective clothing :

In the event of substantial spatter, wear liquid-tight protective clothing against chemical risks (type 3) in accordance with EN14605 to prevent skin contact.

In the event of a risk of splashing, wear protective clothing against chemical risks (type 6) in accordance with EN13034 to prevent skin contact.

Work clothing worn by personnel shall be laundered regularly.

After contact with the product, all parts of the body that have been soiled must be washed.

#### SECTION 9 : PHYSICAL AND CHEMICAL PROPERTIES

9.1. Information on basic physical and chemical properties	
General information :	
Physical state :	Viscous liquid.
Important health, safety and environmental information	
pH :	Not stated.
	Slightly basic.
Boiling point/boiling range :	Not specified.
Flash Point :	101.00 °C.

AX SAUER SAS TEMPERA A L'OEUF JAUNE CADMIUM CLAIR VERITABLE - N131001.5 Vapour pressure (50°C) : Not relevant.	529
Vapour pressure (50°C) · Not relevant	
Vapour pressure (50°C) · Not relevant	
vapour pressure (50 C). Not relevant.	
Density : >1	
Water solubility : Dilutable.	
Melting point/melting range : Not specified.	
Self-ignition temperature : Not specified.	
Decomposition point/decomposition range : Not specified.	
9.2. Other information	
No data available.	
SECTION 10 : STABILITY AND REACTIVITY	
10.1. Reactivity	
No data available.	
10.2. Chemical stability	
This mixture is stable under the recommended handling and storage conditions in section 7.	
10.3. Possibility of hazardous reactions	
No data available.	
10.4. Conditions to avoid	
No data available.	
10.5. Incompatible materials	
No data available.	
10.6. Hazardous decomposition products	
The thermal decomposition may release/form :	
- carbon monoxide (CO)	
- carbon dioxide (CO2)	
SECTION 11 : TOXICOLOGICAL INFORMATION 11.1. Information on toxicological effects	
May cause an allergic reaction by skin contact.	
11.1.1. Substances	
Acute toxicity :	
GLYCEROL (CAS: 56-81-5) Oral route : LD50 > 27200 mg/kg	
Species : Rat	
Dermal route : LD50 > 10000 mg/kg	
SULFATE DE BARYUM (CAS: 7727-43-7)	
Oral route : LD50 > 15000 mg/kg	
Species : Rat (recommended by the CLP)	
11.1.2. Mixture	
No toxicological data available for the mixture.	
-	
SECTION 12 : ECOLOGICAL INFORMATION	
Harmful to aquatic life with long lasting effects.	
The product must not be allowed to run into drains or waterways.	
12.1. Toxicity	
12.1.1. Substances	
SULFATE DE BARYUM (CAS: 7727-43-7) Crustacean toxicity : EC50 = 32 mg/l	

Crustacean toxicity :

EC50 = 32 mg/l Species : Daphnia magna

Page 6 of 9

'ETY DATA SHEET (REGULATION (EC) n° 1907/2 X SAUER SAS	2006 - REACH) Version 4.1 (08/03/2021) - Page 7/9
TEMPERA A L'OEUF JAUNE (	CADMIUM CLAIR VERITABLE - N131001.529
	Duration of exposure : 48 h
CINCEDOL (CAS: 57 81 5)	
GLYCEROL (CAS: 56-81-5) Fish toxicity :	EC50 mg/l Duration of exposure : 96 h
Crustacean toxicity :	EC50 mg/l Species : Daphnia magna Duration of exposure : 24 h
Algae toxicity :	EC50 mg/l Species : Scenedesmus quadricauda Duration of exposure : 7 days
12.1.2. Mixtures	
No aquatic toxicity data available for the mixture.	
12.2. Persistence and degradability	
12.2.1. Substances	
SULFATE DE BARYUM (CAS: 7727-43-7) Biodegradability :	no degradability data is available, the substance is considered as not degrading quickly.
GLYCEROL (CAS: 56-81-5)	
Chemical oxygen demand :	DCO = 1.16  g/g
Five-day biochemical oxygen demand :	DBO5 = 0.87  g/g
Biodegradability :	Rapidly degradable.
12.3. Bioaccumulative potential	
12.3.1. Substances	
GLYCEROL (CAS: 56-81-5) Octanol/water partition coefficient :	log Koe = -1.75 OECD Guideline 107 (Partition Coefficient (n-octanol / water), Shake Flask Me
12.4. Mobility in soil	
No data available.	
12.5. Results of PBT and vPvB assessment	
No data available.	
<b>12.6. Other adverse effects</b> No data available.	
	f hazards for water (WGK, AwSV vom 18/04/2017, KBws) :
WGK 2 : Hazardous for water.	A MARINE SOL WHEEL (TO GREETING TO TOME LOUGH BOLT, RED TO, I

#### SECTION 13 : DISPOSAL CONSIDERATIONS

Proper waste management of the mixture and/or its container must be determined in accordance with Directive 2008/98/EC.

## 13.1. Waste treatment methods

Do not pour into drains or waterways.

# Waste :

Waste management is carried out without endangering human health, without harming the environment and, in particular without risk to water, air, soil, plants or animals.

Recycle or dispose of waste in compliance with current legislation, preferably via a certified collector or company.

Do not contaminate the ground or water with waste, do not dispose of waste into the environment.

Version 4.1 (08/03/2021) - Page 8/9

### TEMPERA A L'OEUF JAUNE CADMIUM CLAIR VERITABLE - N131001.529

### Soiled packaging :

Empty container completely. Keep label(s) on container. Give to a certified disposal contractor.

### SECTION 14 : TRANSPORT INFORMATION

Exempt from transport classification and labelling.

14.1. UN number

#### 14.2. UN proper shipping name

- 14.3. Transport hazard class(es)
- 14.4. Packing group
- 14.5. Environmental hazards
- -
- 14.6. Special precautions for user

### SECTION 15 : REGULATORY INFORMATION

- 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture
- Classification and labelling information included in section 2:

The following regulations have been used:

- EU Regulation No. 1272/2008 amended by EU Regulation No. 2020/217 (ATP 14)
- Container information:

The mixture is contained in packaging that does not exceed 125 ml.

- **Particular provisions :** No data available.
- German regulations concerning the classification of hazards for water (WGK, AwSV vom 18/04/2017, KBws) : WGK 2 : Hazardous for water.
- 15.2. Chemical safety assessment

No data available.

### **SECTION 16 : OTHER INFORMATION**

Since the user's working conditions are not known by us, the information supplied on this safety data sheet is based on our current level of knowledge and on national and community regulations.

The mixture must not be used for other uses than those specified in section 1 without having first obtained written handling instructions.

It is at all times the responsibility of the user to take all necessary measures to comply with legal requirements and local regulations.

The information in this safety data sheet must be regarded as a description of the safety requirements relating to the mixture and not as a guarantee of the properties thereof.

#### Wording of the phrases mentioned in section 3 :

0	
H301	Toxic if swallowed.
H302	Harmful if swallowed.
H310	Fatal in contact with skin.
H311	Toxic in contact with skin.
H314	Causes severe skin burns and eye damage.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H318	Causes serious eye damage.

Item Numbers: 00028-4962

#### SAFETY DATA SHEET (REGULATION (EC) n° 1907/2006 - REACH) Version 4.1 (08/03/2021) - Page 9/9 MAX SAUER SAS TEMPERA A L'OEUF JAUNE CADMIUM CLAIR VERITABLE - N131001.529

H330	Fatal if inhaled.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
EUH071	Corrosive to the respiratory tract.
A hhroviations	

# Abbreviations :

UFI : Unique Formula Identifier

ADR : European agreement concerning the international carriage of dangerous goods by Road.

IMDG : International Maritime Dangerous Goods.

IATA : International Air Transport Association.

ICAO : International Civil Aviation Organisation

RID : Regulations concerning the International carriage of Dangerous goods by rail.

WGK : Wassergefahrdungsklasse (Water Hazard Class).

GHS07 : Exclamation mark

PBT: Persistent, bioaccumulable and toxic.

vPvB : Very persistent, very bioaccumulable.

SVHC : Substances of very high concern.