

00426-XXXX

Marshall Photo Oil Colors: AIR FORCE BLUE

00426-2002,2004

Safety Data Sheet (SDS)
 OSHA HazCom Standard 29 CFR 1910.1200 GHD Rev 03

**Section 1: Company and Product Identification****Product Name:** AIR FORCE BLUE Photo Oil Color**Product Code:** MS2AFB, MS4AFB

Company: OmegaBrandess Distribution
 626 Hanover Pike, Suite 102
 Hampstead, MD 21074
 PH: 410-374-3250 / FAX: 410-374-3184
www.OmegaBrandess.com

Emergency Response: CHEMTREC 1-800-424-9300 (24 Hour Response)**Response:** Poison Control: 1-800-222-1222**Section 2: Hazards Identification**

GHS02

GHS09

BLANK

BLANK

Hazard Pictograms:**Signal Word:**

Danger

Hazard Category:

Flammable Liq Cat 3
 Acute tox, inh. Cat 5
 Skin corrosion/irritation Cat 2
 Hazard to aquatic environment, chronic Cat 1
 Hazard to aquatic environment, acute Cat 1
 Acute tox, oral Cat 5

Hazard Statements:

H226: Flammable liquid and vapour
 H333: May be harmful if inhaled
 H315: Causes skin irritation
 H410: Very toxic to aquatic life with long lasting effects
 H400: Very toxic to aquatic life
 H303: May be harmful if swallowed

Precautionary Statements:

P202: Do not handle until all safety precautions have been read and
 P280: Wear protective gloves/protective clothing/eye protection/face
 P305+351+338: IF IN EYES: Rinse cautiously with water for several minutes.
 Remove contact lenses if present and easy to do – continue rinsing
 P302+350: IF ON SKIN: Gently wash with plenty of soap and water
 P337+313: If eye irritation persists get medical advice/attention
 P403: Store in a well ventilated place
 P331: Do NOT induce vomiting
 P301+312: IF SWALLOWED: Call a POISON CENTER or doctor/physician if
 you feel unwell
 P304+340: IF INHALED: Remove victim to fresh air and keep at rest in a
 position comfortable for breathing. If breathing becomes difficult, seek
 immediate medical attention
 P501: Dispose of contents/container in accordance with
 local/national/international rules.

Marshall Photo Oil Colors: BACKGROUND AQUA

Section 3: Composition / Information on Ingredients

Hazardous substance (name)	Hazard Category	CAS#	Weight %
Ethyl Alcohol (C ₂ H ₆ O)	Not Classified	64-17-5	> 0.5 %
Alumina Trihydrate aka ALUPREM (Al(OH) ₃)	Not Classified	21645-51-2	< 31%

Section 4: First Aid Measures

General Info: If seeking medical attention, provide SDS document to physician.

Notable Exposure: Treat symptomatically. This product has no known significant effects or critical symptoms: hazards. Contact Poison Control in the event significant quantities have been ingested.

If ingested: Rinse mouth thoroughly. Remove dentures if applicable. Move person to fresh air and keep in a comfortable position for breathing. Do not induce vomiting. Have exposed individual drink sips of water. May cause Irritation of the mouth. Seek medical attention if adverse health effects persist or become severe.

If inhaled: Move individual to fresh air. Loosen clothing and position individual in a comfortable position. If breathing is difficult, administer oxygen if available. Seek medical advice if discomfort or irritation persists.

Eye contact: Protect unexposed eye. Remove any contact lenses. Rinse/flush affected eye gently with water for 15-20 minutes. Seek medical attention if irritation persists or if pain develops and persists.

Skin contact: Remove any contaminated clothing and wash before reuse. Wash affected area with soap and water. Rinse well for 15 minutes. Seek medical advice if discomfort or irritation persists.

Additional Info: Observe for any symptoms for several hours after exposure. Follow up with medical attention if symptoms develop.

Section 5: Fire Fighting Measures

General Info: Product is flammable. Isolate any uncompromised product from area if possible. Do not breath fumes. Cool unopened containers with water.

Extinguishing: Carbon dioxide (CO₂), dry chemical, foam. Firefighters should wear self-contained Method / Equipment: breathing apparatus (SCBA) and full protective equipment.

Hazardous: May emit toxic fumes under fire conditions. Thermal decomposition may yield carbon Decomposition Info: dioxide and/or carbon monoxide.

Section 6: Accidental Release Measures

Personal precautions, protective equipment and procedures: Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Eliminate all ignition sources (no smoking, flares, sparks, or flames in immediate area).

and procedures: Wear appropriate protective equipment and clothing during clean-up. Avoid breathing vapors. Ventilate area if easy to do so. Contact local authorities if significant spillages cannot be contained. For personal protection, see section 8 of the SDS.

Containment: Small spills: Should be picked up w/ absorbent material and transferred into closed Equipment and metal containers and soaked with water Larger Spills can be scooped up and put into Procedures: metal containers to be salvaged.

Cleanup Procedures: Carefully incinerate or use secure landfills or a special waste landfill. Dispose of all waste and cleanup materials in accordance with regulations.

Marshall Photo Oil Colors: BACKGROUND AQUA

Section 7: Handling and Storage

Safe Handling: Do not handle until all safety precautions have been read and understood. Do not handle near an open flame or sources of ignition. Ensure adequate ventilation. Take precautionary measures against static discharges. Avoid breathing vapors. Avoid contact with eyes, skin, and clothing. Wear appropriate personal protective equipment.

Recommendations for Storage: Store in cool area in product container away from sources of ignition or flame. Store away from foodstuffs. Store in a cool, dry conditions in well sealed containers. Avoid accumulation of contaminated rags or wiping materials by immediately immersing in water.

Incompatibilities: Store away from oxidizing agents and Chlorinated Rubber.

Section 8: Exposure Control / Personal Protection

General / Local exhaust ventilation should be utilized to control vapors / substances below Engineering exposure limits. Eye wash facilities should be available when handling this product.

Controls:

Work Clothing: Protective work clothing which covers skin and prevents exposures.

Eye/face protection: Wear safety goggles or face shield.

Skin Protection: Wear neoprene rubber gloves. Prevent repeated or prolonged skin contact.

Respiratory Protection: Not normally required under normal conditions of use.

Additional Information: Observe good chemical hygiene practices. Do not smoke or eat while using this product. Wash hands or exposed skin after using the product.

Substances with Exposure Limits	CAS#	ACGIH-TLV	OSHA-PEL
Ethanol	64-17-5	1000ppm/15 min	1000 ppm / 8 hrs

Section 9: Physical and Chemical Properties

State: Thick liquid	Melting Point: Not avail	Freezing Point: Not avail
Color: Bluish Green	Boiling Point/Range: Not avail	pH: Not avail
Sp Grav: Not avail	Odor: Strong	Water Solubility: > 1%
Evaporation rate: < 1	Flash Point: 160° SETA	Part. Coeff (n-octanol/water): Not avail
Upper Flam Limits: Not avail	Lower Flam Limits: Not avail	Vapor Pressure: 40
VOC Content (lbs/gal): Not avail	Viscosity: Not avail	Autoignition Temp: Not avail

Section 10: Stability and Reactivity

General: This product is stable and non-reactive under normal conditions of use. Product is not subject to hazardous polymerization. Avoid open flame and ignition sources.

Marshall Photo Oil Colors: BACKGROUND AQUA

Incompatible materials: Strong oxidizing agents, chlorinated rubber.

Decomposition products: carbon dioxide, carbon monoxide (thermal decomposition)

Section 11: Toxicological Information

General Information: Contains chemicals which may be irritants in contact with skin and eyes or if inhaled. May be harmful if ingested.

Toxicological Information (product): The components of this material have been reviewed and the following selected endpoints are published.

Likely Routes of Inhalation of vapors, dermal Exposure:

Toxicological Information (contained substances)

Hazardous substance (name)	LD50 Oral	LD50 Dermal	LC50 Inh	Irritancy:
Ethyl alcohol (Ethanol)	NA	NA	NA	NA
alumina trihydrate (ALUPREM)	>5000 mg/kg (rat)	Unjustified	>2.3 mg/l/4h (rat)	NA

Carcinogenicity or mutagenicity: There are no known carcinogenic materials in this product

Sensitization: Product is not expected to be a sensitizer.

Reproductive Toxicity: Not known to adversely affect reproductive functions and organs. Not known to cause birth defects or have a deleterious effect on a developing fetus.

Other Notes: None.

Section 12: Ecological Information

General information: Product not tested.

Aquatic toxicity: Not known to be hazardous to the environment.

Degradation / Mobility info: No specific data available.

Bioaccumulative potential: This product has inorganic compounds which are not biodegradable and has the potential for bioaccumulation.

Section 13: Disposal Information

Product disposal: Dispose of product in accordance with local, regional, and national regulations.

Container disposal: Empty containers should be taken to an approved waste handling site for recycling or disposal.

Other considerations: No further information.

5/10/2017

5 of 5

US-SDS

"All chemicals may pose unknown hazards and should be used and handled with caution. This Safety Data Sheet applies only to the material as packaged. If this product is combined with other materials, deteriorates, or becomes contaminated, it may pose hazards not mentioned in this SDS. It shall be the user's responsibility to develop proper methods of handling and personal protection based on the actual conditions of use. While this SDS is based on technical data judged to be reliable, OmegaBrandess Distribution assumes no responsibility for the completeness or accuracy of the information contained herein. The information and recommendations in this safety data sheet are, to the best of our knowledge, accurate as of the date of issue. Nothing herein shall be deemed to create warranty, expressed or implied, and shall not establish a legally valid contractual relationship. It is the responsibility of the user to determine applicability of this information and the suitability of the material or product for any particular purpose.

** Since other agencies regulate this information, OSHA does not require and will not be enforcing sections 12-15 (29 CFR 1910.1200(g)(2))

SDS Author: Stephanie M. Wilson		Version #	5/10/2017
Version Date:		1.0	
Section 16: Other Information			
WHMIS: **			
Canadian DSL: **			
Substances:			
California Prop 65 **			
SARA 313 **			
SARA 311/312: **			
CERCLA RQ: **			
TSCA: **			
Section 15: Regulatory Information**			
DOT: Not dangerous/hazardous goods. **			
IMO/MDG: **			
IATA: **			
Section 14: Transport Information**			

Marshall Photo Oil Colors: BACKGROUND AQUA

Marshall Photo Oil Colors: GRAYED BACKGROUND BLUE 00426-2614,5864

Safety Data Sheet (SDS)
 OSHA HazCom Standard 29 CFR 1910.1200 GHD Rev 03

**Section 1: Company and Product Identification**

Product Name: GRAYED BACKGROUND BLUE Photo Oil Color
Product Code: MS4GBB, MS2GBB
Company: OmegaBrandess Distribution
 626 Hanover Pike, Suite 102
 Hampstead, MD 21074
 PH: 410-374-3250 / FAX: 410-374-3184
 www.OmegaBrandess.com
Emergency Response: CHEMTREC 1-800-424-9300 (24 Hour Response)
 Poison Control: 1-800-222-1222

Section 2: Hazards Identification

GHS02	BLANK	BLANK	BLANK
-------	-------	-------	-------

Hazard Pictograms:

Signal Word: Danger

Hazard Category: Flammable Liq Cat 3
 Acute tox, inh. Cat 5
 Skin corrosion/irritation Cat 3
 Non-classified
 Non-classified

Hazard Statements: H226: Flammable liquid and vapour
 H333: May be harmful if inhaled
 H316: Causes mild skin irritation
 Not Applicable
 Not Applicable

Precautionary Statements: P202: Do not handle until all safety precautions have been read and
 P280: Wear protective gloves/protective clothing/eye protection/face
 P305+351+338: IF IN EYES: Rinse cautiously with water for several minutes.
 Remove contact lenses if present and easy to do – continue rinsing
 P302+350: IF ON SKIN: Gently wash with plenty of soap and water
 P337+313: If eye irritation persists get medical advice/attention
 P403: Store in a well ventilated place
 P301+312: IF SWALLOWED: Call a POISON CENTER or doctor/physician if
 you feel unwell
 P304+340: IF INHALED: Remove victim to fresh air and keep at rest in a
 position comfortable for breathing. If breathing becomes difficult, seek
 immediate medical attention
 P501: Dispose of contents/container in accordance with
 local/national/international rules.

Hazards not otherwise classified: Not applicable, none known.

Marshall Photo Oil Colors: GRAYED BACKGROUND BLUE

Section 3: Composition / Information on Ingredients

Hazardous substance (name)	Hazard Category	CAS#	Weight %
Ethyl Alcohol (C ₂ H ₆ O)	Not Classified	64-17-5	> 0.5 %
Alumina Trihydrate aka ALUPREM (Al(OH) ₃)	Not Classified	21645-51-2	< 35%

Section 4: First Aid Measures

General Info: If seeking medical attention, provide SDS document to physician.

Notable Exposure: Treat symptomatically. This product has no known significant effects or critical symptoms: hazards. Contact Poison Control in the event significant quantities have been ingested.

If ingested: Rinse mouth thoroughly. Remove dentures if applicable. Move person to fresh air and keep in a comfortable position for breathing. Do not induce vomiting. Have exposed individual drink sips of water. May cause irritation of the mouth. Seek medical attention if adverse health effects persist or become severe.

If inhaled: Move individual to fresh air. Loosen clothing and position individual in a comfortable position. If breathing is difficult, administer oxygen if available. Seek medical advice if discomfort or irritation persists.

Eye contact: Protect unexposed eye. Remove any contact lenses. Rinse/flush affected eye gently with water for 15-20 minutes. Seek medical attention if irritation persists or if pain develops and persists.

Skin contact: Remove any contaminated clothing and wash before reuse. Wash affected area with soap and water. Rinse well for 15 minutes. Seek medical advice if discomfort or irritation persists.

Additional Info: Observe for any symptoms for several hours after exposure. Follow up with medical attention if symptoms develop.

Section 5: Fire Fighting Measures

General Info: Product is flammable. Isolate any uncompromised product from area if possible. Do not breath fumes. Cool unopened containers with water.

Extinguishing: Carbon dioxide (CO₂), dry chemical, foam. Firefighters should wear self-contained Method / Equipment: breathing apparatus (SCBA) and full protective equipment.

Hazardous: May emit toxic fumes under fire conditions. Thermal decomposition may yield carbon Decomposition Info: dioxide and/or carbon monoxide.

Section 6: Accidental Release Measures

Personal precautions, protective equipment and procedures: Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Eliminate all ignition sources (no smoking, flares, sparks, or flames in immediate area). Wear appropriate protective equipment and clothing during clean-up. Avoid breathing vapors. Ventilate area if easy to do so. Contact local authorities if significant spillages cannot be contained. For personal protection, see section 8 of the SDS.

Containment: Small spills: Should be picked up w/ absorbent material and transferred into closed Equipment and metal containers and soaked with water Larger Spills can be scooped up and put into Procedures: metal containers to be salvaged.

Cleanup Procedures: Carefully incinerate or use secure landfills or a special waste landfill. Dispose of all waste and cleanup materials in accordance with regulations.

Marshall Photo Oil Colors: GRAYED BACKGROUND BLUE

Section 7: Handling and Storage

Safe Handling Do not handle until all safety precautions have been read and understood. Do not handle near an open flame or sources of ignition. Ensure adequate ventilation. Take precautionary measures against static discharges. Avoid breathing vapors. Avoid contact with eyes, skin, and clothing. Wear appropriate personal protective equipment.

Recommendations Store in cool area in product container away from sources of ignition or flame. Store for Storage: away from foodstuffs. Store in a cool, dry conditions in well sealed containers. Avoid accumulation of contaminated rags or wiping materials by immediately immersing in water.

Incompatibilities: Store away from oxidizing agents and Chlorinated Rubber.

Section 8: Exposure Control / Personal Protection

General / Local exhaust ventilation should be utilized to control vapors / substances below Engineering exposure limits. Eye wash facilities should be available when handling this product.

Controls:

Work Clothing: Protective work clothing which covers skin and prevents exposures.

Eye/face protection: Wear safety goggles or face shield.

Skin Protection: Wear neoprene rubber gloves. Prevent repeated or prolonged skin contact.

Respiratory Not normally required under normal conditions of use.

Protection:

Additional Observe good chemical hygiene practices. Do not smoke or eat while using this

Information: product. Wash hands or exposed skin after using the product.

Substances with Exposure Limits	CAS#	ACGIH-TLV	OSHA-PEL
Ethanol	64-17-5	1000ppm/15 min	1000 ppm / 8 hrs

Section 9: Physical and Chemical Properties

State: Thick liquid	Melting Point: Not avail	Freezing Point: Not avail
Color: Blue	Boiling Point/Range: Not avail	pH Not avail
Sp Grav: Not avail	Odor: Strong	Water Solubility: > 1%
Evaporation rate: < 1	Flash Point: 160° SETA	Part. Coeff (n-octanol/water) Not avail
Upper Flam Limits: Not avail	Lower Flam Limits: Not avail	Vapor Pressure: 40
VOC Content (lbs/gal): Not avail	Viscosity: Not avail	Autoignition Temp: Not avail

Section 10: Stability and Reactivity

General: This product is stable and non-reactive under normal conditions of use. Product is not subject to hazardous polymerization. Avoid open flame and ignition sources.

Marshall Photo Oil Colors: GRAYED BACKGROUND BLUE

Incompatible materials: Strong oxidizing agents, chlorinated rubber.

Decomposition products: carbon dioxide, carbon monoxide (thermal decomposition)

Section 11: Toxicological Information

General Information: Contains chemicals which may be irritants in contact with skin and eyes or if inhaled. May be harmful if ingested.

Toxicological Information (product): The components of this material have been reviewed and the following selected information endpoints are published.

Likely Routes of Inhalation of vapors, dermal Exposure:

Toxicological Information (contained substances)

Hazardous substance (name)	LD50 Oral	LD50 Dermal	LC50 Inh	Irritancy:
Ethyl alcohol (Ethanol)	NA	NA	NA	NA
alumina trihydrate (ALUPREM)	>5000 mg/kg (rat)	Unjustified	>2.3 mg/l/4h (rat)	NA

Carcinogenicity or mutagenicity: There are no known carcinogenic materials in this product

Sensitization: Product is not expected to be a sensitizer.

Reproductive Toxicity: Not known to adversely affect reproductive functions and organs. Not known to cause birth defects or have a deleterious effect on a developing fetus.

Other Notes: None.

Section 12: Ecological Information

General information: Product not tested.

Aquatic toxicity: Not known to be hazardous to the environment.

Degradation / Mobility info: No specific data available.

Bioaccumulative potential: This product has inorganic compounds which are not biodegradable and has the potential for bioaccumulation.

Section 13: Disposal Information

Product disposal: Dispose of product in accordance with local, regional, and national regulations.

Container disposal: Empty containers should be taken to an approved waste handling site for recycling or disposal.

Other considerations: No further information.

5/10/2017

5 of 5

US-SDS

*All chemicals may pose unknown hazards and should be used and handled with caution. This Safety Data Sheet applies only to the material as packaged. If this product is combined with other materials, deteriorates, or becomes contaminated, it may pose hazards not mentioned in this SDS. It shall be the user's responsibility to develop proper methods of handling and personal protection based on the actual conditions of use. While this SDS is based on technical data judged to be reliable, OmegaBrands Distribution assumes no responsibility for the completeness or accuracy of the information contained herein. The information and recommendations in this safety data sheet are, to the best of our knowledge, accurate as of the date of issue. Nothing herein shall be deemed to create warranty, expressed or implied, and shall not establish a legally valid contractual relationship. It is the responsibility of the user to determine applicability of this information and the suitability of the material or product for any particular purpose.

** Since other agencies regulate this information, OSHA does not require and will not be enforcing sections 12-15 (29 CFR 1910.1200(g)(2))

SDS Author: Stephanie M. Wilson		Version #	5/10/2017
Version Date:		1.0	
Section 16: Other Information			
TSCA: **			
CERCLA RQ: **			
SARA 311/312: **			
SARA 313: **			
California Prop 65: **			
Substances:			
Canadian DSL: **			
WHMIS: **			
Section 15: Regulatory Information**			
DOT: Not dangerous/hazardous goods. **			
IMO/MDG: **			
IATA: **			
Section 14: Transport Information**			

Marshall Photo Oil Colors: BACKGROUND TAN

00426-1000

Safety Data Sheet (SDS)
 OSHA HazCom Standard 29 CFR 1910.1200 GHD Rev 03

**Section 1: Company and Product Identification**

Product Name: BACKGROUND TAN Photo Oil Color
Product Code: MS2BT
Company: OmegaBrandess Distribution
 626 Hanover Pike, Suite 102
 Hampstead, MD 21074
 PH: 410-374-3250 / FAX: 410-374-3184
 www.OmegaBrandess.com
Emergency Response: CHEMTREC 1-800-424-9300 (24 Hour Response)
 Poison Control: 1-800-222-1222

Section 2: Hazards Identification

GHS02

BLANK

BLANK

BLANK

Hazard Pictograms:**Signal Word:**

Danger

Hazard Category:

Flammable Liq Cat 3
 Acute tox, inh. Cat 5
 Skin corrosion/irritation Cat 3
 Non-classified
 Non-classified

Hazard Statements:

H226: Flammable liquid and vapour
 H333: May be harmful if inhaled
 H316: Causes mild skin irritation
 Not Applicable
 Not Applicable

Precautionary Statements:

P202: Do not handle until all safety precautions have been read and
 P280: Wear protective gloves/protective clothing/eye protection/face
 P305+351+338: IF IN EYES: Rinse cautiously with water for several minutes.
 Remove contact lenses if present and easy to do – continue rinsing
 P302+350: IF ON SKIN: Gently wash with plenty of soap and water
 P337+313: If eye irritation persists get medical advice/attention
 P403: Store in a well ventilated place
 P301+312: IF SWALLOWED: Call a POISON CENTER or doctor/physician if
 you feel unwell
 P304+340: IF INHALED: Remove victim to fresh air and keep at rest in a
 position comfortable for breathing. If breathing becomes difficult, seek
 immediate medical attention
 P501: Dispose of contents/container in accordance with
 local/national/international rules.

Hazards not otherwise classified:

Not applicable, none known.

Marshall Photo Oil Colors: BACKGROUND TAN

Section 3: Composition / Information on Ingredients

Hazardous substance (name)	Hazard Category	CAS#	Weight %
Ethyl Alcohol (C ₂ H ₆ O)	Not Classified	64-17-5	> 0.5 %
Alumina Trihydrate aka ALUPREM (Al(OH) ₃)	Not Classified	21645-51-2	< 31%

Section 4: First Aid Measures

General Info: If seeking medical attention, provide SDS document to physician.

Notable Exposure: Treat symptomatically. This product has no known significant effects or critical symptoms: hazards. Contact Poison Control in the event significant quantities have been ingested.

If ingested: Rinse mouth thoroughly. Remove dentures if applicable. Move person to fresh air and keep in a comfortable position for breathing. Do not induce vomiting. Have exposed individual drink sips of water. May cause irritation of the mouth. Seek medical attention if adverse health effects persist or become severe.

If inhaled: Move individual to fresh air. Loosen clothing and position individual in a comfortable position. If breathing is difficult, administer oxygen if available. Seek medical advice if discomfort or irritation persists.

Eye contact: Protect unexposed eye. Remove any contact lenses. Rinse/flush affected eye gently with water for 15-20 minutes. Seek medical attention if irritation persists or if pain develops and persists.

Skin contact: Remove any contaminated clothing and wash before reuse. Wash affected area with soap and water. Rinse well for 15 minutes. Seek medical advice if discomfort or irritation persists.

Additional Info: Observe for any symptoms for several hours after exposure. Follow up with medical attention if symptoms develop.

Section 5: Fire Fighting Measures

General Info: Product is flammable. Isolate any uncompromised product from area if possible. Do not breath fumes. Cool unopened containers with water.

Extinguishing Method / Equipment: Carbon dioxide (CO₂), dry chemical, foam. Firefighters should wear self-contained breathing apparatus (SCBA) and full protective equipment.

Hazardous Decomposition Info: May emit toxic fumes under fire conditions. Thermal decomposition may yield carbon dioxide and/or carbon monoxide.

Section 6: Accidental Release Measures

Personal precautions, protective equipment and procedures: Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Eliminate all ignition sources (no smoking, flares, sparks, or flames in immediate area).

Wear appropriate protective equipment and clothing during clean-up. Avoid breathing vapors. Ventilate area if easy to do so. Contact local authorities if significant spillages cannot be contained. For personal protection, see section 8 of the SDS.

Containment Equipment and Procedures: Small spills: Should be picked up w/ absorbent material and transferred into closed metal containers and soaked with water. Larger Spills can be scooped up and put into metal containers to be salvaged.

Cleanup Procedures: Carefully incinerate or use secure landfills or a special waste landfill. Dispose of all waste and cleanup materials in accordance with regulations.

Marshall Photo Oil Colors: BACKGROUND TAN

Section 7: Handling and Storage

Safe Handling Do not handle until all safety precautions have been read and understood. Do not handle near an open flame or sources of ignition. Ensure adequate ventilation. Take precautionary measures against static discharges. Avoid breathing vapors. Avoid contact with eyes, skin, and clothing. Wear appropriate personal protective equipment.

Recommendations Store in cool area in product container away from sources of ignition or flame. Store for Storage: away from foodstuffs. Store in a cool, dry conditions in well sealed containers. Avoid accumulation of contaminated rags or wiping materials by immediately immersing in water.

Incompatibilities: Store away from oxidizing agents and Chlorinated Rubber.

Section 8: Exposure Control / Personal Protection

General / Local exhaust ventilation should be utilized to control vapors / substances below Engineering exposure limits. Eye wash facilities should be available when handling this product.

Controls:

Work Clothing: Protective work clothing which covers skin and prevents exposures.

Eye/face protection: Wear safety goggles or face shield.

Skin Protection: Wear neoprene rubber gloves. Prevent repeated or prolonged skin contact.

Respiratory Not normally required under normal conditions of use.

Protection:

Additional Information: Observe good chemical hygiene practices. Do not smoke or eat while using this product. Wash hands or exposed skin after using the product.

Substances with Exposure Limits	CAS#	ACGIH-TLV	OSHA-PEL
Ethanol	64-17-5	1000ppm/15 min	1000 ppm / 8 hrs

Section 9: Physical and Chemical Properties

State: Thick liquid	Melting Point: Not avail	Freezing Point: Not avail
Color: Tan	Boiling Point/Range: Not avail	pH: Not avail
Sp Grav: Not avail	Odor: Strong	Water Solubility: > 1%
Evaporation rate: < 1	Flash Point: 160° SETA	Part. Coeff (n-octanol/water): Not avail
Upper Flam Limits: Not avail	Lower Flam Limits: Not avail	Vapor Pressure: 40
VOC Content (lbs/gal): Not avail	Viscosity: Not avail	Autoignition Temp: Not avail

Section 10: Stability and Reactivity

General: This product is stable and non-reactive under normal conditions of use. Product is not subject to hazardous polymerization. Avoid open flame and ignition sources.

Marshall Photo Oil Colors: BACKGROUND TAN

Incompatible materials: Strong oxidizing agents, chlorinated rubber.

Decomposition products: carbon dioxide, carbon monoxide (thermal decomposition)

Section 11: Toxicological Information

General Information: Contains chemicals which may be irritants in contact with skin and eyes or if inhaled. May be harmful if ingested.

Toxicological Information (product): The components of this material have been reviewed and the following selected endpoints are published.

Likely Routes of Inhalation of vapors, dermal Exposure:

Toxicological Information (contained substances)

Hazardous substance (name)	LD50 Oral	LD50 Dermal	LC50 Inh	Irritancy:
Ethyl alcohol (Ethanol)	NA	NA	NA	NA
alumina trihydrate (ALUPREM)	>5000 mg/kg (rat)	Unjustified	>2.3 mg/l/4h (rat)	NA

Carcinogenicity or mutagenicity: There are no known carcinogenic materials in this product

Sensitization: Product is not expected to be a sensitizer.

Reproductive Toxicity: Not known to adversely affect reproductive functions and organs. Not known to cause birth defects or have a deleterious effect on a developing fetus.

Other Notes: None.

Section 12: Ecological Information

General information: Product not tested.

Aquatic toxicity: Not known to be hazardous to the environment.

Degradation / Mobility info: No specific data available.

Bioaccumulative potential: This product has inorganic compounds which are not biodegradable and has the potential for bioaccumulation.

Section 13: Disposal Information

Product disposal: Dispose of product in accordance with local, regional, and national regulations.

Container disposal: Empty containers should be taken to an approved waste handling site for recycling or disposal.

Other considerations: No further information.

Marshall Photo Oil Colors: BACKGROUND TAN

Section 14: Transport Information**

DOT: Not dangerous/hazardous goods.**

IMO/IMDG: **

IATA: **

Section 15: Regulatory Information**

TSCA: **

CERCLA RQ: **

SARA 311/312: **

SARA 313 **

California Prop 65 **
Substances:

Canadian DSL: **

WHMIS: **

Section 16: Other Information

SDS Author: Stephanie M. Wilson

Version Date: 5/10/2017
Version # 1.0

**** Since other agencies regulate this information, OSHA does not require and will not be enforcing sections 12-15 (29 CFR 1910.1200(g)(2))**

**All chemicals may pose unknown hazards and should be used and handled with caution. This Safety Data Sheet applies only to the material as packaged. If this product is combined with other materials, deteriorates, or becomes contaminated, it may pose hazards not mentioned in this SDS. It shall be the user's responsibility to develop proper methods of handling and personal protection based on the actual conditions of use. While this SDS is based on technical data judged to be reliable, OmegaBrandess Distribution assumes no responsibility for the completeness or accuracy of the information contained herein. The information and recommendations in this safety data sheet are, to the best of our knowledge, accurate as of the date of issue. Nothing herein shall be deemed to create warranty, expressed or implied, and shall not establish a legally valid contractual relationship. It is the responsibility of the user to determine applicability of this information and the suitability of the material or product for any particular purpose.*

Marshall Photo Oil Colors: BASIC FLESH/BASIC FLESH SHADOW

00426-3813

Safety Data Sheet (SDS)
 OSHA HazCom Standard 29 CFR 1910.1200 GHD Rev 03

**Section 1: Company and Product Identification**

Product Name: BASIC FLESH/BASIC FLESH SHADOW
 Photo Oil Color

Product Code: MS4BF, MS2BFS, MS4BFS, MSBL2BFS

Company: OmegaBrandess Distribution
 626 Hanover Pike, Suite 102
 Hampstead, MD 21074
 PH: 410-374-3250 / FAX: 410-374-3184
 www.OmegaBrandess.com

Emergency Response: CHEMTREC 1-800-424-9300 (24 Hour Response)
 Poison Control: 1-800-222-1222

Section 2: Hazards Identification

GHS02

BLANK

BLANK

BLANK

Hazard Pictograms:

Signal Word: Danger

Hazard Category: Flammable Liq Cat 3
 Acute tox, inh. Cat 5
 Skin corrosion/irritation Cat 3
 Non-classified
 Non-classified

Hazard Statements: H226: Flammable liquid and vapour
 H333: May be harmful if inhaled
 H316: Causes mild skin irritation
 Not Applicable
 Not Applicable

Precautionary Statements: P202: Do not handle until all safety precautions have been read and
 P280: Wear protective gloves/protective clothing/eye protection/face
 P305+351+338: IF IN EYES: Rinse cautiously with water for several minutes.
 Remove contact lenses if present and easy to do – continue rinsing
 P302+350: IF ON SKIN: Gently wash with plenty of soap and water
 P337+313: If eye irritation persists get medical advice/attention
 P403: Store in a well ventilated place
 P301+312: IF SWALLOWED: Call a POISON CENTER or doctor/physician if
 you feel unwell
 P304+340: IF INHALED: Remove victim to fresh air and keep at rest in a
 position comfortable for breathing. If breathing becomes difficult, seek
 immediate medical attention
 P501: Dispose of contents/container in accordance with
 local/national/international rules.

Marshall Photo Oil Colors: BASIC FLESH/BASIC FLESH SHADOW

**Hazards not
otherwise classified:**

Not applicable, none known.

Marshall Photo Oil Colors: BASIC FLESH/BASIC FLESH SHADOW

Section 3: Composition / Information on Ingredients

Hazardous substance (name)	Hazard Category	CAS#	Weight %
Ethyl Alcohol (C_2H_6O)	Not Classified	64-17-5	> 0.5 %
Alumina Trihydrate aka ALUPREM ($Al(OH)_3$)	Not Classified	21645-51-2	< 30%

Section 4: First Aid Measures

General Info: If seeking medical attention, provide SDS document to physician.

Notable Exposure: Treat symptomatically. This product has no known significant effects or critical symptoms: hazards. Contact Poison Control in the event significant quantities have been ingested.

If ingested: Rinse mouth thoroughly. Remove dentures if applicable. Move person to fresh air and keep in a comfortable position for breathing. Do not induce vomiting. Have exposed individual drink sips of water. May cause irritation of the mouth. Seek medical attention if adverse health effects persist or become severe.

If inhaled: Move individual to fresh air. Loosen clothing and position individual in a comfortable position. If breathing is difficult, administer oxygen if available. Seek medical advice if discomfort or irritation persists.

Eye contact: Protect unexposed eye. Remove any contact lenses. Rinse/flush affected eye gently with water for 15-20 minutes. Seek medical attention if irritation persists or if pain develops and persists.

Skin contact: Remove any contaminated clothing and wash before reuse. Wash affected area with soap and water. Rinse well for 15 minutes. Seek medical advice if discomfort or irritation persists.

Additional Info: Observe for any symptoms for several hours after exposure. Follow up with medical attention if symptoms develop.

Section 5: Fire Fighting Measures

General Info: Product is flammable. Isolate any uncompromised product from area if possible. Do not breath fumes. Cool unopened containers with water.

Extinguishing: Carbon dioxide (CO_2), dry chemical, foam. Firefighters should wear self-contained Method / Equipment: breathing apparatus (SCBA) and full protective equipment.

Hazardous: May emit toxic fumes under fire conditions. Thermal decomposition may yield carbon
Decomposition Info: dioxide and/or carbon monoxide.

Section 6: Accidental Release Measures

Personal precautions, Keep unnecessary personnel away. Keep people away from and upwind of spill/leak.
protective equipment Eliminate all ignition sources (no smoking, flares, sparks, or flames in immediate area).
and procedures: Wear appropriate protective equipment and clothing during clean-up. Avoid breathing vapors. Ventilate area if easy to do so. Contact local authorities if significant spillages cannot be contained. For personal protection, see section 8 of the SDS.

Containment Small spills: Should be picked up w/ absorbent material and transferred into closed Equipment and metal containers and soaked with water Larger Spills can be scooped up and put into
Procedures: metal containers to be salvaged.

Cleanup Procedures: Carefully incinerate or use secure landfills or a special waste landfill. Dispose of all waste and cleanup materials in accordance with regulations.

Marshall Photo Oil Colors: BASIC FLESH/BASIC FLESH SHADOW

Section 7: Handling and Storage

Safe Handling Do not handle until all safety precautions have been read and understood. Do not handle near an open flame or sources of ignition. Ensure adequate ventilation. Take precautionary measures against static discharges. Avoid breathing vapors. Avoid contact with eyes, skin, and clothing. Wear appropriate personal protective equipment.

Recommendations for Storage: Store in cool area in product container away from sources of ignition or flame. Store away from foodstuffs. Store in a cool, dry conditions in well sealed containers. Avoid accumulation of contaminated rags or wiping materials by immediately immersing in water.

Incompatibilities: Store away from oxidizing agents and Chlorinated Rubber.

Section 8: Exposure Control / Personal Protection

General / Local exhaust ventilation should be utilized to control vapors / substances below Engineering exposure limits. Eye wash facilities should be available when handling this product.

Controls:

Work Clothing: Protective work clothing which covers skin and prevents exposures.

Eye/face protection: Wear safety goggles or face shield.

Skin Protection: Wear neoprene rubber gloves. Prevent repeated or prolonged skin contact.

Respiratory Protection: Not normally required under normal conditions of use.

Additional Information: Observe good chemical hygiene practices. Do not smoke or eat while using this product. Wash hands or exposed skin after using the product.

Substances with Exposure Limits	CAS#	ACGIH-TLV	OSHA-PEL
Ethanol	64-17-5	1000ppm/15 min	1000 ppm / 8 hrs

Section 9: Physical and Chemical Properties

State: Thick liquid	Melting Point: Not avail	Freezing Point: Not avail
Color: Flesh	Boiling Point/Range: Not avail	pH: Not avail
Sp Grav: Not avail	Odor: Strong	Water Solubility: > 1%
Evaporation rate: < 1	Flash Point: 160° SETA	Part. Coeff (n-octanol/water): Not avail
Upper Flam Limits: Not avail	Lower Flam Limits: Not avail	Vapor Pressure: 40
VOC Content (lbs/gal): Not avail	Viscosity: Not avail	Autoignition Temp: Not avail

Section 10: Stability and Reactivity

General: This product is stable and non-reactive under normal conditions of use. Product is not subject to hazardous polymerization. Avoid open flame and ignition sources.

Marshall Photo Oil Colors: BASIC FLESH/BASIC FLESH SHADOW

Incompatible materials: Strong oxidizing agents, chlorinated rubber.

Decomposition products: carbon dioxide, carbon monoxide (thermal decomposition)

Section 11: Toxicological Information

General Information: Contains chemicals which may be irritants in contact with skin and eyes or if inhaled. May be harmful if ingested.

Toxicological Information: The components of this material have been reviewed and the following selected endpoints are published.
(product):

Likely Routes of Exposure: Inhalation of vapors, dermal

Toxicological Information (contained substances)

Hazardous substance (name)	LD50 Oral	LD50 Dermal	LC50 Inh	Irritancy:
Ethyl alcohol (Ethanol)	NA	NA	NA	NA
alumina trihydrate (ALUPREM)	>5000 mg/kg (rat)	Unjustified	>2.3 mg/l/4h (rat)	NA

Carcinogenicity or mutagenicity: There are no known carcinogenic materials in this product

Sensitization: Product is not expected to be a sensitizer.

Reproductive Toxicity: Not known to adversely affect reproductive functions and organs. Not known to cause birth defects or have a deleterious effect on a developing fetus.

Other Notes: None.

Section 12: Ecological Information

General information: Product not tested.

Aquatic toxicity: Not known to be hazardous to the environment.

Degradation / Mobility info: No specific data available.

Bioaccumulative potential: This product has inorganic compounds which are not biodegradable and has the potential for bioaccumulation.

Section 13: Disposal Information

Product disposal: Dispose of product in accordance with local, regional, and national regulations.

Container disposal: Empty containers should be taken to an approved waste handling site for recycling or disposal.

Other considerations: No further information.

5/10/2017

6 of 6

US-SDS

*All chemicals may pose unknown hazards and should be used and handled with caution. This Safety Data Sheet applies only to the material as packaged. If this product is combined with other materials, deteriorates, or becomes contaminated, it may pose hazards not mentioned in this SDS. It shall be the user's responsibility to develop proper methods of handling and personal protection based on the actual conditions of use. While this SDS is based on technical data judged to be reliable, OmegaBrandess Distribution assumes no responsibility for the completeness or accuracy of the information contained herein. The information and recommendations in this safety data sheet are, to the best of our knowledge, accurate as of the date of issue. Nothing herein shall be deemed to create warranty, expressed or implied, and shall not establish a legally valid contractual relationship. It is the responsibility of the user to determine applicability of this information and the suitability of the material or product for any particular purpose.

** Since other agencies regulate this information, OSHA does not require and will not be enforcing sections 12-15 (29 CFR 1910.1200(g)(2))

Section 16: Other Information	
SDS Author:	Stephanie M. Wilson
Version #	Version Date:
1.0	5/10/2017
Section 15: Regulatory Information**	
TSCA: **	
CERCLA RQ: **	
SARA 311/312: **	
SARA 313 **	
California Prop 65 **	
Substances:	
Canadian DSL: **	
WHMIS: **	
Section 14: Transport Information**	
DOT: Not dangerous/hazardous goods.**	
IMO/MDG: **	
IATA: **	

Marshall Photo Oil Colors: BASIC FLESH/BASIC FLESH SHADOW

Marshall Photo Oil Colors: CADMIUM ORANGE

00426-4534

Safety Data Sheet (SDS)
 OSHA HazCom Standard 29 CFR 1910.1200 GHD Rev 03

**Section 1: Company and Product Identification**Product Name: **CADMIUM ORANGE** Photo Oil Color

Product Code: MS4CO, MS2CO, MSBL2CO

Company: OmegaBrandess Distribution
 626 Hanover Pike, Suite 102
 Hampstead, MD 21074
 PH: 410-374-3250 / FAX: 410-374-3184
 www.OmegaBrandess.com

Emergency Response: CHEMTREC 1-800-424-9300 (24 Hour Response)
 Poison Control: 1-800-222-1222

Section 2: Hazards Identification

GH502

BLANK

BLANK

BLANK

Hazard Pictograms:



Signal Word:

Warning

Hazard Category:

Flammable Liq Cat 4
 Acute tox, inh. Cat 5
 Skin corrosion/irritation Cat 3
 Reproductive tox Cat 2

Hazard Statements:

H227: Combustible liquid
 H333: May be harmful if inhaled
 H316: Causes mild skin irritation
 H361: Suspected of damaging fertility or the unborn child

Precautionary Statements:

P202: Do not handle until all safety precautions have been read and
 P280: Wear protective gloves/protective clothing/eye protection/face
 P305+351+338: IF IN EYES: Rinse cautiously with water for several minutes.
 Remove contact lenses if present and easy to do – continue rinsing
 P302+350: IF ON SKIN: Gently wash with plenty of soap and water
 P337+313: If eye irritation persists get medical advice/attention
 P403: Store in a well ventilated place
 P301+312: IF SWALLOWED: Call a POISON CENTER or doctor/physician if
 you feel unwell
 P304+340: IF INHALED: Remove victim to fresh air and keep at rest in a
 position comfortable for breathing. If breathing becomes difficult, seek
 immediate medical attention
 P501: Dispose of contents/container in accordance with
 local/national/international rules.

Hazards not otherwise classified:

Not applicable, none known.

Marshall Photo Oil Colors: CADMIUM ORANGE

Section 3: Composition/Information on Ingredients

Hazardous substance (name)	Hazard Category	CAS#	Weight %
Ethyl Alcohol (C ₂ H ₆ O)	Not Classified	64-17-5	<0.4%
Alumina Trihydrate aka ALUPREM (Al(OH) ₃)	Not Classified	21645-51-2	<13%
Cadmium Zinc Sulfide	Not Classified	12442-27-2	<48.2%

Section 4: First Aid Measures

General Info: If seeking medical attention, provide SDS document to physician.

Notable Exposure symptoms: Treat symptomatically. This product has no known significant effects or critical hazards. Contact Poison Control in the event significant quantities have been ingested.

If ingested: Rinse mouth thoroughly. Remove dentures if applicable. Move person to fresh air and keep in a comfortable position for breathing. Do not induce vomiting. Have exposed individual drink sips of water. May cause irritation of the mouth. Seek medical attention if adverse health effects persist or become severe.

If inhaled: Move individual to fresh air. Loosen clothing and position individual in a comfortable position. If breathing is difficult, administer oxygen if available. Seek medical advice if discomfort or irritation persists.

Eye contact: Protect unexposed eye. Remove any contact lenses. Rinse/flush affected eye gently with water for 15-20 minutes. Seek medical attention if irritation persists or if pain develops and persists.

Skin contact: Remove any contaminated clothing and wash before reuse. Wash affected area with soap and water. Rinse well for 15 minutes. Seek medical advice if discomfort or irritation persists.

Additional Info: Observe for any symptoms for several hours after exposure. Follow up with medical attention if symptoms develop.

Section 5: Fire Fighting Measures

General Info: Product is flammable. Isolate any uncompromised product from area if possible. Do not breath fumes. Cool unopened containers with water.

Extinguishing Method / Equipment: Carbon dioxide (CO₂), dry chemical, foam. Firefighters should wear self-contained breathing apparatus (SCBA) and full protective equipment.

Hazardous Decomposition Info: May emit toxic fumes under fire conditions. Thermal decomposition may yield carbon dioxide and/or carbon monoxide.

Section 6: Accidental Release Measures

Personal precautions and procedures: Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Eliminate all ignition sources (no smoking, flares, sparks, or flames in immediate area). Wear appropriate protective equipment and clothing during clean-up. Avoid breathing vapors. Ventilate area if easy to do so. Contact local authorities if significant spillages cannot be contained. For personal protection, see section 8 of the SDS.

Containment Procedures: Small spills: Should be picked up w/ absorbent material and transferred into closed equipment and metal containers and soaked with water. Larger Spills can be scooped up and put into metal containers to be disposed of in accordance with regulations.

Marshall Photo Oil Colors: CADMIUM ORANGE

Cleanup Procedures: Carefully dispose of in secure landfills or a special waste landfill. Dispose of all waste and cleanup materials in accordance with regulations. Do not allow undiluted product or large quantities of it to reach ground water, surface water or sewage systems.

Section 7: Handling and Storage

Safe Handling Do not handle until all safety precautions have been read and understood. Do not handle near an open flame or sources of ignition. Ensure adequate ventilation. Take precautionary measures against static discharges. Avoid breathing vapors. Avoid contact with eyes, skin, and clothing. Wear appropriate personal protective equipment.

Recommendations Store in cool area in product container away from sources of ignition or flame. Store for Storage: away from foodstuffs. Store in a cool, dry conditions in well sealed containers. Avoid accumulation of contaminated rags or wiping materials by immediately immersing in water.

Incompatibilities: Store away from oxidizing agents and Chlorinated Rubber.

Section 8: Exposure Control / Personal Protection

General / Local exhaust ventilation should be utilized to control vapors / substances below Engineering exposure limits. Eye wash facilities should be available when handling this product.

Controls:

Work Clothing: Protective work clothing which covers skin and prevents exposures.

Eye/face protection: Wear safety goggles or face shield.

Skin Protection: Wear neoprene rubber gloves. Prevent repeated or prolonged skin contact.

Respiratory Not normally required under normal conditions of use.

Protection:

Additional Observe good chemical hygiene practices. Do not smoke or eat while using this product. Wash hands or exposed skin after using the product.

Substances with Exposure Limits	CAS#	ACGIH-TLV	OSHA-PEL
Ethanol	64-17-5	1000ppm/15 min	1000 ppm / 8 hrs
Cadmium Zinc Sulfide	12442-27-2	0.05 mg/mg ¹	0.005 mg/m ³

Section 9: Physical and Chemical Properties

State: Thick liquid	Melting Point: Not avail	Freezing Point: Not avail
Color: Yellow	Boiling Point/Range: Not avail	pH Not avail
Sp Grav: 0.8-0.9	Odor: Strong	Water Solubility: < 1%
Evaporation rate: < 1	Flash Point: 153° SETA	Part. Coeff (n-octanol/water) Not avail
Upper Flam Limits: Not avail	Lower Flam Limits: Not avail	Vapor Pressure: 40
VOC Content (lbs/gal): Not avail	Viscosity: Not avail	Autoignition Temp: Not avail

Marshall Photo Oil Colors: CADMIUM ORANGE

Section 10: Stability and Reactivity

General: This product is stable and non-reactive under normal conditions of use. Product is not subject to hazardous polymerization. Avoid open flame and ignition sources.

Incompatible materials: Strong oxidizing agents, chlorinated rubber.

Decomposition: Temp above 1000° may emit carbon dioxide, carbon monoxide, and cadmium oxide products: fumes with thermal decomposition. H₂S gas (Hydrogen Sulfide) with strong acids.

Section 11: Toxicological Information

General Information: Contains chemicals which may be irritants in contact with skin and eyes or if inhaled. May be harmful if ingested. May be harmful to the hepatic and renal systems.

Toxicological Information (product): The components of this material have been reviewed and the following selected information endpoints are published.

Likely Routes of Exposure: Inhalation of vapors, dermal

Toxicological Information (contained substances)

Hazardous substance (name)	LD50 Oral	LD50 Dermal	LC50 Inh	Irritancy:
Ethyl alcohol (Ethanol)	NA	NA	NA	NA
Alumina Trihydrate aka ALUPREM (Al(OH) ₃)	>5000 mg/kg (rat)	Unjustified	>2.3 mg/l/4h (rat)	NA

Carcinogenicity or mutagenicity: Cadmium compounds as a group have been identified by IARC, OSHA or NTP as carcinogenic.

Sensitization: Product is not expected to be a sensitizer.

Reproductive Toxicity: Repeated and prolonged exposure to cadmium compounds may cause delayed effects involving the blood, gastrointestinal, nervous and reproductive systems. Lead and lead compounds are known to the state or California to cause birth defects or reproductive harm.

Other Notes: Repeated and prolonged exposure to cadmium compounds may cause delayed effects involving the respiratory and renal systems.

Section 12: Ecological Information

General information: No specific data available.

Aquatic toxicity: No specific data available.

Degradation / Mobility info: No specific data available.

Bioaccumulative potential: This product has inorganic compounds which are not biodegradable and has the potential for bioaccumulation.

Section 13: Disposal Information

Marshall Photo Oil Colors: CADMIUM ORANGE

Product disposal: Dispose of product in accordance with local, regional, and national regulations.

Container disposal: Empty containers should be taken to an approved waste handling site for recycling or disposal.

Other considerations: No further information.

Section 14: Transport Information**

DOT: Compound Paint - Not regulated by DOT

IMO/IMDG: **

IATA: **

Section 15: Regulatory Information**

TSCA: **

CERCLA RQ: **

SARA 311/312: **

SARA 313 **

California Prop 65 **

Substances:

Canadian DSL: **

WHMIS: **

Section 16: Other Information

SDS Author: Stephanie M. Wilson

Version Date: 5/23/2017

Version # 1.1

**** Since other agencies regulate this information, OSHA does not require and will not be enforcing sections 12-15 (29 CFR 1910.1200(g)(2))**

**All chemicals may pose unknown hazards and should be used and handled with caution. This Safety Data Sheet applies only to the material as packaged. If this product is combined with other materials, deteriorates, or becomes contaminated, it may pose hazards not mentioned in this SDS. It shall be the user's responsibility to develop proper methods of handling and personal protection based on the actual conditions of use. While this SDS is based on technical data judged to be reliable, OmegaBrandess Distribution assumes no responsibility for the completeness or accuracy of the information contained herein. The information and recommendations in this safety data sheet are, to the best of our knowledge, accurate as of the date of issue. Nothing herein shall be deemed to create warranty, expressed or implied, and shall not establish a legally valid contractual relationship. It is the responsibility of the user to determine applicability of this information and the suitability of the material or product for any particular purpose.*

Marshall Photo Oil Colors: CADMIUM ORANGE EXTRA STRONG

00426-4532

Safety Data Sheet (SDS)
 OSHA HazCom Standard 29 CFR 1910.1200 GHD Rev 03

**Section 1: Company and Product Identification**

Product Name: CADMIUM ORANGE EXTRA STRONG Photo Oil
 Color

Product Code: MSBL2COX

Company: OmegaBrandess Distribution
 626 Hanover Pike, Suite 102
 Hampstead, MD 21074
 PH: 410-374-3250 / FAX: 410-374-3184
www.OmegaBrandess.com

Emergency Response: CHEMTREC 1-800-424-9300 (24 Hour Response)
 Poison Control: 1-800-222-1222

Section 2: Hazards Identification

GHS02

BLANK

BLANK

BLANK

Hazard Pictograms:**Signal Word:**

Warning

Hazard Category:

Flammable Liq Cat 4
 Acute tox, inh. Cat 5
 Skin corrosion/irritation Cat 3
 Reproductive tox Cat 2

Hazard Statements:

H227: Combustible liquid
 H333: May be harmful if inhaled
 H316: Causes mild skin irritation
 H361: Suspected of damaging fertility or the unborn child

Precautionary Statements:

P202: Do not handle until all safety precautions have been read and
 P280: Wear protective gloves/protective clothing/eye protection/face
 P305+351+338: IF IN EYES: Rinse cautiously with water for several minutes.
 Remove contact lenses if present and easy to do – continue rinsing
 P302+350: IF ON SKIN: Gently wash with plenty of soap and water
 P337+313: If eye irritation persists get medical advice/attention
 P403: Store in a well ventilated place
 P301+312: IF SWALLOWED: Call a POISON CENTER or doctor/physician if
 you feel unwell
 P304+340: IF INHALED: Remove victim to fresh air and keep at rest in a
 position comfortable for breathing. If breathing becomes difficult, seek
 immediate medical attention
 P501: Dispose of contents/container in accordance with
 local/national/international rules.

Hazards not otherwise classified:

Not applicable, none known.

Marshall Photo Oil Colors: CADMIUM ORANGE EXTRA STRONG

Section 3: Composition / Information on Ingredients

Hazardous substance (name)	Hazard Category	CAS#	Weight %
Ethyl Alcohol (C_2H_5O)	Not Classified	64-17-5	<0.9%
Alumina Trihydrate aka ALUPREM ($Al(OH)_3$)	Not Classified	21645-51-2	<13%
Cadmium Zinc Sulfide	Not Classified	12442-27-2	<65%

Section 4: First Aid Measures

General Info: If seeking medical attention, provide SDS document to physician.

Notable Exposure symptoms: Treat symptomatically. This product has no known significant effects or critical hazards. Contact Poison Control in the event significant quantities have been ingested.

If ingested: Rinse mouth thoroughly. Remove dentures if applicable. Move person to fresh air and keep in a comfortable position for breathing. Do not induce vomiting. Have exposed individual drink sips of water. May cause irritation of the mouth. Seek medical attention if adverse health effects persist or become severe.

If inhaled: Move individual to fresh air. Loosen clothing and position individual in a comfortable position. If breathing is difficult, administer oxygen if available. Seek medical advice if discomfort or irritation persists.

Eye contact: Protect unexposed eye. Remove any contact lenses. Rinse/flush affected eye gently with water for 15-20 minutes. Seek medical attention if irritation persists or if pain develops and persists.

Skin contact: Remove any contaminated clothing and wash before reuse. Wash affected area with soap and water. Rinse well for 15 minutes. Seek medical advice if discomfort or irritation persists.

Additional Info: Observe for any symptoms for several hours after exposure. Follow up with medical attention if symptoms develop.

Section 5: Fire Fighting Measures

General Info: Product is flammable. Isolate any uncompromised product from area if possible. Do not breath fumes. Cool unopened containers with water.

Extinguishing Method / Equipment: Carbon dioxide (CO_2), dry chemical, foam. Firefighters should wear self-contained breathing apparatus (SCBA) and full protective equipment.

Hazardous Decomposition Info: May emit toxic fumes under fire conditions. Thermal decomposition may yield carbon dioxide and/or carbon monoxide.

Section 6: Accidental Release Measures

Personal precautions, protective equipment and procedures: Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Eliminate all ignition sources (no smoking, flares, sparks, or flames in immediate area). Wear appropriate protective equipment and clothing during clean-up. Avoid breathing vapors. Ventilate area if easy to do so. Contact local authorities if significant spillages cannot be contained. For personal protection, see section 8 of the SDS.

Containment Equipment and Procedures: Small spills: Should be picked up w/ absorbent material and transferred into closed metal containers and soaked with water. Larger Spills can be scooped up and put into metal containers to be disposed of in accordance with regulations.

Marshall Photo Oil Colors: CADMIUM ORANGE EXTRA STRONG

Cleanup Procedures: Carefully dispose of in secure landfills or a special waste landfill. Dispose of all waste and cleanup materials in accordance with regulations. Do not allow undiluted product or large quantities of it to reach ground water, surface water or sewage systems.

Section 7: Handling and Storage

Safe Handling Do not handle until all safety precautions have been read and understood. Do not handle near an open flame or sources of ignition. Ensure adequate ventilation. Take precautionary measures against static discharges. Avoid breathing vapors. Avoid contact with eyes, skin, and clothing. Wear appropriate personal protective equipment.

Recommendations Store in cool area in product container away from sources of ignition or flame. Store for Storage: away from foodstuffs. Store in a cool, dry conditions in well sealed containers. Avoid accumulation of contaminated rags or wiping materials by immediately immersing in water.

Incompatibilities: Store away from oxidizing agents and Chlorinated Rubber.

Section 8: Exposure Control / Personal Protection

General / Local exhaust ventilation should be utilized to control vapors / substances below Engineering exposure limits. Eye wash facilities should be available when handling this product.

Controls:

Work Clothing: Protective work clothing which covers skin and prevents exposures.

Eye/face protection: Wear safety goggles or face shield.

Skin Protection: Wear neoprene rubber gloves. Prevent repeated or prolonged skin contact.

Respiratory Not normally required under normal conditions of use.

Protection:

Additional Observe good chemical hygiene practices. Do not smoke or eat while using this product. **Information:** product. Wash hands or exposed skin after using the product.

Substances with Exposure Limits	CAS#	ACGIH-TLV	OSHA-PEL
Ethanol	64-17-5	1000ppm/15 min	1000 ppm / 8 hrs
Cadmium Zinc Sulfide	12442-27-2	0.05 mg/mg ³	0.005 mg/m ³

Section 9: Physical and Chemical Properties

State: Thick liquid	Melting Point: Not avail	Freezing Point: Not avail
Color: Yellow	Boiling Point/Range: Not avail	pH Not avail
Sp Grav: 0.8-0.9	Odor: Strong	Water Solubility: < 1%
Evaporation rate: < 1	Flash Point: 153° SETA	Part. Coeff (n-octanol/water) Not avail
Upper Flam Limits: Not avail	Lower Flam Limits: Not avail	Vapor Pressure: 40
VOC Content (lbs/gal): Not avail	Viscosity: Not avail	Autoignition Temp: Not avail

Marshall Photo Oil Colors: CADMIUM ORANGE EXTRA STRONG**Section 10: Stability and Reactivity**

General: This product is stable and non-reactive under normal conditions of use. Product is not subject to hazardous polymerization. Avoid open flame and ignition sources.

Incompatible materials: Strong oxidizing agents, chlorinated rubber.

Decomposition: Temp above 1000° may emit carbon dioxide, carbon monoxide, and cadmium oxide products: fumes with thermal decomposition. H₂S gas (Hydrogen Sulfide) with strong acids.

Section 11: Toxicological Information

General Information: Contains chemicals which may be irritants in contact with skin and eyes or if inhaled. May be harmful if ingested. May be harmful to the hepatic and renal systems.

Toxicological Information (product): The components of this material have been reviewed and the following selected endpoints are published.

Likely Routes of Inhalation of vapors, dermal Exposure:

Toxicological Information (contained substances)

Hazardous substance (name)	LD50 Oral	LD50 Dermal	LC50 Inh	Irritancy:
Ethyl alcohol (Ethanol)	NA	NA	NA	NA
Alumina Trihydrate aka ALUPREM (Al(OH) ₃)	>5000 mg/kg (rat)	Unjustified	>2.3 mg/l/4h (rat)	NA

Carcinogenicity or mutagenicity: Cadmium compounds as a group have been identified by IARC, OSHA or NTP as carcinogenic.

Sensitization: Product is not expected to be a sensitizer.

Reproductive Toxicity: Repeated and prolonged exposure to cadmium compounds may cause delayed effects involving the blood, gastrointestinal, nervous and reproductive systems. Lead and lead compounds are known to the state or California to cause birth defects or reproductive harm.

Other Notes: Repeated and prolonged exposure to cadmium compounds may cause delayed effects involving the respiratory and renal systems.

Section 12: Ecological Information

General information: No specific data available.

Aquatic toxicity: No specific data available.

Degradation / Mobility info: No specific data available.

Bioaccumulative potential: This product has inorganic compounds which are not biodegradable and has the potential for bioaccumulation.

Section 13: Disposal Information

Marshall Photo Oil Colors: CADMIUM ORANGE EXTRA STRONG

Product disposal: Dispose of product in accordance with local, regional, and national regulations.

Container disposal: Empty containers should be taken to an approved waste handling site for recycling or disposal.

Other considerations: No further information.

Section 14: Transport Information**

DOT: Compound Paint - Not regulated by DOT

IMO/IMDG: **

IATA: **

Section 15: Regulatory Information**

TSCA: **

CERCLA RQ: **

SARA 311/312: **

SARA 313 **

California Prop 65 **
Substances:

Canadian DSL: **

WHMIS: **

Section 16: Other Information

SDS Author: Stephanie M. Wilson

Version Date: 5/23/2017
Version # 1.1

**** Since other agencies regulate this information, OSHA does not require and will not be enforcing sections 12-15 (29 CFR 1910.1200(g)(2))**

**All chemicals may pose unknown hazards and should be used and handled with caution. This Safety Data Sheet applies only to the material as packaged. If this product is combined with other materials, deteriorates, or becomes contaminated, it may pose hazards not mentioned in this SDS. It shall be the user's responsibility to develop proper methods of handling and personal protection based on the actual conditions of use. While this SDS is based on technical data judged to be reliable, OmegaBrandess Distribution assumes no responsibility for the completeness or accuracy of the information contained herein. The information and recommendations in this safety data sheet are, to the best of our knowledge, accurate as of the date of issue. Nothing herein shall be deemed to create warranty, expressed or implied, and shall not establish a legally valid contractual relationship. It is the responsibility of the user to determine applicability of this information and the suitability of the material or product for any particular purpose.*

Marshall Photo Oil Colors: CADMIUM YELLOW

00426-4304

Safety Data Sheet (SDS)
 OSHA HazCom Standard 29 CFR 1910.1200 GHD Rev 03

**Section 1: Company and Product Identification****Product Name:** CADMIUM YELLOW Photo Oil Color**Product Code:** MS4CY

Company: OmegaBrandess Distribution
 626 Hanover Pike, Suite 102
 Hampstead, MD 21074
 PH: 410-374-3250 / FAX: 410-374-3184
 www.OmegaBrandess.com

Emergency Response: CHEMTREC 1-800-424-9300 (24 Hour Response)
 Poison Control: 1-800-222-1222

Section 2: Hazards Identification

GHS02

BLANK

BLANK

BLANK

Hazard Pictograms:**Signal Word:**

Warning

Hazard Category:

Flammable Liq Cat 4
 Acute tox, inh. Cat 5
 Skin corrosion/irritation Cat 3
 Reproductive tox Cat 2

Hazard Statements:

H227: Combustible liquid
 H333: May be harmful if inhaled
 H316: Causes mild skin irritation
 H361: Suspected of damaging fertility or the unborn child

Precautionary Statements:

P202: Do not handle until all safety precautions have been read and
 P280: Wear protective gloves/protective clothing/eye protection/face
 P305+351+338: IF IN EYES: Rinse cautiously with water for several minutes.
 Remove contact lenses if present and easy to do – continue rinsing
 P302+350: IF ON SKIN: Gently wash with plenty of soap and water
 P337+313: If eye irritation persists get medical advice/attention
 P403: Store in a well ventilated place
 P301+312: IF SWALLOWED: Call a POISON CENTER or doctor/physician if
 you feel unwell
 P304+340: IF INHALED: Remove victim to fresh air and keep at rest in a
 position comfortable for breathing. If breathing becomes difficult, seek
 immediate medical attention
 P501: Dispose of contents/container in accordance with
 local/national/international rules.

Hazards not otherwise classified:

Not applicable, none known.

Marshall Photo Oil Colors: CADMIUM YELLOW

Section 3: Composition / Information on Ingredients

Hazardous substance (name)	Hazard Category	CAS#	Weight %
Ethyl Alcohol (C ₂ H ₆ O)	Not Classified	64-17-5	<1%
Alumina Trihydrate aka ALUPREM (Al(OH) ₃)	Not Classified	21645-51-2	<8%
Cadmium Zinc Sulfide	Not Classified	12442-27-2	<15%

Section 4: First Aid Measures

General Info: If seeking medical attention, provide SDS document to physician.

Notable Exposure symptoms: Treat symptomatically. This product has no known significant effects or critical hazards. Contact Poison Control in the event significant quantities have been ingested.

If ingested: Rinse mouth thoroughly. Remove dentures if applicable. Move person to fresh air and keep in a comfortable position for breathing. Do not induce vomiting. Have exposed individual drink sips of water. May cause irritation of the mouth. Seek medical attention if adverse health effects persist or become severe.

If inhaled: Move individual to fresh air. Loosen clothing and position individual in a comfortable position. If breathing is difficult, administer oxygen if available. Seek medical advice if discomfort or irritation persists.

Eye contact: Protect unexposed eye. Remove any contact lenses. Rinse/flush affected eye gently with water for 15-20 minutes. Seek medical attention if irritation persists or if pain develops and persists.

Skin contact: Remove any contaminated clothing and wash before reuse. Wash affected area with soap and water. Rinse well for 15 minutes. Seek medical advice if discomfort or irritation persists.

Additional Info: Observe for any symptoms for several hours after exposure. Follow up with medical attention if symptoms develop.

Section 5: Fire Fighting Measures

General Info: Product is flammable. Isolate any uncompromised product from area if possible. Do not breath fumes. Cool unopened containers with water.

Extinguishing Method / Equipment: Carbon dioxide (CO₂), dry chemical, foam. Firefighters should wear self-contained breathing apparatus (SCBA) and full protective equipment.

Hazardous Decomposition Info: May emit toxic fumes under fire conditions. Thermal decomposition may yield carbon dioxide and/or carbon monoxide.

Section 6: Accidental Release Measures

Personal precautions, protective equipment and procedures: Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Eliminate all ignition sources (no smoking, flares, sparks, or flames in immediate area). Wear appropriate protective equipment and clothing during clean-up. Avoid breathing vapors. Ventilate area if easy to do so. Contact local authorities if significant spillages cannot be contained. For personal protection, see section 8 of the SDS.

Containment Equipment and Procedures: Small spills: Should be picked up w/ absorbent material and transferred into closed containers and soaked with water. Larger Spills can be scooped up and put into metal containers to be disposed of in accordance with regulations.

Marshall Photo Oil Colors: CADMIUM YELLOW

Cleanup Procedures: Carefully dispose of in secure landfills or a special waste landfill. Dispose of all waste and cleanup materials in accordance with regulations. Do not allow undiluted product or large quantities of it to reach ground water, surface water or sewage systems.

Section 7: Handling and Storage

Safe Handling Do not handle until all safety precautions have been read and understood. Do not
Precautions: handle near an open flame or sources of ignition. Ensure adequate ventilation. Take precautionary measures against static discharges. Avoid breathing vapors. Avoid contact with eyes, skin, and clothing. Wear appropriate personal protective equipment.

Recommendations Store in cool area in product container away from sources of ignition or flame. Store
for Storage: away from foodstuffs. Store in a cool, dry conditions in well sealed containers. Avoid accumulation of contaminated rags or wiping materials by immediately immersing in water.

Incompatibilities: Store away from oxidizing agents and Chlorinated Rubber.

Section 8: Exposure Control / Personal Protection

General / Local exhaust ventilation should be utilized to control vapors / substances below
Engineering exposure limits. Eye wash facilities should be available when handling this product.
Controls:

Work Clothing: Protective work clothing which covers skin and prevents exposures.

Eye/face protection: Wear safety goggles or face shield.

Skin Protection: Wear neoprene rubber gloves. Prevent repeated or prolonged skin contact.

Respiratory Not normally required under normal conditions of use.

Protection:

Additional Observe good chemical hygiene practices. Do not smoke or eat while using this
Information: product. Wash hands or exposed skin after using the product.

Substances with Exposure Limits	CAS#	ACGIH-TLV	OSHA-PEL
Ethanol	64-17-5	1000ppm/15 min	1000 ppm / 8 hrs
Cadmium Zinc Sulfide	12442-27-2	0.05 mg/mg ³	0.005 mg/m ³

Section 9: Physical and Chemical Properties

State: Thick liquid	Melting Point: Not avail	Freezing Point: Not avail
Color: Yellow	Boiling Point/Range: Not avail	pH Not avail
Sp Grav: 0.8-0.9	Odor: Strong	Water Solubility: < 1%
Evaporation rate: < 1	Flash Point: 153° SETA	Part. Coeff (n octanol/water Not avail
Upper Flam Limits: Not avail	Lower Flam Limits: Not avail	Vapor Pressure: 40
VOC Content (lbs/gal): Not avail	Viscosity: Not avail	Autoignition Temp: Not avail

Marshall Photo Oil Colors: CADMIUM YELLOW

Section 10: Stability and Reactivity

General: This product is stable and non-reactive under normal conditions of use. Product is not subject to hazardous polymerization. Avoid open flame and ignition sources.

Incompatible materials: Strong oxidizing agents, chlorinated rubber.

Decomposition products: Temp above 1000° may emit carbon dioxide, carbon monoxide, and cadmium oxide fumes with thermal decomposition. H₂S gas (Hydrogen Sulfide) with strong acids.

Section 11: Toxicological Information

General Information: Contains chemicals which may be irritants in contact with skin and eyes or if inhaled. May be harmful if ingested. May be harmful to the hepatic and renal systems.

Toxicological Information (product): The components of this material have been reviewed and the following selected endpoints are published.

Likely Routes of Exposure: Inhalation of vapors, dermal

Toxicological Information (contained substances)

Hazardous substance (name)	LD50 Oral	LD50 Dermal	LC50 Inh	Irritancy:
Ethyl alcohol (Ethanol)	NA	NA	NA	NA
Alumina Trihydrate aka ALUPREM (Al(OH) ₃)	>5000 mg/kg (rat)	Unjustified	>2.3 mg/l/4h (rat)	NA

Carcinogenicity or mutagenicity: Cadmium compounds as a group have been identified by IARC, OSHA or NTP as carcinogenic.

Sensitization: Product is not expected to be a sensitizer.

Reproductive Toxicity: Repeated and prolonged exposure to cadmium compounds may cause delayed effects involving the blood, gastrointestinal, nervous and reproductive systems. Lead and lead compounds are known to the state or California to cause birth defects or reproductive harm.

Other Notes: Repeated and prolonged exposure to cadmium compounds may cause delayed effects involving the respiratory and renal systems.

Section 12: Ecological Information

General information: No specific data available.

Aquatic toxicity: No specific data available.

Degradation / Mobility info: No specific data available.

Bioaccumulative potential: This product has inorganic compounds which are not biodegradable and has the potential for bioaccumulation.

Section 13: Disposal Information

5/24/2017

5 of 5

US-SDS

*All chemicals may pose unknown hazards and should be used and handled with caution. This Safety Data Sheet applies only to the material as packaged. If this product is combined with other materials, deteriorates, or becomes contaminated, it may pose hazards not mentioned in this SDS. It shall be the user's responsibility to develop proper methods of handling and personal protection based on the actual conditions of use. While this SDS is based on technical data judged to be reliable, OmegaBrands Distribution assumes no responsibility for the completeness or accuracy of the information contained herein. The information and recommendations in this safety data sheet are, to the best of our knowledge, accurate as of the date of issue. Nothing herein shall be deemed to create warranty, expressed or implied, and shall not establish a legally valid contractual relationship. It is the responsibility of the user to determine applicability of this information and the suitability of the material or product for any particular purpose.

** Since other agencies regulate this information, OSHA does not require and will not be enforcing sections 12-15 (29 CFR 1910.1200(g)(2))

Section 16: Other Information	
SDS Author:	Stephanie M. Wilson
Version Date:	5/23/2017
Version #	1.1
Section 15: Regulatory Information**	
TSCA:	**
CERCLA RQ:	**
SARA 311/312:	**
SARA 313	**
California Prop 65	**
Substances:	**
Canadian DSL:	**
WHMIS:	**
Section 14: Transport Information**	
DOT: Compound Paint - Not regulated by DOT	
IMO/IMDG:	**
IATA:	**

Product disposal: Dispose of product in accordance with local, regional, and national regulations.

Container disposal: Empty containers should be taken to an approved waste handling site for recycling or disposal.

Other considerations: No further information.

Marshall Photo Oil Colors: CADMIUM YELLOW

Marshall Photo Oil Colors: CADMIUM YELLOW EXTRA STRONG

00426-4203,4205

Safety Data Sheet (SDS)
 OSHA HazCom Standard 29 CFR 1910.1200 GHD Rev 03

**Section 1: Company and Product Identification**

Product Name: CADMIUM YELLOW EXTRA STRONG Photo Oil
Color
Product Code: MS4CYX, MSBL2CYX, MS2CYX
Company: OmegaBrandess Distribution
 626 Hanover Pike, Suite 102
 Hampstead, MD 21074
 PH: 410-374-3250 / FAX: 410-374-3184
 www.OmegaBrandess.com
Emergency Response: CHEMTREC 1-800-424-9300 (24 Hour Response)
 Poison Control: 1-800-222-1222

Section 2: Hazards Identification

GH502

BLANK

BLANK

BLANK

Hazard Pictograms:**Signal Word:**

Warning

Hazard Category:

Flammable Liq Cat 4
 Acute tox, inh. Cat 5
 Skin corrosion/irritation Cat 3
 Reproductive tox Cat 2

Hazard Statements:

H227: Combustible liquid
 H333: May be harmful if inhaled
 H316: Causes mild skin irritation
 H361: Suspected of damaging fertility or the unborn child

Precautionary Statements:

P202: Do not handle until all safety precautions have been read and
 P280: Wear protective gloves/protective clothing/eye protection/face
 P305+351+338: IF IN EYES: Rinse cautiously with water for several minutes.
 Remove contact lenses if present and easy to do – continue rinsing
 P302+350: IF ON SKIN: Gently wash with plenty of soap and water
 P337+313: If eye irritation persists get medical advice/attention
 P403: Store in a well ventilated place
 P301+312: IF SWALLOWED: Call a POISON CENTER or doctor/physician if
 you feel unwell
 P304+340: IF INHALED: Remove victim to fresh air and keep at rest in a
 position comfortable for breathing. If breathing becomes difficult, seek
 immediate medical attention
 P501: Dispose of contents/container in accordance with
 local/national/international rules.

Hazards not otherwise classified:

Not applicable, none known.

Marshall Photo Oil Colors: CADMIUM YELLOW EXTRA STRONG

Section 3: Composition / Information on Ingredients

Hazardous substance (name)	Hazard Category	CAS#	Weight %
Ethyl Alcohol (C ₂ H ₆ O)	Not Classified	64-17-5	<1%
Alumina Trihydrate aka ALUPREM (Al(OH) ₃)	Not Classified	21645-51-2	<8%
Cadmium Zinc Sulfide	Not Classified	12442-27-2	<73%

Section 4: First Aid Measures

General Info: If seeking medical attention, provide SDS document to physician.

Notable Exposure symptoms: Treat symptomatically. This product has no known significant effects or critical hazards. Contact Poison Control in the event significant quantities have been ingested.

If ingested: Rinse mouth thoroughly. Remove dentures if applicable. Move person to fresh air and keep in a comfortable position for breathing. Do not induce vomiting. Have exposed individual drink sips of water. May cause irritation of the mouth. Seek medical attention if adverse health effects persist or become severe.

If inhaled: Move individual to fresh air. Loosen clothing and position individual in a comfortable position. If breathing is difficult, administer oxygen if available. Seek medical advice if discomfort or irritation persists.

Eye contact: Protect unexposed eye. Remove any contact lenses. Rinse/flush affected eye gently with water for 15-20 minutes. Seek medical attention if irritation persists or if pain develops and persists.

Skin contact: Remove any contaminated clothing and wash before reuse. Wash affected area with soap and water. Rinse well for 15 minutes. Seek medical advice if discomfort or irritation persists.

Additional Info: Observe for any symptoms for several hours after exposure. Follow up with medical attention if symptoms develop.

Section 5: Fire Fighting Measures

General Info: Product is flammable. Isolate any uncompromised product from area if possible. Do not breath fumes. Cool unopened containers with water.

Extinguishing Method / Equipment: Carbon dioxide (CO₂), dry chemical, foam. Firefighters should wear self-contained breathing apparatus (SCBA) and full protective equipment.

Hazardous Decomposition Info: May emit toxic fumes under fire conditions. Thermal decomposition may yield carbon dioxide and/or carbon monoxide.

Section 6: Accidental Release Measures

Personal precautions and procedures: Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Eliminate all ignition sources (no smoking, flares, sparks, or flames in immediate area). Wear appropriate protective equipment and clothing during clean-up. Avoid breathing vapors. Ventilate area if easy to do so. Contact local authorities if significant spillages cannot be contained. For personal protection, see section 8 of the SDS.

Containment Procedures: Small spills: Should be picked up w/ absorbent material and transferred into closed equipment and metal containers and soaked with water. Larger Spills can be scooped up and put into metal containers to disposed of in accordance with regulations.

Marshall Photo Oil Colors: CADMIUM YELLOW EXTRA STRONG

Cleanup Procedures: Carefully dispose of in secure landfills or a special waste landfill. Dispose of all waste and cleanup materials in accordance with regulations. Do not allow undiluted product or large quantities of it to reach ground water, surface water or sewage systems.

Section 7: Handling and Storage

Safe Handling Do not handle until all safety precautions have been read and understood. Do not
Precautions: handle near an open flame or sources of ignition. Ensure adequate ventilation. Take precautionary measures against static discharges. Avoid breathing vapors. Avoid contact with eyes, skin, and clothing. Wear appropriate personal protective equipment.

Recommendations Store in cool area in product container away from sources of ignition or flame. Store
for Storage: away from foodstuffs. Store in a cool, dry conditions in well sealed containers. Avoid accumulation of contaminated rags or wiping materials by immediately immersing in water.

Incompatibilities: Store away from oxidizing agents and Chlorinated Rubber.

Section 8: Exposure Control / Personal Protection

General / Local exhaust ventilation should be utilized to control vapors / substances below Engineering exposure limits. Eye wash facilities should be available when handling this product.
Controls:

Work Clothing: Protective work clothing which covers skin and prevents exposures.

Eye/face protection: Wear safety goggles or face shield.

Skin Protection: Wear neoprene rubber gloves. Prevent repeated or prolonged skin contact.

Respiratory Not normally required under normal conditions of use.
Protection:

Additional Observe good chemical hygiene practices. Do not smoke or eat while using this
Information: product. Wash hands or exposed skin after using the product.

Substances with Exposure Limits	CAS#	ACGIH-TLV	OSHA-PEL
Ethanol	64-17-5	1000ppm/15 min	1000 ppm / 8 hrs
Cadmium Zinc Sulfide	12442-27-2	0.05 mg/mg ³	0.005 mg/m ³

Section 9: Physical and Chemical Properties

State: Thick liquid	Melting Point: Not avail	Freezing Point: Not avail
Color: Yellow	Boiling Point/Range: Not avail	pH Not avail
Sp Grav: 0.8-0.9	Odor: Strong	Water Solubility: < 1%
Evaporation rate: < 1	Flash Point: 153° SETA	Part. Coeff (n-octanol/water) Not avail
Upper Flam Limits: Not avail	Lower Flam Limits: Not avail	Vapor Pressure: 40
VOC Content (lbs/gal): Not avail	Viscosity: Not avail	Autoignition Temp: Not avail

Marshall Photo Oil Colors: CADMIUM YELLOW EXTRA STRONG**Section 10: Stability and Reactivity**

General: This product is stable and non-reactive under normal conditions of use. Product is not subject to hazardous polymerization. Avoid open flame and ignition sources.

Incompatible materials: Strong oxidizing agents, chlorinated rubber.

Decomposition: Temp above 1000° may emit carbon dioxide, carbon monoxide, and cadmium oxide products: fumes with thermal decomposition. H₂S gas (Hydrogen Sulfide) with strong acids.

Section 11: Toxicological Information

General Information: Contains chemicals which may be irritants in contact with skin and eyes or if inhaled. May be harmful if ingested. May be harmful to the hepatic and renal systems.

Toxicological Information (product): The components of this material have been reviewed and the following selected endpoints are published.

Likely Routes of Inhalation of vapors, dermal Exposure:

Toxicological Information (contained substances)

Hazardous substance (name)	LD50 Oral	LD50 Dermal	LC50 Inh	Irritancy:
Ethyl alcohol (Ethanol)	NA	NA	NA	NA
Alumina Trihydrate aka ALUPREM (Al(OH) ₃)	>5000 mg/kg (rat)	Unjustified	>2.3 mg/l/4h (rat)	NA

Carcinogenicity or mutagenicity: Cadmium compounds as a group have been identified by IARC, OSHA or NTP as carcinogenic.

Sensitization: Product is not expected to be a sensitizer.

Reproductive Toxicity: Repeated and prolonged exposure to cadmium compounds may cause delayed effects involving the blood, gastrointestinal, nervous and reproductive systems. Lead and lead compounds are known to the state or California to cause birth defects or reproductive harm.

Other Notes: Repeated and prolonged exposure to cadmium compounds may cause delayed effects involving the respiratory and renal systems.

Section 12: Ecological Information

General information: No specific data available.

Aquatic toxicity: No specific data available.

Degradation / Mobility info: No specific data available.

Bioaccumulative potential: This product has inorganic compounds which are not biodegradable and has the potential for bioaccumulation.

Section 13: Disposal Information

US-SDS

5 of 5

5/24/2017

*All chemicals may pose unknown hazards and should be used and handled with caution. This Safety Data Sheet applies only to the material as packaged. If this product is combined with other materials, deteriorates, or becomes contaminated, it may pose hazards not mentioned in this SDS. It shall be the user's responsibility to develop proper methods of handling and personal protection based on the actual conditions of use. While this SDS is based on technical data judged to be reliable, OmegaBrandless Distribution assumes no responsibility for the completeness or accuracy of the information contained herein. The information and recommendations in this safety data sheet are, to the best of our knowledge, accurate as of the date of issue. Nothing herein shall be deemed to create warranty, expressed or implied, and shall not establish a legally valid contractual relationship. It is the responsibility of the user to determine applicability of this information and the suitability of the material or product for any particular purpose.

** Since other agencies regulate this information, OSHA does not require and will not be enforcing sections 12-15 (29 CFR 1910.1200(g)(2))

Section 16: Other Information

SDS Author: Stephanie M. Wilson

Version #
Version Date:5/23/2017
1.1**Section 15: Regulatory Information****

TSCA: **
CERCLA RQ: **
SARA 311/312: **
SARA 313 **
California Prop 65 **
Substances:
Canadian DSL: **
WHMIS: **

Section 14: Transport Information**

DOT: Compound Paint - Not regulated by DOT

IMO/MDG: **
IATA: **

Other considerations: No further information.

Product disposal: Dispose of product in accordance with local, regional, and national regulations.
Container disposal: Empty containers should be taken to an approved waste handling site for recycling or disposal.

Marshall Photo Oil Colors: CADMIUM YELLOW EXTRA STRONG

Item Numbers: 00426-1009, 00426-1019, 00426-1029, 00426-1039

Marshall Photo Oil Colors: CADMIUM YELLOW DEEP EXTRA STRONG

00426-4123,4125

Safety Data Sheet (SDS)
 OSHA HazCom Standard 29 CFR 1910.1200 GHD Rev 03

**Section 1: Company and Product Identification**

Product Name: CADMIUM YELLOW DEEP EXTRA STRONG
 Photo Oil Color
Product Code: MS4CYDX, MSBL2CYDX
Company: OmegaBrandess Distribution
 626 Hanover Pike, Suite 102
 Hampstead, MD 21074
 PH: 410-374-3250 / FAX: 410-374-3184
 www.OmegaBrandess.com
Emergency Response: CHEMTREC 1-800-424-9300 (24 Hour Response)
 Poison Control: 1-800-222-1222

Section 2: Hazards Identification

GHS02 BLANK BLANK BLANK

Hazard Pictograms:**Signal Word:**

Warning

Hazard Category:

Flammable Liq Cat 4
 Acute tox, Inh. Cat 5
 Skin corrosion/irritation Cat 3
 Reproductive tox Cat 2

Hazard Statements:

H227: Combustible liquid
 H333: May be harmful if inhaled
 H316: Causes mild skin irritation
 H361: Suspected of damaging fertility or the unborn child

Precautionary Statements:

P202: Do not handle until all safety precautions have been read and
 P280: Wear protective gloves/protective clothing/eye protection/face
 P305+351+338: IF IN EYES: Rinse cautiously with water for several minutes.
 Remove contact lenses if present and easy to do – continue rinsing
 P302+350: IF ON SKIN: Gently wash with plenty of soap and water
 P337+313: If eye irritation persists get medical advice/attention
 P403: Store in a well ventilated place
 P301+312: IF SWALLOWED: Call a POISON CENTER or doctor/physician if
 you feel unwell
 P304+340: IF INHALED: Remove victim to fresh air and keep at rest in a
 position comfortable for breathing. If breathing becomes difficult, seek
 immediate medical attention
 P501: Dispose of contents/container in accordance with
 local/national/international rules.

Hazards not otherwise classified:

Not applicable, none known.

Marshall Photo Oil Colors: CADMIUM YELLOW DEEP EXTRA STRONG

Section 3: Composition / Information on Ingredients

Hazardous substance (name)	Hazard Category	CAS#	Weight %
Ethyl Alcohol (C ₂ H ₅ O)	Not Classified	64-17-5	<1%
Alumina Trihydrate aka ALUPREM (Al(OH) ₃)	Not Classified	21645-51-2	<8%
Cadmium Zinc Sulfide	Not Classified	12442-27-2	<74%

Section 4: First Aid Measures

General Info: If seeking medical attention, provide SDS document to physician.

Notable Exposure: Treat symptomatically. This product has no known significant effects or critical symptoms: hazards. Contact Poison Control in the event significant quantities have been ingested.

If ingested: Rinse mouth thoroughly. Remove dentures if applicable. Move person to fresh air and keep in a comfortable position for breathing. Do not induce vomiting. Have exposed individual drink sips of water. May cause irritation of the mouth. Seek medical attention if adverse health effects persist or become severe.

If inhaled: Move individual to fresh air. Loosen clothing and position individual in a comfortable position. If breathing is difficult, administer oxygen if available. Seek medical advice if discomfort or irritation persists.

Eye contact: Protect unexposed eye. Remove any contact lenses. Rinse/flush affected eye gently with water for 15-20 minutes. Seek medical attention if irritation persists or if pain develops and persists.

Skin contact: Remove any contaminated clothing and wash before reuse. Wash affected area with soap and water. Rinse well for 15 minutes. Seek medical advice if discomfort or irritation persists.

Additional Info: Observe for any symptoms for several hours after exposure. Follow up with medical attention if symptoms develop.

Section 5: Fire Fighting Measures

General Info: Product is flammable. Isolate any uncompromised product from area if possible. Do not breath fumes. Cool unopened containers with water.

Extinguishing: Carbon dioxide (CO₂), dry chemical, foam. Firefighters should wear self-contained Method / Equipment: breathing apparatus (SCBA) and full protective equipment.

Hazardous: May emit toxic fumes under fire conditions. Thermal decomposition may yield carbon
Decomposition Info: dioxide and/or carbon monoxide.

Section 6: Accidental Release Measures

Personal precautions, Keep unnecessary personnel away. Keep people away from and upwind of spill/leak.
protective equipment Eliminate all ignition sources (no smoking, flares, sparks, or flames in immediate area).
and procedures: Wear appropriate protective equipment and clothing during clean-up. Avoid breathing vapors. Ventilate area if easy to do so. Contact local authorities if significant spillages cannot be contained. For personal protection, see section 8 of the SDS.

Containment Small spills: Should be picked up w/ absorbent material and transferred into closed
Equipment and metal containers and soaked with water Larger Spills can be scooped up and put into
Procedures: metal containers to disposed of in accordance with regulations.

Marshall Photo Oil Colors: CADMIUM YELLOW DEEP EXTRA STRONG

Cleanup Procedures: Carefully dispose of in secure landfills or a special waste landfill. Dispose of all waste and cleanup materials in accordance with regulations. Do not allow undiluted product or large quantities of it to reach ground water, surface water or sewage systems.

Section 7: Handling and Storage

Safe Handling Do not handle until all safety precautions have been read and understood. Do not handle near an open flame or sources of ignition. Ensure adequate ventilation. Take precautionary measures against static discharges. Avoid breathing vapors. Avoid contact with eyes, skin, and clothing. Wear appropriate personal protective equipment.

Recommendations Store in cool area in product container away from sources of ignition or flame. Store for Storage: away from foodstuffs. Store in a cool, dry conditions in well sealed containers. Avoid accumulation of contaminated rags or wiping materials by immediately immersing in water.

Incompatibilities: Store away from oxidizing agents and Chlorinated Rubber.

Section 8: Exposure Control / Personal Protection

General / Local exhaust ventilation should be utilized to control vapors / substances below Engineering exposure limits. Eye wash facilities should be available when handling this product.

Controls:

Work Clothing: Protective work clothing which covers skin and prevents exposures.

Eye/face protection: Wear safety goggles or face shield.

Skin Protection: Wear neoprene rubber gloves. Prevent repeated or prolonged skin contact.

Respiratory Not normally required under normal conditions of use.

Protection:

Additional Observe good chemical hygiene practices. Do not smoke or eat while using this product. Wash hands or exposed skin after using the product.

Substances with Exposure Limits	CAS#	ACGIH-TLV	OSHA-PEL
Ethanol	64-17-5	1000ppm/15 min	1000 ppm / 8 hrs
Cadmium Zinc Sulfide	12442-27-2	0.05 mg/mg ³	0.005 mg/m ³

Section 9: Physical and Chemical Properties

State: Thick liquid	Melting Point: Not avail	Freezing Point: Not avail
Color: Yellow	Boiling Point/Range: Not avail	pH Not avail
Sp Grav: 0.8-0.9	Odor: Strong	Water Solubility: < 1%
Evaporation rate: < 1	Flash Point: 153° SETA	Part. Coeff (n-octanol/water) Not avail
Upper Flam Limits: Not avail	Lower Flam Limits: Not avail	Vapor Pressure: 40
VOC Content (lbs/gal): Not avail	Viscosity: Not avail	Autoignition Temp: Not avail

Marshall Photo Oil Colors: CADMIUM YELLOW DEEP EXTRA STRONG**Section 10: Stability and Reactivity**

General: This product is stable and non-reactive under normal conditions of use. Product is not subject to hazardous polymerization. Avoid open flame and ignition sources.

Incompatible materials: Strong oxidizing agents, chlorinated rubber.

Decomposition: Temp above 1000° may emit carbon dioxide, carbon monoxide, and cadmium oxide products: fumes with thermal decomposition. H₂S gas (Hydrogen Sulfide) with strong acids.

Section 11: Toxicological Information

General Information: Contains chemicals which may be irritants in contact with skin and eyes or if inhaled. May be harmful if ingested. May be harmful to the hepatic and renal systems.

Toxicological Information: The components of this material have been reviewed and the following selected endpoints are published.
(product):

Likely Routes of Inhalation of vapors, dermal Exposure:

Toxicological Information (contained substances)

Hazardous substance (name)	LD50 Oral	LD50 Dermal	LC50 Inh	Irritancy:
Ethyl alcohol (Ethanol)	NA	NA	NA	NA
Alumina Trihydrate aka ALUPREM (Al(OH) ₃)	>5000 mg/kg (rat)	Unjustified	>2.3 mg/l/4h (rat)	NA

Carcinogenicity or mutagenicity: Cadmium compounds as a group have been identified by IARC, OSHA or NTP as carcinogenic.

Sensitization: Product is not expected to be a sensitizer.

Reproductive Toxicity: Repeated and prolonged exposure to cadmium compounds may cause delayed effects involving the blood, gastrointestinal, nervous and reproductive systems. Lead and lead compounds are known to the state or California to cause birth defects or reproductive harm.

Other Notes: Repeated and prolonged exposure to cadmium compounds may cause delayed effects involving the respiratory and renal systems.

Section 12: Ecological Information

General information: No specific data available.

Aquatic toxicity: No specific data available.

Degradation / Mobility info: No specific data available.

Bioaccumulative potential: This product has inorganic compounds which are not biodegradable and has the potential for bioaccumulation.

Section 13: Disposal Information

5/24/2017

5 of 5

US-SDS

*All chemicals may pose unknown hazards and should be used and handled with caution. This Safety Data Sheet applies only to the material as packaged. If this product is combined with other materials, deteriorates, or becomes contaminated, it may pose hazards not mentioned in this SDS. It shall be the user's responsibility to develop proper methods of handling and personal protection based on the actual conditions of use. While this SDS is based on technical data judged to be reliable, Omegabrandess Distribution assumes no responsibility for the completeness or accuracy of the information contained herein. The information and recommendations in this safety data sheet are, to the best of our knowledge, accurate as of the date of issue. Nothing herein shall be deemed to create warranty, expressed or implied, and shall not establish a legally valid contractual relationship. It is the responsibility of the user to determine applicability of this information and the suitability of the material or product for any particular purpose.

** Since other agencies regulate this information, OSHA does not require and will not be enforcing sections 12-15 (29 CFR 1910.1200(g)(2))

Section 16: Other Information	
SDS Author:	Stephanie M. Wilson
Version Date:	5/23/2017
Version #	1.1
Section 15: Regulatory Information**	
DOT: Compound Paint - Not regulated by DOT	
IMO/IMDG:	**
IATA:	**
Section 14: Transport Information**	
TSCA:	**
CERCLA RQ:	**
SARA 311/312:	**
SARA 313:	**
California Prop 65	**
Substances:	**
Canadian DSL:	**
WHMIS:	**

Product disposal: Dispose of product in accordance with local, regional, and national regulations.
Container disposal: Empty containers should be taken to an approved waste handling site for recycling or disposal.
Other considerations: No further information.

Marshall Photo Oil Colors: CADMIUM YELLOW DEEP EXTRA STRONG

Marshall Photo Oil Colors: CARMINE EXTRA STRONG

00426-3143

Safety Data Sheet (SDS)
 OSHA HazCom Standard 29 CFR 1910.1200 GHD Rev 03

**Section 1: Company and Product Identification**

Product Name: CARMINE EXTRA STRONG Photo Oil Color
Product Code: MS2CX, MSBL2CX
Company: OmegaBrandess Distribution
 626 Hanover Pike, Suite 102
 Hampstead, MD 21074
 PH: 410-374-3250 / FAX: 410-374-3184
www.OmegaBrandess.com
Emergency Response: CHEMTREC 1-800-424-9300 (24 Hour Response)
 Poison Control: 1-800-222-1222

Section 2: Hazards Identification

GHS02

BLANK

BLANK

BLANK

Hazard Pictograms:**Signal Word:**

Danger

Hazard Category:

Flammable Liq Cat 3
 Acute tox, inh. Cat 5
 Skin corrosion/irritation Cat 3
 Non-classified
 Non-classified

Hazard Statements:

H226: Flammable liquid and vapour
 H333: May be harmful if inhaled
 H316: Causes mild skin irritation
 Not Applicable
 Not Applicable

Precautionary Statements:

P202: Do not handle until all safety precautions have been read and
 P280: Wear protective gloves/protective clothing/eye protection/face
 P305+351+338: IF IN EYES: Rinse cautiously with water for several minutes.
 Remove contact lenses if present and easy to do – continue rinsing
 P302+350: IF ON SKIN: Gently wash with plenty of soap and water
 P337+313: If eye irritation persists get medical advice/attention
 P403: Store in a well ventilated place
 P301+312: IF SWALLOWED: Call a POISON CENTER or doctor/physician if
 you feel unwell
 P304+340: IF INHALED: Remove victim to fresh air and keep at rest in a
 position comfortable for breathing. If breathing becomes difficult, seek
 immediate medical attention
 P501: Dispose of contents/container in accordance with
 local/national/international rules.

Marshall Photo Oil Colors: CARMINE EXTRA STRONG

**Hazards not
otherwise classified:**

Not applicable, none known.

Marshall Photo Oil Colors: CARMINE EXTRA STRONG

Section 3: Composition / Information on Ingredients

Hazardous substance (name)	Hazard Category	CAS#	Weight %
Ethyl Alcohol (C_2H_5O)	Not Classified	64-17-5	> 0.5 %
Alumina Trihydrate aka ALUPREM ($Al(OH)_3$)	Not Classified	21645-51-2	< 15%

Section 4: First Aid Measures

General Info: If seeking medical attention, provide SDS document to physician.

Notable Exposure symptoms: Treat symptomatically. This product has no known significant effects or critical hazards. Contact Poison Control in the event significant quantities have been ingested.

If ingested: Rinse mouth thoroughly. Remove dentures if applicable. Move person to fresh air and keep in a comfortable position for breathing. Do not induce vomiting. Have exposed individual drink sips of water. May cause irritation of the mouth. Seek medical attention if adverse health effects persist or become severe.

If inhaled: Move individual to fresh air. Loosen clothing and position individual in a comfortable position. If breathing is difficult, administer oxygen if available. Seek medical advice if discomfort or irritation persists.

Eye contact: Protect unexposed eye. Remove any contact lenses. Rinse/flush affected eye gently with water for 15-20 minutes. Seek medical attention if irritation persists or if pain develops and persists.

Skin contact: Remove any contaminated clothing and wash before reuse. Wash affected area with soap and water. Rinse well for 15 minutes. Seek medical advice if discomfort or irritation persists.

Additional Info: Observe for any symptoms for several hours after exposure. Follow up with medical attention if symptoms develop.

Section 5: Fire Fighting Measures

General Info: Product is flammable. Isolate any uncompromised product from area if possible. Do not breath fumes. Cool unopened containers with water.

Extinguishing Method / Equipment: Carbon dioxide (CO_2), dry chemical, foam. Firefighters should wear self-contained breathing apparatus (SCBA) and full protective equipment.

Hazardous Decomposition Info: May emit toxic fumes under fire conditions. Thermal decomposition may yield carbon dioxide and/or carbon monoxide.

Section 6: Accidental Release Measures

Personal precautions and protective equipment: Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Eliminate all ignition sources (no smoking, flares, sparks, or flames in immediate area).

and procedures: Wear appropriate protective equipment and clothing during clean-up. Avoid breathing vapors. Ventilate area if easy to do so. Contact local authorities if significant spillages cannot be contained. For personal protection, see section 8 of the SDS.

Containment Equipment and Procedures: Small spills: Should be picked up w/ absorbent material and transferred into closed metal containers and soaked with water. Larger Spills can be scooped up and put into metal containers to be salvaged.

Cleanup Procedures: Carefully incinerate or use secure landfills or a special waste landfill. Dispose of all waste and cleanup materials in accordance with regulations.

Marshall Photo Oil Colors: CARMINE EXTRA STRONG

Section 7: Handling and Storage

Safe Handling Do not handle until all safety precautions have been read and understood. Do not handle near an open flame or sources of ignition. Ensure adequate ventilation. Take precautionary measures against static discharges. Avoid breathing vapors. Avoid contact with eyes, skin, and clothing. Wear appropriate personal protective equipment.

Recommendations Store in cool area in product container away from sources of ignition or flame. Store for Storage: away from foodstuffs. Store in a cool, dry conditions in well sealed containers. Avoid accumulation of contaminated rags or wiping materials by immediately immersing in water.

Incompatibilities: Store away from oxidizing agents and Chlorinated Rubber.

Section 8: Exposure Control / Personal Protection

General / Local exhaust ventilation should be utilized to control vapors / substances below Engineering exposure limits. Eye wash facilities should be available when handling this product.

Controls:

Work Clothing: Protective work clothing which covers skin and prevents exposures.

Eye/face protection: Wear safety goggles or face shield.

Skin Protection: Wear neoprene rubber gloves. Prevent repeated or prolonged skin contact.

Respiratory Not normally required under normal conditions of use.

Protection:

Additional Information: Observe good chemical hygiene practices. Do not smoke or eat while using this product. Wash hands or exposed skin after using the product.

Substances with Exposure Limits	CAS#	ACGIH-TLV	OSHA-PEL
Ethanol	64-17-5	1000ppm/15 min	1000 ppm / 8 hrs

Section 9: Physical and Chemical Properties

State: Thick liquid	Melting Point: Not avail	Freezing Point: Not avail
Color: Crimson	Boiling Point/Range: Not avail	pH: Not avail
Sp Grav: Not avail	Odor: Strong	Water Solubility: > 1%
Evaporation rate: < 1	Flash Point: 160° SETA	Part. Coeff (n-octanol/water): Not avail
Upper Flam Limits: Not avail	Lower Flam Limits: Not avail	Vapor Pressure: 40
VOC Content (lbs/gal): Not avail	Viscosity: Not avail	Autoignition Temp: Not avail

Section 10: Stability and Reactivity

General: This product is stable and non-reactive under normal conditions of use. Product is not subject to hazardous polymerization. Avoid open flame and ignition sources.

Marshall Photo Oil Colors: CARMINE EXTRA STRONG

Incompatible materials: Strong oxidizing agents, chlorinated rubber.

Decomposition products: carbon dioxide, carbon monoxide (thermal decomposition)

Section 11: Toxicological Information

General Information: Contains chemicals which may be irritants in contact with skin and eyes or if inhaled. May be harmful if ingested.

Toxicological Information (product): The components of this material have been reviewed and the following selected endpoints are published.

Likely Routes of Inhalation of vapors, dermal Exposure:

Toxicological Information (contained substances)

Hazardous substance (name)	LD50 Oral	LD50 Dermal	LC50 Inh	Irritancy:
Ethyl alcohol (Ethanol)	NA	NA	NA	NA
alumina trihydrate (ALUPREM)	>5000 mg/kg (rat)	Unjustified	>2.3 mg/l/4h (rat)	NA

Carcinogenicity or mutagenicity: There are no known carcinogenic materials in this product

Sensitization: Product is not expected to be a sensitizer.

Reproductive Toxicity: Not known to adversely affect reproductive functions and organs. Not known to cause birth defects or have a deleterious effect on a developing fetus.

Other Notes: None.

Section 12: Ecological Information

General information: Product not tested.

Aquatic toxicity: Not known to be hazardous to the environment.

Degradation / Mobility info: No specific data available.

Bioaccumulative potential: This product has inorganic compounds which are not biodegradable and has the potential for bioaccumulation.

Section 13: Disposal Information

Product disposal: Dispose of product in accordance with local, regional, and national regulations.

Container disposal: Empty containers should be taken to an approved waste handling site for recycling or disposal.

Other considerations: No further information.

5/10/2017

6 of 6

US-SDS

**All chemicals may pose unknown hazards and should be used and handled with caution. This Safety Data Sheet applies only to the material as packaged. If this product is combined with other materials, deteriorates, or becomes contaminated, it may pose hazards not mentioned in this SDS. It shall be the user's responsibility to develop proper methods of handling and personal protection based on the actual conditions of use. While this SDS is based on technical data judged to be reliable, OmegaBrandless Distribution assumes no responsibility for the completeness or accuracy of the information contained herein. The information and recommendations in this safety data sheet are, to the best of our knowledge, accurate as of the date of issue. Nothing herein shall be deemed to create warranty, expressed or implied, and shall not establish a legally valid contractual relationship. It is the responsibility of the user to determine applicability of this information and the suitability of the material or product for any particular purpose.*

**** Since other agencies regulate this information, OSHA does not require and will not be enforcing sections 12-15 (29 CFR 1910.1200(g)(2))**

Section 16: Other information	
SDS Author:	Stephanie M. Wilson
Version #	5/10/2017
Version Date:	1.0
Section 15: Regulatory Information**	
TSCA: **	
CERCLA RQ: **	
SARA 311/312: **	
SARA 313 **	
California Prop 65 **	
Substances:	
Canadian DSL: **	
WHMIS: **	
Section 14: Transport Information**	
DOT: Not dangerous/hazardous goods. **	
IMO/MDG: **	
IATA: **	

Marshall Photo Oil Colors: CARMINE EXTRA STRONG

Marshall Photo Oil Colors: CERISE

00426-3726

Safety Data Sheet (SDS)
 OSHA HazCom Standard 29 CFR 1910.1200 GHD Rev 03

**Section 1: Company and Product Identification**

Product Name: CERISE Photo Oil Color
Product Code: MS2CE, MS4CE, MSBL2CE
Company: OmegaBrandess Distribution
 626 Hanover Pike, Suite 102
 Hampstead, MD 21074
 PH: 410-374-3250 / FAX: 410-374-3184
www.OmegaBrandess.com
Emergency Response: CHEMTREC 1-800-424-9300 (24 Hour Response)
 Poison Control: 1-800-222-1222

Section 2: Hazards Identification

GH502

BLANK

BLANK

BLANK

Hazard Pictograms:

Signal Word: Danger

Hazard Category: Flammable Liq Cat 3
 Acute tox, inh. Cat 5
 Skin corrosion/irritation Cat 3
 Non-classified
 Non-classified

Hazard Statements: H226: Flammable liquid and vapour
 H333: May be harmful if inhaled
 H316: Causes mild skin irritation
 Not Applicable
 Not Applicable

Precautionary Statements: P202: Do not handle until all safety precautions have been read and
 P280: Wear protective gloves/protective clothing/eye protection/face
 P305+351+338: IF IN EYES: Rinse cautiously with water for several minutes.
 Remove contact lenses if present and easy to do – continue rinsing
 P302+350: IF ON SKIN: Gently wash with plenty of soap and water
 P337+313: If eye irritation persists get medical advice/attention
 P403: Store in a well ventilated place
 P301+312: IF SWALLOWED: Call a POISON CENTER or doctor/physician if
 you feel unwell
 P304+340: IF INHALED: Remove victim to fresh air and keep at rest in a
 position comfortable for breathing. If breathing becomes difficult, seek
 immediate medical attention
 P501: Dispose of contents/container in accordance with
 local/national/International rules.

Marshall Photo Oil Colors: CERISE

**Hazards not
otherwise classified:**

Not applicable, none known.

Marshall Photo Oil Colors: CERISE

Section 3: Composition / Information on Ingredients

Hazardous substance (name)	Hazard Category	CAS#	Weight %
Ethyl Alcohol (C_2H_6O)	Not Classified	64-17-5	> 0.5 %
Alumina Trihydrate aka ALUPREM ($Al(OH)_3$)	Not Classified	21645-51-2	< 38%

Section 4: First Aid Measures

General Info: If seeking medical attention, provide SDS document to physician.

Notable Exposure symptoms: Treat symptomatically. This product has no known significant effects or critical hazards. Contact Poison Control in the event significant quantities have been ingested.

If ingested: Rinse mouth thoroughly. Remove dentures if applicable. Move person to fresh air and keep in a comfortable position for breathing. Do not induce vomiting. Have exposed individual drink sips of water. May cause irritation of the mouth. Seek medical attention if adverse health effects persist or become severe.

If inhaled: Move individual to fresh air. Loosen clothing and position individual in a comfortable position. If breathing is difficult, administer oxygen if available. Seek medical advice if discomfort or irritation persists.

Eye contact: Protect unexposed eye. Remove any contact lenses. Rinse/flush affected eye gently with water for 15-20 minutes. Seek medical attention if irritation persists or if pain develops and persists.

Skin contact: Remove any contaminated clothing and wash before reuse. Wash affected area with soap and water. Rinse well for 15 minutes. Seek medical advice if discomfort or irritation persists.

Additional Info: Observe for any symptoms for several hours after exposure. Follow up with medical attention if symptoms develop.

Section 5: Fire Fighting Measures

General Info: Product is flammable. Isolate any uncompromised product from area if possible. Do not breath fumes. Cool unopened containers with water.

Extinguishing Method / Equipment: Carbon dioxide (CO_2), dry chemical, foam. Firefighters should wear self-contained breathing apparatus (SCBA) and full protective equipment.

Hazardous Decomposition Info: May emit toxic fumes under fire conditions. Thermal decomposition may yield carbon dioxide and/or carbon monoxide.

Section 6: Accidental Release Measures

Personal precautions, protective equipment and procedures: Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Eliminate all ignition sources (no smoking, flares, sparks, or flames in immediate area). Wear appropriate protective equipment and clothing during clean-up. Avoid breathing vapors. Ventilate area if easy to do so. Contact local authorities if significant spillages cannot be contained. For personal protection, see section 8 of the SDS.

Containment Equipment and Procedures: Small spills: Should be picked up w/ absorbent material and transferred into closed metal containers and soaked with water. Larger Spills can be scooped up and put into metal containers to be salvaged.

Cleanup Procedures: Carefully incinerate or use secure landfills or a special waste landfill. Dispose of all waste and cleanup materials in accordance with regulations.

Marshall Photo Oil Colors: CERISE

Section 7: Handling and Storage

Safe Handling Do not handle until all safety precautions have been read and understood. Do not handle near an open flame or sources of ignition. Ensure adequate ventilation. Take precautionary measures against static discharges. Avoid breathing vapors. Avoid contact with eyes, skin, and clothing. Wear appropriate personal protective equipment.

Recommendations Store in cool area in product container away from sources of ignition or flame. Store for Storage: away from foodstuffs. Store in a cool, dry conditions in well sealed containers. Avoid accumulation of contaminated rags or wiping materials by immediately immersing in water.

Incompatibilities: Store away from oxidizing agents and Chlorinated Rubber.

Section 8: Exposure Control / Personal Protection

General / Local exhaust ventilation should be utilized to control vapors / substances below Engineering exposure limits. Eye wash facilities should be available when handling this product.

Controls:

Work Clothing: Protective work clothing which covers skin and prevents exposures.

Eye/face protection: Wear safety goggles or face shield.

Skin Protection: Wear neoprene rubber gloves. Prevent repeated or prolonged skin contact.

Respiratory Not normally required under normal conditions of use.

Protection:

Additional Observe good chemical hygiene practices. Do not smoke or eat while using this product. Wash hands or exposed skin after using the product.

Substances with Exposure Limits	CAS#	ACGIH-TLV	OSHA-PEL
Ethanol	64-17-5	1000ppm/15 min	1000 ppm / 8 hrs

Section 9: Physical and Chemical Properties

State: Thick liquid	Melting Point: Not avail	Freezing Point: Not avail
Color: Red	Boiling Point/Range: Not avail	pH Not avail
Sp Grav: Not avail	Odor: Strong	Water Solubility: > 1%
Evaporation rate: < 1	Flash Point: 160° SETA	Part. Coeff (n-octanol/water) Not avail
Upper Flam Limits: Not avail	Lower Flam Limits: Not avail	Vapor Pressure: 40
VOC Content (lbs/gal): Not avail	Viscosity: Not avail	Autoignition Temp: Not avail

Section 10: Stability and Reactivity

General: This product is stable and non-reactive under normal conditions of use. Product is not subject to hazardous polymerization. Avoid open flame and ignition sources.

Marshall Photo Oil Colors: CERISE

Incompatible Strong oxidizing agents, chlorinated rubber.
materials:

Decomposition carbon dioxide, carbon monoxide (thermal decomposition)
products:

Section 11: Toxicological Information

General Information: Contains chemicals which may be irritants in contact with skin and eyes or if inhaled.
May be harmful if ingested.

Toxicological Information The components of this material have been reviewed and the following selected endpoints are published.
(product):

**Likely Routes of Inhalation of vapors, dermal
Exposure:**

Toxicological Information (contained substances)

Hazardous substance (name)	LD50 Oral	LD50 Dermal	LC50 Inh	Irritancy:
Ethyl alcohol (Ethanol)	NA	NA	NA	NA
alumina trihydrate (ALUPREM)	>5000 mg/kg (rat)	Unjustified	>2.3 mg/l/4h (rat)	NA

Carcinogenicity or mutagenicity: There are no known carcinogenic materials in this product

Sensitization: Product is not expected to be a sensitizer.

Reproductive Toxicity: Not known to adversely affect reproductive functions and organs. Not known to cause birth defects or have a deleterious effect on a developing fetus.

Other Notes: None.

Section 12: Ecological Information

General information: Product not tested.

Aquatic toxicity: Not known to be hazardous to the environment.

Degradation / Mobility info: No specific data available.

Bioaccumulative potential: This product has inorganic compounds which are not biodegradable and has the potential for bioaccumulation.

Section 13: Disposal Information

Product disposal: Dispose of product in accordance with local, regional, and national regulations.

Container disposal: Empty containers should be taken to an approved waste handling site for recycling or disposal.

Other considerations: No further information.

5/10/2017

6 of 6

US-SDS

**All chemicals may pose unknown hazards and should be used and handled with caution. This Safety Data Sheet applies only to the material as packaged. If this product is combined with other materials, deteriorates, or becomes contaminated, it may pose hazards not mentioned in this SDS. It shall be the user's responsibility to develop proper methods of handling and personal protection based on the actual conditions of use. While this SDS is based on technical data judged to be reliable, OmegaBrandess Distribution assumes no responsibility for the completeness or accuracy of the information contained herein. The information and recommendations in this safety data sheet are, to the best of our knowledge, accurate as of the date of issue. Nothing herein shall be deemed to create warranty, expressed or implied, and shall not establish a legally valid contractual relationship. It is the responsibility of the user to determine applicability of this information and the suitability of the material or product for any particular purpose.*

*** Since other agencies regulate this information, OSHA does not require and will not be enforcing sections 12-15 (29 CFR 1910.1200(g)(2))*

SDS Author: Stephanie M. Wilson		Version #	5/10/2017
Version Date:		1.0	
Section 16: Other Information			
TSCA: **			
CERCLA RQ: **			
SARA 311/312: **			
SARA 313 **			
California Prop 65 **			
Substances:			
Canadian DSL: **			
WHMIS: **			
Section 15: Regulatory Information**			
DOT: Not dangerous/hazardous goods. **			
IMO/MDG: **			
IATA: **			
Section 14: Transport Information**			

Marshall Photo Oil Colors: CERISE

Marshall Photo Oil Colors: CHINESE BLUE EXTRA STRONG

00426-5003,5006

Safety Data Sheet (SDS)
 OSHA HazCom Standard 29 CFR 1910.1200 GHD Rev 03

**Section 1: Company and Product Identification****Product Name:** CHINESE BLUE EXTRA STRONG Photo Oil Color**Product Code:** MS4CBX, MS2CBX, MSBL2CBX

Company: OmegaBrandess Distribution
 626 Hanover Pike, Suite 102
 Hampstead, MD 21074
 PH: 410-374-3250 / FAX: 410-374-3184
 www.OmegaBrandess.com

Emergency Response: CHEMTREC 1-800-424-9300 (24 Hour Response)
 Poison Control: 1-800-222-1222

Section 2: Hazards Identification

GH502

BLANK

BLANK

BLANK

Hazard Pictograms:**Signal Word:**

Danger

Hazard Category:

Flammable Liq Cat 3
 Acute tox, inh. Cat 5
 Skin corrosion/irritation Cat 3
 Non-classified
 Non-classified

Hazard Statements:

H226: Flammable liquid and vapour
 H333: May be harmful if inhaled
 H316: Causes mild skin irritation
 Not Applicable
 Not Applicable

Precautionary Statements:

P202: Do not handle until all safety precautions have been read and
 P280: Wear protective gloves/protective clothing/eye protection/face
 P305+351+338: IF IN EYES: Rinse cautiously with water for several minutes.
 Remove contact lenses if present and easy to do – continue rinsing
 P302+350: IF ON SKIN: Gently wash with plenty of soap and water
 P337+313: If eye irritation persists get medical advice/attention
 P403: Store in a well ventilated place
 P301+312: IF SWALLOWED: Call a POISON CENTER or doctor/physician if
 you feel unwell
 P304+340: IF INHALED: Remove victim to fresh air and keep at rest in a
 position comfortable for breathing. If breathing becomes difficult, seek
 immediate medical attention
 P501: Dispose of contents/container in accordance with
 local/national/international rules.

Marshall Photo Oil Colors: CHINESE BLUE EXTRA STRONG

**Hazards not
otherwise classified:**

Not applicable, none known.

Marshall Photo Oil Colors: CHINESE BLUE EXTRA STRONG

Section 3: Composition / Information on Ingredients

Hazardous substance (name)	Hazard Category	CAS#	Weight %
Ethyl Alcohol (C_2H_6O)	Not Classified	64-17-5	> 0.5 %
Alumina Trihydrate aka ALUPREM ($Al(OH)_3$)	Not Classified	21645-51-2	< 45%

Section 4: First Aid Measures

General Info: If seeking medical attention, provide SDS document to physician.

Notable Exposure symptoms: Treat symptomatically. This product has no known significant effects or critical hazards. Contact Poison Control in the event significant quantities have been ingested.

If ingested: Rinse mouth thoroughly. Remove dentures if applicable. Move person to fresh air and keep in a comfortable position for breathing. Do not induce vomiting. Have exposed individual drink sips of water. May cause irritation of the mouth. Seek medical attention if adverse health effects persist or become severe.

If inhaled: Move individual to fresh air. Loosen clothing and position individual in a comfortable position. If breathing is difficult, administer oxygen if available. Seek medical advice if discomfort or irritation persists.

Eye contact: Protect unexposed eye. Remove any contact lenses. Rinse/flush affected eye gently with water for 15-20 minutes. Seek medical attention if irritation persists or if pain develops and persists.

Skin contact: Remove any contaminated clothing and wash before reuse. Wash affected area with soap and water. Rinse well for 15 minutes. Seek medical advice if discomfort or irritation persists.

Additional Info: Observe for any symptoms for several hours after exposure. Follow up with medical attention if symptoms develop.

Section 5: Fire Fighting Measures

General Info: Product is flammable. Isolate any uncompromised product from area if possible. Do not breath fumes. Cool unopened containers with water.

Extinguishing Method / Equipment: Carbon dioxide (CO_2), dry chemical, foam. Firefighters should wear self-contained breathing apparatus (SCBA) and full protective equipment.

Hazardous Decomposition Info: May emit toxic fumes under fire conditions. Thermal decomposition may yield carbon dioxide and/or carbon monoxide.

Section 6: Accidental Release Measures

Personal precautions, protective equipment and procedures: Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Eliminate all ignition sources (no smoking, flares, sparks, or flames in immediate area). Wear appropriate protective equipment and clothing during clean-up. Avoid breathing vapors. Ventilate area if easy to do so. Contact local authorities if significant spillages cannot be contained. For personal protection, see section 8 of the SDS.

Containment Equipment and Procedures: Small spills: Should be picked up w/ absorbent material and transferred into closed metal containers and soaked with water. Larger Spills can be scooped up and put into metal containers to be salvaged.

Cleanup Procedures: Carefully incinerate or use secure landfills or a special waste landfill. Dispose of all waste and cleanup materials in accordance with regulations.

Marshall Photo Oil Colors: CHINESE BLUE EXTRA STRONG

Section 7: Handling and Storage

Safe Handling Do not handle until all safety precautions have been read and understood. Do not handle near an open flame or sources of ignition. Ensure adequate ventilation. Take precautionary measures against static discharges. Avoid breathing vapors. Avoid contact with eyes, skin, and clothing. Wear appropriate personal protective equipment.

Recommendations Store in cool area in product container away from sources of ignition or flame. Store for Storage: away from foodstuffs. Store in a cool, dry conditions in well sealed containers. Avoid accumulation of contaminated rags or wiping materials by immediately immersing in water.

Incompatibilities: Store away from oxidizing agents and Chlorinated Rubber.

Section 8: Exposure Control / Personal Protection

General / Local exhaust ventilation should be utilized to control vapors / substances below Engineering exposure limits. Eye wash facilities should be available when handling this product.

Controls:

Work Clothing: Protective work clothing which covers skin and prevents exposures.

Eye/face protection: Wear safety goggles or face shield.

Skin Protection: Wear neoprene rubber gloves. Prevent repeated or prolonged skin contact.

Respiratory Not normally required under normal conditions of use.

Protection:

Additional Observe good chemical hygiene practices. Do not smoke or eat while using this product. **Information:** product. Wash hands or exposed skin after using the product.

Substances with Exposure Limits	CAS#	ACGIH-TLV	OSHA-PEL
Ethanol	64-17-5	1000ppm/15 min	1000 ppm / 8 hrs

Section 9: Physical and Chemical Properties

State: Thick liquid	Melting Point: Not avail	Freezing Point: Not avail
Color: Blue	Boiling Point/Range: Not avail	pH Not avail
Sp Grav: Not avail	Odor: Strong	Water Solubility: > 1%
Evaporation rate: < 1	Flash Point: 160° SETA	Part. Coeff (n-octanol/water) Not avail
Upper Flam Limits: Not avail	Lower Flam Limits: Not avail	Vapor Pressure: 40
VOC Content (lbs/gal): Not avail	Viscosity: Not avail	Autoignition Temp: Not avail

Section 10: Stability and Reactivity

General: This product is stable and non-reactive under normal conditions of use. Product is not subject to hazardous polymerization. Avoid open flame and ignition sources.

Marshall Photo Oil Colors: CHINESE BLUE EXTRA STRONG

Incompatible Strong oxidizing agents, chlorinated rubber.
materials:

Decomposition carbon dioxide, carbon monoxide (thermal decomposition)
products:

Section 11: Toxicological Information

General Information: Contains chemicals which may be irritants in contact with skin and eyes or if inhaled.
May be harmful if ingested.

Toxicological The components of this material have been reviewed and the following selected
Information endpoints are published.
(product):

Likely Routes of Inhalation of vapors, dermal
Exposure:

Toxicological Information (contained substances)

Hazardous substance (name)	LD50 Oral	LD50 Dermal	LC50 Inh	Irritancy:
Ethyl alcohol (Ethanol)	NA	NA	NA	NA
alumina trihydrate (ALUPREM)	>5000 mg/kg (rat)	Unjustified	>2.3 mg/l/4h (rat)	NA

Carcinogenicity or There are no known carcinogenic materials in this product
mutagenicity:

Sensitization: Product is not expected to be a sensitizer.

Reproductive Not known to adversely affect reproductive functions and organs. Not known to cause

Toxicity: birth defects or have a deleterious effect on a developing fetus.

Other Notes: None.

Section 12: Ecological Information

General information: Product not tested.

Aquatic toxicity: Not known to be hazardous to the environment.

Degradation / Mobility info: No specific data available.

Bioaccumulative potential: This product has inorganic compounds which are not biodegradable and has the
potential for bioaccumulation.

Section 13: Disposal Information

Product disposal: Dispose of product in accordance with local, regional, and national regulations.

Container disposal: Empty containers should be taken to an approved waste handling site for recycling or
disposal.

Other considerations: No further information.

Marshall Photo Oil Colors: CHINESE BLUE EXTRA STRONG**Section 14: Transport Information****

DOT: Not dangerous/hazardous goods. **

IMO/IMDG: **

IATA: **

Section 15: Regulatory Information**

TSCA: **

CERCLA RQ: **

SARA 311/312: **

SARA 313 **

California Prop 65 **

Substances:

Canadian DSL: **

WHMIS: **

Section 16: Other Information

SDS Author: Stephanie M. Wilson

Version Date: 5/10/2017
Version # 1.0

**** Since other agencies regulate this information, OSHA does not require and will not be enforcing sections 12-15 (29 CFR 1910.1200(g)(2))**

****All chemicals may pose unknown hazards and should be used and handled with caution. This Safety Data Sheet applies only to the material as packaged. If this product is combined with other materials, deteriorates, or becomes contaminated, it may pose hazards not mentioned in this SDS. It shall be the user's responsibility to develop proper methods of handling and personal protection based on the actual conditions of use. While this SDS is based on technical data judged to be reliable, OmegaBrandess Distribution assumes no responsibility for the completeness or accuracy of the information contained herein. The information and recommendations in this safety data sheet are, to the best of our knowledge, accurate as of the date of issue. Nothing herein shall be deemed to create warranty, expressed or implied, and shall not establish a legally valid contractual relationship. It is the responsibility of the user to determine applicability of this information and the suitability of the material or product for any particular purpose.***

Marshall Photo Oil Colors: COBALT VIOLET

00426-6523

Safety Data Sheet (SDS)
 OSHA HazCom Standard 29 CFR 1910.1200 GHD Rev 03

**Section 1: Company and Product Identification****Product Name:** COBALT VIOLET Photo Oil Color**Product Code:** MS2CV, MSBL2CV, MS4CV

Company: OmegaBrandess Distribution
 626 Hanover Pike, Suite 102
 Hampstead, MD 21074
 PH: 410-374-3250 / FAX: 410-374-3184
www.OmegaBrandess.com

Emergency CHEMTREC 1-800-424-9300 (24 Hour Response)**Response:** Poison Control: 1-800-222-1222**Section 2: Hazards Identification**

GHS02

BLANK

BLANK

BLANK

Hazard Pictograms:**Signal Word:**

Danger

Hazard Category:

Flammable Liq Cat 3
 Acute tox, inh. Cat 5
 Skin corrosion/irritation Cat 3
 Non-classified
 Non-classified

Hazard Statements:

H226: Flammable liquid and vapour
 H333: May be harmful if inhaled
 H316: Causes mild skin irritation
 Not Applicable
 Not Applicable

Precautionary Statements:

P202: Do not handle until all safety precautions have been read and
 P280: Wear protective gloves/protective clothing/eye protection/face
 P305+351+338: IF IN EYES: Rinse cautiously with water for several minutes.
 Remove contact lenses if present and easy to do – continue rinsing
 P302+350: IF ON SKIN: Gently wash with plenty of soap and water
 P337+313: If eye irritation persists get medical advice/attention
 P403: Store in a well ventilated place
 P301+312: IF SWALLOWED: Call a POISON CENTER or doctor/physician if
 you feel unwell
 P304+340: IF INHALED: Remove victim to fresh air and keep at rest in a
 position comfortable for breathing. If breathing becomes difficult, seek
 immediate medical attention
 P501: Dispose of contents/container in accordance with
 local/national/international rules.

Marshall Photo Oil Colors: COBALT VIOLET

**Hazards not
otherwise classified:**

Not applicable, none known.

Marshall Photo Oil Colors: COBALT VIOLET

Section 3: Composition / Information on Ingredients

Hazardous substance (name)	Hazard Category	CAS#	Weight %
Ethyl Alcohol (C_2H_6O)	Not Classified	64-17-5	> 0.5 %
Alumina Trihydrate aka ALUPREM ($Al(OH)_3$)	Not Classified	21645-51-2	< 57%

Section 4: First Aid Measures

General Info: If seeking medical attention, provide SDS document to physician.

Notable Exposure symptoms: Treat symptomatically. This product has no known significant effects or critical hazards. Contact Poison Control in the event significant quantities have been ingested.

If ingested: Rinse mouth thoroughly. Remove dentures if applicable. Move person to fresh air and keep in a comfortable position for breathing. Do not induce vomiting. Have exposed individual drink sips of water. May cause irritation of the mouth. Seek medical attention if adverse health effects persist or become severe.

If inhaled: Move individual to fresh air. Loosen clothing and position individual in a comfortable position. If breathing is difficult, administer oxygen if available. Seek medical advice if discomfort or irritation persists.

Eye contact: Protect unexposed eye. Remove any contact lenses. Rinse/flush affected eye gently with water for 15-20 minutes. Seek medical attention if irritation persists or if pain develops and persists.

Skin contact: Remove any contaminated clothing and wash before reuse. Wash affected area with soap and water. Rinse well for 15 minutes. Seek medical advice if discomfort or irritation persists.

Additional Info: Observe for any symptoms for several hours after exposure. Follow up with medical attention if symptoms develop.

Section 5: Fire Fighting Measures

General Info: Product is flammable. Isolate any uncompromised product from area if possible. Do not breath fumes. Cool unopened containers with water.

Extinguishing Method / Equipment: Carbon dioxide (CO_2), dry chemical, foam. Firefighters should wear self-contained breathing apparatus (SCBA) and full protective equipment.

Hazardous Decomposition Info: May emit toxic fumes under fire conditions. Thermal decomposition may yield carbon dioxide and/or carbon monoxide.

Section 6: Accidental Release Measures

Personal precautions, protective equipment and procedures: Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Eliminate all ignition sources (no smoking, flares, sparks, or flames in immediate area). Wear appropriate protective equipment and clothing during clean-up. Avoid breathing vapors. Ventilate area if easy to do so. Contact local authorities if significant spillages cannot be contained. For personal protection, see section 8 of the SDS.

Containment Equipment and Procedures: Small spills: Should be picked up w/ absorbent material and transferred into closed containers and soaked with water. Larger Spills can be scooped up and put into metal containers to be salvaged.

Cleanup Procedures: Carefully incinerate or use secure landfills or a special waste landfill. Dispose of all waste and cleanup materials in accordance with regulations.

Marshall Photo Oil Colors: COBALT VIOLET

Section 7: Handling and Storage

Safe Handling Do not handle until all safety precautions have been read and understood. Do not
Precautions: handle near an open flame or sources of ignition. Ensure adequate ventilation. Take precautionary measures against static discharges. Avoid breathing vapors. Avoid contact with eyes, skin, and clothing. Wear appropriate personal protective equipment.

Recommendations Store in cool area in product container away from sources of ignition or flame. Store
for Storage: away from foodstuffs. Store in a cool, dry conditions in well sealed containers. Avoid accumulation of contaminated rags or wiping materials by immediately immersing in water.

Incompatibilities: Store away from oxidizing agents and Chlorinated Rubber.

Section 8: Exposure Control / Personal Protection

General / Local exhaust ventilation should be utilized to control vapors / substances below Engineering exposure limits. Eye wash facilities should be available when handling this product.
Controls:

Work Clothing: Protective work clothing which covers skin and prevents exposures.

Eye/face protection: Wear safety goggles or face shield.

Skin Protection: Wear neoprene rubber gloves. Prevent repeated or prolonged skin contact.

Respiratory Not normally required under normal conditions of use.
Protection:

Additional Observe good chemical hygiene practices. Do not smoke or eat while using this
Information: product. Wash hands or exposed skin after using the product.

Substances with Exposure Limits	CAS#	ACGIH-TLV	OSHA-PEL
Ethanol	64-17-5	1000ppm/15 min	1000 ppm / 8 hrs

Section 9: Physical and Chemical Properties

State: semi-solid	Melting Point: Not avail	Freezing Point: Not avail
Color: Violet	Boiling Point/Range: Not avail	pH Not avail
Sp Grav: Not avail	Odor: Strong	Water Solubility: > 1%
Evaporation rate: < 1	Flash Point: 160° SETA	Part. Coeff (n octanol/water Not avail
Upper Flam Limits: Not avail	Lower Flam Limits: Not avail	Vapor Pressure: 40
VOC Content (lbs/gal): Not avail	Viscosity: Not avail	Autoignition Temp: Not avail

Section 10: Stability and Reactivity

General: This product is stable and non-reactive under normal conditions of use. Product is not subject to hazardous polymerization. Avoid open flame and ignition sources.

Marshall Photo Oil Colors: COBALT VIOLET

Incompatible materials: Strong oxidizing agents, chlorinated rubber.

Decomposition products: carbon dioxide, carbon monoxide (thermal decomposition)

Section 11: Toxicological Information

General Information: Contains chemicals which may be irritants in contact with skin and eyes or if inhaled. May be harmful if ingested.

Toxicological Information: The components of this material have been reviewed and the following selected endpoints are published.
(product):

Likely Routes of Exposure: Inhalation of vapors, dermal

Toxicological Information (contained substances)

Hazardous substance (name)	LD50 Oral	LD50 Dermal	LC50 Inh	Irritancy:
Ethyl alcohol (Ethanol)	NA	NA	NA	NA
alumina trihydrate (ALUPREM)	>5000 mg/kg (rat)	Unjustified	>2.3 mg/l/4h (rat)	NA

Carcinogenicity or mutagenicity: There are no known carcinogenic materials in this product

Sensitization: Product is not expected to be a sensitizer.

Reproductive Toxicity: Not known to adversely affect reproductive functions and organs. Not known to cause birth defects or have a deleterious effect on a developing fetus.

Other Notes: None.

Section 12: Ecological Information

General information: Product not tested.

Aquatic toxicity: Not known to be hazardous to the environment.

Degradation / Mobility info: No specific data available.

Bioaccumulative potential: This product has inorganic compounds which are not biodegradable and has the potential for bioaccumulation.

Section 13: Disposal Information

Product disposal: Dispose of product in accordance with local, regional, and national regulations.

Container disposal: Empty containers should be taken to an approved waste handling site for recycling or disposal.

Other considerations: No further information.

S/10/2017

6 of 6

US-SDS

"All chemicals may pose unknown hazards and should be used and handled with caution. This Safety Data Sheet applies only to the material as packaged. If this product is combined with other materials, deteriorates, or becomes contaminated, it may pose hazards not mentioned in this SDS. It shall be the user's responsibility to develop proper methods of handling and personal protection based on the actual conditions of use. While this SDS is based on technical data judged to be reliable, OmegaBrandess Distribution assumes no responsibility for the completeness or accuracy of the information contained herein. The information and recommendations in this safety data sheet are, to the best of our knowledge, accurate as of the date of issue. Nothing herein shall be deemed to create warranty, expressed or implied, and shall not establish a legally valid contractual relationship. It is the responsibility of the user to determine applicability of this information and the suitability of the material or product for any particular purpose.

** Since other agencies regulate this information, OSHA does not require and will not be enforcing sections 12-15 (29 CFR 1910.1200(g)(2))

Section 16: Other Information	
SDS Author:	Stephanie M. Wilson
Version Date:	S/10/2017
Version #	1.0

Section 15: Regulatory Information**	
TSCA:	**
CERCLA RQ:	**
SARA 311/312:	**
SARA 313	**
California Prop 65	**
Substances:	
Canadian DSL:	**
WHMIS:	**

Section 14: Transport Information**	
DOT: Not dangerous/hazardous goods.	**
IMO/MDG:	**
IATA:	**

Marshall Photo Oil Colors: COBALT VIOLET

Marshall Photo Oil Colors: COBALT VIOLET EXTRA STRONG

00426-6525,6528

Safety Data Sheet (SDS)
 OSHA HazCom Standard 29 CFR 1910.1200 GHD Rev 03

**Section 1: Company and Product Identification**

Product Name: COBALT VIOLET EXTRA STRONG Photo Oil
Product Code: MS2CVX, MS4CVX, MSBL2CVX
Company: OmegaBrandess Distribution
 626 Hanover Pike, Suite 102
 Hampstead, MD 21074
 PH: 410-374-3250 / FAX: 410-374-3184
 www.OmegaBrandess.com
Emergency Response: CHEMTREC 1-800-424-9300 (24 Hour Response)
 Poison Control: 1-800-222-1222

Section 2: Hazards Identification

GHS02

BLANK

BLANK

BLANK

Hazard Pictograms:**Signal Word:**

Danger

Hazard Category:

Flammable Liq Cat 3
 Acute tox, inh. Cat 5
 Skin corrosion/irritation Cat 3
 Non-classified
 Non-classified

Hazard Statements:

H226: Flammable liquid and vapour
 H333: May be harmful if inhaled
 H316: Causes mild skin irritation
 Not Applicable
 Not Applicable

Precautionary Statements:

P202: Do not handle until all safety precautions have been read and
 P280: Wear protective gloves/protective clothing/eye protection/face
 P305+351+338: IF IN EYES: Rinse cautiously with water for several minutes.
 Remove contact lenses if present and easy to do – continue rinsing
 P302+350: IF ON SKIN: Gently wash with plenty of soap and water
 P337+313: If eye irritation persists get medical advice/attention
 P403: Store in a well ventilated place
 P301+312: IF SWALLOWED: Call a POISON CENTER or doctor/physician if
 you feel unwell
 P304+340: IF INHALED: Remove victim to fresh air and keep at rest in a
 position comfortable for breathing. If breathing becomes difficult, seek
 immediate medical attention
 P501: Dispose of contents/container in accordance with
 local/national/international rules.

Marshall Photo Oil Colors: COBALT VIOLET EXTRA STRONG

**Hazards not
otherwise classified:**

Not applicable, none known.

Marshall Photo Oil Colors: COBALT VIOLET EXTRA STRONG

Section 3: Composition / Information on Ingredients

Hazardous substance (name)	Hazard Category	CAS#	Weight %
Ethyl Alcohol (C_2H_5O)	Not Classified	64-17-5	> 0.5 %
Alumina Trihydrate aka ALUPREM ($Al(OH)_3$)	Not Classified	21645-51-2	< 45%

Section 4: First Aid Measures

General Info: If seeking medical attention, provide SDS document to physician.

Notable Exposure symptoms: Treat symptomatically. This product has no known significant effects or critical hazards. Contact Poison Control in the event significant quantities have been ingested.

If ingested: Rinse mouth thoroughly. Remove dentures if applicable. Move person to fresh air and keep in a comfortable position for breathing. Do not induce vomiting. Have exposed individual drink sips of water. May cause irritation of the mouth. Seek medical attention if adverse health effects persist or become severe.

If inhaled: Move individual to fresh air. Loosen clothing and position individual in a comfortable position. If breathing is difficult, administer oxygen if available. Seek medical advice if discomfort or irritation persists.

Eye contact: Protect unexposed eye. Remove any contact lenses. Rinse/flush affected eye gently with water for 15-20 minutes. Seek medical attention if irritation persists or if pain develops and persists.

Skin contact: Remove any contaminated clothing and wash before reuse. Wash affected area with soap and water. Rinse well for 15 minutes. Seek medical advice if discomfort or irritation persists.

Additional Info: Observe for any symptoms for several hours after exposure. Follow up with medical attention if symptoms develop.

Section 5: Fire Fighting Measures

General Info: Product is flammable. Isolate any uncompromised product from area if possible. Do not breath fumes. Cool unopened containers with water.

Extinguishing Method / Equipment: Carbon dioxide (CO_2), dry chemical, foam. Firefighters should wear self-contained breathing apparatus (SCBA) and full protective equipment.

Hazardous Decomposition Info: May emit toxic fumes under fire conditions. Thermal decomposition may yield carbon dioxide and/or carbon monoxide.

Section 6: Accidental Release Measures

Personal precautions, protective equipment and procedures: Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Eliminate all ignition sources (no smoking, flares, sparks, or flames in immediate area). Wear appropriate protective equipment and clothing during clean-up. Avoid breathing vapors. Ventilate area if easy to do so. Contact local authorities if significant spillages cannot be contained. For personal protection, see section 8 of the SDS.

Containment Procedures: Small spills: Should be picked up w/ absorbent material and transferred into closed Equipment and metal containers and soaked with water Larger Spills can be scooped up and put into metal containers to be salvaged.

Cleanup Procedures: Carefully incinerate or use secure landfills or a special waste landfill. Dispose of all waste and cleanup materials in accordance with regulations.

Marshall Photo Oil Colors: COBALT VIOLET EXTRA STRONG

Section 7: Handling and Storage

Safe Handling Do not handle until all safety precautions have been read and understood. Do not handle near an open flame or sources of ignition. Ensure adequate ventilation. Take precautionary measures against static discharges. Avoid breathing vapors. Avoid contact with eyes, skin, and clothing. Wear appropriate personal protective equipment.

Recommendations Store in cool area in product container away from sources of ignition or flame. Store for Storage: away from foodstuffs. Store in a cool, dry conditions in well sealed containers. Avoid accumulation of contaminated rags or wiping materials by immediately immersing in water.

Incompatibilities: Store away from oxidizing agents and Chlorinated Rubber.

Section 8: Exposure Control / Personal Protection

General / Local exhaust ventilation should be utilized to control vapors / substances below Engineering exposure limits. Eye wash facilities should be available when handling this product.

Controls:

Work Clothing: Protective work clothing which covers skin and prevents exposures.

Eye/face protection: Wear safety goggles or face shield.

Skin Protection: Wear neoprene rubber gloves. Prevent repeated or prolonged skin contact.

Respiratory Not normally required under normal conditions of use.

Protection:

Additional Observe good chemical hygiene practices. Do not smoke or eat while using this product. **Information:** product. Wash hands or exposed skin after using the product.

Substances with Exposure Limits	CAS#	ACGIH-TLV	OSHA-PEL
Ethanol	64-17-5	1000ppm/15 min	1000 ppm / 8 hrs

Section 9: Physical and Chemical Properties

State: Thick liquid	Melting Point: Not avail	Freezing Point: Not avail
Color: Violet	Boiling Point/Range: Not avail	pH Not avail
Sp Grav: Not avail	Odor: Strong	Water Solubility: > 1%
Evaporation rate: < 1	Flash Point: 160° SETA	Part. Coeff (n-octanol/water) Not avail
Upper Flam Limits: Not avail	Lower Flam Limits: Not avail	Vapor Pressure: 40
VOC Content (lbs/gal): Not avail	Viscosity: Not avail	Autoignition Temp: Not avail

Section 10: Stability and Reactivity

General: This product is stable and non-reactive under normal conditions of use. Product is not subject to hazardous polymerization. Avoid open flame and ignition sources.

Marshall Photo Oil Colors: COBALT VIOLET EXTRA STRONG

Incompatible Strong oxidizing agents, chlorinated rubber.
materials:

Decomposition carbon dioxide, carbon monoxide (thermal decomposition)
products:

Section 11: Toxicological Information

General Information: Contains chemicals which may be irritants in contact with skin and eyes or if inhaled.
May be harmful if ingested.

Toxicological Information The components of this material have been reviewed and the following selected
Information endpoints are published.
(product):

Likely Routes of Inhalation of vapors, dermal
Exposure:

Toxicological Information (contained substances)

Hazardous substance (name)	LD50 Oral	LD50 Dermal	LC50 Inh	Irritancy:
Ethyl alcohol (Ethanol)	NA	NA	NA	NA
alumina trihydrate (ALUPREM)	>5000 mg/kg (rat)	Unjustified	>2.3 mg/l/4h (rat)	NA

Carcinogenicity or mutagenicity: There are no known carcinogenic materials in this product

Sensitization: Product is not expected to be a sensitizer.

Reproductive Toxicity: Not known to adversely affect reproductive functions and organs. Not known to cause birth defects or have a deleterious effect on a developing fetus.

Other Notes: None.

Section 12: Ecological Information

General information: Product not tested.

Aquatic toxicity: Not known to be hazardous to the environment.

Degradation / Mobility info: No specific data available.

Bioaccumulative potential: This product has inorganic compounds which are not biodegradable and has the potential for bioaccumulation.

Section 13: Disposal Information

Product disposal: Dispose of product in accordance with local, regional, and national regulations.

Container disposal: Empty containers should be taken to an approved waste handling site for recycling or disposal.

Other considerations: No further information.

5/10/2017

6 of 6

US-SDS

*All chemicals may pose unknown hazards and should be used and handled with caution. This Safety Data Sheet applies only to the material as packaged. If this product is combined with other materials, deteriorates, or becomes contaminated, it may pose hazards not mentioned in this SDS. It shall be the user's responsibility to develop proper methods of handling and personal protection based on the actual conditions of use. While this SDS is based on technical data judged to be reliable, OmegaBrandess Distribution assumes no responsibility for the completeness or accuracy of the information contained herein. The information and recommendations in this safety data sheet are, to the best of our knowledge, accurate as of the date of issue. Nothing herein shall be deemed to create warranty, expressed or implied, and shall not establish a legally valid contractual relationship. It is the responsibility of the user to determine applicability of this information and the suitability of the material or product for any particular purpose.

** Since other agencies regulate this information, OSHA does not require and will not be enforcing sections 12-15 (29 CFR 1910.1200(g)(2))

Section 14: Transport Information*			
DOT: Not dangerous/hazardous goods. **			
IMO/MDG: **			
IATA: **			
Section 15: Regulatory Information**			
TSCA: **			
CERCLA RQ: **			
SARA 311/312: **			
SARA 313 **			
California Prop 65 **			
Substances:			
Canadian DSL: **			
WHMIS: **			
Section 16: Other Information			
SDS Author: Stephanie M. Wilson		Version Date:	
		Version #	
		5/10/2017	
		1.0	

Marshall Photo Oil Colors: COBALT VIOLET EXTRA STRONG

Marshall Photo Oil Colors: COMBINATION FLESH SHADOW

00426-3801,3806

Safety Data Sheet (SDS)
 OSHA HazCom Standard 29 CFR 1910.1200 GHD Rev 03

**Section 1: Company and Product Identification**

Product Name: COMBINATION FLESH SHADOW Photo Oil
Product Code: MS4CFS, MSBL2CFS, MS2CFS
Company: OmegaBrandess Distribution
 626 Hanover Pike, Suite 102
 Hampstead, MD 21074
 PH: 410-374-3250 / FAX: 410-374-3184
 www.OmegaBrandess.com
Emergency Response: CHEMTREC 1-800-424-9300 (24 Hour Response)
 Poison Control: 1-800-222-1222

Section 2: Hazards Identification

GHS02 BLANK BLANK BLANK

Hazard Pictograms:**Signal Word:** Danger

Hazard Category: Flammable Liq Cat 3
 Acute tox, Inh. Cat 5
 Skin corrosion/irritation Cat 3
 Non-classified
 Non-classified

Hazard Statements: H226: Flammable liquid and vapour
 H333: May be harmful if inhaled
 H316: Causes mild skin irritation
 Not Applicable
 Not Applicable

Precautionary Statements: P202: Do not handle until all safety precautions have been read and
 P280: Wear protective gloves/protective clothing/eye protection/face
 P305+351+338: IF IN EYES: Rinse cautiously with water for several minutes.
 Remove contact lenses if present and easy to do – continue rinsing
 P302+350: IF ON SKIN: Gently wash with plenty of soap and water
 P337+313: If eye irritation persists get medical advice/attention
 P403: Store in a well ventilated place
 P301+312: IF SWALLOWED: Call a POISON CENTER or doctor/physician if
 you feel unwell
 P304+340: IF INHALED: Remove victim to fresh air and keep at rest in a
 position comfortable for breathing. If breathing becomes difficult, seek
 immediate medical attention
 P501: Dispose of contents/container in accordance with
 local/national/international rules.

Marshall Photo Oil Colors: COMBINATION FLESH SHADOW

**Hazards not
otherwise classified:**

Not applicable, none known.

Marshall Photo Oil Colors: COMBINATION FLESH SHADOW

Section 3: Composition / Information on Ingredients

Hazardous substance (name)	Hazard Category	CAS#	Weight %
Ethyl Alcohol (C ₂ H ₆ O)	Not Classified	64-17-5	> 0.5 %
Alumina Trihydrate aka ALUPREM (Al(OH) ₃)	Not Classified	21645-51-2	< 22%

Section 4: First Aid Measures

General Info: If seeking medical attention, provide SDS document to physician.

Notable Exposure symptoms: Treat symptomatically. This product has no known significant effects or critical hazards. Contact Poison Control in the event significant quantities have been ingested.

If ingested: Rinse mouth thoroughly. Remove dentures if applicable. Move person to fresh air and keep in a comfortable position for breathing. Do not induce vomiting. Have exposed individual drink sips of water. May cause irritation of the mouth. Seek medical attention if adverse health effects persist or become severe.

If inhaled: Move individual to fresh air. Loosen clothing and position individual in a comfortable position. If breathing is difficult, administer oxygen if available. Seek medical advice if discomfort or irritation persists.

Eye contact: Protect unexposed eye. Remove any contact lenses. Rinse/flush affected eye gently with water for 15-20 minutes. Seek medical attention if irritation persists or if pain develops and persists.

Skin contact: Remove any contaminated clothing and wash before reuse. Wash affected area with soap and water. Rinse well for 15 minutes. Seek medical advice if discomfort or irritation persists.

Additional Info: Observe for any symptoms for several hours after exposure. Follow up with medical attention if symptoms develop.

Section 5: Fire Fighting Measures

General Info: Product is flammable. Isolate any uncompromised product from area if possible. Do not breath fumes. Cool unopened containers with water.

Extinguishing Method / Equipment: Carbon dioxide (CO₂), dry chemical, foam. Firefighters should wear self-contained breathing apparatus (SCBA) and full protective equipment.

Hazardous Decomposition Info: May emit toxic fumes under fire conditions. Thermal decomposition may yield carbon dioxide and/or carbon monoxide.

Section 6: Accidental Release Measures

Personal precautions and procedures: Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Eliminate all ignition sources (no smoking, flares, sparks, or flames in immediate area). Wear appropriate protective equipment and clothing during clean-up. Avoid breathing vapors. Ventilate area if easy to do so. Contact local authorities if significant spillages cannot be contained. For personal protection, see section 8 of the SDS.

Containment Equipment and Procedures: Small spills: Should be picked up w/ absorbent material and transferred into closed metal containers and soaked with water. Larger Spills can be scooped up and put into metal containers to be salvaged.

Cleanup Procedures: Carefully incinerate or use secure landfills or a special waste landfill. Dispose of all waste and cleanup materials in accordance with regulations.

Marshall Photo Oil Colors: COMBINATION FLESH SHADOW

Section 7: Handling and Storage

Safe Handling: Do not handle until all safety precautions have been read and understood. Do not handle near an open flame or sources of ignition. Ensure adequate ventilation. Take precautionary measures against static discharges. Avoid breathing vapors. Avoid contact with eyes, skin, and clothing. Wear appropriate personal protective equipment.

Recommendations for Storage: Store in cool area in product container away from sources of ignition or flame. Store away from foodstuffs. Store in a cool, dry conditions in well sealed containers. Avoid accumulation of contaminated rags or wiping materials by immediately immersing in water.

Incompatibilities: Store away from oxidizing agents and Chlorinated Rubber.

Section 8: Exposure Control / Personal Protection

General / Local exhaust ventilation should be utilized to control vapors / substances below Engineering exposure limits. Eye wash facilities should be available when handling this product.

Controls:

Work Clothing: Protective work clothing which covers skin and prevents exposures.

Eye/face protection: Wear safety goggles or face shield.

Skin Protection: Wear neoprene rubber gloves. Prevent repeated or prolonged skin contact.

Respiratory Protection: Not normally required under normal conditions of use.

Additional Information: Observe good chemical hygiene practices. Do not smoke or eat while using this product. Wash hands or exposed skin after using the product.

Substances with Exposure Limits	CAS#	ACGIH-TLV	OSHA-PEL
Ethanol	64-17-5	1000ppm/15 min	1000 ppm / 8 hrs

Section 9: Physical and Chemical Properties

State: Thick liquid	Melting Point: Not avail	Freezing Point: Not avail
Color: Flesh	Boiling Point/Range: Not avail	pH: Not avail
Sp Grav: Not avail	Odor: Strong	Water Solubility: > 1%
Evaporation rate: < 1	Flash Point: 160° SETA	Part. Coeff (n-octanol/water): Not avail
Upper Flam Limits: Not avail	Lower Flam Limits: Not avail	Vapor Pressure: 40
VOC Content (lbs/gal): Not avail	Viscosity: Not avail	Autoignition Temp: Not avail

Section 10: Stability and Reactivity

General: This product is stable and non-reactive under normal conditions of use. Product is not subject to hazardous polymerization. Avoid open flame and ignition sources.

Marshall Photo Oil Colors: COMBINATION FLESH SHADOW

Incompatible Strong oxidizing agents, chlorinated rubber.
materials:

Decomposition carbon dioxide, carbon monoxide (thermal decomposition)
products:

Section 11: Toxicological Information

General Information: Contains chemicals which may be irritants in contact with skin and eyes or if inhaled.
May be harmful if ingested.

Toxicological Information The components of this material have been reviewed and the following selected
Information endpoints are published.
(product):

Likely Routes of Inhalation of vapors, dermal
Exposure:

Toxicological Information (contained substances)

Hazardous substance (name)	LD50 Oral	LD50 Dermal	LC50 Inh	Irritancy:
Ethyl alcohol (Ethanol)	NA	NA	NA	NA
alumina trihydrate (ALUPREM)	>5000 mg/kg (rat)	Unjustified	>2.3 mg/l/4h (rat)	NA

Carcinogenicity or There are no known carcinogenic materials in this product
mutagenicity:

Sensitization: Product is not expected to be a sensitizer.

Reproductive Not known to adversely affect reproductive functions and organs. Not known to cause

Toxicity: birth defects or have a deleterious effect on a developing fetus.

Other Notes: None.

Section 12: Ecological Information

General information: Product not tested.

Aquatic toxicity: Not known to be hazardous to the environment.

Degradation / Mobility info: No specific data available.

Bioaccumulative potential: This product has inorganic compounds which are not biodegradable and has the
potential for bioaccumulation.

Section 13: Disposal Information

Product disposal: Dispose of product in accordance with local, regional, and national regulations.

Container disposal: Empty containers should be taken to an approved waste handling site for recycling or
disposal.

Other considerations: No further information.

5/10/2017

6 of 6

US-SDS

*All chemicals may pose unknown hazards and should be used and handled with caution. This Safety Data Sheet applies only to the material as packaged. If this product is combined with other materials, deteriorates, or becomes contaminated, it may pose hazards not mentioned in this SDS. It shall be the user's responsibility to develop proper methods of handling and personal protection based on the actual conditions of use. While this SDS is based on technical data judged to be reliable, OmegaBrands Distribution assumes no responsibility for the completeness or accuracy of the information contained herein. The information and recommendations in this safety data sheet are, to the best of our knowledge, accurate as of the date of issue. Nothing herein shall be deemed to create warranty, expressed or implied, and shall not establish a legally valid contractual relationship. It is the responsibility of the user to determine applicability of this information and the suitability of the material or product for any particular purpose.

** Since other agencies regulate this information, OSHA does not require and will not be enforcing sections 12-15 (29 CFR 1910.1200(g)(2))

Section 16: Other Information			
SDS Author: Stephanie M. Wilson		Version #	5/10/2017
		Version Date:	1.0
Section 15: Regulatory Information**			
TSCA: **			
CERCLA RQ: **			
SARA 311/312: **			
SARA 313 **			
California Prop 65 **			
Substances:			
Canadian DSL: **			
WHMIS: **			
Section 14: Transport Information**			
DOT: Not dangerous/hazardous goods. **			
IMO/MDG: **			
IATA: **			

Marshall Photo Oil Colors: COMBINATION FLESH SHADOW

Marshall Photo Oil Colors: FLESH NO. 3

00426-3823

Safety Data Sheet (SDS)
 OSHA HazCom Standard 29 CFR 1910.1200 GHD Rev 03

**Section 1: Company and Product Identification****Product Name:** FLESH NO. 3 Photo Oil Color**Product Code:** MS2F3, MSBL2F3

Company: OmegaBrandess Distribution
 626 Hanover Pike, Suite 102
 Hampstead, MD 21074
 PH: 410-374-3250 / FAX: 410-374-3184
 www.OmegaBrandess.com

Emergency Response: CHEMTREC 1-800-424-9300 (24 Hour Response)**Response:** Poison Control: 1-800-222-1222**Section 2: Hazards Identification**

GHS02

BLANK

BLANK

BLANK

Hazard Pictograms:**Signal Word:**

Danger

Hazard Category:

Flammable Liq Cat 3
 Acute tox, Inh. Cat 5
 Skin corrosion/irritation Cat 3
 Non-classified
 Non-classified

Hazard Statements:

H226: Flammable liquid and vapour
 H333: May be harmful if inhaled
 H316: Causes mild skin irritation
 Not Applicable
 Not Applicable

Precautionary Statements:

P202: Do not handle until all safety precautions have been read and
 P280: Wear protective gloves/protective clothing/eye protection/face
 P305+351+338: IF IN EYES: Rinse cautiously with water for several minutes.
 Remove contact lenses if present and easy to do – continue rinsing
 P302+350: IF ON SKIN: Gently wash with plenty of soap and water
 P337+313: If eye irritation persists get medical advice/attention
 P403: Store in a well ventilated place
 P301+312: IF SWALLOWED: Call a POISON CENTER or doctor/physician if
 you feel unwell
 P304+340: IF INHALED: Remove victim to fresh air and keep at rest in a
 position comfortable for breathing. If breathing becomes difficult, seek
 immediate medical attention
 P501: Dispose of contents/container in accordance with
 local/national/international rules.

Hazards not otherwise classified:

Not applicable, none known.

Marshall Photo Oil Colors: FLESH NO. 3

Section 3: Composition / Information on Ingredients

Hazardous substance (name)	Hazard Category	CAS#	Weight %
Ethyl Alcohol (C ₂ H ₅ O)	Not Classified	64-17-5	> 0.5 %
Alumina Trihydrate aka ALUPREM (Al(OH) ₃)	Not Classified	21645-51-2	< 40%

Section 4: First Aid Measures

General Info: If seeking medical attention, provide SDS document to physician.

Notable Exposure symptoms: Treat symptomatically. This product has no known significant effects or critical hazards. Contact Poison Control in the event significant quantities have been ingested.

If ingested: Rinse mouth thoroughly. Remove dentures if applicable. Move person to fresh air and keep in a comfortable position for breathing. Do not induce vomiting. Have exposed individual drink sips of water. May cause irritation of the mouth. Seek medical attention if adverse health effects persist or become severe.

If inhaled: Move individual to fresh air. Loosen clothing and position individual in a comfortable position. If breathing is difficult, administer oxygen if available. Seek medical advice if discomfort or irritation persists.

Eye contact: Protect unexposed eye. Remove any contact lenses. Rinse/flush affected eye gently with water for 15-20 minutes. Seek medical attention if irritation persists or if pain develops and persists.

Skin contact: Remove any contaminated clothing and wash before reuse. Wash affected area with soap and water. Rinse well for 15 minutes. Seek medical advice if discomfort or irritation persists.

Additional Info: Observe for any symptoms for several hours after exposure. Follow up with medical attention if symptoms develop.

Section 5: Fire Fighting Measures

General Info: Product is flammable. Isolate any uncompromised product from area if possible. Do not breath fumes. Cool unopened containers with water.

Extinguishing Method / Equipment: Carbon dioxide (CO₂), dry chemical, foam. Firefighters should wear self-contained breathing apparatus (SCBA) and full protective equipment.

Hazardous Decomposition Info: May emit toxic fumes under fire conditions. Thermal decomposition may yield carbon dioxide and/or carbon monoxide.

Section 6: Accidental Release Measures

Personal precautions and procedures: Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Eliminate all ignition sources (no smoking, flares, sparks, or flames in immediate area).

Equipment and procedures: Wear appropriate protective equipment and clothing during clean-up. Avoid breathing vapors. Ventilate area if easy to do so. Contact local authorities if significant spillages cannot be contained. For personal protection, see section 8 of the SDS.

Containment Procedures: Small spills: Should be picked up w/ absorbent material and transferred into closed equipment and metal containers and soaked with water. Larger Spills can be scooped up and put into metal containers to be salvaged.

Cleanup Procedures: Carefully incinerate or use secure landfills or a special waste landfill. Dispose of all waste and cleanup materials in accordance with regulations.

Marshall Photo Oil Colors: FLESH NO. 3

Section 7: Handling and Storage

Safe Handling Do not handle until all safety precautions have been read and understood. Do not handle near an open flame or sources of ignition. Ensure adequate ventilation. Take precautionary measures against static discharges. Avoid breathing vapors. Avoid contact with eyes, skin, and clothing. Wear appropriate personal protective equipment.

Recommendations Store in cool area in product container away from sources of ignition or flame. Store for Storage: away from foodstuffs. Store in a cool, dry conditions in well sealed containers. Avoid accumulation of contaminated rags or wiping materials by immediately immersing in water.

Incompatibilities: Store away from oxidizing agents and Chlorinated Rubber.

Section 8: Exposure Control / Personal Protection

General / Local exhaust ventilation should be utilized to control vapors / substances below Engineering exposure limits. Eye wash facilities should be available when handling this product.

Controls:

Work Clothing: Protective work clothing which covers skin and prevents exposures.

Eye/face protection: Wear safety goggles or face shield.

Skin Protection: Wear neoprene rubber gloves. Prevent repeated or prolonged skin contact.

Respiratory Not normally required under normal conditions of use.

Protection:

Additional Observe good chemical hygiene practices. Do not smoke or eat while using this product. **Information:** product. Wash hands or exposed skin after using the product.

Substances with Exposure Limits	CAS#	ACGIH-TLV	OSHA-PEL
Ethanol	64-17-5	1000ppm/15 min	1000 ppm / 8 hrs

Section 9: Physical and Chemical Properties

State: Thick liquid	Melting Point: Not avail	Freezing Point: Not avail
Color: Flesh	Boiling Point/Range: Not avail	pH Not avail
Sp Grav: Not avail	Odor: Strong	Water Solubility: > 1%
Evaporation rate: < 1	Flash Point: 160° SETA	Part. Coeff (n-octanol/water) Not avail
Upper Flam Limits: Not avail	Lower Flam Limits: Not avail	Vapor Pressure: 40
VOC Content (lbs/gal): Not avail	Viscosity: Not avail	Autoignition Temp: Not avail

Section 10: Stability and Reactivity

General: This product is stable and non-reactive under normal conditions of use. Product is not subject to hazardous polymerization. Avoid open flame and ignition sources.

Marshall Photo Oil Colors: FLESH NO. 3

Incompatible Strong oxidizing agents, chlorinated rubber.
materials:

Decomposition carbon dioxide, carbon monoxide (thermal decomposition)
products:

Section 11: Toxicological Information

General Information: Contains chemicals which may be irritants in contact with skin and eyes or if inhaled.
May be harmful if ingested.

Toxicological Information: The components of this material have been reviewed and the following selected
Information endpoints are published.
(product):

**Likely Routes of Inhalation of vapors, dermal
Exposure:**

Toxicological Information (contained substances)

Hazardous substance (name)	LD50 Oral	LD50 Dermal	LC50 Inh	Irritancy:
Ethyl alcohol (Ethanol)	NA	NA	NA	NA
alumina trihydrate (ALUPREM)	>5000 mg/kg (rat)	Unjustified	>2.3 mg/l/4h (rat)	NA

Carcinogenicity or mutagenicity: There are no known carcinogenic materials in this product

Sensitization: Product is not expected to be a sensitizer.

Reproductive Toxicity: Not known to adversely affect reproductive functions and organs. Not known to cause
birth defects or have a deleterious effect on a developing fetus.

Other Notes: None.

Section 12: Ecological Information

General information: Product not tested.

Aquatic toxicity: Not known to be hazardous to the environment.

Degradation / Mobility info: No specific data available.

Bioaccumulative potential: This product has inorganic compounds which are not biodegradable and has the
potential for bioaccumulation.

Section 13: Disposal Information

Product disposal: Dispose of product in accordance with local, regional, and national regulations.

Container disposal: Empty containers should be taken to an approved waste handling site for recycling or
disposal.

Other considerations: No further information.

5/10/2017

5 of 5

US-SDS

*All chemicals may pose unknown hazards and should be used and handled with caution. This Safety Data Sheet applies only to the material as packaged. If this product is combined with other materials, deteriorates, or becomes contaminated, it may pose hazards not mentioned in this SDS. It shall be the user's responsibility to develop proper methods of handling and personal protection based on the actual conditions of use. While this SDS is based on technical data judged to be reliable, OmegaBranded Distribution assumes no responsibility for the completeness or accuracy of the information contained herein. The information and recommendations in this safety data sheet are, to the best of our knowledge, accurate as of the date of issue. Nothing herein shall be deemed to create warranty, expressed or implied, and shall not establish a legally valid contractual relationship. It is the responsibility of the user to determine applicability of this information and the suitability of the material or product for any particular purpose.

** Since other agencies regulate this information, OSHA does not require and will not be enforcing sections 12-15 (29 CFR 1910.1200(g)(2))

Section 16: Other Information	SDS Author: Stephanie M. Wilson	Version #	5/10/2017	1.0
Section 15: Regulatory Information**	TSCA: ** CERCLA RQ: ** SARA 311/312: ** SARA 313 ** California Prop 65 ** Substances: Canadian DSL: ** WHMIS: **			
Section 14: Transport Information**	DOT: Not dangerous/hazardous goods. ** IMO/MDG: ** IATA: **			

Marshall Photo Oil Colors: IVORY BLACK

00426-2243

Safety Data Sheet (SDS)
 OSHA HazCom Standard 29 CFR 1910.1200 GHD Rev 03

**Section 1: Company and Product Identification**Product Name: **IVORY BLACK** Photo Oil Color

Product Code: MS2IB, MS4IB

Company: OmegaBrandess Distribution
 626 Hanover Pike, Suite 102
 Hampstead, MD 21074
 PH: 410-374-3250 / FAX: 410-374-3184
 www.OmegaBrandess.com

Emergency CHEMTREC 1-800-424-9300 (24 Hour Response)

Response: Poison Control: 1-800-222-1222

Section 2: Hazards Identification

GH502

BLANK

BLANK

BLANK

Hazard Pictograms:



Signal Word:

Danger

Hazard Category:

Flammable Liq Cat 3
 Acute tox, Inh. Cat 5
 Skin corrosion/Irritation Cat 3
 Non-classified
 Non-classified

Hazard Statements:

H226: Flammable liquid and vapour
 H333: May be harmful if inhaled
 H316: Causes mild skin irritation
 Not Applicable
 Not Applicable

Precautionary Statements:

P202: Do not handle until all safety precautions have been read and
 P280: Wear protective gloves/protective clothing/eye protection/face
 P305+351+338: IF IN EYES: Rinse cautiously with water for several minutes.
 Remove contact lenses if present and easy to do – continue rinsing
 P302+350: IF ON SKIN: Gently wash with plenty of soap and water
 P337+313: If eye irritation persists get medical advice/attention
 P403: Store in a well ventilated place
 P301+312: IF SWALLOWED: Call a POISON CENTER or doctor/physician if
 you feel unwell
 P304+340: IF INHALED: Remove victim to fresh air and keep at rest in a
 position comfortable for breathing. If breathing becomes difficult, seek
 immediate medical attention
 P501: Dispose of contents/container in accordance with
 local/national/international rules.

Hazards not otherwise classified:

Not applicable, none known.

Marshall Photo Oil Colors: IVORY BLACK

Section 3: Composition / Information on Ingredients

Hazardous substance (name)	Hazard Category	CAS#	Weight %
Ethyl Alcohol (C_2H_5O)	Not Classified	64-17-5	> 0.5 %
Alumina Trihydrate aka ALUPREM ($Al(OH)_3$)	Not Classified	21645-51-2	< 39%

Section 4: First Aid Measures

General Info: If seeking medical attention, provide SDS document to physician.

Notable Exposure symptoms: Treat symptomatically. This product has no known significant effects or critical hazards. Contact Poison Control in the event significant quantities have been ingested.

If ingested: Rinse mouth thoroughly. Remove dentures if applicable. Move person to fresh air and keep in a comfortable position for breathing. Do not induce vomiting. Have exposed individual drink sips of water. May cause irritation of the mouth. Seek medical attention if adverse health effects persist or become severe.

If inhaled: Move individual to fresh air. Loosen clothing and position individual in a comfortable position. If breathing is difficult, administer oxygen if available. Seek medical advice if discomfort or irritation persists.

Eye contact: Protect unexposed eye. Remove any contact lenses. Rinse/flush affected eye gently with water for 15-20 minutes. Seek medical attention if irritation persists or if pain develops and persists.

Skin contact: Remove any contaminated clothing and wash before reuse. Wash affected area with soap and water. Rinse well for 15 minutes. Seek medical advice if discomfort or irritation persists.

Additional Info: Observe for any symptoms for several hours after exposure. Follow up with medical attention if symptoms develop.

Section 5: Fire Fighting Measures

General Info: Product is flammable. Isolate any uncompromised product from area if possible. Do not breath fumes. Cool unopened containers with water.

Extinguishing Method / Equipment: Carbon dioxide (CO₂), dry chemical, foam. Firefighters should wear self-contained breathing apparatus (SCBA) and full protective equipment.

Hazardous Decomposition Info: May emit toxic fumes under fire conditions. Thermal decomposition may yield carbon dioxide and/or carbon monoxide.

Section 6: Accidental Release Measures

Personal precautions, protective equipment and procedures: Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Eliminate all ignition sources (no smoking, flares, sparks, or flames in immediate area). Wear appropriate protective equipment and clothing during clean-up. Avoid breathing vapors. Ventilate area if easy to do so. Contact local authorities if significant spillages cannot be contained. For personal protection, see section 8 of the SDS.

Containment Equipment and Procedures: Small spills: Should be picked up w/ absorbent material and transferred into closed metal containers and soaked with water. Larger Spills can be scooped up and put into metal containers to be salvaged.

Cleanup Procedures: Carefully incinerate or use secure landfills or a special waste landfill. Dispose of all waste and cleanup materials in accordance with regulations.

Marshall Photo Oil Colors: IVORY BLACK

Section 7: Handling and Storage

Safe Handling Do not handle until all safety precautions have been read and understood. Do not handle near an open flame or sources of ignition. Ensure adequate ventilation. Take precautionary measures against static discharges. Avoid breathing vapors. Avoid contact with eyes, skin, and clothing. Wear appropriate personal protective equipment.

Recommendations Store in cool area in product container away from sources of ignition or flame. Store for Storage: away from foodstuffs. Store in a cool, dry conditions in well sealed containers. Avoid accumulation of contaminated rags or wiping materials by immediately immersing in water.

Incompatibilities: Store away from oxidizing agents and Chlorinated Rubber.

Section 8: Exposure Control / Personal Protection

General / Local exhaust ventilation should be utilized to control vapors / substances below Engineering exposure limits. Eye wash facilities should be available when handling this product.

Controls:

Work Clothing: Protective work clothing which covers skin and prevents exposures.

Eye/face protection: Wear safety goggles or face shield.

Skin Protection: Wear neoprene rubber gloves. Prevent repeated or prolonged skin contact.

Respiratory Not normally required under normal conditions of use.

Protection:

Additional Observe good chemical hygiene practices. Do not smoke or eat while using this product. **Information:** product. Wash hands or exposed skin after using the product.

Substances with Exposure Limits	CAS#	ACGIH-TLV	OSHA-PEL
Ethanol	64-17-5	1000ppm/15 min	1000 ppm / 8 hrs

Section 9: Physical and Chemical Properties

State: Thick liquid	Melting Point: Not avail	Freezing Point: Not avail
Color: Black	Boiling Point/Range: Not avail	pH Not avail
Sp Grav: Not avail	Odor: Strong	Water Solubility: > 1%
Evaporation rate: < 1	Flash Point: 160° SETA	Part. Coeff (n-octanol/water): Not avail
Upper Flam Limits: Not avail	Lower Flam Limits: Not avail	Vapor Pressure: 40
VOC Content (lbs/gal): Not avail	Viscosity: Not avail	Autoignition Temp: Not avail

Section 10: Stability and Reactivity

General: This product is stable and non-reactive under normal conditions of use. Product is not subject to hazardous polymerization. Avoid open flame and ignition sources.

Marshall Photo Oil Colors: IVORY BLACK

Incompatible materials: Strong oxidizing agents, chlorinated rubber.

Decomposition products: carbon dioxide, carbon monoxide (thermal decomposition)

Section 11: Toxicological Information

General Information: Contains chemicals which may be irritants in contact with skin and eyes or if inhaled. May be harmful if ingested.

Toxicological Information (product): The components of this material have been reviewed and the following selected endpoints are published.

Likely Routes of Inhalation of vapors, dermal Exposure:

Toxicological Information (contained substances)

Hazardous substance (name)	LD50 Oral	LD50 Dermal	LC50 Inh	Irritancy:
Ethyl alcohol (Ethanol)	NA	NA	NA	NA
alumina trihydrate (ALUPREM)	>5000 mg/kg (rat)	Unjustified	>2.3 mg/l/4h (rat)	NA

Carcinogenicity or mutagenicity: There are no known carcinogenic materials in this product

Sensitization: Product is not expected to be a sensitizer.

Reproductive Toxicity: Not known to adversely affect reproductive functions and organs. Not known to cause birth defects or have a deleterious effect on a developing fetus.

Other Notes: None.

Section 12: Ecological Information

General information: Product not tested.

Aquatic toxicity: Not known to be hazardous to the environment.

Degradation / Mobility info: No specific data available.

Bioaccumulative potential: This product has inorganic compounds which are not biodegradable and has the potential for bioaccumulation.

Section 13: Disposal Information

Product disposal: Dispose of product in accordance with local, regional, and national regulations.

Container disposal: Empty containers should be taken to an approved waste handling site for recycling or disposal.

Other considerations: No further information.

5/10/2017

5 of 5

US-SDS

*All chemicals may pose unknown hazards and should be used and handled with caution. This Safety Data Sheet applies only to the material as packaged. If this product is combined with other materials, deteriorates, or becomes contaminated, it may pose hazards not mentioned in this SDS. It shall be the user's responsibility to develop proper methods of handling and personal protection based on the actual conditions of use. While this SDS is based on technical data judged to be reliable, OmegaBrandess Distribution assumes no responsibility for the completeness or accuracy of the information contained herein. The information and recommendations in this safety data sheet are, to the best of our knowledge, accurate as of the date of issue. Nothing herein shall be deemed to create warranty, expressed or implied, and shall not establish a legally valid contractual relationship. It is the responsibility of the user to determine applicability of this information and the suitability of the material or product for any particular purpose.

** Since other agencies regulate this information, OSHA does not require and will not be enforcing sections 12-15 (29 CFR 1910.1200(g)(2))

SDS Author: Stephanie M. Wilson		Version #	5/10/2017
Version Date:		1.0	
Section 16: Other Information			
WHMIS: **			
Canadian DSL: **			
Substances:			
California Prop 65 **			
SARA 313 **			
SARA 311/312: **			
CERCLA RQ: **			
TSCA: **			
Section 15: Regulatory Information**			
IMD/MDG: **			
IATA: **			
DOT: Not dangerous/hazardous goods. **			
Section 14: Transport Information**			

Marshall Photo Oil Colors: IVORY BLACK

Marshall Photo Oil Colors: IVORY BLACK EXTRA STRONG

00426-2252

Safety Data Sheet (SDS)

OSHA HazCom Standard 29 CFR 1910.1200 GHD Rev 03

**Section 1: Company and Product Identification****Product Name:** IVORY BLACK EXTRA STRONG Photo Oil Color**Product Code:** MS2IBX, MS4IBX, MSBL2IBX

Company: OmegaBrandess Distribution
 626 Hanover Pike, Suite 102
 Hampstead, MD 21074
 PH: 410-374-3250 / FAX: 410-374-3184
 www.OmegaBrandess.com

Emergency CHEMTREC 1-800-424-9300 (24 Hour Response)**Response:** Poison Control: 1-800-222-1222**Section 2: Hazards Identification**

GHS02

BLANK

BLANK

BLANK

Hazard Pictograms:**Signal Word:** Danger

Hazard Category: Flammable Liq Cat 3
 Acute tox, Inh. Cat 5
 Skin corrosion/irritation Cat 3
 Non-classified
 Non-classified

Hazard Statements: H226: Flammable liquid and vapour
 H333: May be harmful if inhaled
 H316: Causes mild skin irritation
 Not Applicable
 Not Applicable

Precautionary Statements: P202: Do not handle until all safety precautions have been read and
 P280: Wear protective gloves/protective clothing/eye protection/face
 P305+351+338: IF IN EYES: Rinse cautiously with water for several minutes.
 Remove contact lenses if present and easy to do – continue rinsing
 P302+350: IF ON SKIN: Gently wash with plenty of soap and water
 P337+313: If eye irritation persists get medical advice/attention
 P403: Store in a well ventilated place
 P301+312: IF SWALLOWED: Call a POISON CENTER or doctor/physician if
 you feel unwell
 P304+340: IF INHALED: Remove victim to fresh air and keep at rest in a
 position comfortable for breathing. If breathing becomes difficult, seek
 immediate medical attention
 P501: Dispose of contents/container in accordance with
 local/national/international rules.

Hazards not otherwise classified: Not applicable, none known.

Marshall Photo Oil Colors: IVORY BLACK EXTRA STRONG

Section 3: Composition / Information on Ingredients

Hazardous substance (name)	Hazard Category	CAS#	Weight %
Ethyl Alcohol (C_2H_6O)	Not Classified	64-17-5	> 0.5 %
Alumina Trihydrate aka ALUPREM ($Al(OH)_3$)	Not Classified	21645-51-2	< 30%

Section 4: First Aid Measures

General Info: If seeking medical attention, provide SDS document to physician.

Notable Exposure: Treat symptomatically. This product has no known significant effects or critical symptoms: hazards. Contact Poison Control in the event significant quantities have been ingested.

If ingested: Rinse mouth thoroughly. Remove dentures if applicable. Move person to fresh air and keep in a comfortable position for breathing. Do not induce vomiting. Have exposed individual drink sips of water. May cause irritation of the mouth. Seek medical attention if adverse health effects persist or become severe.

If inhaled: Move individual to fresh air. Loosen clothing and position individual in a comfortable position. If breathing is difficult, administer oxygen if available. Seek medical advice if discomfort or irritation persists.

Eye contact: Protect unexposed eye. Remove any contact lenses. Rinse/flush affected eye gently with water for 15-20 minutes. Seek medical attention if irritation persists or if pain develops and persists.

Skin contact: Remove any contaminated clothing and wash before reuse. Wash affected area with soap and water. Rinse well for 15 minutes. Seek medical advice if discomfort or irritation persists.

Additional Info: Observe for any symptoms for several hours after exposure. Follow up with medical attention if symptoms develop.

Section 5: Fire Fighting Measures

General Info: Product is flammable. Isolate any uncompromised product from area if possible. Do not breath fumes. Cool unopened containers with water.

Extinguishing: Carbon dioxide (CO_2), dry chemical, foam. Firefighters should wear self-contained Method / Equipment: breathing apparatus (SCBA) and full protective equipment.

Hazardous: May emit toxic fumes under fire conditions. Thermal decomposition may yield carbon
Decomposition Info: dioxide and/or carbon monoxide.

Section 6: Accidental Release Measures

Personal precautions, protective equipment and procedures: Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Eliminate all ignition sources (no smoking, flares, sparks, or flames in immediate area). Wear appropriate protective equipment and clothing during clean-up. Avoid breathing vapors. Ventilate area if easy to do so. Contact local authorities if significant spillages cannot be contained. For personal protection, see section 8 of the SDS.

Containment: Small spills: Should be picked up w/ absorbent material and transferred into closed metal containers and soaked with water. Larger Spills can be scooped up and put into metal containers to be salvaged.

Cleanup Procedures: Carefully incinerate or use secure landfills or a special waste landfill. Dispose of all waste and cleanup materials in accordance with regulations.

Marshall Photo Oil Colors: IVORY BLACK EXTRA STRONG

Section 7: Handling and Storage

Safe Handling Do not handle until all safety precautions have been read and understood. Do not handle near an open flame or sources of ignition. Ensure adequate ventilation. Take precautionary measures against static discharges. Avoid breathing vapors. Avoid contact with eyes, skin, and clothing. Wear appropriate personal protective equipment.

Recommendations Store in cool area in product container away from sources of ignition or flame. Store for Storage: away from foodstuffs. Store in a cool, dry conditions in well sealed containers. Avoid accumulation of contaminated rags or wiping materials by immediately immersing in water.

Incompatibilities: Store away from oxidizing agents and Chlorinated Rubber.

Section 8: Exposure Control / Personal Protection

General / Local exhaust ventilation should be utilized to control vapors / substances below Engineering exposure limits. Eye wash facilities should be available when handling this product.

Controls:

Work Clothing: Protective work clothing which covers skin and prevents exposures.

Eye/face protection: Wear safety goggles or face shield.

Skin Protection: Wear neoprene rubber gloves. Prevent repeated or prolonged skin contact.

Respiratory Not normally required under normal conditions of use.

Protection:

Additional Observe good chemical hygiene practices. Do not smoke or eat while using this product. Wash hands or exposed skin after using the product.

Substances with Exposure Limits	CAS#	ACGIH-TLV	OSHA-PEL
Ethanol	64-17-5	1000ppm/15 min	1000 ppm / 8 hrs

Section 9: Physical and Chemical Properties

State: Thick liquid	Melting Point: Not avail	Freezing Point: Not avail
Color: Black	Boiling Point/Range: Not avail	pH Not avail
Sp Grav: Not avail	Odor: Strong	Water Solubility: > 1%
Evaporation rate: < 1	Flash Point: 160° SETA	Part. Coeff (n-octanol/water) Not avail
Upper Flam Limits: Not avail	Lower Flam Limits: Not avail	Vapor Pressure: 40
VOC Content (lbs/gal): Not avail	Viscosity: Not avail	Autoignition Temp: Not avail

Section 10: Stability and Reactivity

General: This product is stable and non-reactive under normal conditions of use. Product is not subject to hazardous polymerization. Avoid open flame and ignition sources.

Marshall Photo Oil Colors: IVORY BLACK EXTRA STRONG

Incompatible materials: Strong oxidizing agents, chlorinated rubber.

Decomposition products: carbon dioxide, carbon monoxide (thermal decomposition)

Section 11: Toxicological Information

General Information: Contains chemicals which may be irritants in contact with skin and eyes or if inhaled. May be harmful if ingested.

Toxicological Information (product): The components of this material have been reviewed and the following selected endpoints are published.

Likely Routes of Inhalation of vapors, dermal Exposure:

Toxicological Information (contained substances)

Hazardous substance (name)	LD50 Oral	LD50 Dermal	LC50 Inh	Irritancy:
Ethyl alcohol (Ethanol)	NA	NA	NA	NA
alumina trihydrate (ALUPREM)	>5000 mg/kg (rat)	Unjustified	>2.3 mg/l/4h (rat)	NA

Carcinogenicity or mutagenicity: There are no known carcinogenic materials in this product

Sensitization: Product is not expected to be a sensitizer.

Reproductive Toxicity: Not known to adversely affect reproductive functions and organs. Not known to cause birth defects or have a deleterious effect on a developing fetus.

Other Notes: None.

Section 12: Ecological Information

General information: Product not tested.

Aquatic toxicity: Not known to be hazardous to the environment.

Degradation / Mobility info: No specific data available.

Bioaccumulative potential: This product has inorganic compounds which are not biodegradable and has the potential for bioaccumulation.

Section 13: Disposal Information

Product disposal: Dispose of product in accordance with local, regional, and national regulations.

Container disposal: Empty containers should be taken to an approved waste handling site for recycling or disposal.

Other considerations: No further information.

5/10/2017

5 of 5

US-SDS

*All chemicals may pose unknown hazards and should be used and handled with caution. This Safety Data Sheet applies only to the material as packaged. If this product is combined with other materials, deteriorates, or becomes contaminated, it may pose hazards not mentioned in this SDS. It shall be the user's responsibility to develop proper methods of handling and personal protection based on the actual conditions of use. While this SDS is based on technical data judged to be reliable, OmegaBrandless Distribution assumes no responsibility for the completeness or accuracy of the information contained herein. The information and recommendations in this safety data sheet are, to the best of our knowledge, accurate as of the date of issue. Nothing herein shall be deemed to create warranty, expressed or implied, and shall not establish a legally valid contractual relationship. It is the responsibility of the user to determine applicability of this information and the suitability of the material or product for any particular purpose.

** Since other agencies regulate this information, OSHA does not require and will not be enforcing sections 12-15 (29 CFR 1910.1200(g)(2))

SDS Author: Stephanie M. Wilson		Version Date: 5/10/2017	Version # 1.0
Section 16: Other Information			
TSCA: **			
CERCLA RQ: **			
SARA 311/312: **			
SARA 313: **			
California Prop 65 Substances: **			
Canadian DSL: **			
WHMIS: **			
Section 15: Regulatory Information**			
DOT: Not dangerous/hazardous goods. **			
IMO/MDG: **			
IATA: **			
Section 14: Transport Information**			

Marshall Photo Oil Colors: NAVY BLUE

00426-5042,5044

Safety Data Sheet (SDS)

OSHA HazCom Standard 29 CFR 1910.1200 GHD Rev 03

**Section 1: Company and Product Identification****Product Name:** NAVY BLUE Photo Oil Color**Product Code:** MS4NB, MS2NB, MSBL2NB

Company: OmegaBrandess Distribution
 626 Hanover Pike, Suite 102
 Hampstead, MD 21074
 PH: 410-374-3250 / FAX: 410-374-3184
 www.OmegaBrandess.com

Emergency Response: CHEMTREC 1-800-424-9300 (24 Hour Response)**Response:** Poison Control: 1-800-222-1222**Section 2: Hazards Identification**

GHS02

BLANK

BLANK

BLANK

Hazard Pictograms:**Signal Word:**

Danger

Hazard Category:

Flammable Liq Cat 3
 Acute tox, inh. Cat 5
 Skin corrosion/irritation Cat 3
 Non-classified
 Non-classified

Hazard Statements:

H226: Flammable liquid and vapour
 H333: May be harmful if inhaled
 H316: Causes mild skin irritation
 Not Applicable
 Not Applicable

Precautionary Statements:

P202: Do not handle until all safety precautions have been read and
 P280: Wear protective gloves/protective clothing/eye protection/face
 P305+351+338: IF IN EYES: Rinse cautiously with water for several minutes.
 Remove contact lenses if present and easy to do – continue rinsing
 P302+350: IF ON SKIN: Gently wash with plenty of soap and water
 P337+313: If eye irritation persists get medical advice/attention
 P403: Store in a well ventilated place
 P301+312: IF SWALLOWED: Call a POISON CENTER or doctor/physician if
 you feel unwell
 P304+340: IF INHALED: Remove victim to fresh air and keep at rest in a
 position comfortable for breathing. If breathing becomes difficult, seek
 immediate medical attention
 P501: Dispose of contents/container in accordance with
 local/national/international rules.

Hazards not otherwise classified:

Not applicable, none known.

Marshall Photo Oil Colors: NAVY BLUE

Section 3: Composition / Information on Ingredients

Hazardous substance (name)	Hazard Category	CAS#	Weight %
Ethyl Alcohol (C_2H_6O)	Not Classified	64-17-5	> 0.5 %
Chlorinated Phthalocyanine Blue ($C_{22}H_8CuN_8$)	Not Classified	147-14-8	< 9%
Anthraquinone Red ($C_{14}H_8O_4$)	Not Classified	72-48-0	< 12%

Section 4: First Aid Measures

General Info: If seeking medical attention, provide SDS document to physician.

Notable Exposure: Treat symptomatically. This product has no known significant effects or critical symptoms: hazards. Contact Poison Control in the event significant quantities have been ingested.

If ingested: Rinse mouth thoroughly. Remove dentures if applicable. Move person to fresh air and keep in a comfortable position for breathing. Do not induce vomiting. Have exposed individual drink sips of water. May cause irritation of the mouth. Seek medical attention if adverse health effects persist or become severe.

If inhaled: Move individual to fresh air. Loosen clothing and position individual in a comfortable position. If breathing is difficult, administer oxygen if available. Seek medical advice if discomfort or irritation persists.

Eye contact: Protect unexposed eye. Remove any contact lenses. Rinse/flush affected eye gently with water for 15-20 minutes. Seek medical attention if irritation persists or if pain develops and persists.

Skin contact: Remove any contaminated clothing and wash before reuse. Wash affected area with soap and water. Rinse well for 15 minutes. Seek medical advice if discomfort or irritation persists.

Additional Info: Observe for any symptoms for several hours after exposure. Follow up with medical attention if symptoms develop.

Section 5: Fire Fighting Measures

General Info: Product is flammable. Isolate any uncompromised product from area if possible. Do not breath fumes. Cool unopened containers with water.

Extinguishing Method / Equipment: Carbon dioxide (CO₂), dry chemical, foam. Firefighters should wear self-contained breathing apparatus (SCBA) and full protective equipment.

Hazardous Decomposition Info: May emit toxic fumes under fire conditions. Thermal decomposition may yield carbon dioxide and/or carbon monoxide.

Section 6: Accidental Release Measures

Personal precautions, protective equipment and procedures: Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Eliminate all ignition sources (no smoking, flares, sparks, or flames in immediate area).

Wear appropriate protective equipment and clothing during clean-up. Avoid breathing vapors. Ventilate area if easy to do so. Contact local authorities if significant spillages cannot be contained. For personal protection, see section 8 of the SDS.

Containment Equipment and Procedures: Small spills: Should be picked up w/ absorbent material and transferred into closed metal containers and soaked with water. Larger Spills can be scooped up and put into metal containers to be salvaged.

Marshall Photo Oil Colors: NAVY BLUE

Cleanup Procedures: Carefully incinerate or use secure landfills or a special waste landfill. Dispose of all waste and cleanup materials in accordance with regulations.

Section 7: Handling and Storage

Safe Handling Do not handle until all safety precautions have been read and understood. Do not handle near an open flame or sources of ignition. Ensure adequate ventilation. Take precautionary measures against static discharges. Avoid breathing vapors. Avoid contact with eyes, skin, and clothing. Wear appropriate personal protective equipment.

Recommendations Store in cool area in product container away from sources of ignition or flame. Store for Storage: away from foodstuffs. Store in a cool, dry conditions in well sealed containers. Avoid accumulation of contaminated rags or wiping materials by immediately immersing in water.

Incompatibilities: Store away from oxidizing agents and Chlorinated Rubber.

Section 8: Exposure Control / Personal Protection

General / Local exhaust ventilation should be utilized to control vapors / substances below Engineering exposure limits. Eye wash facilities should be available when handling this product.

Controls:

Work Clothing: Protective work clothing which covers skin and prevents exposures.

Eye/face protection: Wear safety goggles or face shield.

Skin Protection: Wear neoprene rubber gloves. Prevent repeated or prolonged skin contact.

Respiratory Not normally required under normal conditions of use.

Protection:

Additional Information: Observe good chemical hygiene practices. Do not smoke or eat while using this product. Wash hands or exposed skin after using the product.

Substances with Exposure Limits	CAS#	ACGIH-TLV	OSHA-PEL
Ethanol	64-17-5	1000ppm/15 min	1000 ppm / 8 hrs

Section 9: Physical and Chemical Properties

State: Thick liquid	Melting Point: Not avail	Freezing Point: Not avail
Color: Navy Blue	Boiling Point/Range: Not avail	pH Not avail
Sp Grav: Not avail	Odor: Strong	Water Solubility: < 1%
Evaporation rate: < 1	Flash Point: 160° SETA	Part. Coeff (n-octanol/water): Not avail
Upper Flam Limits: Not avail	Lower Flam Limits: Not avail	Vapor Pressure: 40
VOC Content (lbs/gal): Not avail	Viscosity: Not avail	Autoignition Temp: Not avail

Section 10: Stability and Reactivity

Marshall Photo Oil Colors: NAVY BLUE

General: This product is stable and non-reactive under normal conditions of use. Product is not subject to hazardous polymerization. Avoid open flame and ignition sources.

Incompatible materials: Strong oxidizing agents, chlorinated rubber.

Decomposition products: carbon dioxide, carbon monoxide (thermal decomposition)

Section 11: Toxicological Information

General Information: Contains chemicals which may be irritants in contact with skin and eyes or if inhaled. May be harmful if ingested.

Toxicological Information: The components of this material have been reviewed and the following selected endpoints are published.
(product):

Likely Routes of Inhalation of vapors, dermal Exposure:

Toxicological Information (contained substances)

Hazardous substance (name)	LD50 Oral	LD50 Dermal	LC50 Inh	Irritancy:
Ethyl alcohol (Ethanol)	NA	NA	NA	NA
Anthraquinone Red	>2000 mg/kg (rat)	> 3000 mg/kg (rabbit)	>244 mg/m ³ (rat)	NA

Carcinogenicity or mutagenicity: There are no known carcinogenic materials in this product

Sensitization: Product is not expected to be a sensitizer.

Reproductive Toxicity: Not known to adversely affect reproductive functions and organs. Not known to cause birth defects or have a deleterious effect on a developing fetus.

Other Notes: None.

Section 12: Ecological Information

General information: Product not tested.

Aquatic toxicity: Not known to be hazardous to the environment.

Degradation / Mobility info: No specific data available.

Bioaccumulative potential: This product has inorganic compounds which are not biodegradable and has the potential for bioaccumulation.

Section 13: Disposal Information

Product disposal: Dispose of product in accordance with local, regional, and national regulations.

Container disposal: Empty containers should be taken to an approved waste handling site for recycling or disposal.

Marshall Photo Oil Colors: NAVY BLUE

Other considerations: No further information.

Section 14: Transport Information**

DOT: Not dangerous/hazardous goods. **

IMO/IMDG: **

IATA: **

Section 15: Regulatory Information**

TSCA: **

CERCLA RQ: **

SARA 311/312: **

SARA 313 **

California Prop 65 **
Substances:

Canadian DSL: **

WHMIS: **

Section 16: Other Information

SDS Author: *Stephanie M. Wilson*

Version Date: 3/15/2017
Version # 1.0

**** Since other agencies regulate this information, OSHA does not require and will not be enforcing sections 12-15 (29 CFR 1910.1200(g)(2))**

**All chemicals may pose unknown hazards and should be used and handled with caution. This Safety Data Sheet applies only to the material as packaged. If this product is combined with other materials, deteriorates, or becomes contaminated, it may pose hazards not mentioned in this SDS. It shall be the user's responsibility to develop proper methods of handling and personal protection based on the actual conditions of use. While this SDS is based on technical data judged to be reliable, OmegaBrandess Distribution assumes no responsibility for the completeness or accuracy of the information contained herein. The information and recommendations in this safety data sheet are, to the best of our knowledge, accurate as of the date of issue. Nothing herein shall be deemed to create warranty, expressed or implied, and shall not establish a legally valid contractual relationship. It is the responsibility of the user to determine applicability of this information and the suitability of the material or product for any particular purpose.*

Marshall Photo Oil Colors: NEUTRAL TINT

00426-2552

Safety Data Sheet (SDS)
 OSHA HazCom Standard 29 CFR 1910.1200 GHD Rev 03
**Section 1: Company and Product Identification**Product Name: **NEUTRAL TINT** Photo Oil Color

Product Code: MS2NT, MS4NT, MSBL2NT

 Company: OmegaBrandess Distribution
 626 Hanover Pike, Suite 102
 Hampstead, MD 21074
 PH: 410-374-3250 / FAX: 410-374-3184
 www.OmegaBrandess.com

 Emergency Response: CHEMTREC 1-800-424-9300 (24 Hour Response)
 Response: Poison Control: 1-800-222-1222
Section 2: Hazards Identification

GHS02

BLANK

BLANK

BLANK

Hazard Pictograms:



Signal Word:

Danger

Hazard Category:

 Flammable Liq Cat 3
 Acute tox, Inh. Cat 5
 Skin corrosion/irritation Cat 3
 Non-classified
 Non-classified

Hazard Statements:

 H226: Flammable liquid and vapour
 H333: May be harmful if inhaled
 H316: Causes mild skin irritation
 Not Applicable
 Not Applicable

Precautionary Statements:

 P202: Do not handle until all safety precautions have been read and
 P280: Wear protective gloves/protective clothing/eye protection/face
 P305+351+338: IF IN EYES: Rinse cautiously with water for several minutes.
 Remove contact lenses if present and easy to do – continue rinsing
 P302+350: IF ON SKIN: Gently wash with plenty of soap and water
 P337+313: If eye irritation persists get medical advice/attention
 P403: Store in a well ventilated place
 P301+312: IF SWALLOWED: Call a POISON CENTER or doctor/physician if
 you feel unwell
 P304+340: IF INHALED: Remove victim to fresh air and keep at rest in a
 position comfortable for breathing. If breathing becomes difficult, seek
 immediate medical attention
 P501: Dispose of contents/container in accordance with
 local/national/international rules.

Hazards not otherwise classified:

Not applicable, none known.

Marshall Photo Oil Colors: NEUTRAL TINT

Section 3: Composition / Information on Ingredients

Hazardous substance (name)	Hazard Category	CAS#	Weight %
Ethyl Alcohol (C_2H_5O)	Not Classified	64-17-5	> 0.5 %
Alumina Trihydrate aka ALUPREM ($Al(OH)_3$)	Not Classified	21645-51-2	< 52%

Section 4: First Aid Measures

General Info: If seeking medical attention, provide SDS document to physician.

Notable Exposure: Treat symptomatically. This product has no known significant effects or critical symptoms: hazards. Contact Poison Control in the event significant quantities have been ingested.

If ingested: Rinse mouth thoroughly. Remove dentures if applicable. Move person to fresh air and keep in a comfortable position for breathing. Do not induce vomiting. Have exposed individual drink sips of water. May cause irritation of the mouth. Seek medical attention if adverse health effects persist or become severe.

If inhaled: Move individual to fresh air. Loosen clothing and position individual in a comfortable position. If breathing is difficult, administer oxygen if available. Seek medical advice if discomfort or irritation persists.

Eye contact: Protect unexposed eye. Remove any contact lenses. Rinse/flush affected eye gently with water for 15-20 minutes. Seek medical attention if irritation persists or if pain develops and persists.

Skin contact: Remove any contaminated clothing and wash before reuse. Wash affected area with soap and water. Rinse well for 15 minutes. Seek medical advice if discomfort or irritation persists.

Additional Info: Observe for any symptoms for several hours after exposure. Follow up with medical attention if symptoms develop.

Section 5: Fire Fighting Measures

General Info: Product is flammable. Isolate any uncompromised product from area if possible. Do not breath fumes. Cool unopened containers with water.

Extinguishing: Carbon dioxide (CO_2), dry chemical, foam. Firefighters should wear self-contained Method / Equipment: breathing apparatus (SCBA) and full protective equipment.

Hazardous: May emit toxic fumes under fire conditions. Thermal decomposition may yield carbon Decomposition Info: dioxide and/or carbon monoxide.

Section 6: Accidental Release Measures

Personal precautions, protective equipment and procedures: Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Eliminate all ignition sources (no smoking, flares, sparks, or flames in immediate area). Wear appropriate protective equipment and clothing during clean-up. Avoid breathing vapors. Ventilate area if easy to do so. Contact local authorities if significant spillages cannot be contained. For personal protection, see section 8 of the SDS.

Containment: Small spills: Should be picked up w/ absorbent material and transferred into closed Equipment and metal containers and soaked with water Larger Spills can be scooped up and put into Procedures: metal containers to be salvaged.

Cleanup Procedures: Carefully incinerate or use secure landfills or a special waste landfill. Dispose of all waste and cleanup materials in accordance with regulations.

Marshall Photo Oil Colors: NEUTRAL TINT

Section 7: Handling and Storage

Safe Handling Do not handle until all safety precautions have been read and understood. Do not handle near an open flame or sources of ignition. Ensure adequate ventilation. Take precautionary measures against static discharges. Avoid breathing vapors. Avoid contact with eyes, skin, and clothing. Wear appropriate personal protective equipment.

Recommendations Store in cool area in product container away from sources of ignition or flame. Store for Storage: away from foodstuffs. Store in a cool, dry conditions in well sealed containers. Avoid accumulation of contaminated rags or wiping materials by immediately immersing in water.

Incompatibilities: Store away from oxidizing agents and Chlorinated Rubber.

Section 8: Exposure Control / Personal Protection

General / Local exhaust ventilation should be utilized to control vapors / substances below Engineering exposure limits. Eye wash facilities should be available when handling this product.

Controls:

Work Clothing: Protective work clothing which covers skin and prevents exposures.

Eye/face protection: Wear safety goggles or face shield.

Skin Protection: Wear neoprene rubber gloves. Prevent repeated or prolonged skin contact.

Respiratory Not normally required under normal conditions of use.

Protection:

Additional Observe good chemical hygiene practices. Do not smoke or eat while using this Information: product. Wash hands or exposed skin after using the product.

Substances with Exposure Limits	CAS#	ACGIH-TLV	OSHA-PEL
Ethanol	64-17-5	1000ppm/15 min	1000 ppm / 8 hrs

Section 9: Physical and Chemical Properties

State: Thick liquid	Melting Point: Not avail	Freezing Point: Not avail
Color: Tan /Beige	Boiling Point/Range: Not avail	pH Not avail
Sp Grav: Not avail	Odor: Strong	Water Solubility: > 1%
Evaporation rate: < 1	Flash Point: 160° SETA	Part. Coeff (n-octanol/water) Not avail
Upper Flam Limits: Not avail	Lower Flam Limits: Not avail	Vapor Pressure: 40
VOC Content (lbs/gal): Not avail	Viscosity: Not avail	Autoignition Temp: Not avail

Section 10: Stability and Reactivity

General: This product is stable and non-reactive under normal conditions of use. Product is not subject to hazardous polymerization. Avoid open flame and ignition sources.

Marshall Photo Oil Colors: NEUTRAL TINT

Incompatible materials: Strong oxidizing agents, chlorinated rubber.

Decomposition products: carbon dioxide, carbon monoxide (thermal decomposition)

Section 11: Toxicological Information

General Information: Contains chemicals which may be irritants in contact with skin and eyes or if inhaled. May be harmful if ingested.

Toxicological Information: The components of this material have been reviewed and the following selected endpoints are published.
(product):

Likely Routes of Exposure: Inhalation of vapors, dermal

Toxicological Information (contained substances)

Hazardous substance (name)	LD50 Oral	LD50 Dermal	LC50 Inh	Irritancy:
Ethyl alcohol (Ethanol)	NA	NA	NA	NA
alumina trihydrate (ALUPREM)	>5000 mg/kg (rat)	Unjustified	>2.3 mg/l/4h (rat)	NA

Carcinogenicity or mutagenicity: There are no known carcinogenic materials in this product

Sensitization: Product is not expected to be a sensitizer.

Reproductive Toxicity: Not known to adversely affect reproductive functions and organs. Not known to cause birth defects or have a deleterious effect on a developing fetus.

Other Notes: None.

Section 12: Ecological Information

General information: Product not tested.

Aquatic toxicity: Not known to be hazardous to the environment.

Degradation / Mobility info: No specific data available.

Bioaccumulative potential: This product has inorganic compounds which are not biodegradable and has the potential for bioaccumulation.

Section 13: Disposal Information

Product disposal: Dispose of product in accordance with local, regional, and national regulations.

Container disposal: Empty containers should be taken to an approved waste handling site for recycling or disposal.

Other considerations: No further information.

Marshall Photo Oil Colors: NEUTRAL TINT

Section 14: Transport Information**

DOT: Not dangerous/hazardous goods. **

IMO/IMDG: **

IATA: **

Section 15: Regulatory Information**

TSCA: **

CERCLA RQ: **

SARA 311/312: **

SARA 313 **

California Prop 65 **
Substances:

Canadian DSL: **

WHMIS: **

Section 16: Other Information

SDS Author: Stephanie M. Wilson

Version Date: 5/10/2017
Version # 1.0

**** Since other agencies regulate this information, OSHA does not require and will not be enforcing sections 12-15 (29 CFR 1910.1200(g)(2))**

***All chemicals may pose unknown hazards and should be used and handled with caution. This Safety Data Sheet applies only to the material as packaged. If this product is combined with other materials, deteriorates, or becomes contaminated, it may pose hazards not mentioned in this SDS. It shall be the user's responsibility to develop proper methods of handling and personal protection based on the actual conditions of use. While this SDS is based on technical data judged to be reliable, OmegaBrandess Distribution assumes no responsibility for the completeness or accuracy of the information contained herein. The information and recommendations in this safety data sheet are, to the best of our knowledge, accurate as of the date of issue. Nothing herein shall be deemed to create warranty, expressed or implied, and shall not establish a legally valid contractual relationship. It is the responsibility of the user to determine applicability of this information and the suitability of the material or product for any particular purpose.**

Marshall Photo Oil Colors: OXIDE GREEN EXTRA STRONG

00426-7374

Safety Data Sheet (SDS)
 OSHA HazCom Standard 29 CFR 1910.1200 GHD Rev 03

**Section 1: Company and Product Identification****Product Name:** OXIDE GREEN EXTRA STRONG Photo Oil Color**Product Code:** MS4OGX, MS2OGX, MSBL2OGX

Company: OmegaBrandess Distribution
 626 Hanover Pike, Suite 102
 Hampstead, MD 21074
 PH: 410-374-3250 / FAX: 410-374-3184
www.OmegaBrandess.com

Emergency Response: CHEMTREC 1-800-424-9300 (24 Hour Response)
 Poison Control: 1-800-222-1222

Section 2: Hazards Identification

GHS02

GHS09

BLANK

BLANK

Hazard Pictograms:**Signal Word:**

Danger

Hazard Category:

Flammable Liq Cat 3
 Acute tox, inh. Cat 5
 Skin corrosion/irritation Cat 3
 Reproductive tox Cat 2
 Hazard to aquatic environment, chronic Cat 2

Hazard Statements:

H226: Flammable liquid and vapour
 H333: May be harmful if inhaled
 H316: Causes mild skin irritation
 H411: Toxic to aquatic life with long lasting effects

Precautionary Statements:

P202: Do not handle until all safety precautions have been read and
 P280: Wear protective gloves/protective clothing/eye protection/face
 P305+351+338: IF IN EYES: Rinse cautiously with water for several minutes.
 Remove contact lenses if present and easy to do – continue rinsing
 P302+350: IF ON SKIN: Gently wash with plenty of soap and water
 P337+313: If eye irritation persists get medical advice/attention
 P403: Store in a well ventilated place
 P301+312: IF SWALLOWED: Call a POISON CENTER or doctor/physician if
 you feel unwell
 P304+340: IF INHALED: Remove victim to fresh air and keep at rest in a
 position comfortable for breathing. If breathing becomes difficult, seek
 immediate medical attention
 P501: Dispose of contents/container in accordance with
 local/national/international rules.

Hazards not otherwise classified:

Not applicable, none known.

Marshall Photo Oil Colors: OXIDE GREEN EXTRA STRONG

Section 3: Composition / Information on Ingredients

Hazardous substance (name)	Hazard Category	CAS#	Weight %
Ethyl Alcohol (C ₂ H ₆ O)	Not Classified	64-17-5	<1%
Cadmium Zinc Sulfide	Not Classified	12442-27-2	< 67%

Section 4: First Aid Measures

General Info: If seeking medical attention, provide SDS document to physician.

Notable Exposure: Treat symptomatically. This product has no known significant effects or critical symptoms: hazards. Contact Poison Control in the event significant quantities have been ingested.

If ingested: Rinse mouth thoroughly. Remove dentures if applicable. Move person to fresh air and keep in a comfortable position for breathing. Do not induce vomiting. Have exposed individual drink sips of water. May cause irritation of the mouth. Seek medical attention if adverse health effects persist or become severe.

If inhaled: Move individual to fresh air. Loosen clothing and position individual in a comfortable position. If breathing is difficult, administer oxygen if available. Seek medical advice if discomfort or irritation persists.

Eye contact: Protect unexposed eye. Remove any contact lenses. Rinse/flush affected eye gently with water for 15-20 minutes. Seek medical attention if irritation persists or if pain develops and persists.

Skin contact: Remove any contaminated clothing and wash before reuse. Wash affected area with soap and water. Rinse well for 15 minutes. Seek medical advice if discomfort or irritation persists.

Additional Info: Observe for any symptoms for several hours after exposure. Follow up with medical attention if symptoms develop.

Section 5: Fire Fighting Measures

General Info: Product is flammable. Isolate any uncompromised product from area if possible. Do not breath fumes. Cool unopened containers with water.

Extinguishing Method / Equipment: Carbon dioxide (CO₂), dry chemical, foam. Firefighters should wear self-contained breathing apparatus (SCBA) and full protective equipment.

Hazardous Decomposition Info: May emit toxic fumes under fire conditions. Thermal decomposition may yield carbon dioxide and/or carbon monoxide.

Section 6: Accidental Release Measures

Personal precautions, protective equipment and procedures: Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Eliminate all ignition sources (no smoking, flares, sparks, or flames in immediate area).

and procedures: Wear appropriate protective equipment and clothing during clean-up. Avoid breathing vapors. Ventilate area if easy to do so. Contact local authorities if significant spillages cannot be contained. For personal protection, see section 8 of the SDS.

Containment Equipment and Procedures: Small spills: Should be picked up w/ absorbent material and transferred into closed metal containers and soaked with water. Larger Spills can be scooped up and put into metal containers to be salvaged.

Marshall Photo Oil Colors: OXIDE GREEN EXTRA STRONG

Cleanup Procedures: Carefully dispose of in secure landfills or a special waste landfill. Dispose of all waste and cleanup materials in accordance with regulations. Do not allow undiluted product or large quantities of it to reach ground water, surface water or sewage systems.

Section 7: Handling and Storage

Safe Handling Do not handle until all safety precautions have been read and understood. Do not handle near an open flame or sources of ignition. Ensure adequate ventilation. Take precautionary measures against static discharges. Avoid breathing vapors. Avoid contact with eyes, skin, and clothing. Wear appropriate personal protective equipment.

Recommendations for Storage: Store in cool area in product container away from sources of ignition or flame. Store away from foodstuffs. Store in a cool, dry conditions in well sealed containers. Avoid accumulation of contaminated rags or wiping materials by immediately immersing in water.

Incompatibilities: Store away from oxidizing agents and Chlorinated Rubber.

Section 8: Exposure Control / Personal Protection

General / Local exhaust ventilation should be utilized to control vapors / substances below Engineering exposure limits. Eye wash facilities should be available when handling this product.

Controls:

Work Clothing: Protective work clothing which covers skin and prevents exposures.

Eye/face protection: Wear safety goggles or face shield.

Skin Protection: Wear neoprene rubber gloves. Prevent repeated or prolonged skin contact.

Respiratory Not normally required under normal conditions of use.

Protection:

Additional Information: Observe good chemical hygiene practices. Do not smoke or eat while using this product. Wash hands or exposed skin after using the product.

Substances with Exposure Limits	CAS#	ACGIH-TLV	OSHA-PEL
Ethanol	64-17-5	1000ppm/15 min	1000 ppm / 8 hrs
Cadmium Zinc Sulfide	12442-27-2	0.05 mg/mg ³	0.005 mg/m ³

Section 9: Physical and Chemical Properties

State: Thick liquid	Melting Point: Not avail	Freezing Point: Not avail
Color: Dark Green	Boiling Point/Range: Not avail	pH Not avail
Sp Grav: Not avail	Odor: Strong	Water Solubility: < 1%
Evaporation rate: < 1	Flash Point: 153° SETA	Part. Coeff (n-octanol/water) Not avail
Upper Flam Limits: Not avail	Lower Flam Limits: Not avail	Vapor Pressure: 40
VOC Content (lbs/gal): Not avail	Viscosity: Not avail	Autoignition Temp: Not avail

Marshall Photo Oil Colors: OXIDE GREEN EXTRA STRONG**Section 10: Stability and Reactivity**

General: This product is stable and non-reactive under normal conditions of use. Product is not subject to hazardous polymerization. Avoid open flame and ignition sources.

Incompatible materials: Strong oxidizing agents, chlorinated rubber.

Decomposition products: Temp above 1000° may emit carbon dioxide, carbon monoxide, and cadmium oxide fumes with thermal decomposition. H₂S gas (Hydrogen Sulfide) with strong acids.

Section 11: Toxicological Information

General Information: Contains chemicals which may be irritants in contact with skin and eyes or if inhaled. May be harmful if ingested. May be harmful to the hepatic and renal systems.

Toxicological Information The components of this material have been reviewed and the following selected information endpoints are published.
(product):

Likely Routes of Inhalation of vapors, dermal Exposure:

Toxicological Information (contained substances)

Hazardous substance (name)	LD50 Oral	LD50 Dermal	LC50 Inh	Irritancy:
Ethyl alcohol (Ethanol)	NA	NA	NA	NA

Carcinogenicity or mutagenicity: There are no known carcinogenic materials in this product

Sensitization: Product is not expected to be a sensitizer.

Reproductive Toxicity: Repeated and prolonged exposure to cadmium compounds may cause delayed effects involving the blood, gastrointestinal, nervous and reproductive systems. Lead and lead compounds are known to the state or California to cause birth defects or reproductive harm.

Other Notes: Repeated and prolonged exposure to cadmium compounds may cause delayed effects involving the respiratory and renal systems.

Section 12: Ecological Information

General information: Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

Aquatic toxicity: Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

Degradation / Mobility info: No specific data available.

Bioaccumulative potential: This product has inorganic compounds which are not biodegradable and has the potential for bioaccumulation.

Section 13: Disposal Information

Product disposal: Dispose of product in accordance with local, regional, and national regulations.

Marshall Photo Oil Colors: OXIDE GREEN EXTRA STRONG

Container disposal: Empty containers should be taken to an approved waste handling site for recycling or disposal.

Other considerations: No further information.

Section 14: Transport Information**

DOT: Not dangerous/hazardous goods.

IMO/MDG: **

IATA: **

Section 15: Regulatory Information**

TSCA: **

CERCLA RQ: **

SARA 311/312: **

SARA 313 **

California Prop 65 **

Substances:

Canadian DSL: **

WHMIS: **

Section 16: Other Information

SDS Author: *Stephanie M. Wilson*

Version Date: 3/20/2017
Version # 1.0

**** Since other agencies regulate this information, OSHA does not require and will not be enforcing sections 12-15 (29 CFR 1910.1200(g)(2))**

**All chemicals may pose unknown hazards and should be used and handled with caution. This Safety Data Sheet applies only to the material as packaged. If this product is combined with other materials, deteriorates, or becomes contaminated, it may pose hazards not mentioned in this SDS. It shall be the user's responsibility to develop proper methods of handling and personal protection based on the actual conditions of use. While this SDS is based on technical data judged to be reliable, OmegaBrandess Distribution assumes no responsibility for the completeness or accuracy of the information contained herein. The information and recommendations in this safety data sheet are, to the best of our knowledge, accurate as of the date of issue. Nothing herein shall be deemed to create warranty, expressed or implied, and shall not establish a legally valid contractual relationship. It is the responsibility of the user to determine applicability of this information and the suitability of the material or product for any particular purpose.*

Marshall Photo Oil Colors: PAYNES GRAY

00426-2562

Safety Data Sheet (SDS)

OSHA HazCom Standard 29 CFR 1910.1200 GHD Rev 03

**Section 1: Company and Product Identification****Product Name:** PAYNES GRAY Photo Oil Color**Product Code:** MS4PG, MS2PG, MSBL2PG

Company: OmegaBrandess Distribution
 626 Hanover Pike, Suite 102
 Hampstead, MD 21074
 PH: 410-374-3250 / FAX: 410-374-3184
 www.OmegaBrandess.com

Emergency Response: CHEMTREC 1-800-424-9300 (24 Hour Response)**Response:** Poison Control: 1-800-222-1222**Section 2: Hazards Identification**

GHS02

BLANK

BLANK

BLANK

Hazard Pictograms:**Signal Word:**

Danger

Hazard Category:

Flammable Liq Cat 3
 Acute tox, inh. Cat 5
 Skin corrosion/irritation Cat 3
 Non-classified
 Non-classified

Hazard Statements:

H226: Flammable liquid and vapour
 H333: May be harmful if inhaled
 H316: Causes mild skin irritation
 Not Applicable
 Not Applicable

Precautionary Statements:

P202: Do not handle until all safety precautions have been read and
 P280: Wear protective gloves/protective clothing/eye protection/face
 P305+351+338: IF IN EYES: Rinse cautiously with water for several minutes.
 Remove contact lenses if present and easy to do -- continue rinsing
 P302+350: IF ON SKIN: Gently wash with plenty of soap and water
 P337+313: If eye irritation persists get medical advice/attention
 P403: Store in a well ventilated place
 P301+312: IF SWALLOWED: Call a POISON CENTER or doctor/physician if
 you feel unwell
 P304+340: IF INHALED: Remove victim to fresh air and keep at rest in a
 position comfortable for breathing. If breathing becomes difficult, seek
 immediate medical attention
 P501: Dispose of contents/container in accordance with
 local/national/international rules.

Hazards not otherwise classified:

Not applicable, none known.

Marshall Photo Oil Colors: PAYNES GRAY

Section 3: Composition / Information on Ingredients

Hazardous substance (name)	Hazard Category	CAS#	Weight %
Ethyl Alcohol (C_2H_5O)	Not Classified	64-17-5	> 0.5 %
Alumina Trihydrate aka ALUPREM ($Al(OH)_3$)	Not Classified	21645-51-2	< 29%

Section 4: First Aid Measures

General Info: If seeking medical attention, provide SDS document to physician.

Notable Exposure symptoms: Treat symptomatically. This product has no known significant effects or critical hazards. Contact Poison Control in the event significant quantities have been ingested.

If ingested: Rinse mouth thoroughly. Remove dentures if applicable. Move person to fresh air and keep in a comfortable position for breathing. Do not induce vomiting. Have exposed individual drink sips of water. May cause irritation of the mouth. Seek medical attention if adverse health effects persist or become severe.

If inhaled: Move individual to fresh air. Loosen clothing and position individual in a comfortable position. If breathing is difficult, administer oxygen if available. Seek medical advice if discomfort or irritation persists.

Eye contact: Protect unexposed eye. Remove any contact lenses. Rinse/flush affected eye gently with water for 15-20 minutes. Seek medical attention if irritation persists or if pain develops and persists.

Skin contact: Remove any contaminated clothing and wash before reuse. Wash affected area with soap and water. Rinse well for 15 minutes. Seek medical advice if discomfort or irritation persists.

Additional Info: Observe for any symptoms for several hours after exposure. Follow up with medical attention if symptoms develop.

Section 5: Fire Fighting Measures

General Info: Product is flammable. Isolate any uncompromised product from area if possible. Do not breath fumes. Cool unopened containers with water.

Extinguishing Method / Equipment: Carbon dioxide (CO_2), dry chemical, foam. Firefighters should wear self-contained breathing apparatus (SCBA) and full protective equipment.

Hazardous Decomposition Info: May emit toxic fumes under fire conditions. Thermal decomposition may yield carbon dioxide and/or carbon monoxide.

Section 6: Accidental Release Measures

Personal precautions, protective equipment and procedures: Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Eliminate all ignition sources (no smoking, flares, sparks, or flames in immediate area).

Wear appropriate protective equipment and clothing during clean-up. Avoid breathing vapors. Ventilate area if easy to do so. Contact local authorities if significant spillages cannot be contained. For personal protection, see section 8 of the SDS.

Containment Equipment and Procedures: Small spills: Should be picked up w/ absorbent material and transferred into closed metal containers and soaked with water. Larger Spills can be scooped up and put into metal containers to be salvaged.

Cleanup Procedures: Carefully incinerate or use secure landfills or a special waste landfill. Dispose of all waste and cleanup materials in accordance with regulations.

Marshall Photo Oil Colors: PAYNES GRAY

Section 7: Handling and Storage

Safe Handling Do not handle until all safety precautions have been read and understood. Do not handle near an open flame or sources of ignition. Ensure adequate ventilation. Take precautionary measures against static discharges. Avoid breathing vapors. Avoid contact with eyes, skin, and clothing. Wear appropriate personal protective equipment.

Recommendations Store in cool area in product container away from sources of ignition or flame. Store for Storage: away from foodstuffs. Store in a cool, dry conditions in well sealed containers. Avoid accumulation of contaminated rags or wiping materials by immediately immersing in water.

Incompatibilities: Store away from oxidizing agents and Chlorinated Rubber.

Section 8: Exposure Control / Personal Protection

General / Local exhaust ventilation should be utilized to control vapors / substances below Engineering exposure limits. Eye wash facilities should be available when handling this product.

Controls:

Work Clothing: Protective work clothing which covers skin and prevents exposures.

Eye/face protection: Wear safety goggles or face shield.

Skin Protection: Wear neoprene rubber gloves. Prevent repeated or prolonged skin contact.

Respiratory Not normally required under normal conditions of use.

Protection:

Additional Observe good chemical hygiene practices. Do not smoke or eat while using this product. **Information:** product. Wash hands or exposed skin after using the product.

Substances with Exposure Limits	CAS#	ACGIH-TLV	OSHA-PEL
Ethanol	64-17-5	1000ppm/15 min	1000 ppm / 8 hrs

Section 9: Physical and Chemical Properties

State: Thick liquid	Melting Point: Not avail	Freezing Point: Not avail
Color: Gray	Boiling Point/Range: Not avail	pH Not avail
Sp Grav: Not avail	Odor: Strong	Water Solubility: > 1%
Evaporation rate: < 1	Flash Point: 160° SETA	Part. Coeff (n-octanol/water) Not avail
Upper Flam Limits: Not avail	Lower Flam Limits: Not avail	Vapor Pressure: 40
VOC Content (lbs/gal): Not avail	Viscosity: Not avail	Autoignition Temp: Not avail

Section 10: Stability and Reactivity

General: This product is stable and non-reactive under normal conditions of use. Product is not subject to hazardous polymerization. Avoid open flame and ignition sources.

Marshall Photo Oil Colors: PAYNES GRAY

Incompatible materials: Strong oxidizing agents, chlorinated rubber.

Decomposition products: carbon dioxide, carbon monoxide (thermal decomposition)

Section 11: Toxicological Information

General Information: Contains chemicals which may be irritants in contact with skin and eyes or if inhaled. May be harmful if ingested.

Toxicological Information (product): The components of this material have been reviewed and the following selected endpoints are published.

Likely Routes of Inhalation of vapors, dermal Exposure:

Toxicological Information (contained substances)

Hazardous substance (name)	LD50 Oral	LD50 Dermal	LC50 Inh	Irritancy:
Ethyl alcohol (Ethanol)	NA	NA	NA	NA
alumina trihydrate (ALUPREM)	>5000 mg/kg (rat)	Unjustified	>2.3 mg/l/4h (rat)	NA

Carcinogenicity or mutagenicity: There are no known carcinogenic materials in this product

Sensitization: Product is not expected to be a sensitizer.

Reproductive Toxicity: Not known to adversely affect reproductive functions and organs. Not known to cause birth defects or have a deleterious effect on a developing fetus.

Other Notes: None.

Section 12: Ecological Information

General information: Product not tested.

Aquatic toxicity: Not known to be hazardous to the environment.

Degradation / Mobility info: No specific data available.

Bioaccumulative potential: This product has inorganic compounds which are not biodegradable and has the potential for bioaccumulation.

Section 13: Disposal Information

Product disposal: Dispose of product in accordance with local, regional, and national regulations.

Container disposal: Empty containers should be taken to an approved waste handling site for recycling or disposal.

Other considerations: No further information.

5/10/2017

5 of 5

US-SDS

*All chemicals may pose unknown hazards and should be used and handled with caution. This Safety Data Sheet applies only to the material as packaged. If this product is combined with other materials, deteriorates, or becomes contaminated, it may pose hazards not mentioned in this SDS. It shall be the user's responsibility to develop proper methods of handling and personal protection based on the actual conditions of use. While this SDS is based on technical data judged to be reliable, OmegaBrandess Distribution assumes no responsibility for the completeness or accuracy of the information contained herein. The information and recommendations in this safety data sheet are, to the best of our knowledge, accurate as of the date of issue. Nothing herein shall be deemed to create warranty, expressed or implied, and shall not establish a legally valid contractual relationship. It is the responsibility of the user to determine applicability of this information and the suitability of the material or product for any particular purpose.

** Since other agencies regulate this information, OSHA does not require and will not be enforcing sections 12-15 (29 CFR 1910.1200(g)(2))

SDS Author: Stephanie M. Wilson		Version Date: 5/10/2017	Version # 1.0
Section 16: Other Information			
TSCA: **			
CERCLA RQ: **			
SARA 311/312: **			
SARA 313 **			
California Prop 65 **			
Substances:			
Canadian DSL: **			
WHMIS: **			
Section 15: Regulatory Information**			
DOT: Not dangerous/hazardous goods. **			
IMO/IMDG: **			
IATA: **			
Section 14: Transport Information**			

Marshall Photo Oil Colors: PAYNES GRAY

Marshall Photo Oil Colors: PAYNES GRAY EXTRA STRONG

00426-2573

Safety Data Sheet (SDS)
 OSHA HazCom Standard 29 CFR 1910.1200 GHD Rev 03

**Section 1: Company and Product Identification****Product Name:** PAYNES GRAY EXTRA STRONG Photo Oil Color**Product Code:** MSBL2PGX, MS2PGX

Company: OmegaBrandess Distribution
 626 Hanover Pike, Suite 102
 Hampstead, MD 21074
 PH: 410-374-3250 / FAX: 410-374-3184
 www.OmegaBrandess.com

Emergency Response: CHEMTREC 1-800-424-9300 (24 Hour Response)**Response:** Poison Control: 1-800-222-1222**Section 2: Hazards Identification**

GH502

BLANK

BLANK

BLANK

Hazard Pictograms:**Signal Word:** Danger

Hazard Category: Flammable Liq Cat 3
 Acute tox, Inh. Cat 5
 Skin corrosion/irritation Cat 3
 Non-classified
 Non-classified

Hazard Statements: H226: Flammable liquid and vapour
 H333: May be harmful if inhaled
 H316: Causes mild skin irritation
 Not Applicable
 Not Applicable

Precautionary Statements: P202: Do not handle until all safety precautions have been read and
 P280: Wear protective gloves/protective clothing/eye protection/face
 P305+351+338: IF IN EYES: Rinse cautiously with water for several minutes.
 Remove contact lenses if present and easy to do – continue rinsing
 P302+350: IF ON SKIN: Gently wash with plenty of soap and water
 P337+313: If eye irritation persists get medical advice/attention
 P403: Store in a well ventilated place
 P301+312: IF SWALLOWED: Call a POISON CENTER or doctor/physician if
 you feel unwell
 P304+340: IF INHALED: Remove victim to fresh air and keep at rest in a
 position comfortable for breathing. If breathing becomes difficult, seek
 immediate medical attention
 P501: Dispose of contents/container in accordance with
 local/national/international rules.

Hazards not otherwise classified: Not applicable, none known.

Marshall Photo Oil Colors: PAYNES GRAY EXTRA STRONG

Section 3: Composition / Information on Ingredients

Hazardous substance (name)	Hazard Category	CAS#	Weight %
Ethyl Alcohol (C_2H_5O)	Not Classified	64-17-5	> 0.5 %
Alumina Trihydrate aka ALUPREM ($Al(OH)_3$)	Not Classified	21645-51-2	< 23%

Section 4: First Aid Measures

General Info: If seeking medical attention, provide SDS document to physician.

Notable Exposure symptoms: Treat symptomatically. This product has no known significant effects or critical hazards. Contact Poison Control in the event significant quantities have been ingested.

If ingested: Rinse mouth thoroughly. Remove dentures if applicable. Move person to fresh air and keep in a comfortable position for breathing. Do not induce vomiting. Have exposed individual drink sips of water. May cause irritation of the mouth. Seek medical attention if adverse health effects persist or become severe.

If inhaled: Move individual to fresh air. Loosen clothing and position individual in a comfortable position. If breathing is difficult, administer oxygen if available. Seek medical advice if discomfort or irritation persists.

Eye contact: Protect unexposed eye. Remove any contact lenses. Rinse/flush affected eye gently with water for 15-20 minutes. Seek medical attention if irritation persists or if pain develops and persists.

Skin contact: Remove any contaminated clothing and wash before reuse. Wash affected area with soap and water. Rinse well for 15 minutes. Seek medical advice if discomfort or irritation persists.

Additional Info: Observe for any symptoms for several hours after exposure. Follow up with medical attention if symptoms develop.

Section 5: Fire Fighting Measures

General Info: Product is flammable. Isolate any uncompromised product from area if possible. Do not breath fumes. Cool unopened containers with water.

Extinguishing Method / Equipment: Carbon dioxide (CO_2), dry chemical, foam. Firefighters should wear self-contained breathing apparatus (SCBA) and full protective equipment.

Hazardous Decomposition Info: May emit toxic fumes under fire conditions. Thermal decomposition may yield carbon dioxide and/or carbon monoxide.

Section 6: Accidental Release Measures

Personal precautions, protective equipment and procedures: Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Eliminate all Ignition sources (no smoking, flares, sparks, or flames in immediate area). Wear appropriate protective equipment and clothing during clean-up. Avoid breathing vapors. Ventilate area if easy to do so. Contact local authorities if significant spillages cannot be contained. For personal protection, see section 8 of the SDS.

Containment Equipment and Procedures: Small spills: Should be picked up w/ absorbent material and transferred into closed metal containers and soaked with water. Larger Spills can be scooped up and put into metal containers to be salvaged.

Cleanup Procedures: Carefully incinerate or use secure landfills or a special waste landfill. Dispose of all waste and cleanup materials in accordance with regulations.

Marshall Photo Oil Colors: PAYNES GRAY EXTRA STRONG

Section 7: Handling and Storage

Safe Handling Do not handle until all safety precautions have been read and understood. Do not handle near an open flame or sources of ignition. Ensure adequate ventilation. Take precautionary measures against static discharges. Avoid breathing vapors. Avoid contact with eyes, skin, and clothing. Wear appropriate personal protective equipment.

Recommendations Store in cool area in product container away from sources of ignition or flame. Store for Storage: away from foodstuffs. Store in a cool, dry conditions in well sealed containers. Avoid accumulation of contaminated rags or wiping materials by immediately immersing in water.

Incompatibilities: Store away from oxidizing agents and Chlorinated Rubber.

Section 8: Exposure Control / Personal Protection

General / Local exhaust ventilation should be utilized to control vapors / substances below Engineering exposure limits. Eye wash facilities should be available when handling this product.

Controls:

Work Clothing: Protective work clothing which covers skin and prevents exposures.

Eye/face protection: Wear safety goggles or face shield.

Skin Protection: Wear neoprene rubber gloves. Prevent repeated or prolonged skin contact.

Respiratory Not normally required under normal conditions of use.

Protection:

Additional Observe good chemical hygiene practices. Do not smoke or eat while using this Information: product. Wash hands or exposed skin after using the product.

Substances with Exposure Limits	CAS#	ACGIH-TLV	OSHA-PEL
Ethanol	64-17-5	1000ppm/15 min	1000 ppm / 8 hrs

Section 9: Physical and Chemical Properties

State:	Thick liquid	Melting Point:	Not avail	Freezing Point:	Not avail
Color:	Gray	Boiling Point/Range:	Not avail	pH	Not avail
Sp Grav:	Not avail	Odor:	Strong	Water Solubility:	> 1%
Evaporation rate:	< 1	Flash Point:	160° SETA	Part. Coeff (n-octanol/water)	Not avail
Upper Flam Limits:	Not avail	Lower Flam Limits:	Not avail	Vapor Pressure:	40
VOC Content (lbs/gal):	Not avail	Viscosity:	Not avail	Autoignition Temp:	Not avail

Section 10: Stability and Reactivity

General: This product is stable and non-reactive under normal conditions of use. Product is not subject to hazardous polymerization. Avoid open flame and ignition sources.

Marshall Photo Oil Colors: PAYNES GRAY EXTRA STRONG

Incompatible materials: Strong oxidizing agents, chlorinated rubber.

Decomposition products: carbon dioxide, carbon monoxide (thermal decomposition)

Section 11: Toxicological Information

General Information: Contains chemicals which may be irritants in contact with skin and eyes or if inhaled. May be harmful if ingested.

Toxicological Information (product): The components of this material have been reviewed and the following selected endpoints are published.

Likely Routes of Inhalation of vapors, dermal Exposure:

Toxicological Information (contained substances)

Hazardous substance (name)	LD50 Oral	LD50 Dermal	LC50 Inh	Irritancy:
Ethyl alcohol (Ethanol)	NA	NA	NA	NA
alumina trihydrate (ALUPREM)	>5000 mg/kg (rat)	Unjustified	>2.3 mg/l/4h (rat)	NA

Carcinogenicity or mutagenicity: There are no known carcinogenic materials in this product

Sensitization: Product is not expected to be a sensitizer.

Reproductive Toxicity: Not known to adversely affect reproductive functions and organs. Not known to cause birth defects or have a deleterious effect on a developing fetus.

Other Notes: None.

Section 12: Ecological Information

General information: Product not tested.

Aquatic toxicity: Not known to be hazardous to the environment.

Degradation / Mobility info: No specific data available.

Bioaccumulative potential: This product has inorganic compounds which are not biodegradable and has the potential for bioaccumulation.

Section 13: Disposal Information

Product disposal: Dispose of product in accordance with local, regional, and national regulations.

Container disposal: Empty containers should be taken to an approved waste handling site for recycling or disposal.

Other considerations: No further information.

Marshall Photo Oil Colors: PAYNES GRAY EXTRA STRONG

Section 14: Transport Information**

DOT: Not dangerous/hazardous goods. **

IMO/MDG: **

IATA: **

Section 15: Regulatory Information**

TSCA: **

CERCLA RQ: **

SARA 311/312: **

SARA 313 **

California Prop 65 **
Substances:

Canadian DSL: **

WHMIS: **

Section 16: Other Information

SDS Author: Stephanie M. Willson

Version Date:

5/10/2017

Version #

1.0

**** Since other agencies regulate this information, OSHA does not require and will not be enforcing sections 12-15 (29 CFR 1910.1200(g)(2))**

***All chemicals may pose unknown hazards and should be used and handled with caution. This Safety Data Sheet applies only to the material as packaged. If this product is combined with other materials, deteriorates, or becomes contaminated, it may pose hazards not mentioned in this SDS. It shall be the user's responsibility to develop proper methods of handling and personal protection based on the actual conditions of use. While this SDS is based on technical data judged to be reliable, OmegaBrandess Distribution assumes no responsibility for the completeness or accuracy of the information contained herein. The information and recommendations in this safety data sheet are, to the best of our knowledge, accurate as of the date of issue. Nothing herein shall be deemed to create warranty, expressed or implied, and shall not establish a legally valid contractual relationship. It is the responsibility of the user to determine applicability of this information and the suitability of the material or product for any particular purpose.**

Marshall Photo Oil Colors: RAW SIENNA

00426-8064

Safety Data Sheet (SDS)
 OSHA HazCom Standard 29 CFR 1910.1200 GHD Rev 03

**Section 1: Company and Product Identification****Product Name:** RAW SIENNA Photo Oil Color**Product Code:** MS2RS, MS4RS

Company: OmegaBrandess Distribution
 626 Hanover Pike, Suite 102
 Hampstead, MD 21074
 PH: 410-374-3250 / FAX: 410-374-3184
 www.OmegaBrandess.com

Emergency Response: CHEMTREC 1-800-424-9300 (24 Hour Response)**Response:** Poison Control: 1-800-222-1222**Section 2: Hazards Identification**

GHS02

BLANK

BLANK

BLANK

Hazard Pictograms:**Signal Word:** Danger

Hazard Category: Flammable Liq Cat 3
 Acute tox, Inh. Cat 5
 Skin corrosion/irritation Cat 3
 Non-classified
 Non-classified

Hazard Statements: H226: Flammable liquid and vapour
 H333: May be harmful if inhaled
 H316: Causes mild skin irritation
 Not Applicable
 Not Applicable

Precautionary Statements: P202: Do not handle until all safety precautions have been read and
 P280: Wear protective gloves/protective clothing/eye protection/face
 P305+351+338: IF IN EYES: Rinse cautiously with water for several minutes.
 Remove contact lenses if present and easy to do – continue rinsing
 P302+350: IF ON SKIN: Gently wash with plenty of soap and water
 P337+313: If eye irritation persists get medical advice/attention
 P403: Store in a well ventilated place
 P301+312: IF SWALLOWED: Call a POISON CENTER or doctor/physician if
 you feel unwell
 P304+340: IF INHALED: Remove victim to fresh air and keep at rest in a
 position comfortable for breathing. If breathing becomes difficult, seek
 immediate medical attention
 P501: Dispose of contents/container in accordance with
 local/national/international rules.

Hazards not otherwise classified: Not applicable, none known.

Marshall Photo Oil Colors: RAW SIENNA

Section 3: Composition / Information on Ingredients

Hazardous substance (name)	Hazard Category	CAS#	Weight %
Ethyl Alcohol (C_2H_5O)	Not Classified	64-17-5	> 0.5 %
Alumina Trihydrate aka ALUPREM ($Al(OH)_3$)	Not Classified	21645-51-2	< 20%

Section 4: First Aid Measures

General Info: If seeking medical attention, provide SDS document to physician.

Notable Exposure symptoms: Treat symptomatically. This product has no known significant effects or critical hazards. Contact Poison Control in the event significant quantities have been ingested.

If ingested: Rinse mouth thoroughly. Remove dentures if applicable. Move person to fresh air and keep in a comfortable position for breathing. Do not induce vomiting. Have exposed individual drink sips of water. May cause irritation of the mouth. Seek medical attention if adverse health effects persist or become severe.

If inhaled: Move individual to fresh air. Loosen clothing and position individual in a comfortable position. If breathing is difficult, administer oxygen if available. Seek medical advice if discomfort or irritation persists.

Eye contact: Protect unexposed eye. Remove any contact lenses. Rinse/flush affected eye gently with water for 15-20 minutes. Seek medical attention if irritation persists or if pain develops and persists.

Skin contact: Remove any contaminated clothing and wash before reuse. Wash affected area with soap and water. Rinse well for 15 minutes. Seek medical advice if discomfort or irritation persists.

Additional Info: Observe for any symptoms for several hours after exposure. Follow up with medical attention if symptoms develop.

Section 5: Fire Fighting Measures

General Info: Product is flammable. Isolate any uncompromised product from area if possible. Do not breath fumes. Cool unopened containers with water.

Extinguishing Method / Equipment: Carbon dioxide (CO_2), dry chemical, foam. Firefighters should wear self-contained breathing apparatus (SCBA) and full protective equipment.

Hazardous Decomposition Info: May emit toxic fumes under fire conditions. Thermal decomposition may yield carbon dioxide and/or carbon monoxide.

Section 6: Accidental Release Measures

Personal precautions, protective equipment and procedures: Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Eliminate all ignition sources (no smoking, flares, sparks, or flames in immediate area). Wear appropriate protective equipment and clothing during clean-up. Avoid breathing vapors. Ventilate area if easy to do so. Contact local authorities if significant spillages cannot be contained. For personal protection, see section 8 of the SDS.

Containment Equipment and Procedures: Small spills: Should be picked up w/ absorbent material and transferred into closed metal containers and soaked with water. Larger Spills can be scooped up and put into metal containers to be salvaged.

Cleanup Procedures: Carefully incinerate or use secure landfills or a special waste landfill. Dispose of all waste and cleanup materials in accordance with regulations.

Marshall Photo Oil Colors: RAW SIENNA

Section 7: Handling and Storage

Safe Handling Do not handle until all safety precautions have been read and understood. Do not handle near an open flame or sources of ignition. Ensure adequate ventilation. Take precautionary measures against static discharges. Avoid breathing vapors. Avoid contact with eyes, skin, and clothing. Wear appropriate personal protective equipment.

Recommendations Store in cool area in product container away from sources of ignition or flame. Store for Storage: away from foodstuffs. Store in a cool, dry conditions in well sealed containers. Avoid accumulation of contaminated rags or wiping materials by immediately immersing in water.

Incompatibilities: Store away from oxidizing agents and Chlorinated Rubber.

Section 8: Exposure Control / Personal Protection

General / Local exhaust ventilation should be utilized to control vapors / substances below Engineering exposure limits. Eye wash facilities should be available when handling this product.

Controls:

Work Clothing: Protective work clothing which covers skin and prevents exposures.

Eye/face protection: Wear safety goggles or face shield.

Skin Protection: Wear neoprene rubber gloves. Prevent repeated or prolonged skin contact.

Respiratory Not normally required under normal conditions of use.

Protection:

Additional Observe good chemical hygiene practices. Do not smoke or eat while using this

Information: product. Wash hands or exposed skin after using the product.

Substances with Exposure Limits	CAS#	ACGIH-TLV	OSHA-PEL
Ethanol	64-17-5	1000ppm/15 min	1000 ppm / 8 hrs

Section 9: Physical and Chemical Properties

State: Thick liquid	Melting Point: Not avail	Freezing Point: Not avail
Color: Yellowish Brown	Boiling Point/Range: Not avail	pH Not avail
Sp Grav: Not avail	Odor: Strong	Water Solubility: > 1%
Evaporation rate: < 1	Flash Point: 160° SETA	Part. Coeff (n-octanol/water) Not avail
Upper Flam Limits: Not avail	Lower Flam Limits: Not avail	Vapor Pressure: 40
VOC Content (lbs/gal): Not avail	Viscosity: Not avail	Autoignition Temp: Not avail

Section 10: Stability and Reactivity

General: This product is stable and non-reactive under normal conditions of use. Product is not subject to hazardous polymerization. Avoid open flame and ignition sources.

Marshall Photo Oil Colors: RAW SIENNA

Incompatible materials: Strong oxidizing agents, chlorinated rubber.

Decomposition products: carbon dioxide, carbon monoxide (thermal decomposition)

Section 11: Toxicological Information

General Information: Contains chemicals which may be irritants in contact with skin and eyes or if inhaled. May be harmful if ingested.

Toxicological Information (product): The components of this material have been reviewed and the following selected endpoints are published.

Likely Routes of Inhalation of vapors, dermal Exposure:

Toxicological Information (contained substances)

Hazardous substance (name)	LD50 Oral	LD50 Dermal	LC50 Inh	Irritancy:
Ethyl alcohol (Ethanol)	NA	NA	NA	NA
alumina trihydrate (ALUPREM)	>5000 mg/kg (rat)	Unjustified	>2.3 mg/l/4h (rat)	NA

Carcinogenicity or mutagenicity: There are no known carcinogenic materials in this product

Sensitization: Product is not expected to be a sensitizer.

Reproductive Toxicity: Not known to adversely affect reproductive functions and organs. Not known to cause birth defects or have a deleterious effect on a developing fetus.

Other Notes: None.

Section 12: Ecological Information

General information: Product not tested.

Aquatic toxicity: Not known to be hazardous to the environment.

Degradation / Mobility info: No specific data available.

Bioaccumulative potential: This product has inorganic compounds which are not biodegradable and has the potential for bioaccumulation.

Section 13: Disposal Information

Product disposal: Dispose of product in accordance with local, regional, and national regulations.

Container disposal: Empty containers should be taken to an approved waste handling site for recycling or disposal.

Other considerations: No further information.

5/10/2017

5 of 5

US-SDS

*All chemicals may pose unknown hazards and should be used and handled with caution. This Safety Data Sheet applies only to the material as packaged. If this product is combined with other materials, deteriorates, or becomes contaminated, it may pose hazards not mentioned in this SDS. It shall be the user's responsibility to develop proper methods of handling and personal protection based on the actual conditions of use. While this SDS is based on technical data judged to be reliable, OmegaBranded Distribution assumes no responsibility for the completeness or accuracy of the information contained herein. The information and recommendations in this safety data sheet are, to the best of our knowledge, accurate as of the date of issue. Nothing herein shall be deemed to create warranty, expressed or implied, and shall not establish a legally valid contractual relationship. It is the responsibility of the user to determine applicability of this information and the suitability of the material or product for any particular purpose.

** Since other agencies regulate this information, OSHA does not require and will not be enforcing sections 12-15 (29 CFR 1910.1200(g)(2))

SDS Author: Stephanie M. Wilson		Version #	5/10/2017
Version Date:		1.0	
Section 16: Other Information			
TSCA: **			
CERCLA RQ: **			
SARA 311/312: **			
SARA 313 **			
California Prop 65 **			
Substances:			
Canadian DSL: **			
WHMIS: **			
Section 15: Regulatory Information**			
DOT: Not dangerous/hazardous goods. **			
IMO/MDG: **			
IATA: **			
Section 14: Transport Information**			

Marshall Photo Oil Colors: SEPIA EXTRA STRONG

00426-8082,8086

Safety Data Sheet (SDS)
 OSHA HazCom Standard 29 CFR 1910.1200 GHD Rev 03

**Section 1: Company and Product Identification**

Product Name: SEPIA EXTRA STRONG Photo Oil Color
Product Code: MSBL2SX, MS4SX, MS2SX
Company: OmegaBrandess Distribution
 626 Hanover Pike, Suite 102
 Hampstead, MD 21074
 PH: 410-374-3250 / FAX: 410-374-3184
 www.OmegaBrandess.com
Emergency Response: CHEMTREC 1-800-424-9300 (24 Hour Response)
 Poison Control: 1-800-222-1222

Section 2: Hazards Identification

GHS02 BLANK BLANK BLANK

Hazard Pictograms:**Signal Word:** Danger

Hazard Category: Flammable Liq Cat 3
 Acute tox, inh. Cat 5
 Skin corrosion/irritation Cat 3
 Non-classified
 Non-classified

Hazard Statements: H226: Flammable liquid and vapour
 H333: May be harmful if inhaled
 H316: Causes mild skin irritation
 Not Applicable
 Not Applicable

Precautionary Statements: P202: Do not handle until all safety precautions have been read and
 P280: Wear protective gloves/protective clothing/eye protection/face
 P305+351+338: IF IN EYES: Rinse cautiously with water for several minutes.
 Remove contact lenses if present and easy to do – continue rinsing
 P302+350: IF ON SKIN: Gently wash with plenty of soap and water
 P337+313: If eye irritation persists get medical advice/attention
 P403: Store in a well ventilated place
 P301+312: IF SWALLOWED: Call a POISON CENTER or doctor/physician if
 you feel unwell
 P304+340: IF INHALED: Remove victim to fresh air and keep at rest in a
 position comfortable for breathing. If breathing becomes difficult, seek
 immediate medical attention
 P501: Dispose of contents/container in accordance with
 local/national/international rules.

Hazards not otherwise classified: Not applicable, none known.

Marshall Photo Oil Colors: SEPIA EXTRA STRONG

Section 3: Composition / Information on Ingredients

Hazardous substance (name)	Hazard Category	CAS#	Weight %
Ethyl Alcohol (C_2H_5O)	Not Classified	64-17-5	> 0.5 %
Alumina Trihydrate aka ALUPREM ($Al(OH)_3$)	Not Classified	21645-51-2	< 22%

Section 4: First Aid Measures

General Info: If seeking medical attention, provide SDS document to physician.

Notable Exposure symptoms: Treat symptomatically. This product has no known significant effects or critical hazards. Contact Poison Control in the event significant quantities have been ingested.

If ingested: Rinse mouth thoroughly. Remove dentures if applicable. Move person to fresh air and keep in a comfortable position for breathing. Do not induce vomiting. Have exposed individual drink sips of water. May cause irritation of the mouth. Seek medical attention if adverse health effects persist or become severe.

If inhaled: Move individual to fresh air. Loosen clothing and position individual in a comfortable position. If breathing is difficult, administer oxygen if available. Seek medical advice if discomfort or irritation persists.

Eye contact: Protect unexposed eye. Remove any contact lenses. Rinse/flush affected eye gently with water for 15-20 minutes. Seek medical attention if irritation persists or if pain develops and persists.

Skin contact: Remove any contaminated clothing and wash before reuse. Wash affected area with soap and water. Rinse well for 15 minutes. Seek medical advice if discomfort or irritation persists.

Additional Info: Observe for any symptoms for several hours after exposure. Follow up with medical attention if symptoms develop.

Section 5: Fire Fighting Measures

General Info: Product is flammable. Isolate any uncompromised product from area if possible. Do not breath fumes. Cool unopened containers with water.

Extinguishing Method / Equipment: Carbon dioxide (CO_2), dry chemical, foam. Firefighters should wear self-contained breathing apparatus (SCBA) and full protective equipment.

Hazardous Decomposition Info: May emit toxic fumes under fire conditions. Thermal decomposition may yield carbon dioxide and/or carbon monoxide.

Section 6: Accidental Release Measures

Personal precautions, protective equipment and procedures: Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Eliminate all ignition sources (no smoking, flares, sparks, or flames in immediate area).

and procedures: Wear appropriate protective equipment and clothing during clean-up. Avoid breathing vapors. Ventilate area if easy to do so. Contact local authorities if significant spillages cannot be contained. For personal protection, see section 8 of the SDS.

Containment Equipment and Procedures: Small spills: Should be picked up w/ absorbent material and transferred into closed metal containers and soaked with water. Larger Spills can be scooped up and put into metal containers to be salvaged.

Cleanup Procedures: Carefully incinerate or use secure landfills or a special waste landfill. Dispose of all waste and cleanup materials in accordance with regulations.

Marshall Photo Oil Colors: SEPIA EXTRA STRONG

Section 7: Handling and Storage

Safe Handling Do not handle until all safety precautions have been read and understood. Do not
Precautions: handle near an open flame or sources of ignition. Ensure adequate ventilation. Take
 precautionary measures against static discharges. Avoid breathing vapors. Avoid
 contact with eyes, skin, and clothing. Wear appropriate personal protective
 equipment.

Recommendations Store in cool area in product container away from sources of ignition or flame. Store
for Storage: away from foodstuffs. Store in a cool, dry conditions in well sealed containers. Avoid
 accumulation of contaminated rags or wiping materials by immediately immersing in
 water.

Incompatibilities: Store away from oxidizing agents and Chlorinated Rubber.

Section 8: Exposure Control / Personal Protection

General / Local exhaust ventilation should be utilized to control vapors / substances below
 Engineering exposure limits. Eye wash facilities should be available when handling this product.
Controls:

Work Clothing: Protective work clothing which covers skin and prevents exposures.

Eye/face protection: Wear safety goggles or face shield.

Skin Protection: Wear neoprene rubber gloves. Prevent repeated or prolonged skin contact.

Respiratory Not normally required under normal conditions of use.

Protection:

Additional Observe good chemical hygiene practices. Do not smoke or eat while using this

Information: product. Wash hands or exposed skin after using the product.

Substances with Exposure Limits	CAS#	ACGIH-TLV	OSHA-PEL
Ethanol	64-17-5	1000ppm/15 min	1000 ppm / 8 hrs

Section 9: Physical and Chemical Properties

State: Thick liquid	Melting Point: Not avail	Freezing Point: Not avail
Color: Reddish Brown	Boiling Point/Range: Not avail	pH Not avail
Sp Grav: Not avail	Odor: Strong	Water Solubility: > 1%
Evaporation rate: < 1	Flash Point: 160° SETA	Part. Coeff (n- octanol/water Not avail
Upper Flam Limits: Not avail	Lower Flam Limits: Not avail	Vapor Pressure: 40
VOC Content (lbs/gal): Not avail	Viscosity: Not avail	Autoignition Temp: Not avail

Section 10: Stability and Reactivity

General: This product is stable and non-reactive under normal conditions of use. Product is not
 subject to hazardous polymerization. Avoid open flame and ignition sources.

Marshall Photo Oil Colors: SEPIA EXTRA STRONG

Incompatible materials: Strong oxidizing agents, chlorinated rubber.

Decomposition products: carbon dioxide, carbon monoxide (thermal decomposition)

Section 11: Toxicological Information

General Information: Contains chemicals which may be irritants in contact with skin and eyes or if inhaled. May be harmful if ingested.

Toxicological Information (product): The components of this material have been reviewed and the following selected endpoints are published.

Likely Routes of Exposure: Inhalation of vapors, dermal

Toxicological Information (contained substances)

Hazardous substance (name)	LD50 Oral	LD50 Dermal	LC50 Inh	Irritancy:
Ethyl alcohol (Ethanol)	NA	NA	NA	NA
alumina trihydrate (ALUPREM)	>5000 mg/kg (rat)	Unjustified	>2.3 mg/l/4h (rat)	NA

Carcinogenicity or mutagenicity: There are no known carcinogenic materials in this product

Sensitization: Product is not expected to be a sensitizer.

Reproductive Toxicity: Not known to adversely affect reproductive functions and organs. Not known to cause birth defects or have a deleterious effect on a developing fetus.

Other Notes: None.

Section 12: Ecological Information

General information: Product not tested.

Aquatic toxicity: Not known to be hazardous to the environment.

Degradation / Mobility info: No specific data available.

Bioaccumulative potential: This product has inorganic compounds which are not biodegradable and has the potential for bioaccumulation.

Section 13: Disposal Information

Product disposal: Dispose of product in accordance with local, regional, and national regulations.

Container disposal: Empty containers should be taken to an approved waste handling site for recycling or disposal.

Other considerations: No further information.

S/10/2017

5 of 5

US-SDS

*All chemicals may pose unknown hazards and should be used and handled with caution. This Safety Data Sheet applies only to the material as packaged. If this product is combined with other materials, deteriorates, or becomes contaminated, it may pose hazards not mentioned in this SDS. It shall be the user's responsibility to develop proper methods of handling and personal protection based on the actual conditions of use. While this SDS is based on technical data judged to be reliable, Omegabrand's Distribution assumes no responsibility for the completeness or accuracy of the information contained herein. The information and recommendations in this safety data sheet are, to the best of our knowledge, accurate as of the date of issue. Nothing herein shall be deemed to create warranty, expressed or implied, and shall not establish a legally valid contractual relationship. It is the responsibility of the user to determine applicability of this information and the suitability of the material or product for any particular purpose.

** Since other agencies regulate this information, OSHA does not require and will not be enforcing sections 12-15 (29 CFR 1910.1200(g)(2))

SDS Author: Stephanie M. Wilson		Version Date: S/10/2017	Version #: 1.0
Section 16: Other Information			
TSCA: **			
CERCLA RQ: **			
SARA 311/312: **			
SARA 313: **			
California Prop 65: **			
Substances:			
Canadian DSL: **			
WHMIS: **			
Section 15: Regulatory Information**			
DOT: Not dangerous/hazardous goods. **			
IMO/MDC: **			
IATA: **			
Section 14: Transport Information**			

Marshall Photo Oil Colors: SEPIA EXTRA STRONG

Marshall Photo Oil Colors: SERGE BLUE

00426-5162

Safety Data Sheet (SDS)
 OSHA HazCom Standard 29 CFR 1910.1200 GHD Rev 03

**Section 1: Company and Product Identification**

Product Name: SERGE BLUE Photo Oil Color

Product Code: MS2SB, MS4SB, MSBL2SB

Company: OmegaBrandess Distribution
 626 Hanover Pike, Suite 102
 Hampstead, MD 21074
 PH: 410-374-3250 / FAX: 410-374-3184
 www.OmegaBrandess.com

Emergency Response: CHEMTREC 1-800-424-9300 (24 Hour Response)
 Poison Control: 1-800-222-1222

Section 2: Hazards Identification

GHS02 BLANK BLANK BLANK

Hazard Pictograms:**Signal Word:** Danger

Hazard Category: Flammable Liq Cat 3
 Acute tox, inh. Cat 5
 Skin corrosion/Irritation Cat 3
 Non-classified
 Non-classified

Hazard Statements: H226: Flammable liquid and vapour
 H333: May be harmful if inhaled
 H316: Causes mild skin irritation
 Not Applicable
 Not Applicable

Precautionary Statements: P202: Do not handle until all safety precautions have been read and
 P280: Wear protective gloves/protective clothing/eye protection/face
 P305+351+338: IF IN EYES: Rinse cautiously with water for several minutes.
 Remove contact lenses if present and easy to do – continue rinsing
 P302+350: IF ON SKIN: Gently wash with plenty of soap and water
 P337+313: If eye irritation persists get medical advice/attention
 P403: Store in a well ventilated place
 P301+312: IF SWALLOWED: Call a POISON CENTER or doctor/physician if
 you feel unwell
 P304+340: IF INHALED: Remove victim to fresh air and keep at rest in a
 position comfortable for breathing. If breathing becomes difficult, seek
 immediate medical attention
 P501: Dispose of contents/container in accordance with
 local/national/international rules.

Marshall Photo Oil Colors: SERGE BLUE

**Hazards not
otherwise classified:**

Not applicable, none known.

Marshall Photo Oil Colors: SERGE BLUE

Section 3: Composition / Information on Ingredients

Hazardous substance (name)	Hazard Category	CAS#	Weight %
Ethyl Alcohol (C_2H_6O)	Not Classified	64-17-5	> 0.5 %
Alumina Trihydrate aka ALUPREM ($Al(OH)_3$)	Not Classified	21645-51-2	< 54%

Section 4: First Aid Measures

General Info: If seeking medical attention, provide SDS document to physician.

Notable Exposure: Treat symptomatically. This product has no known significant effects or critical symptoms: hazards. Contact Poison Control in the event significant quantities have been ingested.

If ingested: Rinse mouth thoroughly. Remove dentures if applicable. Move person to fresh air and keep in a comfortable position for breathing. Do not induce vomiting. Have exposed individual drink sips of water. May cause irritation of the mouth. Seek medical attention if adverse health effects persist or become severe.

If inhaled: Move individual to fresh air. Loosen clothing and position individual in a comfortable position. If breathing is difficult, administer oxygen if available. Seek medical advice if discomfort or irritation persists.

Eye contact: Protect unexposed eye. Remove any contact lenses. Rinse/flush affected eye gently with water for 15-20 minutes. Seek medical attention if irritation persists or if pain develops and persists.

Skin contact: Remove any contaminated clothing and wash before reuse. Wash affected area with soap and water. Rinse well for 15 minutes. Seek medical advice if discomfort or irritation persists.

Additional Info: Observe for any symptoms for several hours after exposure. Follow up with medical attention if symptoms develop.

Section 5: Fire Fighting Measures

General Info: Product is flammable. Isolate any uncompromised product from area if possible. Do not breath fumes. Cool unopened containers with water.

Extinguishing: Carbon dioxide (CO_2), dry chemical, foam. Firefighters should wear self-contained Method / Equipment: breathing apparatus (SCBA) and full protective equipment.

Hazardous: May emit toxic fumes under fire conditions. Thermal decomposition may yield carbon
Decomposition Info: dioxide and/or carbon monoxide.

Section 6: Accidental Release Measures

Personal precautions, protective equipment and procedures: Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Eliminate all ignition sources (no smoking, flares, sparks, or flames in immediate area).

and procedures: Wear appropriate protective equipment and clothing during clean-up. Avoid breathing vapors. Ventilate area if easy to do so. Contact local authorities if significant spillages cannot be contained. For personal protection, see section 8 of the SDS.

Containment: Small spills: Should be picked up w/ absorbent material and transferred into closed Equipment and metal containers and soaked with water Larger Spills can be scooped up and put into Procedures: metal containers to be salvaged.

Cleanup Procedures: Carefully incinerate or use secure landfills or a special waste landfill. Dispose of all waste and cleanup materials in accordance with regulations.

Marshall Photo Oil Colors: SERGE BLUE

Section 7: Handling and Storage

Safe Handling Do not handle until all safety precautions have been read and understood. Do not handle near an open flame or sources of ignition. Ensure adequate ventilation. Take precautionary measures against static discharges. Avoid breathing vapors. Avoid contact with eyes, skin, and clothing. Wear appropriate personal protective equipment.

Recommendations Store in cool area in product container away from sources of ignition or flame. Store for Storage: away from foodstuffs. Store in a cool, dry conditions in well sealed containers. Avoid accumulation of contaminated rags or wiping materials by immediately immersing in water.

Incompatibilities: Store away from oxidizing agents and Chlorinated Rubber.

Section 8: Exposure Control / Personal Protection

General / Local exhaust ventilation should be utilized to control vapors / substances below Engineering exposure limits. Eye wash facilities should be available when handling this product.

Controls:

Work Clothing: Protective work clothing which covers skin and prevents exposures.

Eye/face protection: Wear safety goggles or face shield.

Skin Protection: Wear neoprene rubber gloves. Prevent repeated or prolonged skin contact.

Respiratory Not normally required under normal conditions of use.

Protection:

Additional Observe good chemical hygiene practices. Do not smoke or eat while using this product. **Information:** product. Wash hands or exposed skin after using the product.

Substances with Exposure Limits	CAS#	ACGIH-TLV	OSHA-PEL
Ethanol	64-17-5	1000ppm/15 min	1000 ppm / 8 hrs

Section 9: Physical and Chemical Properties

State: Thick liquid	Melting Point: Not avail	Freezing Point: Not avail
Color: Blue	Boiling Point/Range: Not avail	pH Not avail
Sp Grav: Not avail	Odor: Strong	Water Solubility: > 1%
Evaporation rate: < 1	Flash Point: 160° SETA	Part. Coeff (n-octanol/water) Not avail
Upper Flam Limits: Not avail	Lower Flam Limits: Not avail	Vapor Pressure: 40
VOC Content (lbs/gal): Not avail	Viscosity: Not avail	Autoignition Temp: Not avail

Section 10: Stability and Reactivity

General: This product is stable and non-reactive under normal conditions of use. Product is not subject to hazardous polymerization. Avoid open flame and ignition sources.

Marshall Photo Oil Colors: SERGE BLUE

Incompatible Strong oxidizing agents, chlorinated rubber.
materials:

Decomposition carbon dioxide, carbon monoxide (thermal decomposition)
products:

Section 11: Toxicological Information

General Information: Contains chemicals which may be irritants in contact with skin and eyes or if inhaled.
May be harmful if ingested.

Toxicological Information The components of this material have been reviewed and the following selected
Information endpoints are published.
(product):

Likely Routes of Inhalation of vapors, dermal
Exposure:

Toxicological Information (contained substances)

Hazardous substance (name)	LD50 Oral	LD50 Dermal	LC50 Inh	Irritancy:
Ethyl alcohol (Ethanol)	NA	NA	NA	NA
alumina trihydrate (ALUPREM)	>5000 mg/kg (rat)	Unjustified	>2.3 mg/l/4h (rat)	NA

Carcinogenicity or There are no known carcinogenic materials in this product
mutagenicity:

Sensitization: Product is not expected to be a sensitizer.

Reproductive Not known to adversely affect reproductive functions and organs. Not known to cause

Toxicity: birth defects or have a deleterious effect on a developing fetus.

Other Notes: None.

Section 12: Ecological Information

General information: Product not tested.

Aquatic toxicity: Not known to be hazardous to the environment.

Degradation / Mobility info: No specific data available.

Bioaccumulative potential: This product has inorganic compounds which are not biodegradable and has the
potential for bioaccumulation.

Section 13: Disposal Information

Product disposal: Dispose of product in accordance with local, regional, and national regulations.

Container disposal: Empty containers should be taken to an approved waste handling site for recycling or
disposal.

Other considerations: No further information.

5/10/2017

6 of 6

US-SDS

*All chemicals may pose unknown hazards and should be used and handled with caution. This Safety Data Sheet applies only to the material as packaged. If this product is combined with other materials, deteriorates, or becomes contaminated, it may pose hazards not mentioned in this SDS. It shall be the user's responsibility to develop proper methods of handling and personal protection based on the actual conditions of use. While this SDS is based on technical data judged to be reliable, Omegabrandness Distribution assumes no responsibility for the completeness or accuracy of the information contained herein. The information and recommendations in this safety data sheet are, to the best of our knowledge, accurate as of the date of issue. Nothing herein shall be deemed to create warranty, expressed or implied, and shall not establish a legally valid contractual relationship. It is the responsibility of the user to determine applicability of this information and the suitability of the material or product for any particular purpose.

** Since other agencies regulate this information, OSHA does not require and will not be enforcing sections 12-15 (29 CFR 1910.1200(g)(2))

SDS Author: Stephanie M. Wilson		Version #	5/10/2017
Version Date:		1.0	
Section 16: Other Information			
TSCA: **			
CERCLA RQ: **			
SARA 311/312: **			
SARA 313 **			
California Prop 65 **			
Substances:			
Canadian DSL: **			
WHMIS: **			
Section 15: Regulatory Information**			
DOT: Not dangerous/hazardous goods. **			
IMO/IMDG: **			
IATA: **			
Section 14: Transport Information**			

Marshall Photo Oil Colors: SERGE BLUE

Marshall Photo Oil Colors: ULTRA BLUE EXTRA STRONG

00426-5132,5136

Safety Data Sheet (SDS)
 OSHA HazCom Standard 29 CFR 1910.1200 GHD Rev 03

**Section 1: Company and Product Identification**

Product Name: ULTRA BLUE EXTRA STRONG Photo Oil Color
Product Code: MS4UBX, MSBL2UBX, MS2UBX
Company: OmegaBrandess Distribution
 626 Hanover Pike, Suite 102
 Hampstead, MD 21074
 PH: 410-374-3250 / FAX: 410-374-3184
 www.OmegaBrandess.com
Emergency Response: CHEMTREC 1-800-424-9300 (24 Hour Response)
 Poison Control: 1-800-222-1222

Section 2: Hazards Identification

GHS02 BLANK BLANK BLANK

Hazard Pictograms:**Signal Word:** Danger

Hazard Category: Flammable Liq Cat 3
 Acute tox, inh. Cat 5
 Skin corrosion/irritation Cat 3
 Non-classified
 Non-classified

Hazard Statements: H226: Flammable liquid and vapour
 H333: May be harmful if inhaled
 H316: Causes mild skin irritation
 Not Applicable
 Not Applicable

Precautionary Statements: P202: Do not handle until all safety precautions have been read and
 P280: Wear protective gloves/protective clothing/eye protection/face
 P305+351+338: IF IN EYES: Rinse cautiously with water for several minutes.
 Remove contact lenses if present and easy to do – continue rinsing
 P302+350: IF ON SKIN: Gently wash with plenty of soap and water
 P337+313: If eye irritation persists get medical advice/attention
 P403: Store in a well ventilated place
 P301+312: IF SWALLOWED: Call a POISON CENTER or doctor/physician if
 you feel unwell
 P304+340: IF INHALED: Remove victim to fresh air and keep at rest in a
 position comfortable for breathing. If breathing becomes difficult, seek
 immediate medical attention
 P501: Dispose of contents/container in accordance with
 local/national/international rules.

Hazards not otherwise classified: Not applicable, none known.

Marshall Photo Oil Colors: ULTRA BLUE EXTRA STRONG

Section 3: Composition / Information on Ingredients

Hazardous substance (name)	Hazard Category	CAS#	Weight %
Ethyl Alcohol (C ₂ H ₅ O)	Not Classified	64-17-5	> 0.5 %
Alumina Trihydrate aka ALUPREM (Al(OH) ₃)	Not Classified	21645-51-2	< 25%

Section 4: First Aid Measures

General Info: If seeking medical attention, provide SDS document to physician.

Notable Exposure symptoms: Treat symptomatically. This product has no known significant effects or critical hazards. Contact Poison Control in the event significant quantities have been ingested.

If ingested: Rinse mouth thoroughly. Remove dentures if applicable. Move person to fresh air and keep in a comfortable position for breathing. Do not induce vomiting. Have exposed individual drink sips of water. May cause irritation of the mouth. Seek medical attention if adverse health effects persist or become severe.

If inhaled: Move individual to fresh air. Loosen clothing and position individual in a comfortable position. If breathing is difficult, administer oxygen if available. Seek medical advice if discomfort or irritation persists.

Eye contact: Protect unexposed eye. Remove any contact lenses. Rinse/flush affected eye gently with water for 15-20 minutes. Seek medical attention if irritation persists or if pain develops and persists.

Skin contact: Remove any contaminated clothing and wash before reuse. Wash affected area with soap and water. Rinse well for 15 minutes. Seek medical advice if discomfort or irritation persists.

Additional Info: Observe for any symptoms for several hours after exposure. Follow up with medical attention if symptoms develop.

Section 5: Fire Fighting Measures

General Info: Product is flammable. Isolate any uncompromised product from area if possible. Do not breath fumes. Cool unopened containers with water.

Extinguishing Method / Equipment: Carbon dioxide (CO₂), dry chemical, foam. Firefighters should wear self-contained breathing apparatus (SCBA) and full protective equipment.

Hazardous Decomposition Info: May emit toxic fumes under fire conditions. Thermal decomposition may yield carbon dioxide and/or carbon monoxide.

Section 6: Accidental Release Measures

Personal precautions, protective equipment and procedures: Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Eliminate all ignition sources (no smoking, flares, sparks, or flames in immediate area). Wear appropriate protective equipment and clothing during clean-up. Avoid breathing vapors. Ventilate area if easy to do so. Contact local authorities if significant spillages cannot be contained. For personal protection, see section 8 of the SDS.

Containment Equipment and Procedures: Small spills: Should be picked up w/ absorbent material and transferred into closed metal containers and soaked with water. Larger Spills can be scooped up and put into metal containers to be salvaged.

Cleanup Procedures: Carefully incinerate or use secure landfills or a special waste landfill. Dispose of all waste and cleanup materials in accordance with regulations.

Marshall Photo Oil Colors: ULTRA BLUE EXTRA STRONG

Section 7: Handling and Storage

Safe Handling Do not handle until all safety precautions have been read and understood. Do not
Precautions: handle near an open flame or sources of ignition. Ensure adequate ventilation. Take
 precautionary measures against static discharges. Avoid breathing vapors. Avoid
 contact with eyes, skin, and clothing. Wear appropriate personal protective
 equipment.

Recommendations Store in cool area in product container away from sources of ignition or flame. Store
for Storage: away from foodstuffs. Store in a cool, dry conditions in well sealed containers. Avoid
 accumulation of contaminated rags or wiping materials by immediately immersing in
 water.

Incompatibilities: Store away from oxidizing agents and Chlorinated Rubber.

Section 8: Exposure Control / Personal Protection

General / Local exhaust ventilation should be utilized to control vapors / substances below
 Engineering exposure limits. Eye wash facilities should be available when handling this product.
Controls:

Work Clothing: Protective work clothing which covers skin and prevents exposures.

Eye/face protection: Wear safety goggles or face shield.

Skin Protection: Wear neoprene rubber gloves. Prevent repeated or prolonged skin contact.

Respiratory Not normally required under normal conditions of use.

Protection:

Additional Observe good chemical hygiene practices. Do not smoke or eat while using this
Information: product. Wash hands or exposed skin after using the product.

Substances with Exposure Limits	CAS#	ACGIH-TLV	OSHA-PEL
Ethanol	64-17-5	1000ppm/15 min	1000 ppm / 8 hrs

Section 9: Physical and Chemical Properties

State: Thick liquid	Melting Point: Not avail	Freezing Point: Not avail
Color: Blue	Boiling Point/Range: Not avail	pH Not avail
Sp Grav: Not avail	Odor: Strong	Water Solubility: > 1%
Evaporation rate: < 1	Flash Point: 160° SETA	Part. Coeff (n-octanol/water) Not avail
Upper Flam Limits: Not avail	Lower Flam Limits: Not avail	Vapor Pressure: 40
VOC Content (lbs/gal): Not avail	Viscosity: Not avail	Autoignition Temp: Not avail

Section 10: Stability and Reactivity

General: This product is stable and non-reactive under normal conditions of use. Product is not
 subject to hazardous polymerization. Avoid open flame and ignition sources.

Marshall Photo Oil Colors: ULTRA BLUE EXTRA STRONG

Incompatible materials: Strong oxidizing agents, chlorinated rubber.

Decomposition products: carbon dioxide, carbon monoxide (thermal decomposition)

Section 11: Toxicological Information

General Information: Contains chemicals which may be irritants in contact with skin and eyes or if inhaled. May be harmful if ingested.

Toxicological Information (product): The components of this material have been reviewed and the following selected endpoints are published.

Likely Routes of Inhalation of vapors, dermal Exposure:

Toxicological Information (contained substances)

Hazardous substance (name)	LD50 Oral	LD50 Dermal	LC50 Inh	Irritancy:
Ethyl alcohol (Ethanol)	NA	NA	NA	NA
alumina trihydrate (ALUPREM)	>5000 mg/kg (rat)	Unjustified	>2.3 mg/l/4h (rat)	NA

Carcinogenicity or mutagenicity: There are no known carcinogenic materials in this product

Sensitization: Product is not expected to be a sensitizer.

Reproductive Toxicity: Not known to adversely affect reproductive functions and organs. Not known to cause birth defects or have a deleterious effect on a developing fetus.

Other Notes: None.

Section 12: Ecological Information

General information: Product not tested.

Aquatic toxicity: Not known to be hazardous to the environment.

Degradation / Mobility info: No specific data available.

Bioaccumulative potential: This product has inorganic compounds which are not biodegradable and has the potential for bioaccumulation.

Section 13: Disposal Information

Product disposal: Dispose of product in accordance with local, regional, and national regulations.

Container disposal: Empty containers should be taken to an approved waste handling site for recycling or disposal.

Other considerations: No further information.

5/10/2017

5 of 5

US-SDS

*All chemicals may pose unknown hazards and should be used and handled with caution. This Safety Data Sheet applies only to the material as packaged. If this product is combined with other materials, deteriorates, or becomes contaminated, it may pose hazards not mentioned in this SDS. It shall be the user's responsibility to develop proper methods of handling and personal protection based on the actual conditions of use. While this SDS is based on technical data judged to be reliable, OmegaBrandless Distribution assumes no responsibility for the completeness or accuracy of the information contained herein. The information and recommendations in this safety data sheet are, to the best of our knowledge, accurate as of the date of issue. Nothing herein shall be deemed to create warranty, expressed or implied, and shall not establish a legally valid contractual relationship. It is the responsibility of the user to determine applicability of this information and the suitability of the material or product for any particular purpose.

** Since other agencies regulate this information, OSHA does not require and will not be enforcing sections 12-15 (29 CFR 1910.1200(g)(2))

SDS Author: Stephanie M. Wilson	Version #	Version Date: 5/10/2017
Section 16: Other information		
Section 15: Regulatory Information**		
TSCA: **		
CERCLA RQ: **		
SARA 311/312: **		
SARA 313 **		
California Prop 65 **		
Substances:		
Canadian DSL: **		
WHMIS: **		
Section 14: Transport Information**		
DOT: Not dangerous/hazardous goods. **		
IMO/MDG: **		
IATA: **		