00486-1009

WINSOR & NEWTON PROFESSIONAL GLOSS VARNISH (AEROSOL)

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations. This Product is exempt from OSHA Hazard Communication Standard, safety information contained in the SDS is for information only. Issue date: 12/14/2022 Revision date: 12/14/2022 Supersedes: 08/17/2015 Version: 3.0

SECTION 1: Identification			
1.1. Identification			
Product form	: Mixture		
Trade name	: WINSOR & NEWTON PROFESSIONAL GLOSS VARNISH (AEROSOL)		
1.2. Recommended use and restrictions	s on use		
Use of the substance/mixture	: Artists', craft and hobby paints		
Recommended use	: Consumer uses: Private households (= general public = consumers), Artists', craft and hobby paints		
1.3. Supplier			
Distributor ColArt Americas Inc. 2 Corporate Place South, Piscataway New Jersey, USA NJ 08854 T +1 888 422 7954 r.enquiries@colart.co.uk	Manufacturer Colart France SAS 5, rue René Panhard, CS 82120 Z.I. Nord, 72021 Le Mans Cedex 2 T: +33 2 43 83 83 00 F: +33 2 43 83 83 09 r.enquiries@colart.co.uk		
1.4. Emergency telephone number			
Emergency number	: +1 888 422 7954		
SECTION 2: Hazard(s) identification			

2.1. Hazard warning in accordance with US Labeling of Hazardous Art Materials Act / Federal Hazardous Substances Act.

Art materials are labelled according to Labelling of Hazardous Art Materials Act (LHAMA) in compliance with ASDTM D-4236 and Federal Hazardous Substances Act (FHSA). Appropriate labelling is listed in section 15. Please note that the label may also contain other regional/national labelling text.

SECTION 3: Composition/Information on ingredients

3.2. Mixtures

colart

Art materials are labelled according to Labeling of Hazardous Art Materials Act (LHAMA) in compliance with ASDTM D-4236 and Federal Hazardous Substances Act (FHSA). Appropriate labelling is listed in section 15. Hazardous ingredients are identified in section 15.

SECTION 4: First-aid measures	
4.1. Description of first aid measures	
First-aid measures general	: Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible).
First-aid measures after inhalation	: Allow affected person to breathe fresh air. Allow the victim to rest.
First-aid measures after skin contact	: Remove affected clothing and wash all exposed skin area with mild soap and water, followed by warm water rinse.
First-aid measures after eye contact	: Rinse immediately with plenty of water. Obtain medical attention if pain, blinking or redness persists.
First-aid measures after ingestion	: Rinse mouth out with water. In all cases of doubt, or when symptoms persist, seek medical attention.
	Please see section 15 labelling requirements for additonal information

4.2. Most important symptoms and effects (acute and delayed)

Art materials are labelled according to Labeling of Hazardous Art Materials Act (LHAMA) in compliance with ASDTM D-4236 and Federal Hazardous Substances Act (FHSA). Please refer to section 15 for information on potential symptoms.

OSHA Hazard Communication Standard does not apply to art materials according to 29 CFR 1910.1200(b)(6). This Safety Data Sheet is provided for information only and details the appropriate safety labelling according to LHAMA and FHSA. The information contained in this MSDS does not comply with all requirements of the OSHA Hazard Communication Standard.

12/14/2022

EN (English US)

Page 1

Safety Data Sheet according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations. This Product is exempt from OSHA Hazard Communication Standard, safety information contained in the SDS is for information only.

6.4. Reference to other sections See Heading 8. Exposure controls and personal protection. SECTION 7: Handling and storage 7.1. Precautions for safe handling Precautions for safe handling : Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Provide good ventilation in process area to prevent formation of vapor. 7.2. Conditions for safe storage, including any incompatibilities	atety information contained in the SDS is for information	
SECTION 5: Fire-fighting measures 5.1. Suitable (and unsuitable) extinguishing media 5.2. Specific hazards arising from the chemical Fire hazard : Externely flammable acrosol. Reactivity : The product is non-reactive under normal conditions of use, storage and transport. 5.3. Special protective equipment and precautions for fire-fighters Firefighting instructions : Use water spray or fog for cooling acposed containers. Exercise caution when fighting any chemical fire. Preven fire-fighting water time entering environment. FIREFighting instructions : Use water spray or fog for cooling acposed containers. Exercise caution when fighting any chemical fire. Preven fire-fighting water from entering environment. FIREFighting instructions : Use water spray or fog for cooling acposed containers. Exercise caution when fighting any chemical fire. Prevent fire-fire area without proper protective equipment, including respiratory protection. EECTION 6: Accidental rolease measures 6.1. For non-emergency personnel Emergency procedures : Evacuate unnecessary personnel. 6.1.2. For emergency responders Frotective equipment and cheming up Prevent entry to severe and public waters. 6.3. Methods and material for containment and cleaning up Prevent entry to severe and public waters. 6.4. Reference to other sections Section 7.4 Handling and storage Frotection. EECTION 7:4 Handling and storage Frotection Section 7.4 Handling and storage Frotection Section 8.4 Keep any in the original container is a col, well went indices area with from toring work. Frote first and when lawing work. Froved equipment Section 7.4 Handling and storage Frotection Sectio		special treatment, if necessary
5.1 Suitable (and unsuitable) extinguishing media : Feam. Dy powder. Carbon dioxide. Sand. Suitable extinguishing media : Do not use a heavy water stream. S.2 Specific hazards arising from the chemical Tire hazard : Extemply flammable aerosol. Statuble extinguishing media : Do not use a heavy water stream. S.3 Special protective equipment and precatutions for fine-fighting water from enting norman. Printighting instructions : Use water spray or log for cooling exposed containers. Exercise caution when fighting any chemical file. Frevent fire-fighting water from enting norman. Store of the fighting instructions : Do not enter fire area without proper protective equipment, including respiratory protection. Store onergency responders : Evacuate unnecessary personnel. Energency procedures : Ventilate area. Store onergency responders : Ventilate area. Protective equipment and eleaning up : Social up splits with inert solids, such as clay or diatomaceous earth as soon as possible. Co splitgles. Store away from other material. Store area and public waters. Notily authorities if liquid enter severs or public waters. Store area from enting and storage. Store avait from other material. Store avait from other material. Sto Methods and material for containment and cle		
Suitable extinguishing media : Poam. Dry powder. Carbon dioxide. Sand. Jinsuitable extinguishing media : Do not use a heavy water stream. Jinsuitable extinguishing media : Extremely flammable aerosol. Sauctivity : The product is non-reactive under normal conditions of use, storage and transport. Sauctivity : Use water spray or fog rooting exposed containers. Exercise caution when fighting any chemical fire. Provent fire-fighting water from enlarge environment. Strenge in uning firefighting : Do not enter fire area without proper protective equipment, including respiratory protection. Strenge procedures : Evacuate unnecessary personnel. Strenge procedures : Equip cleanup prox with proper protection. Protection equipment : Equip cleanup prox with proper protection. Every procedures : Soak up golls with inert solids, such as clay or diatomaceous earth as soon as possible. Co spillage. Store away from other materials. Store of cleaning up : Soak up golls with inert solids, such as clay or diatomaceous earth as soon as possible. Co spillage. Store away from other materials. Store of cleaning up : Soak up golls with inert solids, such as clay or diatomaceous earth as soon as possible. Co spillage. Store away from other materials. Store of cleaning up : Soak up golls with inert solids, such as clay or diatomaceous earth as soon as possible. Co spillage. Store away from other materials. <		
12. Specific hazards arising from the chemical The hazard Extremely flammable aerosol. Eachtiny The product is non-reactive under normal conditions of use, storage and transport. 13. Special protective equipment and precautions for fire-fighting water from entering environment. Protection during firefighting Do not enter fire area without proper protective equipment, including respiratory protection. SECTION 6: Accidental release measures Evacuate unnecessary personnel. 11.1. For non-emergency personnel Evacuate unnecessary personnel. 12.2. Environmental precautions Equip cleanup crew with proper protection. Therefore a public waters. Notify authorities if liquid enters severs or public waters. Section appreciation sponsel. 13.1. For one-emergency procedures Equip cleanup prevent inter stolds, such as clay or diatomaceous earth as scon as possible. Core spillage. Store away from other materials. 13.1. Methods and material for containment and cleaning up Sock up spills with inert solids, such as clay or diatomaceous earth as scon as possible. Core spillage. Store away from other materials. 13.1. Personal procestions See theading of the sections See Heading up Exposure controls and personal protection. 14.1. Per could in store sections Sock up spills with inert solids, such as clay or diatomaceous earth as scon as possible. Core spillage. Stor	· · · · · · · · · · · · · · · · · · ·	
The hazard Extremely flammable aerosol. Reactivity The product is non-reactive under nonal conditions of use, storage and transport. S3. Special protective equipment and precautions for fire-fighting with results of the storage of the st	Jnsuitable extinguishing media	
ine hazard Extremely flammable aerosol. teactivity : The product is non-reactive under nonal conditions of use, storage and transport. 3.3 Special protective equipment and precautions for fire-fightings. irefighting instructions : Use water spray or fog for cooling exposed containers. Exercise caution when fighting any chemical fire-fighting water from entering environment. irefighting instructions : Do not enter fire area without proper protective equipment, including respiratory protection. SECTION 6: Accidental releases mosesures : :1.1 For non-emergency personnel : imergency procedures : Evacuate unnecessary personnel. :1.2. For emergency responders : Evacuate unnecessary personnel. :2.1.2 Environmental precautions : Evacuate anname even with proper protection. imergency procedures : Evaluate denaing up :3.3 Methods and material for containment and cleaning up :solat up spills with inert solds, such as clay or diatomaceous earth as soon as possible. Conspillage. Store away from other materials. :4.4 Reference to other sections :solat up spills with inert solds, such as clay or diatomaceous earth as soon as possible. Conspillage. Store away from other materials. :4.4 Reference to other sections :solat up spillage. Store away from citer earting. :4.7 Precautions for safe handling :solat up spillage. Store away from citer earting. :solat up spillage. Store away from citer earting. :solat up spillage. Store away from citer earting. :solat up spill	.2. Specific hazards arising from the	e chemical
Special protective equipment and precautions for fire-fighters iverlighting instructions i Use water spray or fog for cooling exposed containers. Exercise caution when fighting any chemical fire-fighting water from entering environment. SECTION 6: Accidental release measures L1. Personal precautions, protective equipment and emergency procedures L1. For non-emergency personnel imergency procedures L1. For non-emergency responders i Equip cleanup crew with proper protection. ECTION 6: Accidental releases the equipment and emergency procedures L1. For non-emergency responders i Equip cleanup crew with proper protection. ECTION 6: Accidental releases Action and material for containment and cleaning up Activations of releases the equipment i Equip cleanup crew with proper protection. ECTION 7: Activations Protective equipment i Equip cleanup crew with proper protection. ECTION 7: Attanding and storage Activations of releases Activations for safe handling Activations for safe storage, including any incompatibilities Exercise acids, exercise acids, exercise acids, exercise acids, frinking or arowing and when leaving work, Provide good ventilated place away from : Direct sunlight Heat sources. Keep container i closed when not in use. EXERCISE EXPOSURE Controls/personal protection Activations Appropriate engineering controls Appropriate engine		
inelighting instructions : Use water spray or fog for cooling exposed containers. Exercise caution when fighting any chemical fire. Prevent fire-fighting water from entering environment. Protection during firefighting : Do not enter fire area without proper protective equipment, including respiratory protection. SECTION 6: Accidental release measures	Reactivity	: The product is non-reactive under normal conditions of use, storage and transport.
chemical fire. Prevent fire-fighting water from entering environment. chemical fire. Prevent fire-fighting water from entering environment. Exection 4: Accidental release measures Executions, protective equipment and emergency procedures Executions, protective equipment and emergency procedures Executions protective equipment and emergency procedures Executive equipment : Evacuate unnecessary personnel. Executive equipment : Equip cleanup crew with proper protection. Exercise equipment : Equip cleanup crew with proper protection. Exercise equipment : Equip cleanup crew with proper protection. Exercise equipment : Soak up spills with inert severs or public waters. Executive equipment : Soak up spills with inert solids, such as clay or diatomaceous earth as soon as possible. Co spillage. Store away from other materials. Exercise a diator and material for containment and cleaning up Executions for safe handling Precedures and public waters. Notify authorities if liquid enters exposed areas with mid soap and water before eating, diriking or some deading 8. Exposure controls and personal protection. EXECTION 7: Handling and storage Executions for safe handling Precautions for safe handling Executions for safe handling Executions for safe handling Executions for safe storage, including any incompatibilities Norage conditions : Keep only in the original container in a cool, well ventilated place away from : Direct sunlight Heat sources. Keep container closed when not in use. Excretion 8: Exposure controls/personal protection Excretion 8: Exposure controls/personal protection Excretion 9: Exposure controls/personal protection Excretio	.3. Special protective equipment an	d precautions for fire-fighters
SECTION 6: Accidental release measures 5.1. Personal precautions, protective equipment and emergency procedures 5.1.1. For non-emergency personnel imergency procedures : Evacuate unnecessary personnel. 5.1.2. For emergency responders imergency procedures : Equip cleanup crew with proper protection. imergency procedures : Ventilate area. 5.2. Environmental precautions Prevent entry to sewers and public waters. Notify authorities if liquid enters sewers or public waters. 5.3. Methods and material for containment and cleaning up Alendods for cleaning up : Soak up spills with inert solids, such as clay or diatomaceous earth as soon as possible. Co spillage. Store away from other materials. 5.4. Reference to other sections Sec Heading 8. Exposure controls and personal protection. SECTION 7: Handling and storage C1. Precautions for safe handling Precautions for safe storage, including any incompatibilities Storage conditions : Keep only in the original container in a cool, well ventilated place away from : Direct sunlight Heat sources. Keep container closed when not in use. storage conditions : Keep container closed when not in use. nonompatible products : Storag calds. <	irefighting instructions	
A1. Personal precautions, protective equipment and emergency procedures 5.1.1. For non-emergency personnel imargency procedures : imargency procedures : Protective equipment : 2.2. Environmental precautions Protective equipment : 2.3. Methods and material for containment and cleaning up Alethods for cleaning up : 3.3. Methods and material for containment and cleaning up Alethods for cleaning up : Scale up spillage. Store away from other materials. S.4. Reference to other sections See Heading 8. Exposure controls and personal protection. SECTION 7: Handling and storage C4.1. Precautions for safe handling Precautions for safe handling : Vapor. : C2.2. Conditions for safe storage, including any incompatibilities Barcega conditions : : Keep onty in the original container in a cool, well ventilated place away from : Direct sunlight Heat sources. Keep container closed when not in use. homompatible products : : Strong bases. Strong acids. incompatible materials : Sources of igni	Protection during firefighting	: Do not enter fire area without proper protective equipment, including respiratory protection.
3.1.1. For non-emergency personnel Emergency procedures : Evacuate unnecessary personnel. 3.1.2. For emergency responders Protective equipment : Equip cleanup crew with proper protection. Emergency procedures : Ventilate area. 3.2. Environmental processions : Ventilate area. 3.3. Methods and material for containment and cleaning up : Soak up spills with inert solids, such as clay or diatomaceous earth as soon as possible. Co spillage. Store away from other materials. 3.4. Reference to other sections : Soak up spills with inert solids, such as clay or diatomaceous earth as soon as possible. Co spillage. Store away from other materials. 5.4. Reference to other sections : Soak up spills with inert solids, such as clay or diatomaceous earth as soon as possible. Co spillage. Store away from other materials. 5.4. Reference to other sections : Soak up spills with inert solids, such as clay or diatomaceous earth as soon as possible. Co spillage. Store away from other materials. 5.4. Reference to address for safe handling : Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Provide good ventiliation in process area to prevent formation of vapor. 7.2. Conditions for safe storage, including any incompatibilities : Keep container closed when not in use. necompatible products : Strong bases. Strong acids. necompatible materials	SECTION 6: Accidental release m	easures
Emergency procedures Evacuate unnecessary personnel. 5.1.2. For emergency responders Equip cleanup crew with proper protection. Protective equipment Equip cleanup crew with proper protection. Emergency procedures EVentilate area. 5.2. Environmental precautions Prevent entry to severs and public waters. Notify authorities if liquid enters severs or public waters. 5.3. Methods and material for containment and cleaning up Active spills with inert solids, such as clay or diatomaceous earth as soon as possible. Co spillage. Store away from other materials. 5.4. Reference to other sections See Heading 8. Exposure controls and personal protection. SECTION 7. Handling and storage Yeash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Provide good ventilation in process area to prevent formation of vapor. 7.2. Conditions for safe storage, including any incompatibilities Storeg acids. 8.6 ECTION 8: Exposure controls/personal protection Storeg acids. 9.7 Conditions Storage storage. Storag acids. 9.8 Exposure controls/personal protection Storag acids. 9.1 Control parameters Sources of ignition. Direct sunlight 9.1 Control parameters Sources of ignition. Direct sunlight 9.2 Conditional information There exist no exposure limits for this materi	.1. Personal precautions, protective	equipment and emergency procedures
1.1. For emergency responders Protective equipment Equip cleanup crew with proper protection. Emergency procedures Ventilate area. 2.2. Environmental precautions Prevent entry to sewers and public waters. Notify authorities if liquid enters sewers or public waters. 3.3. Methods and material for containment and cleaning up dethods for cleaning up Soak up spills with inert solids, such as clay or diatomaceous earth as soon as possible. Co See Heading 8. Exposure controls and personal protection. SECTION 7: Handling and storage K1.1. Procautions for safe handling Precautions for safe handling Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Provide good ventilation in process area to prevent formation of vapor. K2.2. Conditions for safe storage, including any incompatibilities Storage conditions : Keep only in the original container in a cool, well ventilated place away from : Direct sunlight Heat sources. Keep container closed when not in use. neompatible products : Storage sources of ignition. Direct sunlight. SECTION 8: Exposure controls/personal protection 3.1. Control parameters Additional information : There exist no exposure limits for this material 3.2. Individual protection measures/Personal protective equipment	5.1.1. For non-emergency personnel	
Protective equipment : Equip cleanup crew with proper protection. Emergency procedures : Ventilate area. 2. Environmental precautions Prevent entry to severs and public waters. Notify authorities if liquid enters severs or public waters. 3. Methods and material for containment and cleaning up Aethods for cleaning up	mergency procedures	: Evacuate unnecessary personnel.
Protective equipment : Equip cleanup crew with proper protection. immergency procedures : Ventilate area. :2. Environmental proceutions revent entry to severs and public waters. Notify authorities if liquid enters severs or public waters. Protective acquires :3. Methods and material for containment and cleaning up : Soak up spills with inert solids, such as clay or diatomaceous earth as soon as possible. Co spillage. Store away from other materials. :4. Reference to other sections See Heading 8. Exposure controls and personal protection. SECTION 7: Handling and storage :4. Precautions for safe handling Precautions for safe storage, including any incompatibilities Storage conditions : Keep only in the original container in a cool, well ventilated place away from : Direct sunlight Heat sources. Keep container closed when not in use. incompatibile products : Storage base. Strong bases. Strong acids. incompatibile materials : Sources of ignition. Direct sunlight. SECTION 8: Exposure controls/personal protection storage conditional information : There exist no exposure limits for this material storage conditional information : There exist no exposure limits for this material storage of ginition. Direct sunlight. Sectenton param	5.1.2. For emergency responders	
5.2 Environmental precautions Prevent entry to sewers and public waters. Notify authorities if liquid enters sewers or public waters. 5.3 Methods and material for containment and cleaning up Methods for cleaning up : Soak up spills with inert solids, such as clay or diatomaceous earth as soon as possible. Co spillage. Store away from other materials. 5.4. Reference to other sections See Heading 8. Exposure controls and personal protection. SEECTION 7: Handling and storage 7.1. Precautions for safe handling Precautions for safe storage, including any incompatibilities Storage conditions : Keep only in the original container in a cool, well ventilated place away from : Direct sunlight Heat sources. Keep container closed when not in use. neompatible products : Storage as of ignition. Direct sunlight. SECTION 8: Exposure controls/personal protection 5.1. Control parameters Additional information : There exist no exposure limits for this material 5.2. Appropriate engineering controls 5.3. Individual protection measures/Personal protective equipment COSHA Hazard Communication Standard does not apply to at materials according to 29 CFR 1910.1200(b)(6). This Safety Data Sheet is provided for information or information or information or information or information or information or information o		: Equip cleanup crew with proper protection.
Arevent entry to sewers and public waters. Notify authorities if liquid enters sewers or public waters. Arevent entry to sewers and public waters. Notify authorities if liquid enters sewers or public waters. A. Methods and material for containment and cleaning up Alexhods for cleaning up Soak up spills with inert solids, such as clay or diatomaceous earth as soon as possible. Co spillage. Store away from other materials. A. Reference to other sections Bee Heading 8. Exposure controls and personal protection. SECTION 7: Handling and storage (4. Precautions for safe handling Trecautions for safe storage, including any incompatibilities Areoper conditions : Keep only in the original container in a cool, well ventilated place away from : Direct sunlight heat sources. Keep container closed when not in use. neompatible products : Storing bases. Strong bases. Strong bases. Section 8: Exposure controls/personal protection K1. Control parameters additional information : There exist no exposure limits for this material Appropriate engineering controls Section measures/Personal protective equipment COSHA Hazard Communication Standard does not apply to art materials according to 29 CFR 1910.1200(b)(6). This Safety Data Sheet is provided for information or i	mergency procedures	: Ventilate area.
Nethods for cleaning up : Soak up spills with inert solids, such as clay or diatomaceous earth as soon as possible. Conspillage. Store away from other materials. A. Reference to other sections isee Heading 8. Exposure controls and personal protection. SECTION 7: Handling and storage A. Precautions for safe handling increase in the storage including any incompatibilities incompatible products : Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Provide good ventilation in process area to prevent formation of vapor. 2.2. Conditions for safe storage, including any incompatibilities itorage conditions : Keep only in the original container in a cool, well ventilated place away from : Direct sunlight Heat sources. Keep container closed when not in use. incompatible products : Storing bases. Strong acids. incompatible materials : Sources of ignition. Direct sunlight. SECTION 8: Exposure controls/personal protection cl Appropriate engineering controls cl Appropriate engineering controls cl Individual protection measures/Personal protective equipment COSHA Hazard Communication Standard does not apply to art materials according to 29 CFR 1910.1200(b)(6). This Safety Data Sheet is provided for information or precessing in the container in a container in a contain		otify authorities if liquid enters sewers or public waters.
A. Reference to other sections iee Heading 8. Exposure controls and personal protection. EECTION 7: Handling and storage .1. Precautions for safe handling ice recautions for safe storage, including any incompatibilities torage conditions : Keep only in the original container in a cool, well ventilated place away from : Direct sunlight Heat sources. Keep container closed when not in use. icompatible products : Strong bases. Strong acids. icompatible materials : Sources of ignition. Direct sunlight. EECTION 8: Exposure controls/personal protection : There exist no exposure limits for this material .2. Appropriate engineering controls .3. Individual protection measures/Personal protective equipment	.3. Methods and material for contair	nment and cleaning up
Bee Heading 8. Exposure controls and personal protection. SECTION 7: Handling and storage 1. Precautions for safe handling Precautions for safe handling : Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Provide good ventilation in process area to prevent formati of vapor. 2. Conditions for safe storage, including any incompatibilities itorage conditions : Keep only in the original container in a cool, well ventilated place away from : Direct sunlight Heat sources. Keep container closed when not in use. neompatible products : Strong bases. Strong acids. neompatible materials : Sources of ignition. Direct sunlight. SECTION 8: Exposure controls/personal protection 4.1. Control parameters additional information : There exist no exposure limits for this material 2.2. Appropriate engineering controls 3. Individual protection measures/Personal protective equipment QSHA Hazard Communication Standard does not apply to art materials according to 29 CFR 1910.1200(b)(6). This Safety Data Sheet is provided for information or protective or protective protection or protective or protection or protection protection protection or protection pr	lethods for cleaning up	: Soak up spills with inert solids, such as clay or diatomaceous earth as soon as possible. Collect spillage. Store away from other materials.
SECTION 7: Handling and storage 1. Precautions for safe handling Precautions for safe storage, including any incompatibilities Storage conditions Expression Expression Storage conditions Expression	.4. Reference to other sections	
1. Precautions for safe handling : Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Provide good ventilation in process area to prevent formation in vapor. 2.2. Conditions for safe storage, including any incompatibilities Storage conditions : Keep only in the original container in a cool, well ventilated place away from : Direct sunlight Heat sources. Keep container closed when not in use. necompatible products : Strong bases. Strong acids. necompatible materials : Sources of ignition. Direct sunlight. SECTION 8: Exposure controls/personal protection x.1. Control parameters additional information : There exist no exposure limits for this material x.2. Appropriate engineering controls x.3. Individual protection measures/Personal protective equipment QSHA Hazard Communication Standard does not apply to art materials according to 29 CFR 1910.1200(b)(6). This Safety Data Sheet is provided for information or provided for information or provided for information or provided for information or protective equipment	See Heading 8. Exposure controls and perso	nal protection.
recautions for safe handling : Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Provide good ventilation in process area to prevent formation of vapor. .2. Conditions for safe storage, including any incompatibilities .torage conditions : Keep only in the original container in a cool, well ventilated place away from : Direct sunlight Heat sources. Keep container closed when not in use. hcompatible products : Strong bases. Strong acids. hcompatible materials : Sources of ignition. Direct sunlight. SECTION 8: Exposure controls/personal protection .1. Control parameters .dditional information : There exist no exposure limits for this material .2. Appropriate engineering controls .3. Individual protection measures/Personal protective equipment OOSHA Hazard Communication Standard does not apply to art materials according to 29 CFR 1910.1200(b)(6). This Safety Data Sheet is provided for information or pro	ECTION 7: Handling and storage	
smoking and when leaving work. Provide good ventilation in process area to prevent formati of vapor. 2. Conditions for safe storage, including any incompatibilities Berage conditions	.1. Precautions for safe handling	
Storage conditions : Keep only in the original container in a cool, well ventilated place away from : Direct sunlight Heat sources. Keep container closed when not in use. ncompatible products : Strong bases. Strong acids. ncompatible materials : Sources of ignition. Direct sunlight. SECTION 8: Exposure controls/personal protection 3.1. Control parameters Additional information : There exist no exposure limits for this material 3.2. Appropriate engineering controls 8.3. Individual protection measures/Personal protective equipment OSHA Hazard Communication Standard does not apply to art materials according to 29 CFR 1910.1200(b)(6). This Safety Data Sheet is provided for information or	Precautions for safe handling	smoking and when leaving work. Provide good ventilation in process area to prevent formation
Heat sources. Keep container closed when not in use. Incompatible products Strong bases. Strong acids. Section 8: Exposure controls/personal protection Strong bases Strong bases. Section 8: Exposure controls/personal protection Strong bases Strong bases. Section 8: Exposure controls/personal protection Strong bases Strong bases. Section 8: Exposure controls/personal protection Strong bases Strong bases. Section 8: Exposure controls/personal protection Strong bases Strong bases. Section 8: Exposure controls/personal protection Strong bases Strong bases. Section 8: Exposure controls/personal protection Strong bases Strong bases. Section 8: Exposure controls/personal protective equipment Strong bases Strong bases. Strong bases <td>Conditions for safe storage, include</td> <td>uding any incompatibilities</td>	Conditions for safe storage, include	uding any incompatibilities
hcompatible materials : Sources of ignition. Direct sunlight. SECTION 8: Exposure controls/personal protection .1. Control parameters additional information : There exist no exposure limits for this material .2. Appropriate engineering controls .3. Individual protection measures/Personal protective equipment OSHA Hazard Communication Standard does not apply to art materials according to 29 CFR 1910.1200(b)(6). This Safety Data Sheet is provided for information or	storage conditions	•
SECTION 8: Exposure controls/personal protection 3.1. Control parameters additional information : There exist no exposure limits for this material 3.2. Appropriate engineering controls 3.3. Individual protection measures/Personal protective equipment OSHA Hazard Communication Standard does not apply to art materials according to 29 CFR 1910.1200(b)(6). This Safety Data Sheet is provided for information or		
.1. Control parameters additional information : There exist no exposure limits for this material .2. Appropriate engineering controls .3. Individual protection measures/Personal protective equipment OSHA Hazard Communication Standard does not apply to art materials according to 29 CFR 1910.1200(b)(6). This Safety Data Sheet is provided for information or	ncompatible materials	: Sources of ignition. Direct sunlight.
Additional information : There exist no exposure limits for this material Appropriate engineering controls Appropriate engineering controls Appropriate protection measures/Personal protective equipment OSHA Hazard Communication Standard does not apply to art materials according to 29 CFR 1910.1200(b)(6). This Safety Data Sheet is provided for information or	SECTION 8: Exposure controls/pe	ersonal protection
Appropriate engineering controls Individual protection measures/Personal protective equipment OSHA Hazard Communication Standard does not apply to art materials according to 29 CFR 1910.1200(b)(6). This Safety Data Sheet is provided for information or	.1. Control parameters	
3.3. Individual protection measures/Personal protective equipment OSHA Hazard Communication Standard does not apply to art materials according to 29 CFR 1910.1200(b)(6). This Safety Data Sheet is provided for information or	Additional information	: There exist no exposure limits for this material
OSHA Hazard Communication Standard does not apply to art materials according to 29 CFR 1910.1200(b)(6). This Safety Data Sheet is provided for information or	3.2. Appropriate engineering control	ŝ
	3.3. Individual protection measures/F	Personal protective equipment
lazard Communication Standard.	and details the appropriate safety labelling accordin	
2/14/2022 EN (English US)	2/14/2022	EN (English US) 2/7

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations. This Product is exempt from OSHA Hazard Communication Standard, safety information contained in the SDS is for information only.

Hand protection:

Avoid contact with skin. Wash hands immedietely after use.

Eye protection:

Avoid contact with eyes. Keep away from eyes.

Respiratory protection:

No respiratory protection needed under normal use conditions

Other information:

Do not eat, drink or smoke during use. Ensure there is adequate ventilation. Vapors can ignite explosively. If using indoors, turn off all pilot lights. Do not store or use near heat or flame.

SECTION 9: Physical and chemical properties		
9.1. Information on basic physical and chemical properties		
Physical state	: Liquid	
Appearance	: Colorless	
	: Liquid	
	: characteristic	
Odor threshold	: No data available	
рН	: No data available	
Melting point	: No data available	
Freezing point	: No data available	
Boiling point	: No data available	
Flash point	: 40°C	
Relative evaporation rate (butyl acetate=1)	: No data available	
Flammability (solid, gas)	: Extremely flammable aerosol	
Vapor pressure	: No data available	
Relative vapor density at 20 °C	: No data available	
Relative density	: No data available	
Solubility	: No data available	
Partition coefficient n-octanol/water (Log Pow)	: No data available	
Auto-ignition temperature	: >400 °C	
Decomposition temperature	: No data available	
Viscosity, kinematic	: No data available	
Viscosity, dynamic	: No data available	
Explosion limits	: No data available	
Explosive properties	: No data available	
Oxidizing properties	: No data available	

SECTION 10: Stability and reactivity

10.1. Reactivity

The product is non-reactive under normal conditions of use, storage and transport.

10.2. Chemical stability

Stable at ambient temperature and under normal conditions of use.

10.3. Possibility of hazardous reactions

None under normal use.

OSHA Hazard Communication Standard does not apply to art materials according to 29 CFR 1910.1200(b)(6). This Safety Data Sheet is provided for information only and details the appropriate safety labelling according to LHAMA and FHSA. The information contained in this MSDS does not comply with all requirements of the OSHA Hazard Communication Standard.

12/14/2022

EN (English US)

Item Numbers: 00486-1009

Page 3 of 7

3/7

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations. This Product is exempt from OSHA Hazard Communication Standard, safety information contained in the SDS is for information only.

10.4. Conditions to avoid

Direct sunlight. Extremely high or low temperatures. Do not puncture or incinerate or expose to temperatures above 50°C

10.5. Incompatible materials

Strong acids. Strong bases.

10.6. Hazardous decomposition products

Carbon monoxide. Carbon dioxide.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Art materials are labelled according to Labelling of Hazardous Art Materials Act (LHAMA) in compliance with ASDTM D-4236 and Federal Hazardous Substances Act (FHSA). Please refer to section 15 for information on toxicological effects.

SECT	ION 12: Ecological information	
12.1.	Toxicity	
No add	itional information available	
12.2.	Persistence and degradability	
WINS	OR & NEWTON PROFESSIONAL GLOSS	VARNISH (AEROSOL)
Persis	stence and degradability	Not established.
12.3.	Bioaccumulative potential	
WINS	OR & NEWTON PROFESSIONAL GLOSS	VARNISH (AEROSOL)
Bioac	cumulative potential	Not established.
12.4.	Mobility in soil	
12.7.	Wobility in son	
	itional information available	

Other information

: Avoid release to the environment.

SECTION 13: Disposal considerations			
13.1. Disposal methods			
Product/Packaging disposal recommendations	: Dispose in a safe manner in accordance with local/national regulations.		
Ecology - waste materials	: Avoid release to the environment.		

SECTION 14: Transport information

ADR	IMDG	ΙΑΤΑ	ADN
14.1 UN number or ID number			
UN 1950	UN 1950	UN 1950	UN 1950
14.2 UN proper shipping name		· · · · · ·	
AEROSOLS	AEROSOLS	Aerosols. flammable	AEROSOLS
Transport document description			
UN 1950 AEROSOLS, 2.1, (D)	UN 1950 AEROSOLS, 2.1	UN 1950 Aerosols, flammable, 2.1	UN 1950 AEROSOLS, 2.1,
14.3 Transport hazard class(es)			

OSHA Hazard Communication Standard does not apply to art materials according to 29 CFR 1910.1200(b)(6). This Safety Data Sheet is provided for information only and details the appropriate safety labelling according to LHAMA and FHSA. The information contained in this MSDS does not comply with all requirements of the OSHA Hazard Communication Standard.

12/14/2022


EN (English US)

Item Numbers: 00486-1009

4/7

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations. This Product is exempt from OSHA Hazard Communication Standard, safety information contained in the SDS is for information only.



14.6. Special precautions for user

Overland Transport	
Classification code (ADR)	: 5F
Special provisions (ADR)	: 190, 327, 344, 625
Limited quantities (ADR)	: 1L
Excepted quantities (ADR)	: E0
Packing instructions (ADR)	: P207
Special packing provisions (ADR)	: PP87, RR6, L2
Mixed packing provisions (ADR)	: MP9
Transport category (ADR)	: 2
Special provisions for carriage – Packages (ADR)	: V14
Special provisions for carriage – Loading, unloading and handling (ADR	: CV9, CV21
Special provisions for carriage – Operation (ADR)	: S2
Tunnel restriction code	: D
Transport by sea	
Special provisions (IMDG)	: 63, 190, 277, 327, 344, 381, 959
Packing instructions (IMDG)	: P207, LP200
Special packing provisions (IMDG)	: PP87, L2
EmS-No. (Fire)	: F-D
EmS-No. (Spillage)	: S-U
Stowage category (IMDG)	: None
Stowage and handling (IMDG)	: SW1, SW22
Segregation (IMDG)	: SG69
Air Transport	
PCA Excepted quantities (IATA)	: E0
PCA Limited quantities (IATA)	: Y203
PCA limited quantity max net quantity (IATA)	: 30kgG
PCA packing instructions (IATA)	: 203
OSHA Hazard Communication Standard does not app	bly to art materials according to 29 CFR 1910.1200(b)(6). This Safety Data Sheet is provided for information only

USHA Hazard Communication Standard does not apply to art materials according to 29 CFR 1910.1200(b)(6). This Safety Data Sheet is provided for information only and details the appropriate safety labelling according to LHAMA and FHSA. The information contained in this MSDS does not comply with all requirements of the OSHA Hazard Communication Standard.

12/14/2022

EN (English US)

5/7

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations. This Product is exempt from OSHA Hazard Communication Standard, safety information contained in the SDS is for information only.

PCA max net quantity (IATA)	: 75kg
CAO packing instructions (IATA)	: 203
CAO max net quantities (IATA)	: 150kg
Special provisions (IATA)	: A145, A167, A802
ERG code (IATA)	: 10L
Inland waterway transport	
Classification code (ADN)	: 5F
Special provisions (ADN)	: 190, 327, 344, 625
Limited quantities (ADN)	: 1L
Excepted quantities (ADN)	: E0
Equipment required (ADN)	: PP, EX, A
Ventilation (ADN)	: VE01, VE04
Number of blue cones/lights (ADN)	: 1

SECTION 15: Regulatory information

15.1. US Federal regulations

US FEDERAL HAZARD CLASSIFICATION AND LABELLING FOR ART MATERIALS:

This product been evaluated by a toxicologist and labelled for acute and chronic health hazards in accordance with the Labelling of Hazardous Art Materials Regulation and Federal Regulation 16 CFR 1500.14 of the Federal Hazardous Substances Act.

This product conforms to ASTM D-4236 Standard Practice for Labelling Art Materials for Chronic Adverse health effects. This product has been certified by ACMI (Artists Craft Materials Institute, Inc.) to carry the CL (Caution Label) Seal.

Labelling Text: DANGER: EXTREMELY FLAMMABLE. VAPOR HARMFUL. EYE IRRITANT. Contains: METHYL ETHYL KETONE, PETROLEUM DISTILLATES. PRECAUTIONS: Do not smoke when using. Keep away from eyes. Avoid contact with heat, sparks and open flame. Vapors can ignite explosively. If using indoors, turn off all pilot lights. Do not store or use near heat or flame. Use only with adequate ventilation. KEEP OUT OF REACH OF CHILDREN. FIRST AID TREATMENT: If eye contact occurs, rinse with tap water for 5-10 minutes. If irritation persists, seek medical care. If inhalation symptoms occur, move to fresh air. If symptoms persist, see a physician.

WARNING: CONTENTS UNDER PRESSSURE. Do not puncture or incinerate or expose to temperatures above 120° F (50° C). KEEP OUT OF REACH OF CHILDREN.



OSHA Hazard Communication Standard does not apply to art materials according to 29 CFR 1910.1200(b)(6). This Safety Data Sheet is provided for information only and details the appropriate safety labelling according to LHAMA and FHSA. The information contained in this MSDS does not comply with all requirements of the OSHA Hazard Communication Standard.

12/14/2022

EN (English US)

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations. This Product is exempt from OSHA Hazard Communication Standard, safety information contained in the SDS is for information only.

15.2. International regulations

CANADA

No additional information available

15.3. US State regulations

No additional information available

SECTION 16: Other information

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Revision date

: 12/14/2022

Data sources

- Other information
- Art materials are labelled according to Labelling of Hazardous Art Materials Act (LHAMA) in compliance with ASDTM D-4236 and Federal Hazardous Substances Act (FHSA).

: None.

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.

OSHA Hazard Communication Standard does not apply to art materials according to 29 CFR 1910.1200(b)(6). This Safety Data Sheet is provided for information only and details the appropriate safety labelling according to LHAMA and FHSA. The information contained in this MSDS does not comply with all requirements of the OSHA Hazard Communication Standard.

12/14/2022

EN (English US)

7/7