

**SAFETY DATA SHEET**  
**WINSOR & NEWTON DAMMAR VARNISH / VERNIS DAMMAR**

According to Regulation (EC) No 1907/2006, Annex II, as amended by Regulation (EU) No 453/2010

**SECTION 1: Identification of the substance/mixture and of the company/undertaking**

**1.1. Product identifier**

**Product name** WINSOR & NEWTON DAMMAR VARNISH / VERNIS DAMMAR

**1.2. Relevant identified uses of the substance or mixture and uses advised against**

**Identified uses** Varnish for Oil Painting

**Uses advised against** No specific uses advised against are identified.

**1.3. Details of the supplier of the safety data sheet**

**Supplier** ColArt International Holdings Ltd.  
 The Studio Building  
 21 Evesham Street  
 London  
 W11 4AJ  
 United Kingdom  
 +44 (0)208 424 3200  
 R.Enquiries@colart.co.uk

**Manufacturer** ColArt International SA  
 5 Rue Rene Panhard  
 Z.I .Nord  
 72021 Le Mans Cedex 2  
 +33 2 43 83 83 00

**1.4. Emergency telephone number**

**Emergency telephone** +44 (0)208 424 3200 This telephone number is available during office hours only 09:00 to 17:00 GMT Language English.

**SECTION 2: Hazards identification**

**2.1. Classification of the substance or mixture**

**Classification**

**Physical hazards** Flam. Liq. 3 - H226

**Health hazards** Acute Tox. 4 - H302 Acute Tox. 4 - H332 Skin Irrit. 2 - H315 Eye Irrit. 2 - H319 Skin Sens. 1 - H317 Asp. Tox. 1 - H304

**Environmental hazards** Aquatic Chronic 2 - H411

**Classification (67/548/EEC or 1999/45/EC)** Xn;R20/21/22,R65. Xi;R36/38. R43. N;R51/53. R10.

**2.2. Label elements**

**Pictogram**



**Signal word**

Danger

## WINSOR & NEWTON DAMMAR VARNISH / VERNIS DAMMAR

<b>Hazard statements</b>	<p>H226 Flammable liquid and vapour.          H302+H332 Harmful if swallowed or if inhaled.          H304 May be fatal if swallowed and enters airways.          H315 Causes skin irritation.          H317 May cause an allergic skin reaction.          H319 Causes serious eye irritation.          H411 Toxic to aquatic life with long lasting effects.</p>
<b>Precautionary statements</b>	<p>P261 Avoid breathing vapour/spray.          P270 Do not eat, drink or smoke when using this product.          P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.          P301+P310 IF SWALLOWED: Immediately call a POISON CENTER/doctor.          P302+P352 IF ON SKIN: Wash with plenty of water.          P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.          P312 Call a POISON CENTER/doctor if you feel unwell.          P331 Do NOT induce vomiting.          P363 Wash contaminated clothing before reuse.          P370+P378 In case of fire: Use foam, carbon dioxide, dry powder or water fog to extinguish.          P391 Collect spillage.          P403+P235 Store in a well-ventilated place. Keep cool.          P405 Store locked up.</p>
<b>Contains</b>	TURPENTINE, OIL, Benzyl alcohol

### 2.3. Other hazards

This product does not contain any substances classified as PBT or vPvB.

### SECTION 3: Composition/Information on ingredients

#### 3.2. Mixtures

<b>TURPENTINE, OIL</b>	<b>30-60%</b>
CAS number: 8006-64-2	EC number: 232-350-7
<b>Classification</b> Flam. Liq. 3 - H226 Acute Tox. 4 - H302 Acute Tox. 4 - H312 Acute Tox. 4 - H332 Skin Irrit. 2 - H315 Eye Irrit. 2 - H319 Skin Sens. 1 - H317 Asp. Tox. 1 - H304 Aquatic Chronic 2 - H411	<b>Classification (67/548/EEC or 1999/45/EC)</b> R10 Xn;R20/21/22,R65 R43 Xi;R36/38 N;R51/53
<b>Benzyl alcohol</b>	<b>10-30%</b>
CAS number: 100-51-6	EC number: 202-859-9
	REACH registration number: 01-2119492630-38-xxxx
<b>Classification</b> Acute Tox. 4 - H302 Acute Tox. 4 - H332 Eye Irrit. 2 - H319	<b>Classification (67/548/EEC or 1999/45/EC)</b> Xn;R20/22. Xi;R36.

**WINSOR & NEWTON DAMMAR VARNISH / VERNIS DAMMAR**

The Full Text for all R-Phrases and Hazard Statements are Displayed in Section 16.

**SECTION 4: First aid measures****4.1. Description of first aid measures**

<b>General information</b>	Get medical attention if any discomfort continues. Show this Safety Data Sheet to the medical personnel.
<b>Inhalation</b>	Move affected person to fresh air and keep warm and at rest in a position comfortable for breathing. Maintain an open airway. Loosen tight clothing such as collar, tie or belt. When breathing is difficult, properly trained personnel may assist affected person by administering oxygen. Get medical attention. Place unconscious person on their side in the recovery position and ensure breathing can take place.
<b>Ingestion</b>	Rinse mouth thoroughly with water. Give a few small glasses of water or milk to drink. Stop if the affected person feels sick as vomiting may be dangerous. Never give anything by mouth to an unconscious person. Place unconscious person on their side in the recovery position and ensure breathing can take place. Keep affected person under observation. Get medical attention. Do not induce vomiting. If vomiting occurs, the head should be kept low so that vomit does not enter the lungs. Get medical attention immediately.
<b>Skin contact</b>	It is important to remove the substance from the skin immediately. In the event of any sensitisation symptoms developing, ensure further exposure is avoided. Remove contamination with soap and water or recognised skin cleansing agent. Get medical attention if symptoms are severe or persist after washing.
<b>Eye contact</b>	Rinse with water. Do not rub eye. Remove any contact lenses and open eyelids wide apart. Get medical attention if any discomfort continues.
<b>Protection of first aiders</b>	First aid personnel should wear appropriate protective equipment during any rescue.

**4.2. Most important symptoms and effects, both acute and delayed**

<b>General information</b>	The severity of the symptoms described will vary dependent on the concentration and the length of exposure.
<b>Inhalation</b>	A single exposure may cause the following adverse effects: Headache. Exhaustion and weakness.
<b>Ingestion</b>	May cause sensitisation or allergic reactions in sensitive individuals. May cause discomfort if swallowed. Stomach pain. Nausea, vomiting. Aspiration hazard if swallowed. Entry into the lungs following ingestion or vomiting may cause chemical pneumonitis.
<b>Skin contact</b>	May cause skin sensitisation or allergic reactions in sensitive individuals. Redness. Irritating to skin.
<b>Eye contact</b>	Irritating to eyes.

**4.3. Indication of any immediate medical attention and special treatment needed**

<b>Notes for the doctor</b>	Treat symptomatically. May cause sensitisation or allergic reactions in sensitive individuals.
-----------------------------	--

**SECTION 5: Firefighting measures****5.1. Extinguishing media**

<b>Suitable extinguishing media</b>	The product is flammable. Extinguish with alcohol-resistant foam, carbon dioxide, dry powder or water fog. Use fire-extinguishing media suitable for the surrounding fire.
<b>Unsuitable extinguishing media</b>	Do not use water jet as an extinguisher, as this will spread the fire.

**5.2. Special hazards arising from the substance or mixture**

## WINSOR & NEWTON DAMMAR VARNISH / VERNIS DAMMAR

**Specific hazards** Containers can burst violently or explode when heated, due to excessive pressure build-up. Flammable liquid and vapour. Vapours may be ignited by a spark, a hot surface or an ember. Vapours may form explosive mixtures with air. Fire-water run-off in sewers may create fire or explosion hazard. This product is toxic.

**Hazardous combustion products** Thermal decomposition or combustion products may include the following substances: Toxic gases or vapours.

### 5.3. Advice for firefighters

**Protective actions during firefighting** Avoid breathing fire gases or vapours. Evacuate area. Keep upwind to avoid inhalation of gases, vapours, fumes and smoke. Ventilate closed spaces before entering them. Cool containers exposed to heat with water spray and remove them from the fire area if it can be done without risk. Cool containers exposed to flames with water until well after the fire is out. If a leak or spill has not ignited, use water spray to disperse vapours and protect men stopping the leak. Avoid discharge to the aquatic environment. Control run-off water by containing and keeping it out of sewers and watercourses. If risk of water pollution occurs, notify appropriate authorities.

**Special protective equipment for firefighters** Wear positive-pressure self-contained breathing apparatus (SCBA) and appropriate protective clothing. Firefighter's clothing conforming to European standard EN469 (including helmets, protective boots and gloves) will provide a basic level of protection for chemical incidents.

## SECTION 6: Accidental release measures

### 6.1. Personal precautions, protective equipment and emergency procedures

**Personal precautions** Wear protective clothing as described in Section 8 of this safety data sheet. No action shall be taken without appropriate training or involving any personal risk. Evacuate area. Provide adequate ventilation. No smoking, sparks, flames or other sources of ignition near spillage. Promptly remove any clothing that becomes contaminated. Avoid inhalation of dust and vapours. Use suitable respiratory protection if ventilation is inadequate. Avoid contact with skin and eyes.

### 6.2. Environmental precautions

**Environmental precautions** Avoid discharge into drains or watercourses or onto the ground. Avoid discharge to the aquatic environment.

### 6.3. Methods and material for containment and cleaning up

**Methods for cleaning up** Wear protective clothing as described in Section 8 of this safety data sheet. Clear up spills immediately and dispose of waste safely. Eliminate all ignition sources if safe to do so. No smoking, sparks, flames or other sources of ignition near spillage. Do not allow material to enter confined spaces, due to the risk of explosion. Provide adequate ventilation. Absorb small quantities with paper towels and evaporate in a safe place. Once evaporation is complete, place paper in a suitable waste disposal container and seal securely. Flush contaminated area with plenty of water. Wash thoroughly after dealing with a spillage. Dangerous for the environment. Do not empty into drains. For waste disposal, see Section 13.

### 6.4. Reference to other sections

**Reference to other sections** For personal protection, see Section 8. See Section 11 for additional information on health hazards. See Section 12 for additional information on ecological hazards. For waste disposal, see Section 13.

## SECTION 7: Handling and storage

### 7.1. Precautions for safe handling

## WINSOR & NEWTON DAMMAR VARNISH / VERNIS DAMMAR

**Usage precautions** Read and follow manufacturer's recommendations. Wear protective clothing as described in Section 8 of this safety data sheet. Keep away from food, drink and animal feeding stuffs. Handle all packages and containers carefully to minimise spills. Keep container tightly sealed when not in use. Avoid the formation of mists. The product is flammable. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Avoid discharge to the aquatic environment. Do not handle until all safety precautions have been read and understood. Do not handle broken packages without protective equipment. Do not reuse empty containers.

**Advice on general occupational hygiene** Wash promptly if skin becomes contaminated. Take off contaminated clothing. Wash contaminated clothing before reuse.

### 7.2. Conditions for safe storage, including any incompatibilities

**Storage precautions** Store locked up. Keep away from oxidising materials, heat and flames. Keep only in the original container. Keep container tightly closed, in a cool, well ventilated place. Keep containers upright. Protect containers from damage.

**Storage class** Flammable liquid storage.

### 7.3. Specific end use(s)

**Specific end use(s)** The identified uses for this product are detailed in Section 1.2.

## SECTION 8: Exposure Controls/personal protection

### 8.1. Control parameters

#### Occupational exposure limits

##### TURPENTINE, OIL

Long-term exposure limit (8-hour TWA): OES 100 ppm 566 mg/m<sup>3</sup>

Short-term exposure limit (15-minute): OES 150 ppm 850 mg/m<sup>3</sup>

### 8.2. Exposure controls

#### Protective equipment



**Appropriate engineering controls** Provide adequate ventilation.

**Eye/face protection** Avoid contact with eyes. Large Spillages: Eyewear complying with an approved standard should be worn if a risk assessment indicates eye contact is possible.

**Hand protection** Wear protective gloves. The most suitable glove should be chosen in consultation with the glove supplier/manufacturer, who can provide information about the breakthrough time of the glove material. To protect hands from chemicals, gloves should comply with European Standard EN374. Considering the data specified by the glove manufacturer, check during use that the gloves are retaining their protective properties and change them as soon as any deterioration is detected. Frequent changes are recommended.

**Other skin and body protection** May cause skin sensitisation or allergic reactions in sensitive individuals. Wear appropriate clothing to prevent repeated or prolonged skin contact.

**Hygiene measures** Wash hands thoroughly after handling. Do not eat, drink or smoke when using this product. Wash contaminated clothing before reuse.

**Respiratory protection** No specific recommendations. Provide adequate ventilation. Large Spillages: If ventilation is inadequate, suitable respiratory protection must be worn.

**WINSOR & NEWTON DAMMAR VARNISH / VERNIS DAMMAR**

**Environmental exposure controls** Keep container tightly sealed when not in use. Avoid release to the environment.

**SECTION 9: Physical and Chemical Properties**

**9.1. Information on basic physical and chemical properties**

**Appearance** Liquid  
**Colour** Colourless to pale yellow.  
**Odour** Turpentine.  
**pH** Not applicable.  
**Initial boiling point and range** >156°C @ 760 mm Hg  
**Flash point** 24°C CC (Closed cup).  
**Relative density** 0.9 @ 20°C  
**Solubility(ies)** Insoluble in water

**9.2. Other information**

**Other information** Not available.

**SECTION 10: Stability and reactivity**

**10.1. Reactivity**

**Reactivity** There are no known reactivity hazards associated with this product.

**10.2. Chemical stability**

**Stability** Stable at normal ambient temperatures and when used as recommended. Stable under the prescribed storage conditions.

**10.3. Possibility of hazardous reactions**

**Possibility of hazardous reactions** The following materials may react strongly with the product: Oxidising agents.

**10.4. Conditions to avoid**

**Conditions to avoid** Avoid heat, flames and other sources of ignition. Containers can burst violently or explode when heated, due to excessive pressure build-up. Static electricity and formation of sparks must be prevented.

**10.5. Incompatible materials**

**Materials to avoid** Oxidising materials. Acids - oxidising.

**10.6. Hazardous decomposition products**

**Hazardous decomposition products** Does not decompose when used and stored as recommended. Thermal decomposition or combustion products may include the following substances: Toxic gases or vapours.

**SECTION 11: Toxicological information**

**11.1. Information on toxicological effects**

**Acute toxicity - oral**

**Notes (oral LD<sub>50</sub>)** Acute Tox. 4 - H302 Harmful if swallowed.

**ATE oral (mg/kg)** 956.6

**Acute toxicity - dermal**

**WINSOR & NEWTON DAMMAR VARNISH / VERNIS DAMMAR**

<b>Notes (dermal LD<sub>50</sub>)</b>	Based on available data the classification criteria are not met.
<b>ATE dermal (mg/kg)</b>	2,315.79
<b>Acute toxicity - inhalation</b>	
<b>Notes (inhalation LC<sub>50</sub>)</b>	Acute Tox. 4 - H332 Harmful if inhaled.
<b>ATE inhalation (vapours mg/l)</b>	18.57
<b>Skin corrosion/irritation</b>	
<b>Animal data</b>	Irritating.
<b>Serious eye damage/irritation</b>	
<b>Serious eye damage/irritation</b>	Causes serious eye irritation.
<b>Respiratory sensitisation</b>	
<b>Respiratory sensitisation</b>	Based on available data the classification criteria are not met.
<b>Skin sensitisation</b>	
<b>Skin sensitisation</b>	May cause skin sensitisation or allergic reactions in sensitive individuals.
<b>Germ cell mutagenicity</b>	
<b>Genotoxicity - in vitro</b>	Based on available data the classification criteria are not met.
<b>Carcinogenicity</b>	
<b>Carcinogenicity</b>	Based on available data the classification criteria are not met.
<b>IARC carcinogenicity</b>	None of the ingredients are listed or exempt.
<b>Reproductive toxicity</b>	
<b>Reproductive toxicity - fertility</b>	Based on available data the classification criteria are not met.
<b>Reproductive toxicity - development</b>	Based on available data the classification criteria are not met.
<b>Specific target organ toxicity - single exposure</b>	
<b>STOT - single exposure</b>	Not classified as a specific target organ toxicant after a single exposure.
<b>Specific target organ toxicity - repeated exposure</b>	
<b>STOT - repeated exposure</b>	Not classified as a specific target organ toxicant after repeated exposure.
<b>Aspiration hazard</b>	
<b>Aspiration hazard</b>	Asp. Tox. 1 - H304 May be fatal if swallowed and enters airways. Pneumonia may be the result if vomited material containing solvents reaches the lungs.
<b>General information</b>	
	The severity of the symptoms described will vary dependent on the concentration and the length of exposure.
<b>Inhalation</b>	A single exposure may cause the following adverse effects: Headache. Exhaustion and weakness.
<b>Ingestion</b>	May cause sensitisation or allergic reactions in sensitive individuals. May cause discomfort if swallowed. Stomach pain. Nausea, vomiting. Aspiration hazard if swallowed. Entry into the lungs following ingestion or vomiting may cause chemical pneumonitis.
<b>Skin contact</b>	May cause skin sensitisation or allergic reactions in sensitive individuals. Redness. Irritating to skin.
<b>Eye contact</b>	Irritating to eyes.

**WINSOR & NEWTON DAMMAR VARNISH / VERNIS DAMMAR****Route of entry** Ingestion Inhalation Skin and/or eye contact**Target organs** No specific target organs known.**Medical considerations** Skin disorders and allergies.**SECTION 12: Ecological Information****Ecotoxicity** The product contains substances which are toxic to aquatic organisms and which may cause long term adverse effects in the aquatic environment.**12.1. Toxicity****Toxicity** Aquatic Chronic 2 - H411 Toxic to aquatic life with long lasting effects.**Acute toxicity - fish** Not determined.**Acute toxicity - aquatic invertebrates** Not determined.**Acute toxicity - aquatic plants** Not determined.**Acute toxicity - microorganisms** Not determined.**12.2. Persistence and degradability****Persistence and degradability** The degradability of the product is not known.**12.3. Bioaccumulative potential****Bioaccumulative potential** No data available on bioaccumulation.**12.4. Mobility in soil****Mobility** No data available.**12.5. Results of PBT and vPvB assessment****12.6. Other adverse effects****Other adverse effects** None known.**SECTION 13: Disposal considerations****13.1. Waste treatment methods****General information** The generation of waste should be minimised or avoided wherever possible. Reuse or recycle products wherever possible. This material and its container must be disposed of in a safe way. When handling waste, the safety precautions applying to handling of the product should be considered. Care should be taken when handling emptied containers that have not been thoroughly cleaned or rinsed out. Empty containers or liners may retain some product residues and hence be potentially hazardous.**Disposal methods** Dispose of waste to licensed waste disposal site in accordance with the requirements of the local Waste Disposal Authority.**Waste class** 08 01 11\* - waste paint and varnish containing organic solvents or other dangerous substances**SECTION 14: Transport information****14.1. UN number****UN No. (ADR/RID)** 1263**UN No. (IMDG)** 1263



**WINSOR & NEWTON DAMMAR VARNISH / VERNIS DAMMAR**

UN No. (ICAO) 1263

UN No. (ADN) 1263

**14.2. UN proper shipping name**

Proper shipping name (ADR/RID) PAINT RELATED MATERIAL

Proper shipping name (IMDG) PAINT RELATED MATERIAL

Proper shipping name (ICAO) PAINT RELATED MATERIAL

Proper shipping name (ADN) PAINT RELATED MATERIAL

**14.3. Transport hazard class(es)**

ADR/RID class 3

ADR/RID classification code F1

ADR/RID label 3

IMDG class 3

ICAO class/division 3

ADN class 3

**Transport labels**



**14.4. Packing group**

ADR/RID packing group III

IMDG packing group III

ICAO packing group III

ADN packing group III

**14.5. Environmental hazards**

Environmentally hazardous substance/marine pollutant



**14.6. Special precautions for user**

EmS F-E, S-E

ADR transport category 3

Emergency Action Code +3Y

Hazard Identification Number (ADR/RID) 30

Tunnel restriction code (D/E)

**14.7. Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code**

**WINSOR & NEWTON DAMMAR VARNISH / VERNIS DAMMAR****SECTION 15: Regulatory information****15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture****National regulations**

Health and Safety at Work etc. Act 1974 (as amended).  
The Chemicals (Hazard Information and Packaging for Supply) Regulations 2009 (SI 2009 No. 716).  
The Carriage of Dangerous Goods and Use of Transportable Pressure Equipment Regulations 2009 (SI 2009 No. 1348) (as amended) ["CDG 2009"].  
EH40/2005 Workplace exposure limits.

**EU legislation**

Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH) (as amended).  
Commission Regulation (EU) No 453/2010 of 20 May 2010.  
Regulation (EC) No 1272/2008 of the European Parliament and of the Council of 16 December 2008 on classification, labelling and packaging of substances and mixtures (as amended).  
Dangerous Preparations Directive 1999/45/EC.  
Dangerous Substances Directive 67/548/EEC.

**15.2. Chemical safety assessment**

No chemical safety assessment has been carried out.

**SECTION 16: Other information****Classification procedures according to Regulation (EC) 1272/2008**

Acute Tox. 4 - H332: Acute Tox. 4 - H302: Asp. Tox. 1 - H304: Skin Irrit. 2 - H315: Eye Irrit. 2 - H319: Skin Sens. 1 - H317: : Calculation method. Aquatic Chronic 2 - H411: : Calculation method. Flam. Liq. 3 - H226: : Expert judgement.

**Training advice**

Read and follow manufacturer's recommendations.

**Revision date**

17/11/2015

**Revision**

4

**Supersedes date**

17/08/2015

**Risk phrases in full**

R10 Flammable.  
R20/21/22 Harmful by inhalation, in contact with skin and if swallowed.  
R20/22 Harmful by inhalation and if swallowed.  
R36 Irritating to eyes.  
R36/38 Irritating to eyes and skin.  
R43 May cause sensitisation by skin contact.  
R51/53 Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.  
R65 Harmful: may cause lung damage if swallowed.

**Hazard statements in full**

H226 Flammable liquid and vapour.  
H302 Harmful if swallowed.  
H304 May be fatal if swallowed and enters airways.  
H312 Harmful in contact with skin.  
H315 Causes skin irritation.  
H317 May cause an allergic skin reaction.  
H319 Causes serious eye irritation.  
H332 Harmful if inhaled.  
H411 Toxic to aquatic life with long lasting effects.

---

## WINSOR & NEWTON DAMMAR VARNISH / VERNIS DAMMAR

This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process. Such information is, to the best of the company's knowledge and belief, accurate and reliable as of the date indicated. However, no warranty, guarantee or representation is made to its accuracy, reliability or completeness. It is the user's responsibility to satisfy himself as to the suitability of such information for his own particular use.