



Safety Data Sheet

FastMatte - General

SECTION 1: PRODUCT AND COMPANY IDENTIFICATION

Product Name	FastMatte Alkyd Oil Colors	Manufacturer	Gamblin Artists Colors
Recommended Use	Fine art painting and decorative coatings	Address	323 SE Division Pl Portland, OR 97202
Restrictions on Use	Keep out of reach of children	Telephone	(503) 235-1945
Emergency Contact / Number	Urgent Care / Emergency Room		

SECTION 2: HAZARD IDENTIFICATION

Hazards
Flammable liquid
Category 4, Combustible liquid

WARNING

Precautionary Statements

Prevention: Keep away from flames and hot surfaces. Wear protective gloves, eye and face protection.
Response: In case of fire: Use water mist, dry chemical or CO2 to extinguish.
Storage: Store in a well ventilated place. Keep cool.
Disposal: Dispose of contents and container to an approved waste disposal plant.

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

Component Name	CAS#	Component Percent
Petroleum naphtha	64742-48-9	5 – 8

SECTION 4: FIRST AID MEASURES

First Aid Treatment

Eye Contact: Flush thoroughly with water. If irritation persists, get medical attention.
Skin Contact: In case of skin contact, wash skin thoroughly with soap and water. Remove contaminated clothing; launder before reuse.
Ingestion: Do not induce vomiting. Give water or milk to victim if conscious; get medical attention.
Inhalation: Move victim to fresh air. If respiratory irritation, dizziness, nausea, or unconsciousness occurs, seek immediate medical assistance. Start resuscitation if victim is overcome and call a physician immediately.

Most Important Symptoms / Effects

Eye: May cause redness or irritation
Skin: May cause rash, cracking or dryness
Inhalation: May cause dizziness, nausea, headache, and possible central nervous system (cns) depression
Ingestion: May cause nausea, gastrointestinal irritation or vomiting
Chronic Exposure: Repeated or prolonged skin contact may aggravate existing dermatitis

Indication of Immediate Medical Attention and Special Treatment, if Necessary

Persistent eye or skin irritation, ingestion, difficulty in breathing, unconsciousness or respiratory distress.

SECTION 5: FIREFIGHTING MEASURES

Suitable and Unsuitable Extinguishing Media

Use fire-fighting techniques such as water fog, foam, dry chemical or carbon dioxide (CO₂). Use a water spray to cool fire-exposed containers, structures and to protect personnel.

Specific Hazards Arising from the Chemical

Burning material may produce toxic smoke, fumes and vapors in a fire. Closed containers may rupture or explode when exposed to extreme heat.

Specific Protective Equipment and Precautions for Fire-Fighters

Do not enter confined fire space without full equipment and a positive pressure NIOSH-approved self-contained breathing apparatus. Closed containers may explode from high heat. Contaminated rags may be spontaneously combustible; immerse in water before disposing.

