00523-7053



### SAFETY DATA SHEET

#### SECTION 1 Identification

Product identifier Chrome Oxide Green SGE-4

Identified uses Inorganic pigment

Manufacturer Shanghai Yipin Pigments Co.Ltd.

4839 Jiasong bei Rd, Shanghai, China 201814

**Emergency information** Yipin Pigments Inc.

9843 6<sup>th</sup> St. Suite 105

Rancho Cucamonga, CA 91730

Tel.:909-243-7394

#### SECTION 2 Hazards Information

HAZCOM standard Status This Material is not considered hazardous by the OSHA Hazard

Communication Standard (29 CFR Part 1910.1200), this SDS contains valuable information critical to the safe handling and proper use of the product. This SDS should be retained and available for employees and other users of this product.

Physical state Powder Color Green

Classification of the

substance or mixtureNot classifiedSignal wordNo signal word

Hazard statements

Hazard Not Otherwise
Classified(HNOC)
None Known.

Precautionary statements

PreventionNot applicable.ResponseNot applicable.StorageNot applicable.DisposalNot applicable.

Supplemental label elements Store in original container protected from direct sunlight in a

dry, cool and well-ventilated area, away from incompatible

No known significant effects or critical hazards

materials and food and drink.

#### SECTION 3 Composition/Information on Ingredients

Substance/mixture Substance

There are no ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health and hence require reporting in this section. Occupational exposure limits, if available, are listed in Section 8.

**CHROME OXIDE GREEN SGE-4** 

1

Page 1 of 8

#### SECTION 4 First Aid Measures

#### Description of first aid measures:

Eye contact Immediately flush eyes with plenty of water, occasionally lifting

the upper and lower eyelids. Check for and remove any contact

lenses. Get medical attention if irritation occurs.

**Inhalation** Remove victim to fresh air and keep at rest in a position

comfortable for breathing. Get medical attention if breathing

becomes difficult.

**Skin contact** Wash contaminated skin with soap and water. Remove

contaminated clothing and shoes. Get medical attention if

irritation Occurs.

**Ingestion** Wash out mouth with water. Remove victim to fresh air and keep

at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Stop giving water if the exposed person feels sick as vomiting may be dangerous. Get

medical attention if symptoms occur.

#### Potential symptoms and effects from acute exposures:

Eye contactMay cause mechanical irritation(Abrasion).InhalationNo known significant effects or critical hazards.Skin contactMay cause mechanical irritation(Abrasion).IngestionNo known significant effects or critical hazards.

#### Potential Symptoms and effects from over-exposures:

Eye contactNo specific data.InhalationNo specific data.Skin contactNo specific data.IngestionNo specific data.

#### **Potential Chronic Health effects**

No known significant effects or critical hazards.

Recommendations for immediate medical attention/treatment:

**Notes to physician** Treat symptomatically. No specific treatment.

**Protection of first-aiders** No special measures required.

See toxicological information(Section 11)

#### SECTION 5 Fire-fighting measures

#### Extinguishing media:

Suitable extinguishing media Use an extinguishing agent suitable for the surrounding fire. In

case of fire, use water spray(fog), foam or dry chemical.

Unsuitable extinguishing

media None known.

Specific hazards arising

from the chemical No specific fire or explosion hazard.

Hazardous thermal decomposition products

Decomposition products may include the following materials:

**CHROME OXIDE GREEN SGE-4** 

2

Item Numbers: 00523-7053 Page 2 of 8

sulfur oxides metal oxide/oxides

# Special protective actions for firefighters

Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.

# Special protective equipment for fire-fighters

Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.

#### SECTION 6 Accidental release measures

#### Personal precautions, Protective equipment and

emergency procedures

No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personal from entering. Do not touch or walk through spilled material. Avoid breathing dust. Put on appropriate personal protective equipment.

#### **Environmental precautions**

Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution(Sewers, waterways, soil or air).

## Methods and materials for containment and cleaning up

Move containers from spill area. Approach release from upwind. Vacuum or sweep up material and place in a designed,labeled waste container. Avoid creating dusty conditions and prevent wind dispersal. Dispose of via a licensed waste disposal contractor. Note: see Section 1 for emergency contact information and Section 13 for waste disposal. Prevent entry into sewers, water courses, basements or confined areas.

#### SECTION 7 Handling and storage

#### Precautions for safe handling

Protective measures:

Avoid breathing dust. Remove

contaminated clothing and protective equipment before entering eating areas. Workers should wash hands and face before eating, drinking and smoking. Put on appropriate personal protection equipment. Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed.

#### Conditions for safe storage

Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination. Empty containers or liners may retain some product residues.

CHROME OXIDE GREEN SGE-4

3

Page 3 of 8

#### SECTION 8 Exposure controls/personal protection

#### Occupational exposure limits

No exposure limit value known.

Appropriate engineering

Controls

Use only with adequate ventilation. If user operations generate dust, fumes, gas, vapor or mist, use process enclosures, local exhaust ventilation or other engineering controls to keep worker exposure to airborne contaminants below any recommended or statutory limits.

Personal protection

Hygiene measures Wash hands, forearms and face thoroughly after handling

chemical products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate contaminated clothing before using. Ensure that eyewash stations and safety shower are close to the workstation location.

**Eye/face protection** If contact with product is possible, wear safety glasses with side

shields.

**Skin protection** Wear suitable protective clothing and gloves. Suitable protective

footwear.

**Respiratory protection** Dust-Production mask if there is a risk of dust formation.

Medical Surveillance Not available.

### SECTION 9 Physical and chemical properties

Physical State Solid. Powder Color Green Odorless

Odor Odorless.
Odor threshold Not available.

**Ph** 5.0 to 8.0(Conc.(% w/w): 5%)

Boiling point 4000 °C

Melting point 2435 °C

Flash point Not available.

Evaporation rate Not available.

Explosion limits Not available.

Vapor pressure Not available.

Specific gravity

(Relative density) Not available.

**Density** approx. 5.2 g/cm³ at 20 °C

**Solubility** Insoluble in the following materials: cold water.

Partition coefficient

noctanol/waterNot availableVapor densityNot availableViscosityNot availableAuto-ignition temperatureNot availableDecomposition temperatureNot available

#### SECTION 10 Stability and Reactivity

**Reactivity**No specific test data related to reactivity available for this product or

its ingredients.

**CHROME OXIDE GREEN SGE-4** 

4

Page 4 of 8

**Chemical Stability** The product is stable.

Possibility of hazardous

Reactions Under normal conditions of storage and use, hazardous

reactions will not occur.

Conditions to avoid No specific data.

Incompatible materials Hazardous decomposition

No specific data.

**Products** Under normal conditions of storage and use, hazardous

decomposition products should not be produced.

#### SECTION 11 Toxicological information

Information on the likely

routes of exposure Dermal contact, Eye contact, Inhalation and Ingestion.

Potential accurate health effects

Eye contact May cause mechanical irritation(abrasion). No known significant effects or critical hazards Inhalation Skin contact May cause mechanical irritation(abrasion). Ingestion No known significant effects or critical hazards.

#### Symptoms related to the physical, chemical and toxicological characteristics:

**Eve contact** No specific data. Inhalation No specific data. Skin contact No specific data. No specific data. Ingestion

#### Potential chronic health effects

Short term exposure

Potential immediate effects Not available. Long term exposure Potential delayed effects Not available.

No known significant effects or critical hazards. General Carcinogenicity No known significant effects or critical hazards. No known significant effects or critical hazards. Mutagenicity **Teratogenicity** No known significant effects or critical hazards. **Developmental effects** No known significant effects or critical hazards. **Fertility effects** No known significant effects or critical hazards.

#### Numerical measures of toxicity: Information on toxicological effects

Acute effects May be harmful by inhalation, ingestion, or skin absorption.

Cause eye and skin irritation.

ORAL Ld 50 -----5000 mg / kg (rat)

\*EYE EFFECTS----: Non- Irritation to rabbit eyes

\*EYE EFFECTS----: Non- Irritation to rabbit skin (24 hours)

\*Based on results from a similar product

**CHROME OXIDE GREEN SGE-4** 

5

Page 5 of 8 Item Numbers: 00523-7053

#### SECTION 12 Ecological information

#### **Toxicity**

**Persistence and degradability** There is no data available. **Bioaccumulation potential** There is no data available.

Mobility in soilSoil/water partition coefficient(Koc): Not available.Other adverse effectsNo known significant effects or critical hazards.

#### SECTION 13 Disposal considerations

WASTE MANAGEMENT When handling waste, consideration should be made to the

safety precautions applying to handling of the product. Refer to

Section 7.

**DISPOSAL METHODS**Material which cannot be re-used should be disposed of in

accordance with federal, state and local environmental control regulations at an authorized site by an approved contractor.

This product when discarded as sold is not an RCRA

hazardous waste. However, under RCRA, it is the responsibility of the product user to determine at the time of disposal,

whether a material containing the product or derived from the

product should be classified as a hazardous waste.

(40CFR261.20-24) Non Hazardous

WASTE CLASS

#### SECTION 14 Transport Information

Transport	DOT	IMDG	IATA
Parameters	Classification		
UN Number	-	-	-
UN Proper	-	-	-
Shipping Name			
Transport	-	-	-
Hazard Class			
Packing Group	-	-	-
Additional	Not regulated.	Not regulated.	Not regulated
Information			

#### SECTION 15 Regulatory Information

Status under SARA(311/312)

Status under SARA Tile III Section 302

Extremely Hazardous Substances

Not applicable.

None.

Status under SARA Tile III Section 313 This product does not contain toxic chemical subject

to the reporting requirements of Section 313 of Title III of the Superfund Amendment and Reauthorization Act of 1986 and 40 CFR Part 372.TSCA:The ingredients of this product are on the TSCA

Inventory.

Status under US EPA CERCLA

None

CHROME OXIDE GREEN SGE-4

6

Item Numbers: 00523-7053 Page 6 of 8

#### Hazardous Substances(40 CFR 302) None

#### State regulations

The following chemicals are specifically listed by individual states; other product specific health and safety data in other sections on the SDS may also be applicable for state requirements. For details on your regulatory requirements you should contact the appropriate agency in your state.

Ingredient name C.I.Pigment Green17	<b>CAS Number</b> 1308-38-9	State Code	Concentration(%) 98100%
Massachusetts Substances Massachusetts Extraordinary	MA-S		
Hazardous Substances New Jersey Hazardous	MA-Extra HS		
Substances	NJ-HS		

Substances Pennsylvania RTK Hazardous

Pennsylvania RTK Hazardous Substances

Pennsylvania Special

Hazardous Substances

PA-RTK HS
PA-Special HS

#### Status under California Prop 65

Potential exposure to some or all of the California Proposition 65 chemicals in this product have been determined to be below the No Significant Risk Level(NSRL) To the best of our knowledge, this product does not contain any of the listed chemicals, which the state of California has found to cause cancer, birth defects or other reproductive(R) harm.

U.S.Toxic Substances Control Act

### SECTION 16 Other information

Hazardous Material Information System:

Health	1
Flammability	0
Physical hazards	0

Listed on the TSCA Inventory.

0=Insignificant 1=Slight 2=Moderate 3=High 4=Extreme \*=Chronic

The customer is responsible for determining the PPE code for this material. National Fire Protection Association (U.S.A.):



CHROME OXIDE GREEN SGE-4

7

Page 7 of 8

#### 0= Minimal 1=Slight 2=Moderate 3=Serious 4=Severe

Yipin' method of hazard communication is comprised of Product Labels and Safety Data Sheets. HMIS and NFPA ratings are provided by Yipin as a customer service.

**Approval or Revision History** 

Date of Issue: (mm/dd/yyyy)

Revision

07/28/2014

May 2015 Revised Section(S) per HCS-GHS

**Notice to Reader** 

The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. It is provided solely for the customer's consideration, investigation and verification. Hereby specifically claims. It shall not be held liable for any damage resulting from handling or from contact with the above products.

Seller makes no warranty, express or implied, concerning the product or the merchantability or fitness thereof for any purpose or concerning the accuracy of any information provided by Yipin.

CHROME OXIDE GREEN SGE-4

8

Page 8 of 8