

00527-XXXX

# Utrecht® NOOD™ 2

## SAFETY DATA SHEET (SDS)

**Version:** 01**Date of Issue:** September 04, 2025**According to:** OSHA Hazard Communication Standard 29 CFR 1910.1200(g) Rev. 2024

### Section 1 – Identification of the Substance/Mixture and of the Company/Undertaking

**1.1 Product identifier**

Product Name: Utrecht® NOOD™ 2

Reference/item number: 00527

Product Sizes: 00527-0034 – 3.4oz  
 00527-0084 – 8.4oz  
 00527-0169 – 16.9oz  
 00527-0338 – 33.8oz  
 00527-0128 – 128oz

Product Description: Liquid formulation intended to be mixed with oil paints to improve flow, reduce brush marks, and clean brushes.

**1.2 Relevant identified uses of the substance or mixture and uses advised against**

Relevant identified use(s): The product is intended for general (adults) arts and crafts purposes.

**1.3 Details of the supplier of the safety data sheet**

Manufacturer/Supplier: Utrecht Manufacturing, LLC  
 Brooklyn, NY

Supplier Phone: 1-800-223-9132

**1.4 Emergency telephone number**

Emergency Telephone: For health emergencies call the Poison Control Center: 1-800-222-1222.  
 For transportation emergencies only call CHEMTREC: 1800-262-8200 (US only)  
 Email: info@dickblick.com

### Section 2 – Hazard(s) Identification

**2.1. Classification of the substance or mixture****According to:** OSHA Hazard Communication Standard 29 CFR 1910.1200(g) Rev. 2024

Physical	Health	Environmental
H227: Combustible Liquid (Category 4)	H304: Aspiration Hazard (Category 1)	Not classified

**2.2. Label elements****Label Pictogram:****Signal Word:** Danger

**Hazard Statement & Precautions:****Aspiration hazard (Category 1)  
(H304)****May be fatal if swallowed and enters airways.****P301+P316:** IF SWALLOWED: Get emergency help immediately. Call Poison Centre, Emergency Centre or Doctor.**P331:** Do NOT induce vomiting.**P405:** Store locked up.**P501:** Dispose of contents/container in accordance with local/regional/national/international regulations.**Combustible liquid (Category 4)  
(H227)****P210:** Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.**P280:** Wear protective gloves/clothing/eye protection/face protection.**P370+P378:** In case of fire: Use dry sand, dry chemical or alcohol-resistant foam to extinguish.**P403:** Store in a well-ventilated place.**P501:** Dispose of contents/container in accordance with local/regional/national/international regulations.**2.3. Other hazards**

- None

**Section 3 – Composition / Information on Ingredients****3.1 Substances**

Chemical Name	CAS No.	EC No.	GHS Hazards*
Isoparaffinic hydrocarbon mixture	64742-48-9	265-150-3	H227: Combustible liquid (Category 4); H304: Aspiration hazard (Category 1); H315: Skin irritation (Category 2); H336: Specific target organ toxicity (single exposure, Category 3 – may cause drowsiness or dizziness)

\*Classifications are based on the assumption that isoparaffinic hydrocarbon mixture contains ≤ 0.1% benzene

**3.2 Mixtures**

The product is a substance and not a mixture.

**Section 4 – First Aid Measures****4.1 Description of first aid measures****Eye contact:** In case of eye contact, flush thoroughly with plenty of water for 15 minutes. Contact a physician immediately if irritation occurs. Continue rinsing eyes during transport to a medical facility.. Seek medical attention if in doubt.**Skin contact:** In case of skin contact, remove contaminated clothing and shoes immediately. Wash thoroughly with soap and plenty of water. Contact a physician immediately if irritation occurs.: Get medical advice/attention.**Inhalation:** No specific first aid measures are required. Inhalation route of exposure is not anticipated with intended use. If exposed to excessive levels of material in the air and/or experience difficulty in breathing, move the exposed person to fresh air. If unconscious, place in recovery position and contact medical attention immediately. Seek medical attention if in doubt.**Ingestion:** If swallowed, do not induce vomiting. Rinse mouth with water. Contact a physician immediately. Never give anything by mouth to an unconscious person. Seek medical attention if in doubt.**4.2 Most important symptoms and effects, both acute and delayed**

- Refer to **Section 11 - Toxicological Information.**

**4.3 Indication of any immediate medical attention and special treatment needed**

- Not required.

## Section 5 – Fire Fighting Measures

### 5.1 Extinguishing media

**Suitable Extinguishing Media:** Use extinguishing media suitable for surrounding area if material is involved in a fire (e.g., water fog, foam, dry chemical or carbon dioxide).

**Unsuitable Extinguishing Media:** None known.

### 5.2 Special hazards arising from the substance or mixture

**Hazardous combustion products:**

- Irritating vapours or fumes may form if product is involved in fire:
- Also see **Section 10 - Stability and Reactivity**.

### 5.3 Advice for firefighters

- Wear a self-contained breathing apparatus to protect against potentially irritating vapours or fumes.
- Wear appropriate PPE and self-contained breathing apparatus with a full face-piece operated in positive pressure mode. Containers may explode when heated. Do not allow run-off from firefighting to enter drains or water courses.

## Section 6 – Accidental Release Measures

### 6.1 Personal precautions, protective equipment (PPE) and emergency procedures

**Personal Precautions:** Ventilate area if spilled in confined space or other poorly ventilated areas. Spills may produce slippery conditions. Observe PPE advice in **Section 8 – Exposure Controls/Personal Protection**.

**Emergency Procedures:** No specific precautions required. Keep unauthorized personnel away.

### 6.2 Environmental precautions:

- Prevent entry and contact with soil, drains, sewers, and waterways. Inform relevant local/regional/national/international authorities. Prevent further leakage or spillage if it is safe to do so.

### 6.3 Methods and material for containment and cleaning up

**Containment/Clean-up Measures:** Contain spill if safe to do so. Collect recoverable product. Absorb remainder with noncombustible material, vermiculite or other inert material. Place in a designated closed container for recycling and/or disposal. Ventilate contaminated area thoroughly. Dispose of contents/container in accordance with local/regional/national/international regulations. Wash the spill area with soap and water

### 6.4 Reference to other sections

- Refer to **Section 8 - Exposure Controls/Personal Protection** and **Section 13 – Disposal Considerations**.

## Section 7– Handling and Storage

### 7.1 Precautions for safe handling

- Avoid eye and skin contact.
- Wash hands thoroughly after handling.
- Wash hands before eating, smoking or using toilet facilities.
- Wash contaminated clothing before reuse.
- Employees should be trained in the safe use and handling of chemical materials.
- Refer to **Section 8 - Exposure Controls/Personal Protection**.

**7.2 Conditions for safe storage, including any incompatibilities**

- Keep container tightly closed to avoid spills.
- Keep container upright to prevent leakage.
- Avoid fire, flames and strong oxidizers
- Keep in a cool dry well-ventilated place.
- Keep in a sealed container.

**7.3 Specific end use(s)**

- Refer to **Section 1.2 - Relevant identified uses.**

**Section 8– Exposure Controls / Personal Protection****8.1 Control Parameters:**

**Occupational exposure limits:** Airborne/respirable chemicals are not foreseeable under conditions of normal use. See **Section 1 - Identification of the Substance/Mixture and of the Company/Undertaking** for additional information.

**8.2 Exposure Controls:****Appropriate engineering controls**

- No special requirements under ordinary conditions of use and with adequate ventilation. Mechanical ventilation or local exhaust ventilation may be required.

**8.3 Personal Protective Equipment**

Note: Consider the concentration and amount of product at the workplace when selecting PPE. Use protective equipment as required.

<b>Respiratory:</b>	Under normal conditions of use, respirator is not usually required. Use appropriate respiratory protection such as NIOSH respirator if exposure to mist or vapors is likely. Consult with an industrial hygienist to determine the appropriate respiratory protection for your specific use of this material. A respiratory protection program compliant with all applicable regulations must be followed whenever workplace conditions require the use of a respirator.
<b>Eyes/Face:</b>	If contact is likely, safety goggles with side shields are recommended.
<b>Hands:</b>	Use good industrial hygiene practices to avoid skin contact. If contact with the material may occur, wear chemically protective water-resistant impervious gloves.
<b>Body/Skin:</b>	Gloves, coveralls, apron, boots as necessary to minimize contact. Do not wear rings, watches or similar apparel that could entrap the material.
<b>Thermal Hazards:</b>	None known.
<b>Environmental Exposure Controls:</b>	Not available.
<b>Hygiene measures:</b>	Observe good industrial hygiene practices. Avoid contact with skin. Contaminated work clothing should not be allowed out of the workplace and should be washed before reuse. When using the product do not eat, drink or smoke.

## Section 9 – Physical and Chemical Properties

### 9.1 Information on basic physical and chemical properties

Note: The data below are typical values and do not constitute a specification.

<b>Appearance:</b> <b>Physical state:</b> <b>Colour:</b> <b>Odour/Odour threshold:</b>	Liquid Clear Odorless	<b>Partition Coefficient n-octanol/water:</b> <b>Auto-ignition temperature:</b>	Not available 635°F (335°C)
<b>pH (as supplied):</b>	Not available	<b>Decomposition temperature:</b>	Not available
<b>Melting/freezing point:</b>	-92°F (-69°C)	<b>Dynamic viscosity:</b>	1.56 mm <sup>2</sup> /s @ 104°F (40°C)
<b>Boiling point and boiling range:</b>	372°F - 408°F (189°C - 209°C)	<b>Molecular weight:</b>	Not available
<b>Flash point:</b>	144°F (62°C)	<b>Taste:</b>	Not available
<b>Evaporation rate:</b>	0.09 (Butyl Acetate = 1)	<b>Explosive properties:</b>	Not available
<b>Flammability:</b>	2	<b>Oxidizing properties:</b>	Not available
<b>Upper/lower explosive limits:</b>	Upper: 5.3 %(V) Lower: 0.7 %(V)	<b>Surface tension:</b>	Not available
<b>Vapor pressure:</b>	0.31 mmHg @ 20°C (68°F)	<b>Volatile component:</b>	Not available
<b>Water solubility:</b>	Negligible	<b>Gas group:</b>	Not available
<b>Vapor density (Air = 1):</b>	5.6 (Air = 1.0)	<b>pH (as solution):</b>	Not available
<b>Specific gravity (Water = 1):</b>	0.7640 g/cm <sup>3</sup> @ 15°C (59°F)	<b>VOC:</b>	765 g/L
<b>Relative density:</b>	Not determined	<b>Particle size range:</b>	Not available

### 9.2 Other information

- No further data available.

## Section 10 – Stability and Reactivity

### 10.1 Reactivity

- This material is not considered to be reactive under normal handling and storage conditions.

### 10.2 Chemical stability

- This material is considered stable under normal handling and storage conditions.

### 10.3 Possibility of hazardous reactions

- Not expected to occur under normal handling and storage conditions.

### 10.4 Conditions to avoid

- Exposure to high temperatures and sources of ignition
- Strong acids
- Strong bases
- Strong oxidisers

### 10.5 Incompatible materials

- Strong acids
- Strong bases
- Strong oxidisers
- Strong reducing agents.

### 10.6 Hazardous decomposition products

- Thermal decomposition or combustion may generate smoke, carbon monoxide, carbon dioxide, and other products of incomplete combustion. Irritating and toxic substances may be emitted upon combustion, burning, or decomposition of dry solids.

**Section 11 – Toxicological Information****11.1 Information on hazard classes**

**Likely routes of exposure:** Skin contact, ingestion.

**Potential signs and symptoms:**

<b>Acute oral toxicity:</b>	The product is practically non-toxic based on available animal and human use data. Oral ATE >5000 mg/kg
<b>Acute dermal toxicity:</b>	The product is practically non-toxic based on available animal and human use data. Dermal ATE >2000 mg/kg
<b>Acute inhalation toxicity:</b>	The product is practically nontoxic based on available animal and human use data. Inhalation ATE > 5,000 mg/m <sup>3</sup> (vapor).
<b>Skin corrosion/irritation:</b>	Isoparaffinic hydrocarbon mixture (CAS No. 64742-48-9) can defat the skin resulting in possible irritation and dermatitis. The data is equivocal and formal classification for skin irritation (Category 2) is not considered necessary.
<b>Serious eye damage/irritation:</b>	The ingredients >1% of this product are not corrosive to the eyes or eye irritants based on human and/or animal studies.
<b>Respiratory or skin sensitization:</b>	The ingredients >0.1% in this product are not sensitizing to the skin based on human and/or animal studies.
<b>Mutagenicity:</b>	The ingredients >0.1% in the product are not mutagenic based on human and/or animal studies.
<b>Carcinogenicity:</b>	The ingredients >0.1% in the product are not carcinogenic based on animal studies or no data identified for the components in this product.
<b>Reproductive Toxicity:</b>	The ingredients >0.1% in the product are not reproductive toxicants based on animal studies or no data identified for the components in this product.
<b>Specific target organ toxicity (single exposure):</b>	Isoparaffinic hydrocarbon mixture (CAS No. 64742-48-9) may cause headaches and dizziness, is anesthetic and may have other central nervous system effects. The data is equivocal and formal classification for specific target organ toxicity (single exposure, Category 3 - may cause drowsiness or dizziness) is not considered necessary.
<b>Specific target organ toxicity (repeated exposure):</b>	The ingredients >1% in the product are not repeated exposure specific target organ toxicity hazards based on available information, human and/or animal studies.
<b>Aspiration hazard:</b>	Isoparaffinic hydrocarbon mixture (CAS No. 64742-48-9) has been classified as an aspiration hazard (Category 1). Product classification is warranted given the concentration of isoparaffinic hydrocarbon mixture present in the product and the product viscosity.

**References:**

ECHA (European Chemicals Agency). 2025. REACH Registered Substances Database. <https://echa.europa.eu/search-for-chemicals>

IARC (International Agency for Research on Cancer). 2025. Agents Classified by the IARC Monographs, Volumes 1–129. <https://monographs.iarc.who.int/list-of-classifications/>

NTP (National Toxicology Program). 2021. Report on Carcinogens, Fifteenth Edition.; Research Triangle Park, NC: U.S. Department of Health and Human Services, Public Health Service. <https://ntp.niehs.nih.gov/whatwestudy/assessments/cancer/roc>

## Section 12 – Ecological Information

### 12.1 Toxicity

- This product is not expected to be harmful or toxic to aquatic life.

### 12.2 Persistence and degradability

- Water durations 28 days: Percent degraded 31.3 (similar material).

### 12.3 Bioaccumulative potential

- No data available.

### 12.4 Mobility in Soil

- Highly volatile, will partition rapidly to air. Not expected to partition to sediment and wastewater solids.

### 12.5 Results of PBT and vPvB assessment

- No data available.

### 12.6 Other adverse effects

- As a general rule, no product should be released to the environment. The product should not be allowed to enter drains, water courses, or be deposited where it can affect ground or surface water.

#### References:

ECHA (European Chemicals Agency). 2025. REACH Registered Substances Database.  
<https://echa.europa.eu/search-for-chemicals>

## Section 13 – Disposal Considerations

### 13.1 Waste treatment methods

**Preparing wastes for disposal:** Use product for its intended purpose or recycle if possible. Waste should not be disposed of by release to sewers. Dispose of waste in accordance with local, regional, national, and/or international regulations.

**Contaminated Packaging:** Container packaging is not expected to exhibit hazards.

## Section 14 – Transport Information

Note: This product is regulated as dangerous goods for transport.

14.1 UN number	1268
14.2 UN proper shipping name	PETROLEUM DISTILLATES, N.O.S.
14.3 Transport hazard class(es):	3
14.4 Packing group	III
14.5 Environmental hazards	None
14.6 Special precautions for user	TP1, TP29 (ERG#128)
14.7 Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code	Not applicable

## Section 15 – Regulatory Information

### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Note: The information that was used to confirm the compliance status of this product may deviate from the chemical information shown in **Section 3 – Composition / Information on Ingredients**.

#### United States

##### **Federal Regulations:**

**Comprehensive Environmental Response and Liability Act of 1980 (CERCLA):** No ingredients in this product >0.1% are subject to reporting under CERCLA.

**Clean Water Act (CWA):** No ingredients in this product are listed as toxic pollutants.

**Clean Air Act (CAA):** No ingredients in this product are listed under the CAA.

##### **Superfund Amendments and Reauthorization Act (SARA) Title III Information:**

**SARA 302 Components:** No ingredients in this product are subject to reporting requirements of S.302.

**SARA 304 Emergency Release Notification:** No ingredients in this product are subject to reporting requirements of S.304.

**SARA 311/312 Hazards:** Aspiration hazard, combustible liquid.

**SARA 313 Components:** No ingredients in this product are subject to reporting requirements of S.313.

**Toxic Substances Control Act (TSCA):** All ingredients are listed on the non-confidential TSCA inventory or are exempt.

##### **State Regulations:**

**California Proposition 65 List:** No ingredients in this product are listed on the Proposition 65 List.

##### International:

**IARC:** No ingredients in this product are classified with respect to carcinogenicity.

### 15.2 Chemical Safety Assessment

- None available for the ingredients in this product.

## Section 16 – Other Information

The product, *Utrecht*® NOOD™2, must be properly labeled for the known physical/health risks (*i.e.*, combustible, aspiration hazard) and should reflect the ACMI CL Seal.



**List of acronyms and abbreviations:**

ACGIH: American conference of Governmental Hygienists	NIOSH: National Institute for Occupational Safety & Health
ATE: Acute Toxicity Estimate	NTP: National Toxicology Program
CAA: Clean Air Act	OSHA: Occupational Safety and Health Administration
CAS: Chemical Abstract Service Number	PAH: Polycyclic Aromatic Hydrocarbon
CERCLA: Comprehensive Environmental Response and Liability Act	PBT: Persistent, Bioaccumulative and Toxic
CEPA: Canadian Environmental Protection Act	PEL: Permissible Exposure Level
CFR: Code of Federal Regulations	PPE: Personal Protective Equipment
CWA: Clean Water Act	REACH: Registration, Evaluation, Authorisation and Restriction of Chemicals
DFG MAK: Deutsche Forschungsgemeinschaft Maximale Arbeitsplatz-Konzentration	REL: Recommended exposure level
DSL: Domestic Substances List	SARA: Superfund Amendment and Reauthorization Act
EC: European Commission	SDS: Safety Data Sheet
ECHA: European Chemicals Agency	TLV: Threshold limit value
GHS: Global Harmonized System	TWA: Time-weighted average
IARC: International Agency for Research on Cancer	TSCA: Toxic Substances Control Act
IBC: International Bulk Chemical	UN: United Nations
MARPOL: Maritime Pollution	WHMIS: Workplace Hazardous Materials Information System
NDSL: Non-Domestic Substances List	vPvB: very Persistent, very Bioaccumulative

**References:**

ECHA (European Chemicals Agency). 2025. REACH Registered Substances Database.

<https://echa.europa.eu/search-for-chemicals>

IARC (International Agency for Research on Cancer). 2025. Agents Classified by the IARC Monographs, Volumes 1–129. <https://monographs.iarc.who.int/list-of-classifications/>

NTP (National Toxicology Program). 2021. Report on Carcinogens, Fifteenth Edition.; Research Triangle Park, NC: U.S. Department of Health and Human Services, Public Health Service.

<https://ntp.niehs.nih.gov/whatwestudy/assessments/cancer/roc>

**Disclaimer:**

To the best of our knowledge, the information contained herein is accurate. However, neither the above-named supplier nor any of its subsidiaries assumes any liability whatsoever for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.

**Revision Indicator:** This is a new Safety Data Sheet.

**Creation Date:** September 4, 2025