				Revision pr 33 EN
				Dated 20/07/2022 Printed on 20/07/2022
12304 - POLYCOLC	DR	12304 B	rilliant Green Light	Page n. 1 / 10 Replaced revision:32 (Dated 05/10/2021)
		Safet	y Data Sheet	
	According to Anne	x II to REACH - Re	gulation 2020/878 and to Annex I	I to UK REACH
SECTION 1. Identification	on of the sub	stance/mixtu	ire and of the company	//undertaking
1.1. Product identifier				
Code: Product name		12304 POLYCOLOR	12304 Brilliant Gree	n Liaht
1.2. Relevant identified uses of t	the substance or r			
Intended use			-	Not recommended for different uses
1.3. Details of the supplier of the	safoty data shoo			
	e salety data shee			
Name Full address		INDUSTRIA MA	meri, 1	
District and Country		h	/lediglia talia	(MI)
			-39 02 906981 -39 02 90698999	
e-mail address of the competer responsible for the Safety Data		schedesicurez	za@maimeri.it	
Supplier:		INDUSTRIA M/	AIMERI S.P.A. VIA G.MAIMERI 1	20076 BETTOLINO DI MEDIGLIA (MI)
1 4 Emorgonov tolonhono numk		II ALI		
1.4. Emergency telephone numb		A	400	
For urgent inquiries refer to		Australia : 131 USA: 1 800 22		
		Regno Unito N	HS Direct (UK): +44 (0) 845 46 4	47
SECTION 2. Hazards identification	on			
2.1. Classification of the substa	nce or mixture			
	ntains hazardous su	ubstances in conce		2008 (CLP). in section no. 3, it requires a safety
Hazard classification and indica	ation:			
2.2. Label elements			bsequent amendments and supp	lanaata
01	Regulation 1272/2	2008 (CLP) and su	bsequent amendments and supp	iements.
Hazard pictograms:				
Signal words:				
Hazard statements: EUH210	Safety data sheet	available on reque	est.	
EUH208		ixture of : 5-cloro-2 C no. 220-239-6] (247-500-7]; 2-metil-2H-isotiazol-3-one
	May produce an a		()	
Precautionary statements:				
2.3. Other hazards				
On the basis of available data,	the product does no	ot contain any PB1	or vPvB in percentage ≥ than 0, ²	1%.
				@EPY 11.3.0 - SDS 1004.14

00689-7465

Item Numbers: 00689-7465

Page 1 of 10

12304 Brilliant Green Light

EN 10

The product does not contain substances with endocrine disrupting properties in concentration $\ge 0.1\%$.

SECTION 3. Composition/information on ingredients

3.2. Mixtures

Contains:

Identification

Classification (EC) 1272/2008 (CLP)

Mixture of	: 5-cloro-2-metil-2H-	isotiazol-3-one [EC no	. 247-500-7]; 2-metil-2H-isotiazol-3-one [EC no. 220-239-6] (3:1)
INDEX	613-167-00-5	0 ≤ x < 0,0015	Acute Tox. 3 H301, Acute Tox. 3 H311, Acute Tox. 3 H331, Skin Corr. 1B
			H314, Eye Dam. 1 H318, Skin Sens. 1 H317, Aquatic Acute 1 H400 M=1,
			Aquatic Chronic 1 H410 M=1
EC	247-500-7		Skin Sens. 1 H317: ≥ 0,0015%
CAS	55965-84-9		STA Oral: 100 mg/kg, STA Dermal: 300 mg/kg, LC50 Inhalation vapours: 4 mg/l/4h

The full wording of hazard (H) phrases is given in section 16 of the sheet.

SECTION 4. First aid measures

4.1. Description of first aid measures

12304 - POLYCOLOR

Not specifically necessary. Observance of good industrial hygiene is recommended.

x = Conc. %

4.2. Most important symptoms and effects, both acute and delayed

Specific information on symptoms and effects caused by the product are unknown.

4.3. Indication of any immediate medical attention and special treatment needed

Information not available

SECTION 5. Firefighting measures

5.1. Extinguishing media

SUITABLE EXTINGUISHING EQUIPMENT The extinguishing equipment should be of the conventional kind: carbon dioxide, foam, powder and water spray. UNSUITABLE EXTINGUISHING EQUIPMENT None in particular.

5.2. Special hazards arising from the substance or mixture

HAZARDS CAUSED BY EXPOSURE IN THE EVENT OF FIRE Do not breathe combustion products.

5.3. Advice for firefighters

GENERAL INFORMATION

Use jets of water to cool the containers to prevent product decomposition and the development of substances potentially hazardous for health. Always wear full fire prevention gear. Collect extinguishing water to prevent it from draining into the sewer system. Dispose of contaminated water used for extinction and the remains of the fire according to applicable regulations. SPECIAL PROTECTIVE EQUIPMENT FOR FIRE-FIGHTERS

Normal fire fighting clothing i.e. fire kit (BS EN 469), gloves (BS EN 659) and boots (HO specification A29 and A30) in combination with self-contained open circuit positive pressure compressed air breathing apparatus (BS EN 137).

SECTION 6. Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Use breathing equipment if fumes or powders are released into the air. These indications apply for both processing staff and those involved in emergency procedures.

6.2. Environmental precautions

The product must not penetrate into the sewer system or come into contact with surface water or ground water.

@EPY 11.3.0 - SDS 1004.14

Item Numbers: 00689-7465

12304 - POLYCOLOR

12304 Brilliant Green Light

SECTION 6. Accidental release measures / >>

6.3. Methods and material for containment and cleaning up

Confine using earth or inert material. Collect as much material as possible and eliminate the rest using jets of water. Contaminated material should be disposed of in compliance with the provisions set forth in point 13.

6.4. Reference to other sections

Any information on personal protection and disposal is given in sections 8 and 13.

SECTION 7. Handling and storage

Italia

7.1. Precautions for safe handling

Before handling the product, consult all the other sections of this material safety data sheet. Avoid leakage of the product into the environment. Do not eat, drink or smoke during use.

7.2. Conditions for safe storage, including any incompatibilities

Keep the product in clearly labelled containers. Keep containers away from any incompatible materials, see section 10 for details.

7.3. Specific end use(s)

Information not available

SECTION 8. Exposure controls/personal protection

8.1. Control parameters

Regulatory References:

ITA

Decreto Legislativo 9 Aprile 2008, n.81

Mixture of : 5-cloro-2-metil-2H-isotiazol-3-one [EC no. 247-500-7]; 2-metil-2H-isotiazol-3-one [EC no. 220-239-6]

(3:1) hreshold Limit Value									
Туре Соц		WA/8h ìg/m3	ppm	STEL/15n mg/m3	nin ppm	Remarks / Obs	ervations		
VLEP ITA	0	,076		0,23					
redicted no-effect cor	ncentratio	n - PNEC							
Normal value in fresh Normal value in marin Normal value for fres Normal value for mar Normal value for wate Normal value of STP Normal value for the ealth - Derived no-effe	ne water n water see ine water s er, intermitt microorgan terrestrial c ect level -	ediment tent release nisms compartme DNEL / DI on consum	nt /EL ers			Effects on worke	3,39 3,39 27 27 3,39 230 10	μg/l μg/l μg/kg/d μg/l μg/l μg/l	
Route of exposure	Acute local	Acute syste		Chronic local	Chronic systemic	Acute local	Acute systemic	Chronic local	Chronic systemic
Oral		110 μg/kg	bw/d		90 µg/kg bw/d				
Inhalation	40 µg/m3			20 µg/m3		40 µg/m3		20 µg/m3	
Skin								20	

hazard ; MED = medium hazard ; HIGH = high hazard.

8.2. Exposure controls

As the use of adequate technical equipment must always take priority over personal protective equipment, make sure that the workplace is well aired through effective local aspiration.

When choosing personal protective equipment, ask your chemical substance supplier for advice.

Personal protective equipment must be CE marked, showing that it complies with applicable standards. HAND PROTECTION

@EPY 11.3.0 - SDS 1004.14

Item Numbers: 00689-7465

12304 - POLYCOLOR

12304 Brilliant Green Light

SECTION 8. Exposure controls/personal protection ... / >>

Protect hands with category III work gloves (see standard EN 374).

The following should be considered when choosing work glove material: compatibility, degradation, failure time and permeability. The work gloves' resistance to chemical agents should be checked before use, as it can be unpredictable. The gloves' wear time depends on the duration and type of use.

SKIN PROTECTION

Wear category I professional long-sleeved overalls and safety footwear (see Regulation 2016/425 and standard EN ISO 20344). Wash body with soap and water after removing protective clothing.

EYE PROTECTION

Wear airtight protective goggles (see standard EN 166).

RESPIRATORY PROTECTION

If the threshold value (e.g. TLV-TWA) is exceeded for the substance or one of the substances present in the product, use a mask with a type A filter whose class (1, 2 or 3) must be chosen according to the limit of use concentration. (see standard EN 14387). In the presence of gases or vapours of various kinds and/or gases or vapours containing particulate (aerosol sprays, fumes, mists, etc.) combined filters are required.

Respiratory protection devices must be used if the technical measures adopted are not suitable for restricting the worker's exposure to the threshold values considered. The protection provided by masks is in any case limited.

If the substance considered is odourless or its olfactory threshold is higher than the corresponding TLV-TWA and in the case of an emergency, wear open-circuit compressed air breathing apparatus (in compliance with standard EN 137) or external air-intake breathing apparatus (in compliance with standard EN 138). For a correct choice of respiratory protection device, see standard EN 529. ENVIRONMENTAL EXPOSURE CONTROLS

The emissions generated by manufacturing processes, including those generated by ventilation equipment, should be checked to ensure compliance with environmental standards.

SECTION 9. Physical and chemical properties

9.1. Information on basic physical and chemical properties

Properties Appearance Colour Odour threshold Melting point / freezing point Initial boiling point Boiling range Flammability Lower explosive limit Upper explosive limit Flash point Auto-ignition temperature Decomposition temperature Decomposition temperature Dynamic viscosity Solubility Partition coefficient: n-octanol/water Vapour pressure Density and/or relative density Relative vapour density Particle characteristics	Value paste light green SLIGHTLY AMMONIA not applicable not applicable not applicable not applicable not applicable not applicable not applicable 8.5-9.5 not available 15000-18000 cps INSOLUBLE, DILUTE WITH WATER not applicable not applicable	Information
Information not available		
9.2.2. Other safety characteristics		
Evaporation rate VOC (Directive 2010/75/EU) VOC (volatile carbon) Explosive properties Oxidising properties	not applicable 1,24 % - 18,09 g/litre 1,16 % - 16,93 g/litre not applicable not applicable	
		@EPY 11.3.0 - SDS 1004.14

EN 10

12304 - POLYCOLOR

EN 10

SECTION 10. Stability and reactivity

10.1. Reactivity

There are no particular risks of reaction with other substances in normal conditions of use.

10.2. Chemical stability

The product is stable in normal conditions of use and storage.

10.3. Possibility of hazardous reactions

No hazardous reactions are foreseeable in normal conditions of use and storage.

10.4. Conditions to avoid

None in particular. However the usual precautions used for chemical products should be respected.

10.5. Incompatible materials

Information not available

10.6. Hazardous decomposition products

Information not available

SECTION 11. Toxicological information

In the absence of experimental data for the product itself, health hazards are evaluated according to the properties of the substances it contains, using the criteria specified in the applicable regulation for classification. It is therefore necessary to take into account the concentration of the individual hazardous substances indicated in section 3, to evaluate the toxicological effects of exposure to the product.

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Metabolism, toxicokinetics, mechanism of action and other information

Information not available

Information on likely routes of exposure

Information not available

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Information not available

Interactive effects

Information not available

ACUTE TOXICITY

ATE (Inhalation) of the mixture: ATE (Oral) of the mixture: ATE (Dermal) of the mixture:

 Zinc Sulphide
 > 2000 mg/kg

 LD50 (Dermal):
 > 2000 mg/kg

 LD50 (Oral):
 > 2000 mg/kg

 LC50 (Inhalation mists/powders):
 > 5040 mg/l/4h

 Mixture of : 5-cloro-2-metil-2H-isotiazol-3-one [EC no. 247-500-7]; 2-metil-2H-isotiazol-3-one [EC no. 220-239-6] (3:1)

 LD50 (Dermal):
 4,471 mg/kg

 STA (Dermal):
 300 mg/kg estimate from table 3.1.2 of Annex I of the CLP (figure used for calculation of the acute toxicity estimate of the mixture)

 LD50 (Oral):
 4,075 mg/kg

Not classified (no significant component) Not classified (no significant component)

Not classified (no significant component)

@EPY 11.3.0 - SDS 1004.14

Item Numbers: 00689-7465

12304 - POLYCOLOR

12304 Brilliant Green Light

en 10

12304 - FOETCOLOR	12304 Drimant Green Light	Replaced revision:32 (Dated 05/10/2021)
ECTION 11. Toxicological information	./>>	I.
LC50 (Inhalation vapours):	4 mg/l/4h	
SKIN CORROSION / IRRITATION		
Does not meet the classification criteria for this h	azard class	
SERIOUS EYE DAMAGE / IRRITATION		
Does not meet the classification criteria for this ha	azard class	
RESPIRATORY OR SKIN SENSITISATION		
May produce an allergic reaction. Contains: Mixture of : 5-cloro-2-metil-2H-isotiazol-3-one [EC	C no. 247-500-7]; 2-metil-2H-isotiazol-3-one [EC no. 22(0-239-6] (3:1)
GERM CELL MUTAGENICITY		
Does not meet the classification criteria for this ha	azard class	
CARCINOGENICITY		
Does not meet the classification criteria for this h	azard class	
REPRODUCTIVE TOXICITY		
Does not meet the classification criteria for this ha	azard class	
STOT - SINGLE EXPOSURE		
Does not meet the classification criteria for this ha	azard class	
STOT - REPEATED EXPOSURE		
Does not meet the classification criteria for this ha	azard class	
ASPIRATION HAZARD		
Does not meet the classification criteria for this ha	azard class	
1.2. Information on other hazards		
Based on the available data, the product does no disruptors with human health effects under evalua	ot contain substances listed in the main European lists o ation.	f potential or suspected endocrine
SECTION 12. Ecological informatio	n	
Use this product according to good working pract or contaminate soil or vegetation.	tices. Avoid littering. Inform the competent authorities, s	hould the product reach waterways
2.1. Toxicity		
Zinc Sulphide LC50 - for Fish EC50 - for Crustacea	> 5155 mg/l/96h > 34 mg/l/48h	
	C no. 247-500-7]; 2-metil-2H-isotiazol-3-one [EC no. 220 18,53 mg/l/48h 3,02 mg/l/72h 0,04 mg/l	0-239-6] (3:1)
2.2. Persistence and degradability	-	
Information not available		
2.3. Bioaccumulative potential		
Item Numbers: 00689-7465		€EPY 11.3.0 - SDS 1004.14 Page 6 (

12304 - POLYCOLOR

12304 Brilliant Green Light

SECTION 12. Ecological information ... / >>

Mixture of : 5-cloro-2-metil-2H-isotiazol-3-one [EC no. 247-500-7]; 2-metil-2H-isotiazol-3-one [EC no. 220-239-6] (3:1) Partition coefficient: n-octanol/water -0,75 Log Kow

12.4. Mobility in soil

Information not available

12.5. Results of PBT and vPvB assessment

On the basis of available data, the product does not contain any PBT or vPvB in percentage \geq than 0,1%.

12.6. Endocrine disrupting properties

Based on the available data, the product does not contain substances listed in the main European lists of potential or suspected endocrine disruptors with environmental effects under evaluation.

12.7. Other adverse effects

Information not available

SECTION 13. Disposal considerations

13.1. Waste treatment methods

Reuse, when possible. Neat product residues should be considered special non-hazardous waste. Disposal must be performed through an authorised waste management firm, in compliance with national and local regulations.

CONTAMINATED PACKAGING Contaminated packaging must be recovered or disposed of in compliance with national waste management regulations.

SECTION 14. Transport information

The product is not dangerous under current provisions of the Code of International Carriage of Dangerous Goods by Road (ADR) and by Rail (RID), of the International Maritime Dangerous Goods Code (IMDG), and of the International Air Transport Association (IATA) regulations.

14.1. UN number or ID number

not applicable

14.2. UN proper shipping name

not applicable

14.3. Transport hazard class(es)

not applicable

14.4. Packing group

not applicable

14.5. Environmental hazards

not applicable

14.6. Special precautions for user

not applicable

14.7. Maritime transport in bulk according to IMO instruments

Information not relevant

@EPY 11.3.0 - SDS 1004.14

Item Numbers: 00689-7465

Page 7 of 10

12304 - POLYCOLOR

12304 Brilliant Green Light

SECTION 15. Regulat	tory information
5.1. Safety, health and envi	ronmental regulations/legislation specific for the substance or mixture
Seveso Category - Directive	e 2012/18/EU: None
Restrictions relating to the p	product or contained substances pursuant to Annex XVII to EC Regulation 1907/2006
Product	40
Contained substance	ŧŪ
Point	75
Regulation (EU) 2019/1148 not applicable	- on the marketing and use of explosives precursors
Substances in Candidate Li	
On the basis of available da	tta, the product does not contain any SVHC in percentage ≥ than 0,1%.
Substances subject to authonomous None	prisation (Annex XIV REACH)
Substances subject to expo	rtation reporting pursuant to Regulation (EU) 649/2012:
	Potterdam Convention:
Substances subject to the F	
Substances subject to the S	stockholm Convention:
Healthcare controls	
Information not available	
5.2. Chemical safety assess	sment
-	
A chemical safety assessme	ent has not been performed for the preparation/for the substances indicated in section 3.
ECTION 16. Other in	nformation
Text of hazard (H) indicatior	ns mentioned in section 2-3 of the sheet:
Acute Tox. 3	Acute toxicity, category 3
Skin Corr. 1B	Skin corrosion, category 1B
Skin Sens. 1 Aquatic Acute 1	Skin sensitization, category 1 Hazardous to the aquatic environment, acute toxicity, category 1
Aquatic Chronic 1	Hazardous to the aquatic environment, chronic toxicity, category 1
H301	Toxic if swallowed.
H311	Toxic in contact with skin.
H331 H314	Toxic if inhaled.
H314 H317	Causes severe skin burns and eye damage. May cause an allergic skin reaction.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life. Very toxic to aquatic life with long lasting effects.
H410 EUH210	Very toxic to aquatic life with long lasting effects.
H410 EUH210 LEGEND:	Very toxic to aquatic life with long lasting effects. Safety data sheet available on request.
H410 EUH210 LEGEND: - ADR: European Agreemer - ATE: Acute Toxicity Estima	Very toxic to aquatic life with long lasting effects. Safety data sheet available on request. In concerning the carriage of Dangerous goods by Road ate
H410 EUH210 LEGEND: - ADR: European Agreemer - ATE: Acute Toxicity Estima - CAS: Chemical Abstract S	Very toxic to aquatic life with long lasting effects. Safety data sheet available on request. It concerning the carriage of Dangerous goods by Road ate ervice Number
H410 EUH210 LEGEND: - ADR: European Agreemer - ATE: Acute Toxicity Estima - CAS: Chemical Abstract S - CE50: Effective concentral	Very toxic to aquatic life with long lasting effects. Safety data sheet available on request. In concerning the carriage of Dangerous goods by Road ate ervice Number tion (required to induce a 50% effect)
H410 EUH210 LEGEND: - ADR: European Agreemer - ATE: Acute Toxicity Estima - CAS: Chemical Abstract S - CE50: Effective concentral - CE: Identifier in ESIS (Euro	Very toxic to aquatic life with long lasting effects. Safety data sheet available on request. It concerning the carriage of Dangerous goods by Road ate ervice Number tion (required to induce a 50% effect) opean archive of existing substances)
H410 EUH210 LEGEND: - ADR: European Agreemer - ATE: Acute Toxicity Estima - CAS: Chemical Abstract S - CE50: Effective concentral	Very toxic to aquatic life with long lasting effects. Safety data sheet available on request. Int concerning the carriage of Dangerous goods by Road ate ervice Number tion (required to induce a 50% effect) opean archive of existing substances) 2/2008
H410 EUH210 LEGEND: - ADR: European Agreemer - ATE: Acute Toxicity Estima - CAS: Chemical Abstract S - CE50: Effective concentral - CE: Identifier in ESIS (Eur - CLP: Regulation (EC) 127 - DNEL: Derived No Effect L - EmS: Emergency Schedul	Very toxic to aquatic life with long lasting effects. Safety data sheet available on request. In concerning the carriage of Dangerous goods by Road ate ervice Number tion (required to induce a 50% effect) opean archive of existing substances) 2/2008 eevel e
H410 EUH210 LEGEND: - ADR: European Agreemer - ATE: Acute Toxicity Estima - CAS: Chemical Abstract S - CE50: Effective concentral - CE: Identifier in ESIS (Euro - CLP: Regulation (EC) 127? - DNEL: Derived No Effect L EmS: Emergency Schedul - GHS: Globally Harmonized	Very toxic to aquatic life with long lasting effects. Safety data sheet available on request. It concerning the carriage of Dangerous goods by Road ate ervice Number tion (required to induce a 50% effect) opean archive of existing substances) 2/2008 Level e d System of classification and labeling of chemicals
H410 EUH210 LEGEND: - ADR: European Agreemer - ATE: Acute Toxicity Estima - CAS: Chemical Abstract S - CE50: Effective concentral - CE: Identifier in ESIS (Euro - CLP: Regulation (EC) 127? - DNEL: Derived No Effect L - EmS: Emergency Schedul - GHS: Globally Harmonized	Very toxic to aquatic life with long lasting effects. Safety data sheet available on request. In concerning the carriage of Dangerous goods by Road ate ervice Number tion (required to induce a 50% effect) opean archive of existing substances) 2/2008 eevel e

EN 10

12304 Brilliant Green Light

12304 - POLYCOLOR

Revision nr.33 Dated 20/07/2022 Printed on 20/07/2022 Page n. 9 / 10 Replaced revision:32 (Dated 05/10/2021)

SECTION 16. Other information ... / >>

- IC50: Immobilization Concentration 50%
- IMDG: International Maritime Code for dangerous goods
- IMO: International Maritime Organization
- INDEX: Identifier in Annex VI of CLP - LC50: Lethal Concentration 50%
- LD50: Lethal dose 50%
- OEL: Occupational Exposure Level
- PBT: Persistent bioaccumulative and toxic as REACH Regulation
- PEC: Predicted environmental Concentration
- PEL: Predicted exposure level
- PNEC: Predicted no effect concentration
- REACH: Regulation (EC) 1907/2006
- RID: Regulation concerning the international transport of dangerous goods by train
- TLV: Threshold Limit Value
- TLV CEILING: Concentration that should not be exceeded during any time of occupational exposure.
- TWA: Time-weighted average exposure limit
- TWA STEL: Short-term exposure limit
- VOC: Volatile organic Compounds
- vPvB: Very Persistent and very Bioaccumulative as for REACH Regulation
- WGK: Water hazard classes (German).

GENERAL BIBLIOGRAPHY

- 1. Regulation (EC) 1907/2006 (REACH) of the European Parliament
- 2. Regulation (EC) 1272/2008 (CLP) of the European Parliament
- 3. Regulation (EU) 2020/878 (II Annex of REACH Regulation)
- 4. Regulation (EC) 790/2009 (I Atp. CLP) of the European Parliament
- 5. Regulation (EU) 286/2011 (II Atp. CLP) of the European Parliament
- 6. Regulation (EU) 618/2012 (III Atp. CLP) of the European Parliament
- 7. Regulation (EU) 487/2013 (IV Atp. CLP) of the European Parliament
- 8. Regulation (EU) 944/2013 (V Atp. CLP) of the European Parliament 9. Regulation (EU) 605/2014 (VI Atp. CLP) of the European Parliament
- Regulation (EU) 605/2014 (VI Atp. CLP) of the European Parliament
 Regulation (EU) 2015/1221 (VII Atp. CLP) of the European Parliament
- 11. Regulation (EU) 2016/918 (VIII Atp. CLP) of the European Parliament
- 12. Regulation (EU) 2016/1179 (IX Atp. CLP)
- 13. Regulation (EU) 2017/776 (X Atp. CLP)
- 14. Regulation (EU) 2018/669 (XI Atp. CLP)
- 15. Regulation (EU) 2019/521 (XII Atp. CLP)
- 16. Delegated Regulation (UE) 2018/1480 (XIII Atp. CLP)
- 17. Regulation (EU) 2019/1148
- 18. Delegated Regulation (UE) 2020/217 (XIV Atp. CLP)
- 19. Delegated Regulation (UE) 2020/1182 (XV Atp. CLP)
- 20. Delegated Regulation (UE) 2021/643 (XVI Atp. CLP)
- 21. Delegated Regulation (UE) 2021/849 (XVII Atp. CLP)
- 22. Delegated Regulation (UE) 2022/692 (XVIII Atp. CLP)
- The Merck Index. 10th Edition
- Handling Chemical Safety
- INRS Fiche Toxicologique (toxicological sheet)
- Patty Industrial Hygiene and Toxicology
- N.I. Sax Dangerous properties of Industrial Materials-7, 1989 Edition
- IFA GESTIS website
- ECHA website
- Database of SDS models for chemicals Ministry of Health and ISS (Istituto Superiore di Sanità) Italy

Note for users:

The information contained in the present sheet are based on our own knowledge on the date of the last version. Users must verify the suitability and thoroughness of provided information according to each specific use of the product. This document must not be regarded as a guarantee on any specific product property.

The use of this product is not subject to our direct control; therefore, users must, under their own responsibility, comply with the current health and safety laws and regulations. The producer is relieved from any liability arising from improper uses. Provide appointed staff with adequate training on how to use chemical products.

CALCULATION METHODS FOR CLASSIFICATION

Chemical and physical hazards: Product classification derives from criteria established by the CLP Regulation, Annex I, Part 2. The data for evaluation of chemical-physical properties are reported in section 9. Health hazards: Product classification is based on calculation methods as per Annex I of CLP, Part 3, unless determined otherwise in

reality nazards: Product classification is based on calculation methods as per Annex I of CLP, Part 3, unless determined otherwise in Section 11.

@EPY 11.3.0 - SDS 1004.14

12304 - POLYCOLOR

12304 Brilliant Green Light

Revision nr.33 Dated 20/07/2022 Printed on 20/07/2022 Page n. 10 / 10 Replaced revision:32 (Dated 05/10/2021)

SECTION 16. Other information ... / >>

Environmental hazards: Product classification is based on calculation methods as per Annex I of CLP, Part 4, unless determined otherwise in Section 12.

Changes to previous review: The following sections were modified: 02 / 03 / 09 / 11 / 12 / 15 / 16.

@EPY 11.3.0 - SDS 1004.14

Item Numbers: 00689-7465

Page 10 of 10