Version 12.1 (20/05/2022) - Page 1/10

PEBEO SAS

Mat Pub: EUH211 - FDS385



#### SAFETY DATA SHEET

(REACH regulation (EC) n° 1907/2006 - n° 2020/878)

#### SECTION 1 : IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

#### 1.1. Product identifier

Product name: Mat Pub: EUH211

Product code: FDS385.

See list of references in appendix. UFI: HGM0-X0XR-R00F-49AP

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

Paints & Varnishes for artists

#### 1.3. Details of the supplier of the safety data sheet

Registered company name: PEBEO SAS.

Address: CS 10106 .13881.GEMENOS CEDEX.FRANCE. Telephone: 33 (0) 4.42.32.08.08. Fax: 33 (0) 4.42.32.01.70.

reglementation@pebeo.com

www.pebeo.com

#### 1.4. Emergency telephone number: +33 (0)1 45 42 59 59.

Association/Organisation: INRS / ORFILA http://www.centres-antipoison.net.

#### Other emergency numbers

United Kingdom: 0870 600 6266 Ireland: 01 809 25 66

#### >SECTION 2 : HAZARDS IDENTIFICATION

#### 2.1. Classification of the substance or mixture

#### In compliance with EC regulation No. 1272/2008 and its amendments.

May produce an allergic reaction (EUH208).

This mixture does not present a physical hazard. Refer to the recommendations regarding the other products present on the

This mixture does not present an environmental hazard. No known or foreseeable environmental damage under standard conditions of use.

#### 2.2. Label elements

### In compliance with EC regulation No. 1272/2008 and its amendments.

Additional labeling:

EUH208 Contains 1,2-BENZISOTHIAZOL-3(2H)-ONE. May produce an allergic reaction.

EUH208 Contains REACTION MASS OF 5-CHLORO-2-METHYL-2H-ISOTHIAZOL-3-ONE AND

2-METHYL-2H-ISOTHIAZOL-3-ONE (3:1). May produce an allergic reaction.

EUH211 Warning! Hazardous respirable droplets may be formed when sprayed. Do not

breathe spray or mist.

Precautionary statements - General:

P101 If medical advice is needed, have product container or label at hand.

P102 Keep out of reach of children.

### |> 2.3. Other hazards

The mixture does not contain substances classified as 'Substances of Very High Concern' (SVHC) >= 0.1% published by the European CHemicals Agency (ECHA) under article 57 of REACH: http://echa.europa.eu/fr/candidate-list-table

The mixture fulfils neither the PBT nor the vPvB criteria for mixtures in accordance with annexe XIII of the REACH regulations EC 1907/2006.

The mixture does not contain substances = 0.1% with endocrine disrupting properties in accordance with the criteria of the Delegated Regulation (EU) 2017/2100 of the Commission or Regulation (EU) 2018/605 of the Commission.

Version 12.1 (20/05/2022) - Page 2/10

PEBEO SAS

Mat Pub: EUH211 - FDS385

### >SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

# 3.2. Mixtures Composition:

Composition :			
Identification	(EC) 1272/2008	Note	%
INDEX: 022-006-00-2	GHS08	[1]	1 <= x % < 30
CAS: 13463-67-7	Wng	[10]	
EC: 236-675-5	Carc. 2, H351		
TITANIUM DIOXIDE [IN POWDER FORM			
CONTAINING 1 % OR MORE OF PARTICLE	S		
WITH AERODYNAMIC DIAMETER <= 10			
μM]			
INDEX: 613-088-00-6	GHS05, GHS07, GHS09	[1]	$0 \le x \% < 0.01$
CAS: 2634-33-5	Dgr		
EC: 220-120-9	Acute Tox. 4, H302		
REACH: 01-2120761540-60	Skin Irrit. 2, H315		
	Eye Dam. 1, H318		
1,2-BENZISOTHIAZOL-3(2H)-ONE	Skin Sens. 1, H317		
	Aquatic Acute 1, H400		
	M Acute = 1		
INDEX: 613-167-00-5	GHS06, GHS05, GHS09	В	$0 \le x \% < 0.0005$
CAS: 55965-84-9	Dgr	[1]	
	Acute Tox. 3, H301		
REACTION MASS OF	Acute Tox. 2, H310		
5-CHLORO-2-METHYL-2H-ISOTHIAZOL-3			
NE AND 2-METHYL-2H-ISOTHIAZOL-3-ON	JE Skin Sens. 1A, H317		
(3:1)	Eye Dam. 1, H318		
	Acute Tox. 2, H330		
	Aquatic Acute 1, H400		
	M Acute = 100		
	Aquatic Chronic 1, H410		
	M Chronic = 100		
	EUH:071		

### > Specific concentration limits:

Identification	Specific concentration limits	ATE
INDEX: 613-088-00-6	Skin Sens. 1: H317 C>= 0.05%	
CAS: 2634-33-5		
EC: 220-120-9		
REACH: 01-2120761540-60		
1,2-BENZISOTHIAZOL-3(2H)-ONE		
INDEX: 613-167-00-5	Skin Corr. 1C: H314 C>= 0.6%	
CAS: 55965-84-9	Skin Irrit. 2: H315 0.06% <= C < 0.6%	
	Eye Dam. 1: H318 C>= 0.6%	
REACTION MASS OF	Eye Irrit. 2: H319 0.06% <= C < 0.6%	
5-CHLORO-2-METHYL-2H-ISOTHIAZOL-3-O	Skin Sens. 1A: H317 C>= 0.0015%	
NE AND 2-METHYL-2H-ISOTHIAZOL-3-ONE		
(3:1)		

### Information on ingredients:

(Full text of H-phrases: see section 16)

[1] Substance for which maximum workplace exposure limits are available.

Note 10: The classification as a carcinogen by inhalation applies only to mixtures in powder form containing 1 % or more of titanium dioxide which is in the form of or incorporated in particles with aerodynamic diameter  $\ll 10 \ \mu m$ .

Version 12.1 (20/05/2022) - Page 3/10

Mat Pub: EUH211 - FDS385

#### SECTION 4 : FIRST AID MEASURES

As a general rule, in case of doubt or if symptoms persist, always call a doctor.

NEVER induce swallowing by an unconscious person.

#### 4.1. description of first aid measures

#### In the event of exposure by inhalation:

In the event of an allergic reaction, seek medical attention.

#### In the event of splashes or contact with eyes:

Wash thoroughly with fresh, clean water for 15 minutes holding the eyelids open.

#### In the event of splashes or contact with skin:

In the event of an allergic reaction, seek medical attention.

### In the event of swallowing:

In the event of swallowing, if the quantity is small (no more than one mouthful), rinse the mouth with water and consult a doctor.

Keep the person exposed at rest. Do not force vomiting.

Seek medical attention, showing the label.

If swallowed accidentally, call a doctor to ascertain whether observation and hospital care will be necessary. Show the label.

### 4.2. Most important symptoms and effects, both acute and delayed

No data available.

#### 4.3. Indication of any immediate medical attention and special treatment needed

No data available.

### SECTION 5: FIREFIGHTING MEASURES

Non-flammable.

### 5.1. Extinguishing media

#### Suitable methods of extinction

In the event of a fire, use:

- sprayed water or water mist
- foam
- multipurpose ABC powder
- BC powder
- carbon dioxide (CO2)

### Unsuitable methods of extinction

In the event of a fire, do not use:

- water jet

### 5.2. Special hazards arising from the substance or mixture

A fire will often produce a thick black smoke. Exposure to decomposition products may be hazardous to health.

Do not breathe in smoke.

In the event of a fire, the following may be formed:

- carbon monoxide (CO)
- carbon dioxide (CO2)

### 5.3. Advice for firefighters

No data available.

### SECTION 6 : ACCIDENTAL RELEASE MEASURES

### ${\bf 6.1. \ Personal \ precautions, \ protective \ equipment \ and \ emergency \ procedures}$

Consult the safety measures listed under headings 7 and 8.

### For first aid worker

First aid workers will be equipped with suitable personal protective equipment (See section 8).

Version 12.1 (20/05/2022) - Page 4/10

Mat Pub: EUH211 - FDS385

#### 6.2. Environmental precautions

Contain and control the leaks or spills with non-combustible absorbent materials such as sand, earth, vermiculite, diatomaceous earth in drums for waste disposal.

Prevent any material from entering drains or waterways.

#### 6.3. Methods and material for containment and cleaning up

Clean preferably with a detergent, do not use solvents.

#### 6.4. Reference to other sections

No data available.

#### SECTION 7: HANDLING AND STORAGE

Requirements relating to storage premises apply to all facilities where the mixture is handled.

#### 7.1. Precautions for safe handling

Always wash hands after handling.

Remove and wash contaminated clothing before re-using.

Ensure that there is adequate ventilation, especially in confined areas.

#### Fire prevention:

Handle in well-ventilated areas.

Prevent access by unauthorised personnel.

### Recommended equipment and procedures:

For personal protection, see section 8.

Observe precautions stated on label and also industrial safety regulations.

Packages which have been opened must be reclosed carefully and stored in an upright position.

### Prohibited equipment and procedures:

No smoking, eating or drinking in areas where the mixture is used.

#### 7.2. Conditions for safe storage, including any incompatibilities

No data available.

#### Storage

Keep out of reach of children.

Keep the container tightly closed in a dry, well-ventilated place.

The floor must be impermeable and form a collecting basin so that, in the event of an accidental spillage, the liquid cannot spread beyond this area.

#### Packaging

Always keep in packaging made of an identical material to the original.

### 7.3. Specific end use(s)

No data available.

### >SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

### 8.1. Control parameters

### Occupational exposure limits:

- ACGIH TLV (American Conference of Governmental Industrial Hygienists, Threshold Limit Values, 2010):

CAS	TWA:	STEL:	Ceiling:	Definition:	Criteria:
13463-67-7	10 mg/m3			A4	
- South Africa / DOI	RL (Departme	nt of Labour, Ro	ecommended lir	nits, 1995) :	
CAS	TWA:	STEL:	Ceiling:	Definition:	Criteria:
13463-67-7	10 mg/m3				
- Australia (NOHSC	: 3008, 1995) :				
CAS	TWA:	STEL:	Ceiling:	Definition:	Criteria:
13463-67-7	10 mg/m3			H	
- Belgium (Arrêté du	19/11/2020):				
CAS	TWA:	STEL:	Ceiling:	Definition:	Criteria:
13463-67-7	10 mg/m <sup>3</sup>				

Version 12.1 (20/05/2022) - Page 5/10

#### Mat Pub: EUH211 - FDS385

- Canada / Alberta (G	Degunational ha	alth and safaty	anda 2000) :			
CAS	TWA:	STEL:	Ceiling:	Definition:	Criteria :	٦
13463-67-7	10 mg/m3	DILL.	Jennig .	Definition :	CINCII .	7
- Canada / British Co	olombia (2009)		1	•		_
CAS	TWA:	STEL:	Ceiling:	Definition:	Criteria :	7
13463-67-7	10 (N) mg/m3					
- Canada / Ontario (	Control of expos	sure to biologica	al or chemical a	gents regulation	491/2009) :	_
CAS	TWA:	STEL:	Ceiling:	Definition :	Criteria:	7
13463-67-7	10 mg/m3	-	-	-	T	1
- Canada / Quebec (1	Regulations on o	occupational hea	alth and safety)	:	•	_
CAS	TWA:	STEL:	Ceiling:	Definition:	Criteria :	7
13463-67-7	10 mg/m3			Pt. note 1		1
- China (GBZ 2.1, 20		•	1	•		_
CAS	TWA:	STEL:	Anm:	TWA:	STEL:	Anm:
13463-67-7	8 mg/m3					
- Denmark (2020) :		•		'	<u> </u>	'
Stof	TWA	VSTEL	Loftvaerdi	Anm	7	
13463-67-7	- ppm			K		
	6 mg/m <sup>3</sup>					
- France (INRS - ED		6):			=	
CAS	VME-ppm:	VME-mg/m3:	VLE-ppm:	VLE-mg/m3:	Notes:	TMP No:
13463-67-7	-	10	-	-	-	-
- Spain (Instituto Na	cional de Segur	idad e Higiene e	en el Trabajo (II	NSHT), 2019):		
CAS	TWA:	STEL:	Ceiling:	Definition:	Criteria:	7
13463-67-7	10 mg/m <sup>3</sup>		8			7
- Hong-Kong (Code	of practice on c	ontrol of air imi	ourities (Chemie	cals substances)	in the workplac	e, 04/2002) :
CAS	TWA:	STEL:	Ceiling:	Definition:	Criteria :	7
13463-67-7	10 mg/m3	-	-	-	I	1
- Ireland (Code of pr	actice for the C	hemical Agents	Regulations 20	016) :		_
CAS	TWA:	STEL:	Ceiling:	Definition :	Criteria:	7
13463-67-7	4 mg/m <sup>3</sup>		8			1
- Japan (JSOH, 17/0			•	'		_
CAS	TWA:	STEL:	Ceiling:	Definition:	Criteria:	7
13463-67-7	0.3 mg/m <sup>3</sup>		8			
- Mexico :		•	•	•	•	_
CAS	TWA:	STEL:	Ceiling:	Definition:	Criteria :	7
13463-67-7	10 mg/m3	20 mg/m3	-	-	-	1
- Norway (Veilednin	om administr	ative normer for	forurensning i	arbeidsatmosfæ	re 2019) ·	_
CAS	TWA:	STEL:	Ceiling:	Definition :	Criteria :	7
13463-67-7	5 mg/m <sup>3</sup>		8			
- New Zealand (Wor		e standards 200	)2) :	'		_
CAS	TWA:	STEL:	Ceiling:	Definition:	Criteria:	7
13463-67-7	10(a) mg/m3		8			
- Netherlands / MAC	- · · · · ·	cember 2014) ·	•			_
CAS	TWA:	STEL:	Ceiling:	Definition:	Criteria:	7
13463-67-7	10 mg/m3	-	-	-	-	7
55965-84-9	0.05 mg/m3	-	-	-	-	
- Poland (Dz. U. z 20		1000 i 1076) ·		•	•	_
CAS	TWA:	STEL:	Ceiling:	Definition:	Criteria:	
13463-67-7	10 mg/m3	-	-	-	TI	1
- Slovakia (Règleme	nt 300/2007. 47	1/2011 23/11/2	(011):	•	•	_
CAS	TWA:	STEL:	Ceiling:	Definition:	Criteria:	
13463-67-7	5 mg/m³					

Version 12.1 (20/05/2022) - Page 6/10

#### Mat Pub: EUH211 - FDS385

- Switzerland (SUVAPRO 2019):

CAS	VME	VLE	Valeur plafond	Notations
13463-67-7	3 ppm			
55965-84-9	0.2 ppm	0.4 mg/m <sup>3</sup>		
- Sweden (AFS	2018 -1) -			

CAS	TWA:	STEL:	Ceiling:	Definition:	Criteria:
13463-67-7	5 mg/m <sup>3</sup>				

UK / WEL (Workplace exposure limits, EH40/2005, Fourth Edition 2020): CAS STEL: Ceiling: Definition:

CAS	TWA:	STEL:	Ceiling:	Definition:	Criteria:	]	
13463-67-7	4 mg/m <sup>3</sup>					]	
- USA / NIOSH IE	DLH (National	Institute for Oc	cupational Safe	tv and Health.	Immediately Da	angerous to L	ife

or Health Concentrations): TWA: STEL: Ceiling: Definition: Criteria:

13463-67-7	-	-	5000	-	-	
- USA / OSHA PEL	(Occupational S	Safety and Healt	h Administration	n, Permissible E	xposure Limits)	. :
CAS	TWA:	STEL:	Ceiling:	Definition:	Criteria:	
13463-67-7	15 mg/m3					

### 8.2. Exposure controls

CAS

### Personal protection measures, such as personal protective equipment

Pictogram(s) indicating the obligation of wearing personal protective equipment (PPE):





Use personal protective equipment that is clean and has been properly maintained.

Store personal protective equipment in a clean place, away from the work area.

Never eat, drink or smoke during use. Remove and wash contaminated clothing before re-using. Ensure that there is adequate ventilation, especially in confined areas.

### - Eye / face protection

Avoid contact with eyes.

Use eye protectors designed to protect against liquid splashes

Before handling, wear safety goggles in accordance with standard EN166.

### |> - Hand protection

Wear suitable protective gloves in the event of prolonged or repeated skin contact.

Use suitable protective gloves that are resistant to chemical agents in accordance with standard EN ISO 374-1.

Gloves must be selected according to the application and duration of use at the workstation.

Protective gloves need to be selected according to their suitability for the workstation in question : other chemical products that may be handled, necessary physical protections (cutting, pricking, heat protection), level of dexterity required.

Type of gloves recommended:

- Natural latex
- Nitrile rubber (butadiene-acrylonitrile copolymer rubber (NBR))
- PVC (polyvinyl chloride)
- Butyl Rubber (Isobutylene-isoprene copolymer)

### - Body protection

Work clothing worn by personnel shall be laundered regularly.

After contact with the product, all parts of the body that have been soiled must be washed.

#### >SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

### 9.1. Information on basic physical and chemical properties

#### Physical state

Physical state: Viscous liquid.

#### |> Colour

Unspecified

Version 12.1 (20/05/2022) - Page 7/10

#### Mat Pub: EUH211 - FDS385

|> Odour

Odour threshold: Not stated.

|> Melting point

Melting point/melting range: Not relevant.

|> Freezing point

Freezing point / Freezing range: Not stated.

|> Boiling point or initial boiling point and boiling range

Boiling point/boiling range: Not relevant.

|> Flammability

Flammability (solid, gas): Not stated.

|> Lower and upper explosion limit

Explosive properties, lower explosivity limit (%): Not stated. Explosive properties, upper explosivity limit (%): Not stated.

|> Flash point

Flash point interval: Not relevant.

**Auto-ignition temperature** 

Self-ignition temperature: Not relevant.

**Decomposition temperature** 

Decomposition point/decomposition range: Not relevant.

|> pH

pH (aqueous solution) : Not stated. pH : 8.80 .

Slightly basic.

|> Kinematic viscosity

Viscosity: Not stated.

|> Solubility

Water solubility: Dilutable.
Fat solubility: Not stated.

|> Partition coefficient n-octanol/water (log value)

Partition coefficient: n-octanol/water: Not stated.

Vapour pressure

Vapour pressure (50°C): Not relevant.

Density and/or relative density

Density: 1.57

|> Relative vapour density

Vapour density: Not stated.

|> 9.2. Other information

VOC (g/l): 39.33

 $\mid$  > 9.2.1. Information with regard to physical hazard classes

No data available.

|> 9.2.2. Other safety characteristics

No data available.

### SECTION 10: STABILITY AND REACTIVITY

### 10.1. Reactivity

No data available.

#### 10.2. Chemical stability

This mixture is stable under the recommended handling and storage conditions in section 7.

#### 10.3. Possibility of hazardous reactions

When exposed to high temperatures, the mixture can release hazardous decomposition products, such as carbon monoxide and dioxide, fumes and nitrogen oxide.

Version 12.1 (20/05/2022) - Page 8/10

#### Mat Pub: EUH211 - FDS385

#### 10.4. Conditions to avoid

Avoid:

- frost

#### 10.5. Incompatible materials

No data available.

### 10.6. Hazardous decomposition products

The thermal decomposition may release/form:

- carbon monoxide (CO)
- carbon dioxide (CO2)

### SECTION 11 : TOXICOLOGICAL INFORMATION

### 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Splashes in the eyes may cause irritation and reversible damage

#### 11.1.1. Substances

No toxicological data available for the substances.

#### 11.1.2. Mixture

#### Respiratory or skin sensitisation:

Contains at least one sensitising substance. May cause an allergic reaction.

#### 11.2. Information on other hazards

### Monograph(s) from the IARC (International Agency for Research on Cancer):

CAS 140-88-5 : IARC Group 2B : The agent is possibly carcinogenic to humans.

CAS 100-42-5 : IARC Group 2A : The agent is probably carcinogenic to humans.

CAS 79-06-1: IARC Group 2A: The agent is probably carcinogenic to humans.

CAS 141-32-2: IARC Group 3: The agent is not classifiable as to its carcinogenicity to humans.

CAS 79-10-7: IARC Group 3: The agent is not classifiable as to its carcinogenicity to humans.

CAS 14808-60-7: IARC Group 1: The agent is carcinogenic to humans.

CAS 9003-01-4: IARC Group 3: The agent is not classifiable as to its carcinogenicity to humans.

CAS 13463-67-7: IARC Group 2B: The agent is possibly carcinogenic to humans.

### SECTION 12: ECOLOGICAL INFORMATION

### 12.1. Toxicity

#### 12.1.2. Mixtures

No aquatic toxicity data available for the mixture.

### 12.2. Persistence and degradability

No data available.

### 12.3. Bioaccumulative potential

No data available.

### 12.4. Mobility in soil

No data available.

### 12.5. Results of PBT and vPvB assessment

No data available.

### 12.6. Endocrine disrupting properties

No data available.

### 12.7. Other adverse effects

No data available.

Version 12.1 (20/05/2022) - Page 9/10

Mat Pub: EUH211 - FDS385

#### SECTION 13 : DISPOSAL CONSIDERATIONS

Proper waste management of the mixture and/or its container must be determined in accordance with Directive 2008/98/EC.

#### 13.1. Waste treatment methods

Do not pour into drains or waterways.

#### Waste:

Waste management is carried out without endangering human health, without harming the environment and, in particular without risk to water, air, soil, plants or animals.

Recycle or dispose of waste in compliance with current legislation, preferably via a certified collector or company.

Do not contaminate the ground or water with waste, do not dispose of waste into the environment.

#### Soiled packaging:

Empty container completely. Keep label(s) on container.

Give to a certified disposal contractor.

### Codes of wastes (Decision 2014/955/EC, Directive 2008/98/EEC on hazardous waste):

15 01 02 plastic packaging

20 01 27 \* paint, inks, adhesives and resins containing dangerous substances

15 01 04 metallic packaging

#### SECTION 14: TRANSPORT INFORMATION

Exempt from transport classification and labelling.

#### 14.1. UN number or ID number

#### 14.2. UN proper shipping name

.

### 14.3. Transport hazard class(es)

-

## 14.4. Packing group

.

### 14.5. Environmental hazards

-

# 14.6. Special precautions for user

-

### >SECTION 15: Regulatory information

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

### |> - Classification and labelling information included in section 2:

The following regulations have been used:

- EU Regulation No. 1272/2008 amended by EU Regulation No. 2021/643 (ATP 16)
- EU Regulation No. 1272/2008 amended by EU Regulation No. 2021/849 (ATP 17)

### - Container information:

No data available.

### - Labelling for VOCs present in varnishes, paints and in vehicle refinishing products (2004/42/EC):

The permitted European levels of VOC in the ready-to-use product (category IIAb) are 150 g/l maximum in 2007 and 100 g/l maximum in 2010.

### - Particular provisions :

No data available.

### 15.2. Chemical safety assessment

No data available.

Version 12.1 (20/05/2022) - Page 10/10

Mat Pub: EUH211 - FDS385

#### >SECTION 16: OTHER INFORMATION

Since the user's working conditions are not known by us, the information supplied on this safety data sheet is based on our current level of knowledge and on national and community regulations.

The mixture must not be used for other uses than those specified in section 1 without having first obtained written handling

It is at all times the responsibility of the user to take all necessary measures to comply with legal requirements and local regulations.

The information in this safety data sheet must be regarded as a description of the safety requirements relating to the mixture and not as a guarantee of the properties thereof.

### Wording of the phrases mentioned in section 3:

H301	l oxic if swallowed.
H302	Harmful if swallowed.
H310	Fatal in contact with skin.
H314	Causes severe skin burns and eye damage.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H318	Causes serious eye damage.
H330	Fatal if inhaled.
H351	Suspected of causing cancer.

H400 Very toxic to aquatic life.

H410 Very toxic to aquatic life with long lasting effects.

EUH071 Corrosive to the respiratory tract.

#### |> Abbreviations :

REACH: Registration, Evaluation, Authorization and Restriction of Chemical Substances.

UFI: Unique formulation identifier. STEL: Short-term exposure limit TWA: Time Weighted Averages TMP: French Occupational Illness table TLV: Threshold Limit Value (exposure)

AEV: Average Exposure Value.

ADR: European agreement concerning the international carriage of dangerous goods by Road.

IMDG: International Maritime Dangerous Goods. IATA: International Air Transport Association.

ICAO: International Civil Aviation Organisation

RID: Regulations concerning the International carriage of Dangerous goods by rail.

WGK: Wassergefahrdungsklasse (Water Hazard Class).

PBT: Persistent, bioaccumulable and toxic.

vPvB: Very persistent, very bioaccumulable.

SVHC: Substances of very high concern.

|> Modification compared to the previous version

Références	Désignation Référence
257025	ACRYLIQUE MAT PUB 500 ML BLANC PERMANENT
257023	ACRYLIQUE MAT PUB 500 ML GRIS CHAUD
257017	ACRYLIQUE MAT PUB 500 ML ROSE LUMIERE
257016	ACRYLIQUE MAT PUB 500 ML VERT PERMANENT
257015	ACRYLIQUE MAT PUB 500 ML VERT LUMIERE
257014	ACRYLIQUE MAT PUB 500 ML VERT CANARD
257013	ACRYLIQUE MAT PUB 500 ML BLEU TURQUOISE
257012	ACRYLIQUE MAT PUB 500 ML BLEU CYAN
257009	ACRYLIQUE MAT PUB 500 ML VIOLET COBALT
257002	ACRYLIQUE MAT PUB 500 ML JAUNE PRIMAIRE
257001	ACRYLIQUE MAT PUB 500 ML IVOIRE BEIGE
256025	ACRYLIQUE MAT PUB 140 ML BLANC PERMANENT
256023	ACRYLIQUE MAT PUB 140 ML GRIS CHAUD
256017	ACRYLIQUE MAT PUB 140 ML ROSE LUMIERE
256016	ACRYLIQUE MAT PUB 140 ML VERT PERMANENT
256015	ACRYLIQUE MAT PUB 140 ML VERT LUMIERE
256014	ACRYLIQUE MAT PUB 140 ML VERT CANARD
256013	ACRYLIQUE MAT PUB 140 ML BLEU TURQUOISE
256012	ACRYLIQUE MAT PUB 140 ML BLEU CYAN
256011	ACRYLIQUE MAT PUB 140 ML BLEU COBALT
256009	ACRYLIQUE MAT PUB 140 ML VIOLET COBALT
256008	ACRYLIQUE MAT PUB 140 ML ROSE TYRIEN
256003	ACRYLIQUE MAT PUB 140 ML JAUNE DORE
256002	ACRYLIQUE MAT PUB 140 ML JAUNE PRIMAIRE
256001	ACRYLIQUE MAT PUB 140 ML IVOIRE BEIGE
255181	SET DE 5 APPLICATEURS 30ML MAT PUB