00817-1030

according to Regulation (EC) No. 1907/2006 (REACH)

HORADAM GOUACHE 12 103 zinc white

12103006zinc white 21.01.20 Article No. Issue date: Version 4.1 (21.01.20) Page 1 / 9

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

12 103 zinc white Trade name

1.2 Relevant identified uses of the substance or mixture and uses advised against

General use

Products for creation of art.

Uses advised against

1.3 Details of the supplier of the safety data sheet

H. Schmincke & Co. GmbH & Co. KG Otto-Hahn-Str. 2 D - 40699 Erkrath Tel. +49 (0) 211-2509-0 Fax. +49 (0) 211-2509-497 info@schmincke.de www.schmincke.de

Dept. responsible for information

Schmincke-Labor: Mo-Do 8.00-16.30, Fr 8.00-13.30

Tel. +49 (0) 211-2509-474 labor@schmincke.de

1.4 Emergency telephone number

Emergency Information

Emergencycall Berlin (24h - counseling in german and english)

Phone # +49 (0) 30-30686700

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification according to EC regulation 1272/2008 (CLP)

Aquatic Acute 1; H400 Very toxic to aquatic life. Aquatic Chronic 1; H410 Very toxic to aquatic life with long lasting effects.

2.2 Label elements

Labelling



Signal word Warning

Hazard components for labelling

Hazard statements

according to Regulation (EC) No. 1907/2006 (REACH)

HORADAM GOUACHE 12 103 zinc white

 Article No.
 12103006zinc white
 Issue date:
 21.01.20

 Version
 4.1
 (21.01.20)
 Page
 2 / 9

Safety precautions

P102 Keep out of reach of children.

P270 Do not eat, drink or smoke when using this product.

P273 Avoid release to the environment.

P391 Collect spillage.

2.3 Other hazards

SECTION 3: Composition / information on ingredients

3.1 Substances

Chemical characterisation

pigment gum arabic Water

CAS-Number EINECS / ELINCS / NLP EU index number Customs tariff number REACH registration No. RTECS-no. Hazchem-Code CI-Number

14 230 PW4 PW6 PR242 PY42

14 481 PW4 PB15:1 14 486 PW4 PB29 14 910 PV3 14 930 PR81:2 14 940 PV1

CI-Number 14 230 PW4 PW6 PR242 PY42

14 481 PW4 PB15:1 14 486 PW4 PB29 14 910 PV3 14 930 PR81:2 14 940 PV1

3.2 Mixtures

Substance 1

zinc oxide: 50 - 75 % CAS: 1314-13-2

REACH: 01-2119463881-32-0043

Aquatic Acute 1; H400 / Aquatic Chronic 1 (M1); H410

Additional information

SECTION 4: First aid measures

4.1 Description of first aid measures

deneratinf817m3tion

No special measures are required.

Page 2 of 9

according to Regulation (EC) No. 1907/2006 (REACH)

HORADAM GOUACHE 12 103 zinc white

 Article No.
 12103006zinc white
 Issue date:
 21.01.20

 Version
 4.1
 (21.01.20)
 Page
 3 / 9

If you feel unwell, seek medical advice (show the label where possible).

In case of inhalation

No special measures are required.

If you feel unwell, seek medical advice (show the label where possible).

In case of skin contact

Thoroughly wash skin with soap and water.

Seek medical attention if irritation persists.

After eve contact

In case of contact with eyes, rinse immediately with plenty of flowing water for 10 to 15 minutes holding eyelids apart.

Seek medical attention if irritation persists.

After swallowing

Let water be drunken in little sips (dilution effect).

Get medical advice/attention if you feel unwell.

4.2 Most important symptoms and effects, both acute and delayed

4.3 Indication of any immediate medical attention and special treatment needed

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media

Product is non-combustible. Extinguishing materials should therefore be selected according to surroundings.

Extinguishing media which must not be used for safety reasons

water Full water jet

5.2 Special hazards arising from the substance or mixture

In case of fire may be liberated: Carbon monoxide and carbon dioxide

5.3 Advice for firefighters

Special protective equipment for firefighters

Additional information

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Avoid contact with skin, eyes, and clothing.

6.2 environmental precautions

Discharge into the environment must be avoided.

6.3 Methods and material for containment and cleaning up

ethods for cleaning up

Take up mechanically. Wash spill area with plenty of water.

Additional information

6.4 Reference to other sections

Dispose of waste according to applicable legislation. refer to section 13

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Advices on safe handling

Handle in accordance with good industrial hygiene and safety practice.

Precautions against fire and explosion

7.2 Conditions for safe storage, including any incompatibilities

Requirements for storerooms and containers

Page 3 of 9

according to Regulation (EC) No. 1907/2006 (REACH)

HORADAM GOUACHE 12 103 zinc white

12103006zinc white 21.01.20 Issue date: Article No. Version 4.1 (21.01.20) Page 4 / 9

Keep container tightly closed.

Hints on joint storage Storage class Further details

storage temperature: 5 - 30 °C Protect from moisture contamination.

7.3 Specific end use(s)

No special measures necessary if stored and handled as prescribed.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

1314-13-2 zinc oxide

DEU	E-dust	1,250	mg/m³	4(I)
DEU			mg/m³	2(II)

8.2 Exposure controls

Occupational exposure controls

Respiratory protection

With correct and proper use, and under normal conditions, breathing protection is not required.

Respiratory protection must be worn whenever the WEL levels have been exceeded. Particle filter device (DIN EN 143)

Hand protection

Protect skin by using skin protective cream.

Eye protection

Tightly sealed safety glasses.

Body protection

Wear suitable protective clothing. Wash contaminated clothing prior to re-use.

General protection and hygiene measures After work, wash hands and face.

SECTION 9: Physical and chemical properties

9.1 information on basic physical and chemical properties

solid / pasty Form white Colour Odour almost odourless

	min	max
Initial boiling point and		
boiling range		
Melting point/freezing point		
Flash point/flash point range		
Flammability		
Ignition temperature		
Auto-ignition temperature		
Explosion limits		
Refraction index		
PH value	4	6,5
Viscosity		
Viscosity		

Vapour pressure

Iten Numbers: 00817-1030 Page 4 of 9 20 °C 2,2 - 2,4kg/l

according to Regulation (EC) No. 1907/2006 (REACH)

HORADAM GOUACHE 12 103 zinc white

 Article No.
 12103006zinc white
 Issue date:
 21.01.20

 Version
 4.1
 (21.01.20)
 Page
 5 / 9

Partition coefficient: n-octanol/water

Danger of explosion

9.2 Other information

SECTION 10: Stability and reactivity

10.1 Reactivity

No hazardous reaction when handled and stored according to provisions.

10.2 Chemical stability

Product is stable under normal storage conditions.

10.3 Possibility of hazardous reactions

10.4 Conditions to avoid

frost and heat

10.5 Incompatible materials

strong acids oxidizing agents Strong alkali

10.6 Hazardous decomposition products

No known hazardous decomposition products.

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Toxicological tests

1314-13-2

zinc oxide

oral	LD50	Rat	>	10000,00000	mg/kg	ı
inhalative	LC50	Rat	>	5,70000	mg/l	(4h)

Acute toxicity

No data available

In case of inhalation

No data available

After swallowing

No data available

In case of skin contact

No data available

After eye contact

No data available

Practical experience

General remarks

SECTION 12: Ecological information

12.1 Toxicity

Ecotoxicological effects 1314-13-2

1314-13-2 zinc oxide

EC50 Algae 0,17000 mg/1 (72h)

Item Numbers: 00817-1030

Aquatic toxicity

Water Hazard Class 1

Page 5 of 9

according to Regulation (EC) No. 1907/2006 (REACH)

HORADAM GOUACHE 12 103 zinc white

 Article No.
 12103006zinc white
 Issue date:
 21.01.20

 Version
 4.1
 (21.01.20)
 Page
 6 / 9

WGK catalog number General information

12.2 Persistence and degradability

Further details

Product is partially biodegradable.

Oxygen demand

12.3 Bioaccumulative potential

Bioconcentration factor (BCF)
Partition coefficient: n-octanol/water

12.4 Mobility in soil

No data available

12.5 Results of PBT and vPvB assessment

No data available

12.6 Other adverse effects

General information

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product

Waste key number

080112 waste paint and varnish other than those mentioned in 08 01 11

Recommendation

Contaminated packaging Waste key number

Completely emptied packages can be recycled.

Recommendation

Non-contaminated packages may be recycled. Handle contaminated packages in the same way as the substance itself.

Additional information

SECTION 14: Transport information

14.1 UN number

3082

14.2 UN proper shipping name

ADR, ADN Environmentally hazardous substance, liquid n.o.s.

IMDG, IATA ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.

14.3 Transport hazard class(es)

ADR, ADN 9 **IMDG** 9 **IATA** 9

14.4 Packing group

III

14.5 Environmental hazards

Marine Pollutant - IMDG

Yes

Page 6 of 9

MATERIAL SAFETY DATA SHEET according to Regulation (EC) No. 1907/2006 (REACH)

HORADAM GOUACHE 12 103 zinc white

12103006zinc white 21.01.20 Article No. Issue date: 7 / 9 Version 4.1 (21.01.20) Page

14.6 Special precautions for user

Land transport (ADR/RID)

М6 Code 90 Kemmler-number 9 Hazard label ADR **Limited quantities** 51

P001 - IBC03 - LP01 - R001 **Contaminated packaging: Instructions**

Contaminated packaging: Special provisions PP1 **MP19** Special provisions for packing together Т4 Portable tanks: Instructions TP1 - TP29 Portable tanks: Special provisions **LGBV** Tank coding **Tunnel restriction**

Remarks

EO

274 - 335 - 375 - 601 Special provisions

Inland waterway craft (ADN)

Hazard label Limited quantities **Transport permitted Equipment necessary** Ventilation

Remarks EQ

Special provisions

Sea transport (IMDG)

F-A, S-F **EmS** 274 - 335 - 969 **Special provisions Limited quantities** P001 - LP01 **Contaminated packaging: Instructions** Contaminated packaging: Special provisions PP1 IBC03 **IBC: Instructions IBC: Provisions Tank instructions IMO** T4 Tank instructions UN TP1 - TP29 **Tank instructions Special provisions** category A Stowage and segregation

Properties and observations Remarks

E1 EQ

Air transport (IATA-DGR)

Hazard

964 (450I) Passenger Y964 (30kg G) Passenger LO 964 (450I) Cargo ERG 9L

Remarks

A97 - A158 - A197 **Special Provisioning**

14.7 Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

according to Regulation (EC) No. 1907/2006 (REACH)

HORADAM GOUACHE 12 103 zinc white

 Article No.
 12103006 zinc white
 Issue date:
 21.01.20

 Version
 4.1
 (21.01.20)
 Page
 8 / 9

No data available

SECTION 15: Regulatory information

Bezeichner in aktueller Sprache fehlt!

National regulations

<u>Europe</u>

Contents of VOC [%] 0
Contents of VOC

[g/L]

Further regulations, limitations and legal requirements

Germany

Storage class
Water Hazard Class

WGK catalog number
Incident regulation
Information on working limitations
Further regulations, limitations and legal requirements

Denmark

Further regulations, limitations and legal requirements

Hungary

Further regulations, limitations and legal requirements

Great Britain

Further regulations, limitations and legal requirements

Switzerland

Contents of VOC [%]
Further regulations, limitations and legal requirements

<u>USA</u>

Further regulations, limitations and legal requirements Federal Regulations State Regulations Signal Word British Hazards Hazardous Ingredients

Hazard Statement Precaution Statement First aid Statements Children's Statement Required Statements

<u>Japan</u>

Further regulations, limitations and legal requirements

<u>Canada</u>

Further regulations, limitations and legal requirements

according to Regulation (EC) No. 1907/2006 (REACH)

HORADAM GOUACHE 12 103 zinc white

 Article No.
 12103006zinc white
 Issue date:
 21.01.20

 Version
 4.1
 (21.01.20)
 Page
 9 / 9

SECTION 16: Other information

Further information

Hazard statements (CLP) H400 Very toxic to aquatic life.

H410 Very toxic to aquatic life with long lasting effects.

Further information

This information is abased on our current state of knowledge and describes the security standards applicable to our product for the purpose provided. The information provided here does not constitute a legally binding warranty of specific characteristics or of suitability for a specific application use of the product is thus to be adapted to the user's special conditions and checked by preliminary tests. We are thus unable to guarantee product characteristics or accept an liability for damage arising in connection with the use of our products.

Literature

For abbreviations and acronyms, see: ECHA Guidance on information requirements and chemical safety assessment, chapter R.20 (Table of terms and abbreviations).

Reason of change

Additional information

BIT - 1,2-benzisothiazol-3(2H)-one

CIT - 5-chloro-2-methyl-4-isothiazolin-3-one

MIT - 2-methyl-2H-isothiazol-3-one

OIT - 2-octyl-2H-isothiazol-3-one