

(Required under OSHA's Hazard Communication Standard 29 CFR 1910.1200)

(PTG Group 4)

Page 1 of 3

Section 1. Identification

Manufacturer's Name: NICKER COLOUR CO.,LTD.	Telephone Number: +81-(0)3-6362-5234 (Japan)
Address: 2-20-16, Yanagibashi, Taito-ku, TOKYO 111-0052, JAPAN	FAX Number: +81-(0)3-6362-5236 (Japan)
Product Name: Painter's Gouache 12ML, Group 4 (2 Colors: Please see the attached Color List)	

Section 2. Hazard(s) identification

<GHS>



Serious eye damage/eye irritation: Category 2

<LHAMA/FHSA>

This product is approved by ACMI (The Art & Creative Material Institute, Inc.),
and carries the "CL" seal with the following caution labelling.

WARNING: EYE IRRITANT.**PRECAUTIONS: Keep away from eyes. KEEP OUT OF REACH OF CHILDREN.**

Section 3. Composition / information on ingredients

Silica (crystalline) (14808-60-7), Pigments, Resin, Additive, Water

Section 4. First-Aid measures

- Inhalation : If he/she has subjective and objective symptoms, move him/her to a place fresh air,
and consult a doctor.
- Skin Contact : Wash with soap and water.
- Eye Contact : Wash the eyes immediately with large amounts of running water for over 15 minutes,
and see a doctor for medical advice.
- Ingestion : If the victim stops breathing, wipe away any remaining material in the mouth and
clear the airway and administer artificial respiration.

Section 5. Fire-fighting measures

- Suitable extinguishing media : In case of fire, use water spray, foam or dry chemical powder.
- For safety reasons unsuitable extinguishing media : None
- Protective equipment : No special measures required

Section 6. Accidental release measure

- Person-related safety precautions : No relevant information found.
- Measures for environmental protection : No relevant information found.
- Measures for cleaning/collecting : Sweep up, place in a bag and hold for waste disposal.

Section 7. Handling and storage

- Handling : In the case of stuck to the skin, rinse with running water and soap.
- Storage : Avoid high temperature, fire, direct rays of the sun, and a powerful oxidizing agent.

Section 8. Exposure controls / personal protection

- General protective and hygienic measures : Unnecessary in normal use
- Breathing equipment : Unnecessary in normal use
- Protection of hands : Unnecessary in normal use
- Eye protection : Unnecessary in normal use
- Skin protection : Unnecessary in normal use

N.A.: Not Applicable

N.D.: Not Determined

November 08, 2024

Section 9. Physical and chemical properties

- Boiling point / boiling range : ca.100°C
- Flash point : No data
- Melting point : ca. 0°C
- Solubility:
 - water solubility : Soluble
 - fat solubility (solvent – oil to be specified) : Insoluble
- Relative density : 1 < g/cm³ (at 25°C)

Section 10. Stability and reactivity

- Conditions to avoid:
 - High temperature, Direct sunlight, Fire
- Materials to avoid:
 - Strong acid and base
- Hazardous decomposition products:
 - No dangerous decomposition products known

Section 11. Toxicological information

This product is approved by ACMI (The Art & Creative Material Institute, Inc.),
and carries the "CL" seal with the following caution labelling.

WARNING: EYE IRRITANT.

PRECAUTIONS: Keep away from eyes. **KEEP OUT OF REACH OF CHILDREN.**

Section 12. Ecological information

No relevant information found.

Section 13. Disposal Considerations

Incinerate under safe conditions or dispose of in accordance with local regulations.

Section 14. Transport information

- DOT : Not applicable
- IATA : Not applicable
- IMO : Not applicable

Section 15. Regulatory information

TSCA: All ingredients used to manufacture this product are listed on TSCA Inventory.

Section 16. Other information, including date of preparation or last revision.

HMIS Code:

Health - 1 Flammability - 0 Reactivity - 0 Personal Protection - N.A.

Date of revision: November 7, 2024

This information herein is given good faith, but no warranty, expressed or implied is made.

November 08, 2024

Color List

< Painter's Gouache 12ML, Group 4 >

Carmine	PTG #011	Ultramarine Deep	PTG #043
---------	----------	------------------	----------