01058-1001



#### **SAFETY DATA SHEET**

Page 1 of 8

# TUSC & PINE ™ STUDIOSOLV ™

# 1. Identification of the Preparation and of The Company

Product Name and/or code: Tusc & Pine™ StudioSolv™

60019, 60020, 60021, 60022, 60023 100 ml, 250 ml, 500 ml, 1 L, 3.78 L

Effective Date: 26-May-22

Manufacturer: MG Art Products, LLC

6022 Lois Lane Archdale, NC 27263

Website Address www.mgartproducts.com
Information Contact: Tel: 1-336-861-8584

info@mgartproducts.com

Emergency Response Service: ChemTel Inc.

1305 North Florida Avenue Tampa, FL 33602 USA

813-248-0573

www.chemtelinc.com

Contact Number: MIS4299042
Within the United States, Canada, Puerto 1-800-255-3924

Rico, and the U.S. Virgin Islands:

Emergency Contact (Health): For health emergencies call the Poison Control Center: 1-800-222-

1222

Product Use: ART MATERIAL - CONSUMER PRODUCT. Artist professional medium.

For application with brush to a substrate. Not intended for spray application, sanding, or other operations which generate dust or

airborne concentrations.

# 2. Hazards Identification

**Emergency Overview** 

COMBUSTIBLE LIQUID AND VAPOR. HARMFUL OR FATAL IF SWALLOWED.

Classification of the Product:

Label Elements Conforms to ASTM D-4236 (USA)

**GHS Hazard Pictograms** 



GHS08

GHS Signal Word DANGER!

**GHS Hazard Statement** 

Flammable liquids, Category 4 H227: Combustible liquid.

Aspiration toxicant, Category 1 H304: May be fatal if swallowed and enters airways.

# MG ART PRODUCTS

# **SAFETY DATA SHEET**

Page 2 of 8

# TUSC & PINE ™ STUDIOSOLV ™

#### **GHS Precautionary Statements**

P210 Keep away from heat/sparks/open flames/hot surfaces. No smoking. P280 Wear protective gloves/ eye protection/ face protection. P301 + P310 IF SWALLOWED: Immediately call a POISON CENTER/doctor. P331 Do NOT induce vomiting. P370 + P378 In case of fire: Use dry sand, dry chemical or alco-hold-resistant foam to extinguish. P403 + P235 Store in a well-ventilated place. Keep cool. P405 Store locked up. P501 Dispose of contents/ container to an approved waste disposal plant.

#### Art Material - Consumer Product Label

**Hazard Statement** 

Aspiration hazard. MAY BE FATAL IF ENTERS AIR WAYS. MAY BE HARMFUL IF INHALED. Overexposure may affect the brain or nervous system causing dizziness, headache or nausea. May cause eye, skin, nose and throat irritation. NOTICE: REPORTS HAVE ASSOCIATED REPEATED AND PROLONGED OCCUPATIONAL OVEREXPOSURE TO SOLVENTS WITH PERMANENT BRAIN AND NERVOUS SYSTEM DAMAGE. INTENTIONAL MISUSE BY DELIBERATELY CONCENTRATING AND INHALING THE CONTENTS MAY BE HARMFUL OR FATAL.

Precaution Statement:

DO NOT SWALLOW LIQUID OR INHALE VAPORS. Avoid contact with eyes, skin and clothing. Avoid breathing vapors. Wash thoroughly after handling. Keep away from heat, sparks and flame. Do not smoke. Extinguish all flames and other sources of ignition during and after use. Use with adequate ventilation. Ensure fresh air entry during application and drying. If you experience eye watering, headache or dizziness, wear an appropriate, properly fitted respirator (NIOSH approved) during and after application or leave the area.

Children's Statement

**KEEP OUT OF THE REACH OF CHILDREN.** 

NFPΔ

Flammability: 2 Reactivity: 0 Health: 1\* Flammability: 2

Health: 1

HMIS

Physical Hazard: 0

This product should not be used for any other purpose than the intended use.

3.Composition/Information on Ingredients:

#### Substances:

Mixture of the following chemicals:

Isoparaffinic hydrocarbon mixture (CAS # 64742-48-9) ≤ 100%

# 4. First Aid Measures

**Show this Safety Data Sheet to the doctor in attendance.** Symptoms of poisoning may appear several hours later. Do not leave person unattended. Move out of dangerous area.



Page 3 of 8

# TUSC & PINE ™ STUDIOSOLV ™

Inhalation If you experience difficulty in breathing, leave the area to obtain fresh air.

Contact a physician immediately. If unconscious, place in recovery

position and contact medical attention immediately.

Skin Contact In case of skin contact, remove contaminated clothing and shoes

immediately. Wash thoroughly with soap and plenty of water. Contact a

physician immediately if irritation occurs.

Eye Contact In case of eye contact, flush thoroughly with plenty of water for 15

minutes. Contact a physician immediately if irritation occurs. Continue

rinsing eyes during transport to a medical facility.

Ingestion If swallowed, do not induce vomiting. Rinse mouth. Contact a physician

immediately.

**NOTE TO PHYSICIAN:** If ingested, material may be aspirated into the lungs and cause chemical pneumonitis. Treat appropriately.

	5. Firefighting Measures
Extinguishing Media	Water fog, foam, carbon dioxide or dry chemical equipment.
Fire/Explosion Hazards	Combustible liquid and vapor. Hazardous decomposition products due to incomplete combustion.
Flashpoint/Flammability	144 ° F ( 62 °C ) Combustible
Fire-fighting Procedures	Fire-Fighters should wear appropriate protective equipment and self-contained breathing apparatus with a full face-piece operated in positive pressure mode. Containers may explode when heated. Do not allow run-off from fire fighting to enter drains or water courses.

6. Accidental Release Measures						
Methods and Materials for Containment and Cleaning up	Ensure adequate ventilation. Spills may produce slippery conditions. Contain spill. Recover as much as possible. Absorb remainder with noncombustible material, vermiculite or other inert material. Place into closed container and store in a safe location to await disposal. Wash the spill area with soap and water.					
	7. Handling and Storage					
Safe Handling	Use under ventilated conditions. Avoid eye and skin contact. For personal protection, we recommend that employees wash thoroughly after handling product. Always wash before eating, smoking or using toilet facilities. Keep container closed when not in use. Keep container upright to prevent leakage.					
Environmental precautions	No product should be released to the environment. Keep container closed when not in use. Keep container upright to prevent leakage. If the product contaminates rivers and lakes or drains inform respective authorities.					



Page 4 of 8

# TUSC & PINE ™ STUDIOSOLV ™

Storage Avoid fire, flames and strong oxidizers. Handle with care. Avoid

formation of aerosol. Keep in a well ventilated area. Observe label precautions. Store in a cool place. Keep in a sealed container.

# 8. Exposure Controls/Personal Protection

Personal Protective Equipment Wear tightly fitting safety goggles where spills, splashing or mist may

occur. Wear water resistant impervious gloves if handling bulk amounts. Use respirators and components tested and approved under

government standards such as NIOSH (USA).

**Exposure Limits (USA)** 

The values listed below are based on published literature values for the pure components.

Substance	Limit Standard		Note	
	OSHA Z1: TWA	400 mg/m3	100 PPM	/
Isoparaffinic hydrocarbon mixture (vapor)	RCP -TWA	1200 mg/m3	171 PPM	Total Hydrocarbon

Respiratory and Ventilation Wear approved NIOSH/MSHA respirator if exposure to mist or vapor

exceed applicable PEL/TLV limits. Use in accordance with

manufacturer's use limitations and OSHA STANDARD 1910-34. Local

ventilation may be used to prevent routine inhalation.

Skin Protection Wear water resistant impervious gloves if handling bulk amounts.

Eye Protection Wear goggles where spills or splashing may occur.

#### 9. Physical and Chemical Properties

Appearance Liquid

Physical State Liquid

Color Clear

Odor Odorless

State (pH) Not applicable

Specific Gravity Not determined

Viscosity 1.56 mm2/s @ 104 ° F (40 ° C)

Flashpoint 144  $^{\circ}$  F ( 62  $^{\circ}$ C ) Freezing Point (Pour Point) -69  $^{\circ}$ C (-92  $^{\circ}$ F)

Boiling Point (range) 189 - 209 °C (372 - 408 °F) Evaporation Rate 0.09 (Butyl Acetate = 1)

Upper Explosion Limit 5.3 %(V)
Lower Explosion Limit 0.7 %(V)

Auto Ignition Temperature 335 °C (635 °F)

Relative Density 0.765 @ 15 °C (59 °F) Reference substance: (water = 1)

Relative Vapor Density 5.6 (Air = 1.0)



Page 5 of 8

# TUSC & PINE ™ STUDIOSOLV ™

Density 0.7640 g/cm3 @ 15 °C (59 °F) Vapor Pressure 0.31 mmHg @ 20 °C (68 °F)

Solubility in water Negligible

	10. Stability and Reactivity
Reactivity:	No dangerous reaction known under conditions of normal use. Refer
	to Section 5 through 8.
Chemical Stability	Stable under recommended storage conditions.
Conditions to Avoid	Avoid al sources of ignition (Heat, sparks and flames).
Incompatible materials	Keep away from sources of ignition. Incompatible with strong oxidizing
	agents.
Hazardous Decomposition Products	Hazardous decomposition products due to incomplete combustion.
	Carbon Oxide. Smoke. Decomposition products depend on conditions.

11. Toxicological Information
Studies have not been performed on this particular mixture.
When used and handled according to specifications, the product is not expected to have any harmful effects.

Health Effects	Harmful or fatal if swallowed.				
The toxicity values listed below are based on published literature values for the pure components.					
Acute Toxicity (oral)	LD50 (Rat) > 5,000 mg/kg				
Acute Toxicity (inhalation)	LC50 (Rat) > 5,000 mg/m3 4 hrs. (vapor)				
Acute Toxicity	Aspiration hazard. MAY BE FATAL IF ENTERS AIR WAYS.				
Eye Effects	May cause eye irritation.				
Skin Effects	May cause skin irritation.				
Inhalation	May be harmful if inhaled. Overexposure may affect the brain or				
	nervous system causing dizziness, headache or nausea. May cause				
	throat irritation. The mixture is classified as specific target organ				
	toxicant, single exposure, category 3 with narcotic effects.				
NOTICE: REPORTS HAVE ASSO	OCIATED REPEATED AND PROLONGED OCCUPATIONAL OVEREXPOSURE TO				
SOLVENTS WITH PERMANENT BRA	AIN AND NERVOUS SYSTEM DAMAGE. INTENTIONAL MISUSE BY DELIBERATELY				

CONCENTRATING AND INHALING THE CONTENTS MAY BE HARMFUL OR FATAL.

Sensitization No effects are likely to occur during the foreseeable and reasonable

use of the product.

Ingestion If ingested, material may be aspirated into the lungs and cause

chemical pneumonitis or pulmonary edema.

Chronic Effects None known for the usual and ordinary uses of this product. If

ingested, material may be aspirated into the lungs and cause chemical pneumonitis. Aspiration hazard. MAY BE FATAL ENTERS AIR WAYS.

# MG ART PRODUCTS

#### **SAFETY DATA SHEET**

Page 6 of 8

# TUSC & PINE ™ STUDIOSOLV ™

Additional toxicological information: When used and handled according to specifications, the product is not

expected to have any harmful effects according to past experience and

the information provided.

NTP Not applicable to product.

IARC Not applicable to product.

ACGIH Not applicable to product.

OSHA Not applicable to product.

12. Ecological Information

Toxicity: Not expected to be harmful to the environment. No product should be

released to the environment. It is not expected to have significant environmental effects. No significant effects on aquatic organisms are

expected.

The toxicity information listed below are based on published literature values for the pure components.

Aquatic toxicity Not expected to be harmful to aquatic organisms.

Persistence and degradability Water durations 28 days: Percent degraded 31.3 (similar material)

Bioaccumulate potential No information available.

Mobility in soil Highly volatile, will partition rapidly to air. Not expected to partition to

sediment and

wastewater solids.

Additional ecological information As a general rule, no product should be released to the environment.

The product should not be allowed to enter drains, water courses, or

be deposited where it can affect ground or surface water.

# 13. Disposal Considerations

Dispose of all waste material in accordance with all applicable federal, state and local regulations. Handle with care.

# 14. Transport Information

This product is not hazardous for shipping via any mode.

#### LAND DOT

Proper Shipping Name PETROLEUM DISTILLATE, N.O.S

Hazard Class & Division COMBUSTIBLE LIQUID

ID Number 1268
Packaging Group III
ERG Number 128

Transport Document Name UN1268, PETROLEUM DISTILLATES, N.O.S., COMBUSTIBLE LIQUID, PG

Ш

This regulation does not apply to the non-bulk material.

This regulation does not apply to the non-bulk material.

This regulation does not apply to the non-bulk material.

This regulation does not apply to the non-bulk material.

# MG ART PRODUCTS

#### **SAFETY DATA SHEET**

Page 7 of 8

# TUSC & PINE ™ STUDIOSOLV ™

This information is not intended to convey all specific regulatory or operational requirements/information relating to this product. It is the responsibility of the transporting organization to follow all applicable laws, regulations and rules relating to the transportation of the materials.

15. Regulatory In	าformation
-------------------	------------

Safety, health and environmental regulations/legislation specific for the substance or mixture.

SARA Aspiration hazard. Flammable (combustible liquid and vapor)

Section 313 (specific toxic chemical Not applicable to this mixture.

listing)

TSCA (Toxic Substance Control Act)

All ingredients are listed.

California Proposition 65 As of May 26, 2022 this product contains no listed substances known

to the State of California to cause cancer, birth defects or other reproductive harm, at concentrations which would require a warning

under the statute.

Carcinogenicity categories

EPA (Environmental Protection Agency) Not a TLV (Threshold Limit Value established Not a

by ACGIH)

NIOSH (National Institute for

Occupational Safety & Health)

OSHA (Occupational Safety & Health

Administration)

Not applicable to this mixture.

#### 16. Other Information

Reason for Issue: New GHS SDS

Prepared by: ENVIRONMENTAL MEDICINE, INC.

778 Carver Avenue WESTWOOD, NJ 07675 jaegerr@envmed.com 201-666-7929 x13

The information contained in this Safety Data Sheet was compiled using the latest and most reliable information available to the preparer from the manufacturer. The information is provided without any warranty, express or implied regarding its correctness or accuracy nor will the manufacturer assume any liability for any loss or damage arising out of the use of this information including without limitation direct or indirect losses or expenses. To the extent permitted by law, no warranty expressed or implied regarding the product described herein shall be created by or inferred from any state or omission for this SDS. It is solely the responsibility of the user to determine safe conditions for use of this product and to assume liability for any loss, damage or expense whatsoever arising out of the product's improper use.

#### Abbreviations and acronyms:

NFPA (SCALE 0-4) National Fire Protection Association (USA)

Health: 1 Caution: May be irritating



Page 8 of 8

# TUSC & PINE ™ STUDIOSOLV ™

Fire: **2 Caution:** Combustible liquid flash point of 100° to 200° F

Reactivity: **0 Stable:** Not reactive when mixed with water.

HMIS (SCALE 0-4) Hazardous Materials

**Identification System (USA)** 

Health: 1 Slight Hazard: Irritation or minor reversible injury possible.

\* Chronic (long-term) health effects may result from repeated over

exposure.

Fire: 2 Moderate Hazard: Materials which must be moderately heated or

exposed to high ambient temperatures before ignition will occur. Includes liquids having a flash point at or above 100 F but below 200 F

(Classes II & IIIA).

Physical Hazard: **0 Minimal Hazard.** Materials that are normally stable, even under fire

conditions, and will NOT react with water, polymerize, decompose,

condense, or self-react. Non-explosives.