01060-1002



NATURAL PIGMENTS

Safety Data Sheet Calcium Drier

SECTION 1: Identification

1.1 GHS Product identifier

Product name

Calcium Drier

Product number Brand 500-CADR02 Rublev Colours

1.2 Other means of identification Calcium Drier

1.3 Recommended use of the chemical and restrictions on use For use with artist paint. Not for use by children.

1.4 Supplier's details

Name Address	Natural Pigments 291 Shell Lane Willits CA 95490 US
Telephone	707-459-9998
email	service@naturalpigments.com

1.5 Emergency phone number

INFOTRAC 1-800-424-9300 within North America or +1-352-323-3500 domestically or internationally. Account Number 115514

SECTION 2: Hazard identification

General hazard statement

"Consumer Products", as defined by the US Consumer Product Safety Act and which are used as intended (typical consumer duration and frequency), are exempt from the OSHA Hazard Communication Standard (29 CFR 1910.1200). This SDS is being provided as a courtesy to help assist in the safe handling and proper use of the product.

2.1 Classification of the substance or mixture

GHS classification in accordance with: (US) OSHA (29 CFR 1910.1200)

Version 1.0, Date of issue: 2024-11-01, Printed on: 2024-11-01, p. 1 of 10

- Flammable liquids, Cat. 3
- Specific target organ toxicity (single exposure), Cat. 3

2.2 GHS label elements, including precautionary statements

Pictograms



1. Flame; 2. Exclamation mark

Signal word

Warning

Hazard statement(s) H226 H335 H336	Flammable liquid and vapor May cause respiratory irritation May cause drowsiness or dizziness
Precautionary statement(s)	
P210 P233 P241 P242 P243 P261 P271 P280 P303+P361+P353	Keep away from heat, sparks, open flames, and hot surfaces. No smoking. Keep container tightly closed. Use explosion-proof electrical, ventilating, lighting, equipment. Use only non-sparking tools. Take precautionary measures against static discharge. Avoid breathing fume, mist, vapors, and spray. Use only outdoors or in a well-ventilated area. Wear protective gloves and eye protection IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse
P304+P340 P312 P370+P378 P403+P233 P403+P235 P405 P501	skin with water. IF INHALED: Remove person to fresh air and keep comfortable for breathing. Call a POISON CENTER if you feel unwell. In case of fire: Use dry foam to extinguish. Store in a well-ventilated place. Keep container tightly closed. Store in a well-ventilated place. Keep cool. Store locked up. Dispose of contents and container with licensed waste management.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Hazardous components		
Component	CAS no.	Concentration
Solvent naphtha (petroleum), light aromatics	64742-48-9	>= 20 - 50 % (weight)
CLASSIFICATIONS: No data available. HAZARDS: No data available.		
Calcium carbonate	471-34-1	>= 10 - <= 20 %
(weight)		
CLASSIFICATIONS: No data available. HAZARDS: No data available.		
Glycol Ethers		>= 10 - <= 20 %
(weight)		
CLASSIFICATIONS: No data available. HAZARDS: No data available.		
N-NONANE	111-84-2	>= 2 - <= 3 % (weight)_
CLASSIFICATIONS: No data available. HAZARDS: No data available.		

Version 1.0, Date of issue: 2024-11-01, Printed on: 2024-11-01, p. 2 of 10

SECTION 4: First-aid measures

4.1 Description of necessary first-aid measures

General advice	Consult a physician. Show this safety data sheet to the doctor in attendance. Move out of dangerous area.
If inhaled	Call a poison center or doctor if you feel unwell.
	Acute and delayed symptoms and effects: May cause respiratory irritation. Signs/symptoms may include cough, sneezing, nasal discharge, headache, hoarseness, and nose and throat pain.
In case of skin contact	Wash with plenty of water for at least 15 minutes. Call a poison center or doctor if irritation develops or persists. Take off contaminated clothing and wash it before reuse.
	Acute and delayed symptoms and effects: Causes skin irritation. Signs/symptoms may include localized redness, swelling, and itching.
In case of eye contact	Rinse cautiously with water for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical attention/advice.
	Acute and delayed symptoms and effects: Causes serious eye irritation. Signs/symptoms may include redness, swelling, pain, tearing, and blurred or hazy vision.
If swallowed	Call a poison center or doctor if you feel unwell. If vomiting occurs naturally, have victim lean forward to reduce the risk of aspiration. Do NOT induce vomiting unless directed to do so by medical personnel. Never give anything by mouth to an unconscious person.
	Acute and delayed symptoms and effects: May cause gastrointestinal irritation. Signs/symptoms may include abdominal pain, stomach upset, nausea, vomiting and diarrhea.

- **4.2** Most important symptoms/effects, acute and delayed The most important known symptoms and effects are described in the labelling (see section 2) and/or in section 11
- **4.3 Indication of immediate medical attention and special treatment needed, if necessary** No data available.

SECTION 5: Fire-fighting measures

5.1 Suitable extinguishing media Use alcohol-resistant foam, dry chemical or carbon dioxide.

5.2 Specific hazards arising from the chemical

Flammable liquid and vapor. In a fire or if heated, a pressure increase will occur and the container may burst, with the risk of a subsequent explosion. The vapor/gas is heavier than air and will spread along the ground. Vapors may accumulate in low or confined areas or travel a considerable distance to a source of ignition and flash back. Runoff

Version 1.0, Date of issue: 2024-11-01, Printed on: 2024-11-01, p. 3 of 10

to sewer may create fire or explosion hazard. Fire water contaminated with this material must be contained and prevented from being discharged to any waterway, sewer or drain.

5.3 Special protective actions for fire-fighters Wear self-contained breathing apparatus for firefighting if necessary.

Further information

Use water spray to cool unopened containers.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures Wear respiratory protection if necessary. Avoid breathing gas, mist, vapors, spray. Ensure adequate ventilation. Evacuate personnel to safe areas. For personal protection see section 8.

6.2 Environmental precautions

Do not let product enter drains.

6.3 Methods and materials for containment and cleaning up Soak up with inert absorbent material and dispose of as hazardous waste. Keep in suitable, closed containers for disposal.

Reference to other sections

For disposal see section 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Avoid contact with skin and eyes. Avoid inhalation of vapor or mist. Eating, drinking and smoking is prohibited. Wash hands with soap and water after handling. For precautions see section 2.

7.2 Conditions for safe storage, including any incompatibilities

Keep container tightly closed in a dry and well-ventilated place. Containers which are opened must be carefully resealed and kept upright to prevent leakage.

Specific end use(s)

Apart from the uses mentioned in section 1 no other specific uses are stipulated.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

CAS: 111-84-2

N-NONANE

AU/SWA (AU): 200 ppm; 1050 mg/m3 TWA inhalation [Nonane]

CAS: 471-34-1

Calcium carbonate AU/SWA (AU): 10 mg/m3 TWA inhalation

8.2 Appropriate engineering controls

Use ventilation adequate to keep exposures (airborne levels of fume, vapor, gas, etc.) below recommended exposure limits.

Version 1.0, Date of issue: 2024-11-01, Printed on: 2024-11-01, p. 4 of 10

8.3 Individual protection measures, such as personal protective equipment (PPE)





Eye/face protection

Safety glasses. If splash hazard, wear faceshield (8-inch minimum). Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU).

Skin protection

Wear protective gloves. Consult manufacturer specifications for further information.

Body protection

Wear protective clothing. The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

Respiratory protection

Where risk assessment shows air-purifying respirators are appropriate use a full-face respirator with multipurpose combination (US) or type ABEK (EN 14387) respirator cartridges as a backup to engineering controls. If the respirator is the sole means of protection, use a full-face supplied air respirator. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU).

Thermal hazards

No data available.

Environmental exposure controls

Do not let product enter drains.

SECTION 9: Physical and chemical properties

Appearance, such as physical state and colour Odour Melting point and freezing point Initial boiling point and boiling range Flash point Evaporation rate Flammability, in the case of solids and gases Upper and lower flammability or explosive limits Vapour pressure Vapour density Relative density Solubility Auto-ignition temperature Decomposition temperature

Additional properties Physical state Colour Explosive properties Oxidising properties Clear Petroleum No data available. No data available. 40°C (104°F) <1 (butyl acetate = 1) No data available. No data available. >1 (air = 1) 0.95 to 1.05 Insoluble in cold water. No data available. No data available.

Liquid Pale Yellow. Amber. No data available. No data available.

Version 1.0, Date of issue: 2024-11-01, Printed on: 2024-11-01, p. 5 of 10

Particle characteristics No data available.

Further safety characteristics (supplemental) No data available.

SECTION 10: Stability and reactivity

10.1 Reactivity

Contact with incompatible materials. Sources of ignition. Exposure to heat.

10.2 Chemical stability

Stable under normal storage conditions.

10.3 Possibility of hazardous reactions No data available.

10.4 Conditions to avoid

Heat, flames and sparks. Incompatible products. Keep away from open flames, hot surfaces and sources of ignition.

10.5 Incompatible materials

Reactive or incompatible with oxidizing materials.

10.6 Hazardous decomposition products

No data available.

SECTION 11: Toxicological information

Information on toxicological effects

Acute toxicity

Likely Routes of Exposure: Eye contact. Skin contact. Inhalation. Ingestion.

Symptoms (including delayed and immediate effects):

Inhalation: May cause respiratory irritation. Symptoms may include cough, sneezing,nasal discharge, headache, hoarseness, and nose and throat pain.

Ingestion: May cause gastrointestinal irritation. Signs/symptoms may include abdominal pain, stomach upset, nausea, vomiting and diarrhea.

Skin corrosion/irritation

Causes skin irritation. Symptoms may include localized redness, swelling, and itching.

Serious eye damage/irritation

Causes serious eye irritation. Symptoms may include redness, swelling, pain, tearing, and blurred or hazy vision.

Respiratory or skin sensitization

May cause allergy or asthma symptoms or breathing difficulties if inhaled.

Germ cell mutagenicity

No data available

Carcinogenicity

This product is or contains a component that has been reported to be carcinogenicity based on its IARC, ACGIH,NTP, or EPA classification

Version 1.0, Date of issue: 2024-11-01, Printed on: 2024-11-01, p. 6 of 10

IARC: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by IARC.

Reproductive toxicity

No data available.

Specific target organ toxicity (STOT) - single exposure

Naphtha (pertroleum), hydrotreated heavy May cause respiratory irritation. May cause drowsiness or dizziness

Specific target organ toxicity (STOT) - repeated exposure

Naphtha (pertroleum), hydrotreated heavy May cause damage to lungs through prolonged or repeated exposure.

Aspiration hazard

Naphtha (pertroleum), hydrotreated heavy May be fatal if swallowed and enters airways

Additional information

Calcium carbonate: Draize test, rabbit, eye: 750 ug/24H Severe; Draize test, rabbit, skin: 500 mg/24H Moderate; Oral, rat: LD50 = 6450 mg/kg;

N-NONANE: TOXICITY: typ. dose mode specie amount units other LC50 ihl rat 3200 ppm/4H LD50 ivn mus 218 mg/kg

AQTX/TLM96: Not available

SAX TOXICITY EVALUATION: THR: Poison by intravenous route. Mildly toxic by inhalation. Irritating to the respiratory tract. Narcotic in high concentrations.

CARCINOGENICITY: Not available

MUTATION DATA: Not available

TERATOGENICITY: Not available

STANDARDS, REGULATIONS & RECOMMENDATIONS:
OSHA: Federal Register (1/19/89)
Final Limit: PEL-TWA 200 ppm [015,545,610]
ACGIH: TLV-TWA 200 ppm [015,415,421,610]
NIOSH Criteria Document: None
NFPA Hazard Rating: Health (H): 0
Flammability (F): 3
Reactivity (R): 0
H0: Materials which on exposure under fire conditions would offer no hazard beyond that of ordinary combustible material (see NFPA for details).
F3: Materials which can be ignited under almost all normal temperature conditions (see NFPA for details).
R0: Materials which are normally stable even under fire exposure conditions and which are not reactive with water (see NFPA for details).

Version 1.0, Date of issue: 2024-11-01, Printed on: 2024-11-01, p. 7 of 10

OTHER TOXICITY DATA:

Standards and Regulations: DOT-IMO: Flammable or Combustible liquid; Label: Flammable liquid Status: EPA TSCA Chemical Inventory, 1986 EPA TSCA Test Submission (TSCATS) Data Base, September 1989

SECTION 12: Ecological information

Toxicity

Naphtha (pertroleum), hydrotreated heavyResultSpeciesAcute LC50 >100mglAlgae

Exposure 72 Hours

Persistence and degradability No data available on product

Bioaccumulative potential

Naphtha (pertroleum), hydrotreated heavyBCFPotential10 to 2500High

Mobility in soil No data available.

Results of PBT and vPvB assessment

PBT/vPvB assessment not available as chemical safety assessment not required/not conducted

Other adverse effects

No data available.

SECTION 13: Disposal considerations

Disposal methods

Product disposal

Disposal should be in accordance with applicable Federal, State and local laws and regulations. Local regulations may be more stringent than State or Federal requirements.

Packaging disposal

Dispose of as unused product.

SECTION 14: Transport information

DOT (US)

UN Number: UN1993 Class: 3 Packing Group: III Proper Shipping Name: Flammable liquids, n.o.s. Reportable quantity (RQ): Marine pollutant: This product may be re-classified as "Combustible Liquid," unless transported by vessel or aircraft. Non-bulk packages (less than or equal to 119 gallons) of combustible liquids that are marine pollutants are regulated as hazardous materials unless transported by vessel. This product is regulated as a marine pollutant when transported on inland waterways, in size of ≤5 L or ≤5 kg, or by road, rail, or inland air in non-bulk sizes, provided the packagings meet the general provisions §§ 173.24 and 173.24a.

Version 1.0, Date of issue: 2024-11-01, Printed on: 2024-11-01, p. 8 of 10

IMDG

UN Number: UN1993 Class: 3 Packing Group: III EMS Number: Proper Shipping Name: Flammable liquids, n.o.s.

IATA UN Number: UN1993 Class: 3 Packing Group: III Proper Shipping Name: Flammable liquids, n.o.s.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations specific for the product in question

Canadian Domestic Substances List (DSL) Chemical name: Carbonic acid calcium salt (1:1) CAS number: 471-34-1

Chemical name: Nonane CAS number: 111-84-2

Massachusetts Right To Know Components (105 CMR 670)

Chemical name: NONANE CAS number: 111-84-2 Asterisk: no; Refs: 4,6

Massachusetts Toxic Use Reduction Act (TURA) list

Chemical name: Glycol Ethers CAS number: (none) TRI listing: X-reportable; CERCLA listing: X-reportable; TURA-only listing: no; de minimis concentration threshold: 1 percent. Qualifiers/definitions: DEP Code # in lieu of TRI Category #N230. Defined as any unique chemical R -(OCH2CH2)n - OR' where: n = 1, 2, or 3; R = Alkyl C7 or less; or
R = phenyl or alkyl substituted phenyl; R' = H or alkyl C7 or less; or
OR' consisting of carboxylic acid ester, sulfate, phosphate, nitrate, or sulfonate. Changes: Categor redefined -- partially delisted -- high molecular weight glycol ethers excluded RY1992

New Jersey Right To Know Components

Common name: GLYCOL ETHERS CAS number: (none)

Common name: NONANE CAS number: 111-84-2 Listing note: F3-flammable 3rd deg.

Pennsylvania Right To Know Components

Chemical name: GLYCOL ETHERS CAS number: (none) Listing note: E-environmental hazard.

Chemical name: NONANE

Version 1.0, Date of issue: 2024-11-01, Printed on: 2024-11-01, p. 9 of 10

CAS number: 111-84-2

SARA 302 Components

No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.

SARA 311/312 Hazards

Acute Health Hazard

SARA 313 Components

This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

US EPA TSCA public inventory

Chemical name: Calcium carbonate CAS number: 471-34-1

Chemical name: N-NONANE CAS number: 111-84-2

HMIS Rating

Calcium Drier		
HEALTH	2	
FLAMMABILITY	2	
PHYSICAL HAZARD	0	
PERSONAL PROTECTION	E	

NFPA Rating



SECTION 16: Other information

16.1 Further information/disclaimer

DISCLAIMER: The information above is believed to be accurate and represents the best information currently available to us. However, we make no warranty of merchantability or any other warranty, express or implied, with respect to such information, and we assume no liability resulting from its use. Users should make their own investigation to determine the suitability of information for their particular purposes. In no event shall Natural Pigments be liable for any claims, losses, or damages of any third party or for lost profits or any special, indirect, incidental, consequential or exemplary damages, whatsoever arising, even if Natural Pigments has been advised of the possibility of such damages