01060-1375



NATURAL PIGMENTS

Safety Data Sheet Venetian-Italian Medium

SECTION 1: Identification

1.1 GHS Product identifier

Product name Venetian-Italian Medium

Product number 500-310, 530-350 Brand Rublev Colours

1.2 Other means of identification

Venetian Medium 530-310 Italian Varnish 530-350

1.3 Recommended use of the chemical and restrictions on use

For use with artist paint. Not for use by children.

1.4 Supplier's details

Name Natural Pigments
Address 291 Shell Lane
Willits CA 95490

US

Telephone 707-459-9998

email service@naturalpigments.com

1.5 Emergency phone number

INFOTRAC 1-800-424-9300 within North America or +1-352-323-3500 domestically or internationally. Account Number 115514

SECTION 2: Hazard identification

General hazard statement

"Consumer Products", as defined by the US Consumer Product Safety Act and which are used as intended (typical consumer duration and frequency), are exempt from the OSHA Hazard Communication Standard (29 CFR 1910.1200). This SDS is being provided as a courtesy to help assist in the safe handling and proper use of the product.

2.1 Classification of the substance or mixture

Version 1.0, Date of issue: 2024-11-01, Printed on: 2024-11-01, p. 1 of 12

Item Numbers: 01060-1375 Page 1 of 12

GHS classification in accordance with: (US) OSHA (29 CFR 1910.1200)

- Toxic to reproduction, Cat. 2
- Skin corrosion/irritation, Cat. 2
- Carcinogenicity, Cat. 2
- Eye damage/irritation, Cat. 2A
- Sensitization, skin, Cat. 1
- Specific target organ toxicity (single exposure), Cat. 3
- Flammable liquids, Cat. 3

2.2 GHS label elements, including precautionary statements

Pictograms

P312

P321

P332+P313



1. Health hazard; 2. Exclamation mark; 3. Flame

Signal word Warning

Hazard statement(s)			
	taton	nant/e	۱

H226	Flammable liquid and vapor
H315	Causes skin irritation
H317	May cause an allergic skin reaction
H319	Causes serious eye irritation
H335	May cause respiratory irritation
H336	May cause drowsiness or dizziness
H351	Suspected of causing cancer
H361	Suspected of damaging fertility or the unborn child

Precautionary statement(s)	
P201	Obtain special instructions before use.
P202	Do not handle until all safety precautions have been read and understood.
P210	Keep away from heat/sparks/open flames/hot surfaces. No smoking.
P233	Keep container tightly closed.
P240	Ground/bond container and receiving equipment.
P241	Use explosion-proof electrical/ventilating/lighting equipment.
P242	Use only non-sparking tools.
P243	Take precautionary measures against static discharge.
P261	Avoid breathing fume/mist/vapors/spray.
P264	Wash hands thoroughly after handling.
P271	Use only outdoors or in a well-ventilated area.
P272	Contaminated work clothing must not be allowed out of the workplace.
P280	Wear protective gloves/protective clothing/eye protection/face protection.
P302+P352	IF ON SKIN: Wash with plenty of water.
P303+P361+P353	IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water.
P304+P340	IF INHALED: Remove person to fresh air and keep comfortable for breathing.
P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove
	contact lenses if present and easy to do. Continue rinsing.
P308+P313	IF exposed or concerned: Get medical advice.

Call a POISON CENTER if you feel unwell.

Specific treatment (see Section 4 on this SDS).

If skin irritation occurs: Get medical attention.

Version 1.0, Date of issue: 2024-11-01, Printed on: 2024-11-01, p. 2 of 12

Page 2 of 12 Item Numbers: 01060-1375

P337+P313 If eye irritation persists: Get medical attention.

P362+P364 Take off contaminated clothing and wash it before reuse.

P370+P378 In case of fire: Use dry foam to extinguish.

P403+P233 Store in a well-ventilated place. Keep container tightly closed.

P403+P235 Store in a well-ventilated place. Keep cool.

P405 Store locked up.

P501 Dispose of contents/container to ...

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Hazardous components

Component	CAS no.	Concentration
TURPENTINE (Index no.: 650-002-00-6)	8006-64-2	>= 30 - <= 60 %
(weight)		
CLASSIFICATIONS: Flammable liquids, Cat. 3; Acute toxicity, inhalation, Cat. 4; Acu Aspiration hazard, Cat. 1; Skin corrosion/irritation, Cat. 2; Eye damage/irritation, Cat. aquatic environment, long-term (chronic), Cat. 2. HAZARDS: H226 - Flammable liquid May be fatal if swallowed and enters airways; H312 - Harmful in contact with skin; H3 allergic skin reaction; H319 - Causes serious eye irritation; H332 - Harmful if inhaled;	2A; Sensitization, skin, (d and vapor; H302 - Harr s15 - Causes skin irritatio	Cat. 1; Hazardous to the mful if swallowed; H304 - n; H317 - May cause an
LINSEED OIL	8001-26-1	>= 10 - <= 20 %
(weight)		
CLASSIFICATIONS: No data available. HAZARDS: No data available.	·	
Lead (II) oxide	1317-36-8	>= 1 - <= 5 % (weight)_
CLASSIFICATIONS: No data available HAZARDS: No data available		

SECTION 4: First-aid measures

4.1 Description of necessary first-aid measures

General advice	Concult a physician Chay this acf	etv data sheet to the doctor in attendance.
General advice	Consult a physician. Show this said	ety data sheet to the doctor in attendance.

Move out of dangerous area.

If inhaled Call a poison center or doctor if you feel unwell.

Acute and delayed symptoms and effects: May cause respiratory irritation. Signs/symptoms may include cough, sneezing, nasal discharge, headache,

hoarseness, and nose and throat pain.

In case of skin contact Wash with plenty of water for at least 15 minutes. Call a poison center or

doctor if irritation develops or persists. Take off contaminated clothing and

wash it before reuse.

Acute and delayed symptoms and effects: Causes skin irritation. Signs/symptoms may include localized redness, swelling, and itching.

In case of eye contact Rinse cautiously with water for at least 15 minutes. Remove contact lenses,

if present and easy to do. Continue rinsing. If eye irritation persists: Get

medical attention/advice.

Acute and delayed symptoms and effects: Causes serious eye irritation. Signs/symptoms may include redness, swelling, pain, tearing, and blurred or

hazy vision.

Version 1.0, Date of issue: 2024-11-01, Printed on: 2024-11-01, p. 3 of 12

Item Numbers: 01060-1375 Page 3 of 12

If swallowed

Call a poison center or doctor if you feel unwell. If vomiting occurs naturally, have victim lean forward to reduce the risk of aspiration. Do NOT induce vomiting unless directed to do so by medical personnel. Never give anything by mouth to an unconscious person.

Acute and delayed symptoms and effects: May cause gastrointestinal irritation. Signs/symptoms may include abdominal pain, stomach upset, nausea, vomiting and diarrhea.

4.2 Most important symptoms/effects, acute and delayed

The most important known symptoms and effects are described in the labelling (see section 2) and/or in section 11

4.3 Indication of immediate medical attention and special treatment needed, if necessary

No data available.

SECTION 5: Fire-fighting measures

5.1 Suitable extinguishing media

Use alcohol-resistant foam, dry chemical or carbon dioxide.

5.2 Specific hazards arising from the chemical

Flammable solid and vapor. In a fire or if heated, a pressure increase will occur and the container may burst, with the risk of a subsequent explosion. The vapor/gas is heavier than air and will spread along the ground. Vapors may accumulate in low or confined areas or travel a considerable distance to a source of ignition and flash back. Runoff to sewer may create fire or explosion hazard. Fire water contaminated with this material must be contained and prevented from being discharged to any waterway, sewer or drain.

5.3 Special protective actions for fire-fighters

Wear self-contained breathing apparatus for firefighting if necessary.

Further information

Use water spray to cool unopened containers.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Wear respiratory protection if necessary. Avoid breathing gas, mist, vapors, spray. Ensure adequate ventilation. Evacuate personnel to safe areas.

For personal protection see section 8.

6.2 Environmental precautions

Do not let product enter drains.

6.3 Methods and materials for containment and cleaning up

Soak up with inert absorbent material and dispose of as hazardous waste. Keep in suitable, closed containers for disposal.

Reference to other sections

For disposal see section 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Version 1.0, Date of issue: 2024-11-01, Printed on: 2024-11-01, p. 4 of 12

Item Numbers: 01060-1375 Page 4 of 12

Avoid contact with skin and eyes. Avoid inhalation of vapor or mist. Eating, drinking and smoking is prohibited. Wash hands with soap and water after handling. For precautions see section 2.

7.2 Conditions for safe storage, including any incompatibilities

Keep container tightly closed in a dry and well-ventilated place. Containers which are opened must be carefully resealed and kept upright to prevent leakage.

Specific end use(s)

Apart from the uses mentioned in section 1 no other specific uses are stipulated.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

CAS: 8006-64-2

Turpentine

Cal/OSHA (US): 100 ppm PEL inhalation; NIOSH (US): 100 ppm REL inhalation; US/OSHA (US): 100 ppm PEL inhalation; 560 mg/m3 PEL inhalation; AU/SWA (AU): 100 ppm; 557 mg/m3 TWA inhalation [Turpentine (wood)]

8.2 Appropriate engineering controls

Use ventilation adequate to keep exposures (airborne levels of fume, vapor, gas, etc.) below recommended exposure limits.

8.3 Individual protection measures, such as personal protective equipment (PPE)

Pictograms







Eve/face protection

Safety glasses. If splash hazard, wear faceshield (8-inch minimum). Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU).

Skin protection

Wear protective gloves. Consult manufacturer specifications for further information.

Body protection

Wear protective clothing. The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

Respiratory protection

Where risk assessment shows air-purifying respirators are appropriate use a full-face respirator with multipurpose combination (US) or type ABEK (EN 14387) respirator cartridges as a backup to engineering controls. If the respirator is the sole means of protection, use a full-face supplied air respirator. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU).

Thermal hazards

No data available.

Environmental exposure controls

Do not let product enter drains.

Version 1.0, Date of issue: 2024-11-01, Printed on: 2024-11-01, p. 5 of 12

Item Numbers: 01060-1375 Page 5 of 12

SECTION 9: Physical and chemical properties

Appearance, such as physical state and colour

Odour

Odour threshold

рΗ

Melting point and freezing point Initial boiling point and boiling range

Flash point Evaporation rate

Flammability, in the case of solids and gases Upper and lower flammability or explosive limits

Vapour pressure Vapour density Relative density

Solubility

Partition coefficient — n-octanol/water

Auto-ignition temperature Decomposition temperature

Viscosity

Additional properties

Physical state

Colour Explosive properties Oxidising properties

Particle characteristics

No data available.

Further safety characteristics (supplemental)

No data available.

Liquid

Characteristic
No data available.
No data available.
No data available.
163°C (325.4°F)
No data available.)
No data available.

4.68 (air = 1) 0.86 to 0.91

Insoluble in cold water. No data available. No data available. No data available. No data available.

Liquid

Amber or Dark Brown No data available. No data available.

SECTION 10: Stability and reactivity

10.1 Reactivity

Contact with incompatible materials. Sources of ignition. Exposure to heat.

10.2 Chemical stability

Stable under normal storage conditions.

10.3 Possibility of hazardous reactions

No data available.

10.4 Conditions to avoid

Heat, flames and sparks. Incompatible products. Keep away from open flames, hot surfaces and sources of ignition.

10.5 Incompatible materials

Avoid contact with strong oxidizers, chlorine, chromic anhydride, and stannic chloride.

10.6 Hazardous decomposition products

No data available.

SECTION 11: Toxicological information

Version 1.0, Date of issue: 2024-11-01, Printed on: 2024-11-01, p. 6 of 12

Item Numbers: 01060-1375 Page 6 of 12

Information on toxicological effects

Acute toxicity

Likely Routes of Exposure: Eye contact. Skin contact. Inhalation. Ingestion.

Symptoms (including delayed and immediate effects):

Inhalation: May cause respiratory irritation. Symptoms may include cough, sneezing,nasal discharge, headache, hoarseness, and nose and throat pain.

Ingestion: May cause gastrointestinal irritation. Signs/symptoms may include abdominal pain, stomach upset, nausea, vomiting and diarrhea.

Component Information:

Turpentine CAS 8006-42-6 LD/LC50 values relevant for classification: Oral LD50 5760 mg/kg (Rat) Acute toxicity of the vapor (LC50): 29000 1 hours [Mouse]

Lead monoxide CAS 1317-36-8 Oral LD50 > 10000 mg/kg (Rat) Dermal LD50 > 2000 mg/kg (Rat) Inhalation LC50 > 5.05 mg/L (Rat) 4 h

Skin corrosion/irritation

Causes skin irritation. Symptoms may include localized redness, swelling, and itching.

Serious eye damage/irritation

Causes serious eye irritation. Symptoms may include redness, swelling, pain, tearing, and blurred or hazy vision.

Respiratory or skin sensitization

May cause allergy or asthma symptoms or breathing difficulties if inhaled.

Germ cell mutagenicity

No data available

Carcinogenicity

Lead monoxide CAS 1317-36-8 IARC Group 2A NTP Reasonably anticipted ACGIH AS OSHA X Mexico Not listed

IARC (International Agency for Research on Cancer):

Group 1 - Carcinogenic to Humans

Group 2A - Probably Carcinogenic to Humans

Group 2B - Possibly Carcinogenic to Humans

NTP (National Toxicity Program):

Known Carcinogen

Reasonably Anticipated - Reasonably Anticipated to be a Human Carcinogen

ACGIH (American Conference of Governmental Industrial Hygienists):

Version 1.0, Date of issue: 2024-11-01, Printed on: 2024-11-01, p. 7 of 12

Item Numbers: 01060-1375 Page 7 of 12

A1 - Known Human Carcinogen

A2 - Suspected Human Carcinogen

A3 - Animal Carcinogen

Reproductive toxicity

Possible risk of impaired fertility. May cause harm to the unborn child.

Specific target organ toxicity (STOT) - single exposure

Turpentine CAS 8006-42-6

May cause respiratory irritation. May cause drowsiness or dizziness

Lead monoxide CAS 1317-36-8

None known

Specific target organ toxicity (STOT) - repeated exposure

Turpentine CAS 8006-42-6

May cause damage to lungs through prolonged or repeated exposure.

Lead monoxide CAS 1317-36-8

Blood Central nervous system (CNS) Peripheral Nervous System (PNS) Kidne

Aspiration hazard

Turpentine CAS 8006-42-6

May be fatal if swallowed and enters airways

SECTION 12: Ecological information

Toxicity

Toxic to aquatic life with long-term adverse effects.

Lead monoxide CAS 1317-36-8

Result Species Exposure

Freshwater Fish

Acute LC50 0.3 mg/L Pimephales promelas 96 Hours

Water Flea

EC50 0.13 mg/L 48 Hours

Persistence and degradability

May persist based on information available.

Bioaccumulative potential

No information available.

Mobility in soil

Is not likely mobile in the environment due its low water solubility. Will likely be mobile in the environment due to its water solubility.

Results of PBT and vPvB assessment

PBT/vPvB assessment not available as chemical safety assessment not required/not conducted

Other adverse effects

No data available.

Version 1.0, Date of issue: 2024-11-01, Printed on: 2024-11-01, p. 8 of 12

Item Numbers: 01060-1375 Page 8 of 12

SECTION 13: Disposal considerations

Disposal methods

Product disposal

Disposal should be in accordance with applicable Federal, State and local laws and regulations. Local regulations may be more stringent than State or Federal requirements.

Packaging disposal

Dispose of as unused product.

SECTION 14: Transport information

DOT (US)

Lead monoxide CAS 1317-36-8

UN Number: 3077

Proper Shipping Name: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S.

Technical Name: Lead monoxide

Class: 9

Packing Group: III

Turpentine CAS 8006-42-6

UN Number: 1299

Class: 3

Packing Group: III

Proper Shipping Name: FLAMMABLE LIQUIDS, N.O.S.

Technical Name: Turpentine

IMDG

Lead monoxide CAS 1317-36-8

UN Number: 1299

Class: 9

Packing Group: III EMS Number:

Proper shipping name: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S

Turpentine CAS 8006-42-6

UN Number: 1299

Class: 3

Packing Group: III EMS Number: F-E,S-E Marine pollutant: Yes (P)

Proper shipping name: TURPENTINE

IATA

Lead monoxide CAS 1317-36-8

Class: 9

UN/ID Number: 3077 Packaging group: III

Proper shipping name: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S.

Turpentine CAS 8006-42-6

Class: 3

UN/ID Number: 1299

Version 1.0, Date of issue: 2024-11-01, Printed on: 2024-11-01, p. 9 of 12

Item Numbers: 01060-1375 Page 9 of 12

Label: 3

Packaging group: III

Proper shipping name: TURPENTINE

UN "Model Regulation": UN 1299, TURPENTINE, 3, III.s.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations specific for the product in question

California Prop. 65 Components

This product contains the following Proposition 65 chemicals:

Lead monoxide CAS No.1317-36-8 Category: Carcinogen

Canadian Domestic Substances List (DSL)

Chemical name: Lead oxide (PbO)

CAS number: 1317-36-8

Chemical name: Lead oxide (PbO)

CAS number: 1317-36-8

Chemical name: Manganese oxide

CAS number: 11129-60-5

Chemical name: Manganese oxide (MnO)

CAS number: 1344-43-0

Chemical name: Turpentine CAS number: 9005-90-7

Chemical name: Turpentine, oil

CAS number: 8006-64-2

Chemical name: Linseed oil CAS number: 8001-26-1

Chemical name: Linseed oil CAS number: 8001-26-1

Chemical name: Turpentine, oil CAS number: 8006-64-2

Chemical name: Turpentine CAS number: 9005-90-7

EU Table of Harmonised Entries (Annex VI to CLP)

Chemical name: TURPENTINE

CAS number: 8006-64-2

Massachusetts Right To Know Components (105 CMR 670)

Chemical name: LEAD OXIDE CAS number: 1317-36-8

Version 1.0, Date of issue: 2024-11-01, Printed on: 2024-11-01, p. 10 of 12

Item Numbers: 01060-1375 Page 10 of 12

Asterisk: no; Refs: 4 F8 F9

Chemical name: TURPENTINE CAS number: 8006-64-2 Asterisk: no; Refs: 2,4,5,6

Chemical name: TURPENTINE CAS number: 8006-64-2 Asterisk: no; Refs: 2,4,5,6

Chemical name: LEAD OXIDE CAS number: 1317-36-8 Asterisk: no; Refs: 4 F8 F9

New Jersey Right To Know Components

Common name: LEAD OXIDE CAS number: 1317-36-8 Listing note: CA-carcinogen.

Common name: LEAD OXIDE CAS number: 1317-36-8 Listing note: CA-carcinogen.

Common name: TURPENTINE CAS number: 8006-64-2

Listing note: F3-flammable 3rd deg.

Common name: TURPENTINE CAS number: 8006-64-2

Listing note: F3-flammable 3rd deg.

Pennsylvania Right To Know Components

Chemical name: LINSEED OIL CAS number: 8001-26-1

SARA 302 Components

No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.

SARA 311/312 Hazards

Acute Health Hazard

SARA 313 Components

This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372.

Note that PBT chemicals are not eligible for the de minimis exemption. For these chemicals, supplier notification limits are provided.

SVHC Candidate List for Authorisation

Chemical name: Lead (II) oxide

CAS number: 1317-36-8

Version 1.0, Date of issue: 2024-11-01, Printed on: 2024-11-01, p. 11 of 12

Item Numbers: 01060-1375 Page 11 of 12

US EPA TSCA public inventory

Chemical name: Lead (II) oxide CAS number: 1317-36-8

Chemical name: Lead (II) oxide

CAS number: 1317-36-8

Chemical name: Manganese (II) oxide

CAS number: 1344-43-0

Chemical name: TURPENTINE CAS number: 8006-64-2

Chemical name: LINSEED OIL

CAS number: 8001-26-1

Chemical name: LINSEED OIL CAS number: 8001-26-1

Chemical name: TURPENTINE CAS number: 8006-64-2

HMIS Rating

Venetian-Italian Medium		
HEALTH	* 2	
FLAMMABILITY	3	
PHYSICAL HAZARD	0	
PERSONAL PROTECTION	E	

NFPA Rating



SECTION 16: Other information

16.1 Further information/disclaimer

DISCLAIMER: The information above is believed to be accurate and represents the best information currently available to us. However, we make no warranty of merchantability or any other warranty, express or implied, with respect to such information, and we assume no liability resulting from its use. Users should make their own investigation to determine the suitability of information for their particular purposes. In no event shall Natural Pigments be liable for any claims, losses, or damages of any third party or for lost profits or any special, indirect, incidental, consequential or exemplary damages, whatsoever arising, even if Natural Pigments has been advised of the possibility of such damages

Version 1.0, Date of issue: 2024-11-01, Printed on: 2024-11-01, p. 12 of 12

Item Numbers: 01060-1375 Page 12 of 12