

01126-XXXX



NATURAL PIGMENTS

Safety Data Sheet
Ceracolors

SECTION 1: Identification

1.1 GHS Product identifier

Product name	Ceracolors
Product number	860-xxxx
Brand	Ceracolors

1.2 Other means of identification

860-0111	Pearlescent Silver (15 ml)
860-0112	Pearlescent Silver (50 ml)
860-0161	Pearlescent Pearl (15 ml)
860-0162	Pearlescent Pearl (50 ml)
860-0211	Pearlescent Gold (15 ml)
860-0212	Pearlescent Gold (50 ml)
860-0311	Pearlescent Copper (15 ml)
860-0312	Pearlescent Copper (50 ml)
860-0411	Pearlescent Brass (15 ml)
860-0412	Pearlescent Brass (50 ml)
860-1011	Ultramarine Blue (15 ml)
860-1012	Ultramarine Blue (50 ml)
860-1022	Ultramarine Blue Deep (50 ml)
860-1051	Cobalt Blue (15 ml)
860-1052	Cobalt Blue (50 ml)
860-1061	Cobalt Blue Deep (15 ml)
860-1062	Cobalt Blue Deep (50 ml)
860-1071	Cerulean Blue (15 ml)
860-1072	Cerulean Blue (50 ml)
860-1091	Cobalt Turquoise (15 ml)
860-1092	Cobalt Turquoise (50 ml)
860-1111	Phthalo Blue (15 ml)
860-1112	Phthalo Blue (50 ml)
860-1211	Maya Blue (15 ml)
860-1212	Maya Blue (50 ml)
860-2011	Chromium Oxide Green (15 ml)
860-2012	Chromium Oxide Green (50 ml)
860-2051	Phthalo Green (15 ml)
860-2052	Phthalo Green (50 ml)
860-2111	Green Earth (15 ml)
860-2112	Green Earth (50 ml)
860-3011	Yellow Ocher (15 ml)
860-3012	Yellow Ocher (50 ml)
860-3051	Mars Yellow (15 ml)
860-3052	Mars Yellow (50 ml)
860-3111	Cadmium Yellow Light (15 ml) (2)

Version: 2.0, Supersedes: 1.0, Date of issue: 2024-10-30, Printed on: 2024-10-30, p. 1 of 10

**Safety Data Sheet
Ceracolors**

860-3112	Cadmium Yellow Light (50 ml) (2)
860-3121	Cadmium Yellow Medium (15 ml) (2)
860-3122	Cadmium Yellow Medium (50 ml) (2)
860-3131	Cadmium Yellow Deep (15 ml) (2)
860-3132	Cadmium Yellow Deep (50 ml) (2)
860-3211	Chromium Rutile Yellow (15 ml)
860-3212	Chrome Yellow Rutile (50 ml)
860-3231	Bismuth Vanadate Yellow (15 ml)
860-3232	Bismuth Vanadate Yellow (50 ml)
860-3232	Bismuth Vanadate Yellow (50 ml)
860-3311	Diarylide Yellow (15 ml)
860-3312	Diarylide Yellow (50 ml)
860-3351	Benzimidazolone Yellow (15 ml)
860-3352	Benzimidazolone Yellow (50 ml)
860-3352	Benzimidazolone Yellow (50 ml)
860-4011	Mars Orange (15 ml)
860-4012	Mars Orange (50 ml)
860-4121	Cadmium Orange (15 ml) (2)
860-4122	Cadmium Orange (50 ml) (2)
860-5051	Mars Red (Yellow Shade) (15 ml)
860-5052	Mars Red (Yellow Shade) (50 ml)
860-5061	Mars Red (Blue Shade) (15 ml)
860-5062	Mars Red (Blue Shade) (50 ml)
860-5071	Mars Crimson (15 ml)
860-5072	Mars Crimson (50 ml)
860-5081	Transparent Red Oxide (15 ml)
860-5082	Transparent Red Oxide (50 ml)
860-5111	Cadmium Red Light (15 ml) (2)
860-5111	Cadmium Red Light (15 ml) (2)
860-5112	Cadmium Red Light (50 ml) (2)
860-5121	Cadmium Red Medium (15 ml) (2)
860-5122	Cadmium Red Medium (50 ml) (2)
860-5131	Cadmium Red Deep (15 ml) (2)
860-5132	Cadmium Red Deep (50 ml) (2)
860-5311	Alizarin Crimson (15 ml)
860-5312	Alizarin Crimson (50 ml)
860-5321	Quinacridone Magenta (15 ml)
860-5322	Quinacridone Magenta (50 ml)
860-5331	Quinacridone Crimson (15 ml)
860-5332	Quinacridone Crimson (50 ml)
860-5341	Pyrrole Red (15 ml)
860-5342	Pyrrole Red (50 ml)
860-5351	Anthraquinone Crimson (15 ml) (3)
860-5352	Anthraquinone Crimson (50 ml) (3)
860-6011	Raw Sienna (15 ml)
860-6012	Raw Sienna (50 ml)
860-6021	Burnt Sienna (15 ml)
860-6022	Burnt Sienna (50 ml)
860-6111	Raw Umber (15 ml)
860-6112	Raw Umber (50 ml)
860-6121	Burnt Umber (15 ml)
860-6122	Burnt Umber (50 ml)
860-6131	Green Umber (15 ml)
860-6132	Green Umber (50 ml)

Version: 2.0, Supersedes: 1.0, Date of issue: 2024-10-30, Printed on: 2024-10-30, p. 2 of 10

**Safety Data Sheet
Ceracolors**

860-6151	Brown Ocher (15 ml)
860-6152	Brown Ocher (50 ml)
860-6211	Mars Brown (15 ml)
860-6212	Mars Brown (50 ml)
860-6361	Van Dyke Brown (15 ml)
860-6362	Van Dyke Brown (50 ml)
860-7011	Mars Violet (15 ml)
860-7012	Mars Violet (50 ml)
860-7021	Mars Purple (15 ml)
860-7022	Mars Purple (50 ml)
860-7111	Ultramarine Violet (15 ml)
860-7112	Ultramarine Violet (50 ml)
860-8011	Titanium White (15 ml)
860-8012	Titanium White (50 ml)
860-8021	Titanium-Zinc White (15 ml)
860-8022	Titanium-Zinc White (50 ml)
860-8031	Warm White (15 ml)
860-8032	Warm White (50 ml)
860-8041	Titanium Buff (15 ml)
860-8042	Titanium Buff (50 ml)
860-8101	Zinc White (15 ml)
860-8102	Zinc White (50 ml)
860-9011	Bone Black (15 ml)
860-9012	Bone Black (50 ml)
860-9021	Carbon Black (15 ml) (1)
860-9022	Carbon Black (50 ml) (1)
860-9031	Mars Black (15 ml)
860-9032	Mars Black (50 ml)

1.3 Recommended use of the chemical and restrictions on use

Artists' Paint.

Not recommended for use by children.

1.4 Supplier's details

Name	Natural Pigments
Address	291 Shell Lane Willits CA 95490 United States
Telephone	707-459-9998
Fax	408-516-9442
email	service@naturalpigments.com

National contact

Name	Natural Pigments LLC Europe
Address	Beyerberger Str. 1 91596 Burk Bayern Germany
Telephone	+1-707-459-9998
email	service@naturalpigments.com

Version: 2.0, Supersedes: 1.0, Date of issue: 2024-10-30, Printed on: 2024-10-30, p. 3 of 10

Safety Data Sheet Ceracolors

1.5 Emergency phone number

INFOTRAC Emergency Response Service Account 115514.
Call 1-800-535-5053 within North America or +1-352-323-3500
internationally.

SECTION 2: Hazard identification

General hazard statement

"Consumer Products", as defined by the US Consumer Product Safety Act and which are used as intended (typical consumer duration and frequency), are exempt from the OSHA Hazard Communication Standard (29 CFR 1910.1200). This SDS is being provided as a courtesy to help assist in the safe handling and proper use of the product.

2.1 Classification of the substance or mixture

GHS classification in accordance with: (US) OSHA (29 CFR 1910.1200)

Not a hazardous substance or mixture.

2.2 GHS label elements, including precautionary statements

Not a hazardous substance or mixture.

2.3 Other hazards which do not result in classification

Not a hazardous substance or mixture.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

There are no known hazardous components. No components need to be disclosed according to the applicable regulations.

SECTION 4: First-aid measures

4.1 Description of necessary first-aid measures

General advice	In case of accident or if you feel unwell, seek medical advice immediately (show the label or SDS where possible).
If inhaled	Call a poison center or doctor if you feel unwell. Acute and delayed symptoms and effects: May cause respiratory irritation. Signs/symptoms may include cough, sneezing, nasal discharge, headache, hoarseness, and nose and throat pain.
In case of skin contact	Wash with plenty of soap and water for at least 15 minutes. Call a poison center or doctor if you feel unwell. Acute and delayed symptoms and effects: May cause skin irritation. Signs/symptoms may include localized redness, swelling, and itching.

Version: 2.0, Supersedes: 1.0, Date of issue: 2024-10-30, Printed on: 2024-10-30, p. 4 of 10

Safety Data Sheet Ceracolors

In case of eye contact

Rinse cautiously with water for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a poison center or doctor.

Acute and delayed symptoms and effects: May cause eye irritation. Signs/symptoms may include redness, swelling, pain, tearing, and blurred or hazy vision.

If swallowed

Call a poison center or doctor if you feel unwell. If vomiting occurs naturally, have victim lean forward to reduce the risk of aspiration. Do NOT induce vomiting unless directed to do so by medical personnel. Never give anything by mouth to an unconscious person.

Acute and delayed symptoms and effects: May cause gastrointestinal irritation. Signs/symptoms may include abdominal pain, stomach upset, nausea, vomiting and diarrhea.

4.2 Most important symptoms/effects, acute and delayed

The most important known symptoms and effects are described in the labelling (see section 2) and/or in section 11

4.3 Indication of immediate medical attention and special treatment needed, if necessary

No reactions are known.

SECTION 5: Fire-fighting measures

5.1 Suitable extinguishing media

Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.

5.2 Specific hazards arising from the chemical

Combustion will yield oxides of carbon and nitrogen, as well as, monomer fume. See Section 10 for additional information.

5.3 Special protective actions for fire-fighters

Wear self-contained breathing apparatus for firefighting if necessary.

Further information

Use water spray to cool unopened containers.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Use personal protection recommended in Section 8.

As an immediate precautionary measure, isolate spill or leak area in all directions. Keep unauthorized personnel away. Stay upwind. Keep out of low areas. Ventilate enclosed areas.

6.2 Environmental precautions

Keep out of drains, sewers, ditches, and waterways.

6.3 Methods and materials for containment and cleaning up

Soak up with inert absorbent material and dispose of as hazardous waste. Keep in suitable, closed containers for disposal.

Reference to other sections

Version: 2.0, Supersedes: 1.0, Date of issue: 2024-10-30, Printed on: 2024-10-30, p. 5 of 10

Safety Data Sheet Ceracolors

For disposal see section 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Avoid contact with skin, eyes and clothing. Avoid breathing vapors, spray mists or sanding dust. In case of insufficient ventilation, wear suitable respiratory equipment.

7.2 Conditions for safe storage, including any incompatibilities

Keep container tightly closed. Keep out of the reach of children.

Specific end use(s)

Apart from the uses mentioned in section 1 no other specific uses are stipulated.

SECTION 8: Exposure controls/personal protection

8.2 Appropriate engineering controls

If user operations generate dust, fumes, gas, vapor or mist, use process enclosures, local exhaust ventilation or other engineering controls to keep worker exposure to airborne contaminants below any recommended or statutory limits.

8.3 Individual protection measures, such as personal protective equipment (PPE)

Eye/face protection

Safety glasses with side-shields.

Skin protection

Protective gloves, such as nitrile gloves.

Body protection

Wear protective clothing. The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

Respiratory protection

Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the safe working limits of the selected respirator. If workers are exposed to concentrations above the exposure limit, they must use appropriate, certified respirators. Use a properly fitted, air-purifying or air-fed respirator complying with an approved standard if a risk assessment indicates this is necessary.

Thermal hazards

No data available.

Environmental exposure controls

Do not let product enter drains. Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.

SECTION 9: Physical and chemical properties and safety characteristics

Physical state
Appearance
Color
Odor

Liquid
Paste paint.
Varies -- See specific color.
Sweet.

Version: 2.0, Supersedes: 1.0, Date of issue: 2024-10-30, Printed on: 2024-10-30, p. 6 of 10

Safety Data Sheet

Ceracolors

Odor threshold	No data available.
pH	8
Melting point/freezing point	No data available.
Boiling point or initial boiling point and boiling range	No data available.
Flash point	No data available.
Evaporation rate	No data available.
Flammability	No data available.
Lower and upper explosion limit/flammability limit	No data available.
Vapor pressure	No data available.
Relative vapor density	No data available.
Density and/or relative density	No data available.
Solubility	No data available.
Partition coefficient n-octanol/water (log value)	No data available.
Auto-ignition temperature	No data available.
Decomposition temperature	No data available.
Kinematic viscosity	No data available.
Explosive properties	No data available.
Oxidizing properties	No data available.

Particle characteristics

No data available.

Further safety characteristics (supplemental)

Other information

Wt. % Solids: 60-90

Wt. % Volatiles: 10-40

VOC Content (%): 0

SECTION 10: Stability and reactivity

10.1 Reactivity

No data available.

10.2 Chemical stability

Stable under normal conditions.

10.3 Possibility of hazardous reactions

No data available.

10.4 Conditions to avoid

Contact with incompatible materials: acids. Exposure to heat.

10.5 Incompatible materials

Ultramarine Blue and Ultramarine Violet – Contact with acids liberates Hydrogen Sulphide (H₂S) gas, at temperatures above 400 C in the presence of air an exothermic reaction can occur with the liberation of Sulphur Dioxide (SO₂) gas.

Cadmiums – May react with strong acids yielding toxic/flammable Hydrogen Sulphide (H₂S) gas, fire/thermal decomposition can produce hazardous fumes (Cadmium Oxide, Selenium Dioxide) and gases (Sulfur Dioxide).

10.6 Hazardous decomposition products

See Incompatible materials.

SECTION 11: Toxicological information

Version: 2.0, Supersedes: 1.0, Date of issue: 2024-10-30, Printed on: 2024-10-30, p. 7 of 10

Safety Data Sheet Ceracolors

Information on toxicological effects

Acute toxicity

This mixture as a whole has not been tested to determine its toxicity.

Skin corrosion/irritation

May cause skin irritation. Signs/symptoms may include localized redness, swelling, and itching.

Serious eye damage/irritation

May cause eye irritation. Signs/symptoms may include redness, swelling, pain, tearing, and blurred or hazy vision.

Respiratory or skin sensitization

No data available.

Germ cell mutagenicity

No data available.

Carcinogenicity

This product is or contains a component that is not classifiable as to its carcinogenicity based on its IARC, ACGIH, NTP, or EPA classification

IARC: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by IARC.

ACGIH: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by ACGIH.

NTP: No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

OSHA: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA.

Reproductive toxicity

No data available.

Summary of evaluation of the CMR properties

No data available.

STOT-single exposure

No data available.

STOT-repeated exposure

No data available.

Aspiration hazard

No data available.

SECTION 12: Ecological information

Toxicity

This mixture as a whole has not been tested to determine its toxicity.

Persistence and degradability

No data available on product.

Bioaccumulative potential

Version: 2.0, Supersedes: 1.0, Date of issue: 2024-10-30, Printed on: 2024-10-30, p. 8 of 10

Safety Data Sheet Ceracolors

No data available on product.

Mobility in soil

No data available.

Results of PBT and vPvB assessment

PBT/vPvB assessment not available as chemical safety assessment not required/not conducted.

Other adverse effects

No data available.

SECTION 13: Disposal considerations

Disposal methods

Product disposal

Disposal should be in accordance with applicable Federal, State and local laws and regulations. Local regulations may be more stringent than State or Federal requirements.

Packaging disposal

Dispose of as unused product.

Sewage disposal

Do not dispose in sewage. Dispose in accordance with all applicable regulations.

SECTION 14: Transport information

DOT (US)

Not dangerous goods

IMDG

Not dangerous goods

IATA

Not dangerous goods

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations specific for the product in question

SARA 302 Components

No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302

SARA 313 Components

This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

SARA 311/312 Hazards

No SARA Hazards

Massachusetts Right To Know Components

No components are subject to the Massachusetts Right to Know Act.

Version: 2.0, Supersedes: 1.0, Date of issue: 2024-10-30, Printed on: 2024-10-30, p. 9 of 10

Safety Data Sheet
Ceracolors

Pennsylvania Right To Know Components
No components are subject to the Pennsylvania Right to Know Act.

New Jersey Right To Know Components
No components are subject to the New Jersey Right to Know Act.

California Prop. 65 Components
State of California Safe Drinking Water and Toxic Enforcement Act of 1986 (Proposition 65):
WARNING: This product can expose you to chemicals which are known to the State of California to cause cancer, birth defects, or other reproductive harm. For more information, go to www.P65Warnings.ca.gov:

CAS#	Description	Hazard
1333-86-4	Carbon Black (1)	Cancer
Various	Cadmium Compound (2)	Cancer and Reproductive Harm
84-65-1	Anthraquinone (3)	Cancer

Ceracolors	
HEALTH	2
FLAMMABILITY	0
PHYSICAL HAZARD	0
PERSONAL PROTECTION	

NFPA Rating



SECTION 16: Other information

16.1 Further information/disclaimer
DISCLAIMER: The information above is believed to be accurate and represents the best information currently available to us. However, we make no warranty of merchantability or any other warranty, express or implied, with respect to such information, and we assume no liability resulting from its use. Users should make their own investigation to determine the suitability of information for their particular purposes. In no event shall Natural Pigments be liable for any claims, losses, or damages of any third party or for lost profits or any special, indirect, incidental, consequential or exemplary damages, whatsoever arising, even if Natural Pigments has been advised of the possibility of such damages.