

SAFETY DATA SHEET

According to EC Directive 91/155/EEC

page. 1/4

Trade name: DECOFABRIC INK #01 BLACKSerial No. **100622-01**

Revision Date

Nov.04.2020Version **1.14**

Print Date

Nov.04.2020**1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND THE COMPANY/UNDERTAKING****Identification of the product**

Product name : #0222 DECOFABRIC INK #01 BLACK

Company/undertaking identificationCompany : UCHIDA OF AMERICA, CORP.
3535 Del Amo Blvd., Torrance, CA 90503

Telephone : +1-800-541-5877

Telefax : +1-800-229-7017

Emergency telephone number : +1-800-541-5877

Use of the substance/preparation

: For markers.

2. HAZARDS IDENTIFICATION

Not applicable.

3. COMPOSITION/INFORMATION ON INGREDIENTS

Ingredient	CAS#	Content (wt%)
C. I. Pigment Black 7	Trade Secret	5.0 to 10.0
C. I. Pigment White 19	Trade Secret	3.0 to 8.0
Mica	Trade Secret	1.0 to 5.0
Titanium dioxide	Trade Secret	5.0 to 10.0
Silicon dioxide	Trade Secret	2.0 to 10.0
Ethanol	Trade Secret	0.0 to 2.0
Isopropyl alcohol	Trade Secret	0.0 to 2.0
Propylene glycol	Trade Secret	0.0 to 2.0
Ethylene glycol	Trade Secret	5.0 to 10.0
Nonionic Surfactant (Not contain Nonyl phenol)	Trade Secret	3.0 to 8.0
Urethane resins	Trade Secret	5.0 to 20.0
Acrylonitrile acrylic resins	Trade Secret	1.0 to 5.0
Purified Water	Trade Secret	residual part

4. FIRST AID MEASURES**Inhalation**

Using high-boiling ink, the vapor is low and damages by inhalation are substantially negligible.

SAFETY DATA SHEETAccording to EC Directive 91/155/EEC

page. 2/4

Trade name: DECOFABRIC INK #01 BLACKSerial No. **100622-01**

Revision Date

Nov.04.2020Version **1.14**

Print Date

Nov.04.2020**Skin contact**

Immediately rinse through with soap and water.

Stains of skin with these inks are somewhat difficult to remove.

So, attention may be paid not to stain the skin.

Eye contact

Immediately rinse the stained eye with plenty of water, and call on a physician.

Ingestion

They may be discarded the same as ordinary waste.

5. FIRE-FIGHTING MEASURES**Suitable extinguishing media**

Water spray, foam, powder, and carbon dioxide.

Specific hazards during fire fighting

Owing too much water, these inks are not in flammable, but the evaporation residue is combustible.

Special protective equipment for fire fighters

Employ protective equipment commonly used in the event of fire.

6. ACCIDENTAL RELEASE MEASURES**Personal precautions**

Wear suitable clothing and gloves.

Environmental precautions

At room temperature, no volatile materials are present in these inks.

Methods for cleaning up

Wipe the material with cloth and wash water.

7. HANDLING AND STORAGE**Handling**

Wear suitable protective clothing and gloves.

Storage

Take care not to leave for a prolonged time in a cap-off state, Otherwise ink will dry up.

It is preferable to storage ink in a cool and well ventilated place.

8. EXPOSURE CONTROLS / PERSONAL PROTECTION**Personal protective equipment**

At room temperature, no volatile materials are present in these inks.

Hand protection

protective gloves

Eye protection

SAFETY DATA SHEET

According to EC Directive 91/155/EEC

page. 3/4

Trade name: DECOFABRIC INK #01 BLACKSerial No. **100622-01**

Revision Date

Nov.04.2020Version **1.14**

Print Date

Nov.04.2020

safety glasses with side-shields

9. PHYSICAL AND CHEMICAL PROPERTIES**Appearance**

Form liquid
Colour coloured
Odour weak

Safety data

pH value not available
Boiling point/range ca. 100°C
Solubility in water soluble
Density ca. 1.1 to 1.3 g/cm³
Volatile 40 to 60 %

10. STABILITY AND REACTIVITY**Materials to avoid**

Take care not to leave for a prolonged time in a cap-off state, Otherwise ink will dry up.
It is preferable to storage ink in a cool and well ventilated place.

Hazardous reactions

no.

11. TOXICOLOGICAL INFORMATION**Acute toxicity**

The main components of this ink are pigments, ethylene glycol, resins and several additives.
Nearly these pigments are believes to be non-toxic, but much ingestion of ethylene glycol causes some damage to kidney. It is oxidized in vivo in to oxalic acid and water insoluble Ca-oxalate may be formed in kidney.

12. ECOLOGICAL INFORMATION**Ecotoxic effects**

Quantitative data on the ecological effect of this product are not available.

Further ecologic data

Do not allow entrance in waters, wastewater, or soil.

13. DISPOSAL CONSIDERATIONS**Product**

Disposal according to local authority regulations.

Packaging

SAFETY DATA SHEETAccording to EC Directive 91/155/EEC

page. 4/4

Trade name: DECOFABRIC INK #01 BLACKSerial No. **100622-01**

Revision Date

Nov.04.2020Version **1.14**

Print Date

Nov.04.2020

Disposal according to local authority regulations.

14. TRANSPORT INFORMATION

Not available.

15. REGULATORY INFORMATION

Not available.

16. OTHER INFORMATION

Keep out reach of baby or children.

For further information, please contact us.

SAFETY DATA SHEET

According to EC Directive 91/155/EEC

page. 1/4

Trade name: DECOFABRIC INK #03 BLUESerial No. **100622-03**

Revision Date

Nov.04.2020Version **1.14**

Print Date

Nov.04.2020**1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND THE COMPANY/UNDERTAKING****Identification of the product**

Product name : #0222 DECOFABRIC INK #03 BLUE

Company/undertaking identificationCompany : UCHIDA OF AMERICA, CORP.
3535 Del Amo Blvd., Torrance, CA 90503

Telephone : +1-800-541-5877

Telefax : +1-800-229-7017

Emergency telephone number : +1-800-541-5877

Use of the substance/preparation

: For markers.

2. HAZARDS IDENTIFICATION

Not applicable.

3. COMPOSITION/INFORMATION ON INGREDIENTS

Ingredient	CAS#	Content (wt%)
C. I. Pigment Blue 15	Trade Secret	1.0 to 3.0
C. I. Pigment Blue 15:3	Trade Secret	1.0 to 5.0
C. I. Pigment White 19	Trade Secret	3.0 to 8.0
Mica	Trade Secret	1.0 to 5.0
Titanium dioxide	Trade Secret	5.0 to 10.0
Silicon dioxide	Trade Secret	2.0 to 10.0
Ethanol	Trade Secret	0.0 to 2.0
Isopropyl alcohol	Trade Secret	0.0 to 2.0
Propylene glycol	Trade Secret	0.0 to 2.0
Ethylene glycol	Trade Secret	5.0 to 10.0
Nonionic Surfactant (Not contain Nonyl phenol)	Trade Secret	3.0 to 8.0
Urethane resins	Trade Secret	5.0 to 20.0
Acrylonitrile acrylic resins	Trade Secret	1.0 to 5.0
Purified Water	Trade Secret	residual part

4. FIRST AID MEASURES**Inhalation**

SAFETY DATA SHEET

According to EC Directive 91/155/EEC

page. 2/4

Trade name: DECOFABRIC INK #03 BLUESerial No. **100622-03**

Revision Date

Nov.04.2020Version **1.14**

Print Date

Nov.04.2020

Using high-boiling ink, the vapor is low and damages by inhalation are substantially negligible.

Skin contact

Immediately rinse through with soap and water.

Stains of skin with these inks are somewhat difficult to remove.

So, attention may be paid not to stain the skin.

Eye contact

Immediately rinse the stained eye with plenty of water, and call on a physician.

Ingestion

They may be discarded the same as ordinary waste.

5. FIRE-FIGHTING MEASURES**Suitable extinguishing media**

Water spray, foam, powder, and carbon dioxide.

Specific hazards during fire fighting

Owing too much water, these inks are not in flammable, but the evaporation residue is combustible.

Special protective equipment for fire fighters

Employ protective equipment commonly used in the event of fire.

6. ACCIDENTAL RELEASE MEASURES**Personal precautions**

Wear suitable clothing and gloves.

Environmental precautions

At room temperature, no volatile materials are present in these inks.

Methods for cleaning up

Wipe the material with cloth and wash water.

7. HANDLING AND STORAGE**Handling**

Wear suitable protective clothing and gloves.

Storage

Take care not to leave for a prolonged time in a cap-off state, Otherwise ink will dry up.

It is preferable to storage ink in a cool and well ventilated place.

8. EXPOSURE CONTROLS / PERSONAL PROTECTION**Personal protective equipment**

At room temperature, no volatile materials are present in these inks.

Hand protection

protective gloves

SAFETY DATA SHEET

According to EC Directive 91/155/EEC

page. 3/4

Trade name: DECOFABRIC INK #03 BLUESerial No. **100622-03**

Revision Date

Nov.04.2020Version **1.14**

Print Date

Nov.04.2020**Eye protection**

safety glasses with side-shields

9. PHYSICAL AND CHEMICAL PROPERTIES**Appearance**

Form liquid
Colour coloured
Odour weak

Safety data

pH value not available
Boiling point/range ca. 100°C
Solubility in water soluble
Density ca. 1.1 to 1.3 g/cm³
Volatile 40 to 60 %

10. STABILITY AND REACTIVITY**Materials to avoid**

Take care not to leave for a prolonged time in a cap-off state, Otherwise ink will dry up.
It is preferable to storage ink in a cool and well ventilated place.

Hazardous reactions

no.

11. TOXICOLOGICAL INFORMATION**Acute toxicity**

The main components of this ink are pigments, ethylene glycol, resins and several additives.
Nearly these pigments are believes to be non-toxic, but much ingestion of ethylene glycol causes some damage to kidney. It is oxidized in vivo in to oxalic acid and water insoluble Ca-oxalate may be formed in kidney.

12. ECOLOGICAL INFORMATION**Ecotoxic effects**

Quantitative data on the ecological effect of this product are not available.

Further ecologic data

Do not allow entrance in waters, wastewater, or soil.

13. DISPOSAL CONSIDERATIONS**Product**

Disposal according to local authority regulations.

SAFETY DATA SHEETAccording to EC Directive 91/155/EEC

page. 4/4

Trade name: DECOFABRIC INK #03 BLUESerial No. **100622-03**

Revision Date

Nov.04.2020Version **1.14**

Print Date

Nov.04.2020**Packaging**

Disposal according to local authority regulations.

14. TRANSPORT INFORMATION

Not available.

15. REGULATORY INFORMATION

Not available.

16. OTHER INFORMATION

Keep out reach of baby or children.

For further information, please contact us.

SAFETY DATA SHEET

According to EC Directive 91/155/EEC

page. 1/4

Trade name: DECOFABRIC INK #04 GREENSerial No. **100622-04**

Revision Date

Nov.04.2020Version **1.14**

Print Date

Nov.04.2020**1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND THE COMPANY/UNDERTAKING****Identification of the product**

Product name : #0222 DECOFABRIC INK #04 GREEN

Company/undertaking identificationCompany : UCHIDA OF AMERICA, CORP.
3535 Del Amo Blvd., Torrance, CA 90503

Telephone : +1-800-541-5877

Telefax : +1-800-229-7017

Emergency telephone number : +1-800-541-5877

Use of the substance/preparation

: For markers.

2. HAZARDS IDENTIFICATION

Not applicable.

3. COMPOSITION/INFORMATION ON INGREDIENTS

Ingredient	CAS#	Content (wt%)
C. I. Pigment Green 7	Trade Secret	5.0 to 10.0
C. I. Pigment White 19	Trade Secret	3.0 to 8.0
Mica	Trade Secret	1.0 to 5.0
Titanium dioxide	Trade Secret	5.0 to 10.0
Silicon dioxide	Trade Secret	2.0 to 10.0
Ethanol	Trade Secret	0.0 to 2.0
Isopropyl alcohol	Trade Secret	0.0 to 2.0
Propylene glycol	Trade Secret	0.0 to 2.0
Ethylene glycol	Trade Secret	5.0 to 10.0
Nonionic Surfactant (Not contain Nonyl phenol)	Trade Secret	3.0 to 8.0
Urethane resins	Trade Secret	5.0 to 20.0
Acrylonitrile acrylic resins	Trade Secret	1.0 to 5.0
Purified Water	Trade Secret	residual part

4. FIRST AID MEASURES**Inhalation**

Using high-boiling ink, the vapor is low and damages by inhalation are substantially negligible.

SAFETY DATA SHEET

According to EC Directive 91/155/EEC

page. 2/4

Trade name: DECOFABRIC INK #04 GREENSerial No. **100622-04**

Revision Date

Nov.04.2020Version **1.14**

Print Date

Nov.04.2020**Skin contact**

Immediately rinse through with soap and water.

Stains of skin with these inks are somewhat difficult to remove.

So, attention may be paid not to stain the skin.

Eye contact

Immediately rinse the stained eye with plenty of water, and call on a physician.

Ingestion

They may be discarded the same as ordinary waste.

5. FIRE-FIGHTING MEASURES**Suitable extinguishing media**

Water spray, foam, powder, and carbon dioxide.

Specific hazards during fire fighting

Owing too much water, these inks are not in flammable, but the evaporation residue is combustible.

Special protective equipment for fire fighters

Employ protective equipment commonly used in the event of fire.

6. ACCIDENTAL RELEASE MEASURES**Personal precautions**

Wear suitable clothing and gloves.

Environmental precautions

At room temperature, no volatile materials are present in these inks.

Methods for cleaning up

Wipe the material with cloth and wash water.

7. HANDLING AND STORAGE**Handling**

Wear suitable protective clothing and gloves.

Storage

Take care not to leave for a prolonged time in a cap-off state, Otherwise ink will dry up.

It is preferable to storage ink in a cool and well ventilated place.

8. EXPOSURE CONTROLS / PERSONAL PROTECTION**Personal protective equipment**

At room temperature, no volatile materials are present in these inks.

Hand protection

protective gloves

Eye protection

SAFETY DATA SHEET

According to EC Directive 91/155/EEC

page. 3/4

Trade name: DECOFABRIC INK #04 GREENSerial No. **100622-04**

Revision Date

Nov.04.2020Version **1.14**

Print Date

Nov.04.2020

safety glasses with side-shields

9. PHYSICAL AND CHEMICAL PROPERTIES**Appearance**

Form liquid
Colour coloured
Odour weak

Safety data

pH value not available
Boiling point/range ca. 100°C
Solubility in water soluble
Density ca. 1.1 to 1.3 g/cm³
Volatile 40 to 60 %

10. STABILITY AND REACTIVITY**Materials to avoid**

Take care not to leave for a prolonged time in a cap-off state, Otherwise ink will dry up.
It is preferable to storage ink in a cool and well ventilated place.

Hazardous reactions

no.

11. TOXICOLOGICAL INFORMATION**Acute toxicity**

The main components of this ink are pigments, ethylene glycol, resins and several additives.
Nearly these pigments are believes to be non-toxic, but much ingestion of ethylene glycol causes some damage to kidney. It is oxidized in vivo in to oxalic acid and water insoluble Ca-oxalate may be formed in kidney.

12. ECOLOGICAL INFORMATION**Ecotoxic effects**

Quantitative data on the ecological effect of this product are not available.

Further ecologic data

Do not allow entrance in waters, wastewater, or soil.

13. DISPOSAL CONSIDERATIONS**Product**

Disposal according to local authority regulations.

Packaging

SAFETY DATA SHEETAccording to EC Directive 91/155/EEC

page. 4/4

Trade name: DECOFABRIC INK #04 GREENSerial No. **100622-04**

Revision Date

Nov.04.2020Version **1.14**

Print Date

Nov.04.2020

Disposal according to local authority regulations.

14. TRANSPORT INFORMATION

Not available.

15. REGULATORY INFORMATION

Not available.

16. OTHER INFORMATION

Keep out reach of baby or children.

For further information, please contact us.

SAFETY DATA SHEET

According to EC Directive 91/155/EEC

page. 1/4

Trade name: DECOFABRIC INK #02 RED

Serial No. 100622-02

Revision Date

Nov.04.2020

Version 1.14

Print Date

Nov.04.2020

1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND THE COMPANY/UNDERTAKING**Identification of the product**

Product name : #0222 DECOFABRIC INK #02 RED

Company/undertaking identificationCompany : UCHIDA OF AMERICA, CORP.
3535 Del Amo Blvd., Torrance, CA 90503

Telephone : +1-800-541-5877

Telefax : +1-800-229-7017

Emergency telephone number : +1-800-541-5877

Use of the substance/preparation

: For markers.

2. HAZARDS IDENTIFICATION

Not applicable.

3. COMPOSITION/INFORMATION ON INGREDIENTS

Ingredient	CAS#	Content (wt%)
C. I. Pigment Red 17	Trade Secret	3.0 to 5.0
C. I. Pigment Yellow 83	Trade Secret	0.0 to 2.0
C. I. Pigment White 19	Trade Secret	3.0 to 8.0
Mica	Trade Secret	1.0 to 5.0
Titanium dioxide	Trade Secret	5.0 to 10.0
Silicon dioxide	Trade Secret	2.0 to 10.0
Ethanol	Trade Secret	0.0 to 2.0
Isopropyl alcohol	Trade Secret	0.0 to 2.0
Propylene glycol	Trade Secret	0.0 to 2.0
Ethylene glycol	Trade Secret	5.0 to 10.0
Nonionic Surfactant (Not contain Nonyl phenol)	Trade Secret	3.0 to 8.0
Urethane resins	Trade Secret	5.0 to 20.0
Acrylonitrile acrylic resins	Trade Secret	1.0 to 5.0
Purified Water	Trade Secret	residual part

4. FIRST AID MEASURES**Inhalation**

SAFETY DATA SHEET

According to EC Directive 91/155/EEC

page. 2/4

Trade name: DECOFABRIC INK #02 REDSerial No. **100622-02**

Revision Date

Nov.04.2020Version **1.14**

Print Date

Nov.04.2020

Using high-boiling ink, the vapor is low and damages by inhalation are substantially negligible.

Skin contact

Immediately rinse through with soap and water.

Stains of skin with these inks are somewhat difficult to remove.

So, attention may be paid not to stain the skin.

Eye contact

Immediately rinse the stained eye with plenty of water, and call on a physician.

Ingestion

They may be discarded the same as ordinary waste.

5. FIRE-FIGHTING MEASURES**Suitable extinguishing media**

Water spray, foam, powder, and carbon dioxide.

Specific hazards during fire fighting

Owing too much water, these inks are not in flammable, but the evaporation residue is combustible.

Special protective equipment for fire fighters

Employ protective equipment commonly used in the event of fire.

6. ACCIDENTAL RELEASE MEASURES**Personal precautions**

Wear suitable clothing and gloves.

Environmental precautions

At room temperature, no volatile materials are present in these inks.

Methods for cleaning up

Wipe the material with cloth and wash water.

7. HANDLING AND STORAGE**Handling**

Wear suitable protective clothing and gloves.

Storage

Take care not to leave for a prolonged time in a cap-off state, Otherwise ink will dry up.

It is preferable to storage ink in a cool and well ventilated place.

8. EXPOSURE CONTROLS / PERSONAL PROTECTION**Personal protective equipment**

At room temperature, no volatile materials are present in these inks.

Hand protection

protective gloves

SAFETY DATA SHEET

According to EC Directive 91/155/EEC

page. 3/4

Trade name: DECOFABRIC INK #02 REDSerial No. **100622-02**

Revision Date

Nov.04.2020Version **1.14**

Print Date

Nov.04.2020**Eye protection**

safety glasses with side-shields

9. PHYSICAL AND CHEMICAL PROPERTIES**Appearance**

Form liquid
Colour coloured
Odour weak

Safety data

pH value not available
Boiling point/range ca. 100°C
Solubility in water soluble
Density ca. 1.1 to 1.3 g/cm³
Volatile 40 to 60 %

10. STABILITY AND REACTIVITY**Materials to avoid**

Take care not to leave for a prolonged time in a cap-off state, Otherwise ink will dry up.
It is preferable to storage ink in a cool and well ventilated place.

Hazardous reactions

no.

11. TOXICOLOGICAL INFORMATION**Acute toxicity**

The main components of this ink are pigments, ethylene glycol, resins and several additives.
Nearly these pigments are believes to be non-toxic, but much ingestion of ethylene glycol causes some damage to kidney. It is oxidized in vivo in to oxalic acid and water insoluble Ca-oxalate may be formed in kidney.

12. ECOLOGICAL INFORMATION**Ecotoxic effects**

Quantitative data on the ecological effect of this product are not available.

Further ecologic data

Do not allow entrance in waters, wastewater, or soil.

13. DISPOSAL CONSIDERATIONS**Product**

Disposal according to local authority regulations.

SAFETY DATA SHEETAccording to EC Directive 91/155/EEC

page. 4/4

Trade name: DECOFABRIC INK #02 REDSerial No. **100622-02**

Revision Date

Nov.04.2020Version **1.14**

Print Date

Nov.04.2020**Packaging**

Disposal according to local authority regulations.

14. TRANSPORT INFORMATION

Not available.

15. REGULATORY INFORMATION

Not available.

16. OTHER INFORMATION

Keep out reach of baby or children.

For further information, please contact us.

SAFETY DATA SHEET

According to EC Directive 91/155/EEC

page. 1/4

Trade name: DECOFABRIC INK #08 VIOLETSerial No. **100622-08**

Revision Date

Nov.04.2020Version **1.14**

Print Date

Nov.04.2020**1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND THE COMPANY/UNDERTAKING****Identification of the product**

Product name : #0222 DECOFABRIC INK #08 VIOLET

Company/undertaking identificationCompany : UCHIDA OF AMERICA, CORP.
3535 Del Amo Blvd., Torrance, CA 90503

Telephone : +1-800-541-5877

Telefax : +1-800-229-7017

Emergency telephone number : +1-800-541-5877

Use of the substance/preparation

: For markers.

2. HAZARDS IDENTIFICATION

Not applicable.

3. COMPOSITION/INFORMATION ON INGREDIENTS

Ingredient	CAS#	Content (wt%)
C. I. Pigment Violet 23	Trade Secret	2.0 to 5.0
C. I. Pigment White 19	Trade Secret	3.0 to 8.0
Mica	Trade Secret	1.0 to 5.0
Titanium dioxide	Trade Secret	5.0 to 10.0
Silicon dioxide	Trade Secret	2.0 to 10.0
Ethanol	Trade Secret	0.0 to 2.0
Isopropyl alcohol	Trade Secret	0.0 to 2.0
Propylene glycol	Trade Secret	0.0 to 2.0
Ethylene glycol	Trade Secret	5.0 to 10.0
Nonionic Surfactant (Not contain Nonyl phenol)	Trade Secret	3.0 to 8.0
Urethane resins	Trade Secret	5.0 to 20.0
Acrylonitrile acrylic resins	Trade Secret	1.0 to 5.0
Purified Water	Trade Secret	residual part

4. FIRST AID MEASURES**Inhalation**

Using high-boiling ink, the vapor is low and damages by inhalation are substantially negligible.

SAFETY DATA SHEET

According to EC Directive 91/155/EEC

page. 2/4

Trade name: DECOFABRIC INK #08 VIOLETSerial No. **100622-08**

Revision Date

Nov.04.2020Version **1.14**

Print Date

Nov.04.2020**Skin contact**

Immediately rinse through with soap and water.

Stains of skin with these inks are somewhat difficult to remove.

So, attention may be paid not to stain the skin.

Eye contact

Immediately rinse the stained eye with plenty of water, and call on a physician.

Ingestion

They may be discarded the same as ordinary waste.

5. FIRE-FIGHTING MEASURES**Suitable extinguishing media**

Water spray, foam, powder, and carbon dioxide.

Specific hazards during fire fighting

Owing too much water, these inks are not in flammable, but the evaporation residue is combustible.

Special protective equipment for fire fighters

Employ protective equipment commonly used in the event of fire.

6. ACCIDENTAL RELEASE MEASURES**Personal precautions**

Wear suitable clothing and gloves.

Environmental precautions

At room temperature, no volatile materials are present in these inks.

Methods for cleaning up

Wipe the material with cloth and wash water.

7. HANDLING AND STORAGE**Handling**

Wear suitable protective clothing and gloves.

Storage

Take care not to leave for a prolonged time in a cap-off state, Otherwise ink will dry up.

It is preferable to storage ink in a cool and well ventilated place.

8. EXPOSURE CONTROLS / PERSONAL PROTECTION**Personal protective equipment**

At room temperature, no volatile materials are present in these inks.

Hand protection

protective gloves

Eye protection

SAFETY DATA SHEET

According to EC Directive 91/155/EEC

page. 3/4

Trade name: DECOFABRIC INK #08 VIOLETSerial No. **100622-08**

Revision Date

Nov.04.2020Version **1.14**

Print Date

Nov.04.2020

safety glasses with side-shields

9. PHYSICAL AND CHEMICAL PROPERTIES**Appearance**

Form liquid
Colour coloured
Odour weak

Safety data

pH value not available
Boiling point/range ca. 100°C
Solubility in water soluble
Density ca. 1.1 to 1.3 g/cm³
Volatile 40 to 60 %

10. STABILITY AND REACTIVITY**Materials to avoid**

Take care not to leave for a prolonged time in a cap-off state, Otherwise ink will dry up.
It is preferable to storage ink in a cool and well ventilated place.

Hazardous reactions

no.

11. TOXICOLOGICAL INFORMATION**Acute toxicity**

The main components of this ink are pigments, ethylene glycol, resins and several additives.
Nearly these pigments are believes to be non-toxic, but much ingestion of ethylene glycol causes some damage to kidney. It is oxidized in vivo in to oxalic acid and water insoluble Ca-oxalate may be formed in kidney.

12. ECOLOGICAL INFORMATION**Ecotoxic effects**

Quantitative data on the ecological effect of this product are not available.

Further ecologic data

Do not allow entrance in waters, wastewater, or soil.

13. DISPOSAL CONSIDERATIONS**Product**

Disposal according to local authority regulations.

Packaging

SAFETY DATA SHEETAccording to EC Directive 91/155/EEC

page. 4/4

Trade name: DECOFABRIC INK #08 VIOLETSerial No. **100622-08**

Revision Date

Nov.04.2020Version **1.14**

Print Date

Nov.04.2020

Disposal according to local authority regulations.

14. TRANSPORT INFORMATION

Not available.

15. REGULATORY INFORMATION

Not available.

16. OTHER INFORMATION

Keep out reach of baby or children.

For further information, please contact us.

SAFETY DATA SHEET

According to EC Directive 91/155/EEC

page. 1/4

Trade name: DECOFABRIC INK #0 WHITESerial No. **100622-00**

Revision Date

Nov.04.2020Version **1.14**

Print Date

Nov.04.2020**1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND THE COMPANY/UNDERTAKING****Identification of the product**

Product name : #0222 DECOFABRIC INK #0 WHITE

Company/undertaking identificationCompany : UCHIDA OF AMERICA, CORP.
3535 Del Amo Blvd., Torrance, CA 90503

Telephone : +1-800-541-5877

Telefax : +1-800-229-7017

Emergency telephone number : +1-800-541-5877

Use of the substance/preparation

: For markers.

2. HAZARDS IDENTIFICATION

Not applicable.

3. COMPOSITION/INFORMATION ON INGREDIENTS

Ingredient	CAS#	Content (wt%)
Mica	Trade Secret	5.0 to 10.0
Titanium dioxide	Trade Secret	5.0 to 30.0
Silicon dioxide	Trade Secret	2.0 to 5.0
Ethanol	Trade Secret	2.0 to 5.0
Nonionic Surfactant (Not contain Nonyl phenol)	Trade Secret	1.0 to 5.0
Urethane resins	Trade Secret	5.0 to 20.0
Acrylonitrile acrylic resins	Trade Secret	1.0 to 5.0
Purified Water	Trade Secret	residual part

4. FIRST AID MEASURES**Inhalation**

Using high-boiling ink, the vapor is low and damages by inhalation are substantially negligible.

Skin contact

Immediately rinse through with soap and water.

Stains of skin with these inks are somewhat difficult to remove.

So, attention may be paid not to stain the skin.

Eye contact

SAFETY DATA SHEET

According to EC Directive 91/155/EEC

page. 2/4

Trade name: DECOFABRIC INK #0 WHITESerial No. **100622-00**

Revision Date

Nov.04.2020Version **1.14**

Print Date

Nov.04.2020

Immediately rinse the stained eye with plenty of water, and call on a physician.

Ingestion

They may be discarded the same as ordinary waste.

5. FIRE-FIGHTING MEASURES**Suitable extinguishing media**

Water spray, foam, powder, and carbon dioxide.

Specific hazards during fire fighting

Owing too much water, these inks are not in flammable, but the evaporation residue is combustible.

Special protective equipment for fire fighters

Employ protective equipment commonly used in the event of fire.

6. ACCIDENTAL RELEASE MEASURES**Personal precautions**

Wear suitable clothing and gloves.

Environmental precautions

At room temperature, no volatile materials are present in these inks.

Methods for cleaning up

Wipe the material with cloth and wash water.

7. HANDLING AND STORAGE**Handling**

Wear suitable protective clothing and gloves.

Storage

Take care not to leave for a prolonged time in a cap-off state, Otherwise ink will dry up.

It is preferable to storage ink in a cool and well ventilated place.

8. EXPOSURE CONTROLS / PERSONAL PROTECTION**Personal protective equipment**

At room temperature, no volatile materials are present in these inks.

Hand protection

protective gloves

Eye protection

safety glasses with side-shields

9. PHYSICAL AND CHEMICAL PROPERTIES**Appearance**

Form liquid

SAFETY DATA SHEET

According to EC Directive 91/155/EEC

page. 3/4

Trade name: DECOFABRIC INK #0 WHITESerial No. **100622-00**

Revision Date

Nov.04.2020Version **1.14**

Print Date

Nov.04.2020

Colour	coloured
Odour	weak
Safety data	
pH value	not available
Boiling point/range	ca. 100°C
Solubility in water	soluble
Density	ca. 1.1 to 1.3 g/cm ³
Volatile	40 to 60 %

10. STABILITY AND REACTIVITY**Materials to avoid**

Take care not to leave for a prolonged time in a cap-off state, Otherwise ink will dry up.
It is preferable to storage ink in a cool and well ventilated place.

Hazardous reactions

no.

11. TOXICOLOGICAL INFORMATION**Acute toxicity**

Quantitative data on the toxicological effect of this product are not available.

12. ECOLOGICAL INFORMATION**Ecotoxic effects**

Quantitative data on the ecological effect of this product are not available.

Further ecologic data

Do not allow entrance in waters, wastewater, or soil.

13. DISPOSAL CONSIDERATIONS**Product**

Disposal according to local authority regulations.

Packaging

Disposal according to local authority regulations.

14. TRANSPORT INFORMATION

Not available.

15. REGULATORY INFORMATION

Not available.

SAFETY DATA SHEETAccording to EC Directive 91/155/EEC

page. 4/4

Trade name: DECOFABRIC INK #0 WHITESerial No. **100622-00**

Revision Date

Nov.04.2020Version **1.14**

Print Date

Nov.04.2020**16. OTHER INFORMATION**

Keep out reach of baby or children.

For further information, please contact us.