MSDS for #01227 - DECOFABRIC MARKER

01227-8010

Page 1 of 4

SAFETY I	DATA SHEET	According to EC Direct	ive 91/155/EEC	page. 1/4
Trade name	: DECOFABRIC I	NK #06 BROWN		
Serial No.	100622-06	Revision Date	Nov.04.2020	
Version	1.14	Print Date	Nov.04.2020	
IDENTIFICATIO	N OF THE SUDSTANCE	PREPARATION AND TH	Ε COMPA NV/UNI	NEDTA KIN
	IN OF THE SUBSTANCE	AT KETAKATION AND TH	E COMIAN I/UNI	JERIARIN
Idantification of				
Identification of	f the product			

ame	: #0222 DECOFABRIC INK #06 BRO	V

Company/undertaking identification

: UCHIDA OF AMERICA, CORP.
3535 Del Amo Blvd., Torrance, CA 90503
: +1-800-541-5877
: +1-800-229-7017
: +1-800-541-5877

Use of the substance/preparation

: For markers.

2. HAZARDS IDENTIFICATION

Not applicable.

3. COMPOSITION/INFORMATION ON INGREDIENTS

Ingredient	CAS#	Content (wt%)
C. I. Pigment Red 17	Trade Secret	0.0 to 2.0
C. I. Pigment Red 146	Trade Secret	0.0 to 3.0
C. I. Pigment Yellow 14	Trade Secret	1.0 to 3.0
C. I. Pigment Yellow 83	Trade Secret	3.0 to 5.0
C. I. Pigment Green 7	Trade Secret	0.0 to 2.0
C. I. Pigment White 19	Trade Secret	3.0 to 8.0
Mica	Trade Secret	1.0 to 5.0
Titanium dioxide	Trade Secret	5.0 to 10.0
Silicon dioxide	Trade Secret	2.0 to 10.0
Ethanol	Trade Secret	0.0 to 2.0
Isopropyl alcohol	Trade Secret	0.0 to 2.0
Propylene glycol	Trade Secret	0.0 to 2.0
Ethylene glycol	Trade Secret	5.0 to 10.0
Nonionic Surfactant (Not contain Nonyl phenol)	Trade Secret	3.0 to 8.0
Urethane resins	Trade Secret	5.0 to 20.0
Acrylonitrile acrylic resins	Trade Secret	1.0 to 5.0
Purified Water	Trade Secret	residual part

SAFETY DATA SHEET According to EC Directive 91/155/EEC

Trade name:	DECO
Serial No.	100

DFABRIC INK #06 BROWN

622-06

Revision Date Print Date

Nov.04.2020 Nov.04.2020

4. FIRST AID MEASURES

Inhalation

Version

Using high-boiling ink, the vapor is low and damages by inhalation are substantially negligible. Skin contact

Immediately rinse through with soap and water.

1.14

Stains of skin with these inks are somewhat difficult to remove.

So, attention may be paid not to stain the skin.

Eye contact

Immediately rinse the stained eye with plenty of water, and call on a physician.

Ingestion

They may be discarded the same as ordinary waste.

5. FIRE-FIGHTING MEASURES

Suitable extinguishing media

Water spray, foam, powder, and carbon dioxide.

Specific hazards during fire fighting

Owing too much water, these inks are not in flammable, but the evaporation residue is combustible.

Special protective equipment for fire fighters

Employ protective equipment commonly used in the event of fire.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions Wear suitable clothing and gloves. **Environmental precautions** At room temperature, no volatile materials are present in these inks. Methods for cleaning up Wipe the material with cloth and wash water.

7. HANDLING AND STORAGE

Handling

Wear suitable protective clothing and gloves.

Storage

Take care not to leave for a prolonged time in a cap-off state, Otherwise ink will dry up. It is preferable to storage ink in a cool and well ventilated place.

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Personal protective equipment

At room temperature, no volatile materials are present in these inks.

SAFETY I	DATA SHEET	According to EC Direct	ive 91/155/EEC	page.
Trade name: DECOFABRIC INK #06 BROWN				
Serial No.	100622-06	Revision Date	Nov.04.2020	
Version	1.14	Print Date	Nov.04.2020	

Hand protection

protective gloves

Eye protection

safety glasses with side-shields

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	
Form	liquid
Colour	coloured
Odour	weak
Safety data	
pH value	not available
Boiling point/range	ca. 100°C
Solubility in water	soluble
Density	ca. 1.1 to 1.3 g/cm3
Volatile	40 to 60 %

10. STABILITY AND REACTIVITY

Materials to avoid

Take care not to leave for a prolonged time in a cap-off state, Otherwise ink will dry up.

It is preferable to storage ink in a cool and well ventilated place.

Hazardous reactions

no.

11. TOXICOLOGICAL INFORMATION

Acute toxicity

The main components of this ink are pigments, ethylene glycol, resins and several additives. Nearly these pigments are believes to be non-toxic, but much ingestion of ethylene glycol causes some damage to kidney. It is oxidized in vivo in to oxalic acid and water insoluble Ca-oxalate may be formed in kidney.

12. ECOLOGICAL INFORMATION

Ecotoxic effects

Quantitative data on the ecological effect of this product are not available.

Further ecologic data

Do not allow entrance in waters, wastewater, or soil.

13. DISPOSAL CONSIDERATIONS

3/4

Page 3 of 4

SAFETY DATA SHEET

page. 4/4

IT aue name.	DECOFAD
Serial No.	100622-06
Version	1.14

Trade name: DECOFABRIC INK #06 BROWN **Revision** Date Print Date

Nov.04.2020 Nov.04.2020

Product

Disposal according to local authority regulations. Packaging

Disposal according to local authority regulations.

14. TRANSPORT INFORMATION

Not available.

15. REGULATORY INFORMATION

Not available.

16. OTHER INFORMATION

Keep out reach of baby or children. For further information, please contact us.