

01233-XXXX

## SAFETY DATA SHEET (SDS)



Jacquard Products  
Manufactured by Rupert, Gibbon & Spider, Inc.  
P.O. Box 425 | Healdsburg, CA 95448  
800.442.0455 | Fax: 707.433.4906  
www.jacquardproducts.com

Silk Salt- Pg 1

Revision Date: 03/05/2018

## SECTION 1 - CHEMICAL, PRODUCT &amp; COMPANY INFORMATION

Product Name:	<b>SILK SALT</b>	
Product Number/Code:	<b>JAC0700, JAC1700, JAC2700, JAC9610</b>	
Recommended Use:	Patterning fabric	
Synonym(s):	Salt, Sea Salt	
Restrictions on use:	None known	
Manufacturer:	Rupert, Gibbon & Spider, Inc. 1147 Healdsburg Ave. Healdsburg, CA 95448 1-800-442-0455 / 707-433-9577	
Emergency Number:	<b>ChemTel, Inc. - Contract #MIS9128344</b>	
	North America: <b>1-800-255-3924</b>	International: <b>1-813-248-0585</b>

## SECTION 2 - HAZARD(S) IDENTIFICATION

<b>This product is not considered to be or contain hazardous chemicals based on evaluations made by our company under the OSHA Hazard Communication Standard, reference 29 CFR 1910.1200.</b>	
<b>Toxicological Data on Ingredients:</b>	
Hazard Classification	Not hazardous
Physical Hazards:	Not classified
Health Hazards:	Not classified
Environmental Hazards:	Not classified
<b>Label Elements</b>	
Pictogram:	None
Signal Words:	None
<b>Hazard Statements-EU:</b>	The mixture does not meet the criteria for classification.
<b>Precautionary Statements-EU:</b>	
Prevention:	Observe good industrial hygiene practices.
Response:	P264 Wash hands thoroughly after handling.
Storage:	P420 Store away from incompatible materials.
Disposal:	P501 Dispose of waste and residues in accordance with local authority requirements.
Hazard(s) not otherwise classified:	None known

## SAFETY DATA SHEET (SDS)

Silk Salt - Pg 2

Rupert, Gibbon &amp; Spider, Inc. | P.O. Box 425 | Healdsburg, CA 95448 | 800.442.0455 | Fax: 707.433.4906 | www.jacquardproducts.com

## SECTION 3 - COMPOSITION / INFORMATION ON INGREDIENTS

Chemical identity	Content in percent (%)*	CAS #
Sodium Chloride	100%	7647-14-5
GRAS Substance (Generally Recognized As Safe)		

## SECTION 4 - FIRST AID MEASURES

Description of first aid measures:	
In the event of skin contact:	Wash off with soap and water. Get medical attention if irritation develops and persists.
In the event of eye contact:	Rinse with water. Get medical attention if irritation develops and persists.
In the event of swallowing:	Give one or two glasses of water if patient is alert and able to swallow. Get medical attention if symptoms occur.
In the event of exposure by inhalation:	If dust from the material is inhaled, remove the affected person immediately to fresh air. Call a physician if symptoms develop or persist.
Most important symptoms and effects, acute and delayed:	Direct contact with eyes may cause temporary irritation.
Indication of any immediate medical attention and special treatment needed:	Treat symptomatically.
General information:	Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves.

## SECTION 5 - FIREFIGHTING MEASURES

Extinguishing media:	Water fog. Foam. Dry chemical powder. Carbon dioxide (CO2).
Unsuitable extinguishing media:	Do not use water jet as an extinguisher, as this will spread the fire.
Special hazards arising from the substance or mixture::	During fire, gases hazardous to health may be formed.
Special protective equipment and precautions for firefighters:	Self-contained breathing apparatus and full protective clothing must be worn in case of fire.
Fire fighting equipment/instructions:	Use water spray to cool unopened containers.
Specific methods:	Use standard firefighting procedures and consider the hazards of other involved materials.
General fire hazards:	This product is not flammable or combustible.

## SECTION 6 - ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures:	Keep unnecessary personnel away. Avoid inhalation of dust from the spilled material. Use a NIOSH/MSHA approved respirator if there is a risk of exposure to dust/fume at levels exceeding the exposure limits. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. For personal protection, see section 8 of the SDS.
Methods and material for containment and clean up:	If sweeping of a contaminated area is necessary use a dust suppressant agent which does not react with the product. Collect dust using a vacuum cleaner equipped with HEPA filter. Minimize dust generation and accumulation. Avoid release to the environment. Following product recovery, flush area with water. For waste disposal, see section 13 of the SDS.
Environmental procedures:	Avoid discharge into drains, water courses or onto the ground.

## SAFETY DATA SHEET (SDS)

Silk Salt - Pg 3

Rupert, Gibbon &amp; Spider, Inc. | P.O. Box 425 | Healdsburg, CA 95448 | 800.442.0455 | Fax: 707.433.4906 | www.jacquardproducts.com

## SECTION 7 - HANDLING AND STORAGE

Precautions for safe handling:	Provide appropriate exhaust ventilation at places where dust is formed. Minimize dust generation and accumulation. Avoid breathing dust. Avoid contact with eyes. Avoid contact with water and moisture. Keep away from strong acids. Practice good housekeeping.
Conditions for safe storage including any incompatibilities:	Store in original tightly closed container. Store in a well-ventilated place. Store away from incompatible materials (see Section 10 of the SDS). Becomes hygroscopic at 70-75% relative humidity. Avoid humid or wet conditions as product will cake and become hard.

## SECTION 8 - EXPOSURE CONTROLS / PERSONAL PROTECTION

<b>Control parameters:</b>	
Occupational exposure limits:	No exposure limits noted for ingredient(s).
Biological limit values:	No biological exposure limits noted for the ingredient(s).
Appropriate engineering controls:	Ventilation should be sufficient to effectively remove and prevent buildup of any dusts or fumes that may be generated during handling or thermal processing.
<b>Individual protection measures, such as personal protective equipment:</b>	
Eye/face protection:	Un-vented, tight fitting goggles should be worn in dusty areas.
Hand protection:	Wear appropriate chemical resistant gloves.
Other protective equipment:	Wear suitable protective clothing.
Respiratory protection:	Use a NIOSH/MSHA approved respirator if there is a risk of exposure to dust/fume at levels exceeding the exposure limits. If engineering controls do not maintain airborne concentrations below recommended exposure limits (where applicable) or to an acceptable level (in countries where exposure limits have not been established), an approved respirator must be worn.

## SAFETY DATA SHEET (SDS)

Silk Salt - Pg 4

Rupert, Gibbon &amp; Spider, Inc. | P.O. Box 425 | Healdsburg, CA 95448 | 800.442.0455 | Fax: 707.433.4906 | www.jacquardproducts.com

## SECTION 9 - PHYSICAL AND CHEMICAL PROPERTIES

<b>General information:</b>	
Appearance and physical state:	Solid crystalline
Color:	White to opaque
Type of Odor:	Halogen odor when heated
Odor threshold:	Not available
<b>Important health, safety and environmental information:</b>	
Initial Boiling Point and Boiling Range:	2669 °F / 1465 °C (760 mmHg)
Melting Point/Freezing Point:	1473.8 °F / 801 °C
Flammability Classification:	Not available
Flash Point:	Not available
Auto-ignition Temperature:	Not available
Decomposition Temperature:	Not available
Flammability Limits (lower/upper):	Not available
Evaporation rate:	Not available
Vapor Pressure:	2.4 mm Hg 1376.6 °F / 747 °C
Vapor Density (Air=1):	Not available
Octanol/Water Partition Coefficient (log Pow):	Not available
Specific Gravity:	Not available
Bulk Density:	35 - 83 lb/ft <sup>3</sup>
Water Solubility:	26.4%
pH:	4 – 9
Viscosity:	Not available
Explosive Properties:	Not available
Oxidizing Properties:	Not available
Molecular Formula:	NaCl
Molecular Weight:	58.44
Relative Density:	2.16 (H <sub>2</sub> O = 1)

## SECTION 10 - STABILITY AND REACTIVITY

Reactivity:	The product is stable and non-reactive under normal conditions of use, storage and transport.
Stability:	Material is stable under normal conditions.
Possibility of hazardous reactions:	No dangerous reaction known under conditions of normal use.
Conditions to avoid:	Contact with incompatible materials. Avoid dispersal of dust in the air (i.e., clearing dust surfaces with compressed air).
Incompatible materials:	Avoid contact with strong acids. Becomes corrosive to metals when wet.
Hazardous decomposition products:	May evolve chlorine gas when in contact with strong acids.

## SAFETY DATA SHEET (SDS)

Silk Salt - Pg 5

Rupert, Gibbon &amp; Spider, Inc. | P.O. Box 425 | Healdsburg, CA 95448 | 800.442.0455 | Fax: 707.433.4906 | www.jacquardproducts.com

## SECTION II - TOXICOLOGICAL INFORMATION

<b>Information on toxicological effects:</b>	
Acute toxicity (list all possible routes of exposure)	
Acute Oral Toxicity:	LD50 (Mouse) 4,000 mg/kg LD50 (Rat) 3,000 mg/kg
Other:	LD50 (Mouse) 2,602 mg/kg
Skin Corrosion/Irritation:	Prolonged skin contact may cause temporary irritation.
Serious Eye Damage / Eye Irritation:	Dust in the eyes will cause irritation.
Respiratory or Skin Sensitization:	Not available.
Germ Cell Mutagenicity:	No data available to indicate product or any components present at greater than 0.1% are mutagenic or genotoxic.
Carcinogenicity:	This product is not considered to be a carcinogen by IARC, ACGIH, NTP, or OSHA.
Reproductive Toxicity:	This product is not expected to cause reproductive or developmental effects.
Specific Target Organ Toxicity - single exposure (STOT-se):	Not classified
Specific Target Organ Toxicity - repeated exposure (STOT-re):	Not classified
Aspiration Hazard:	Due to the physical form of the product it is not an aspiration hazard.
<b>Potential Health Effects:</b>	
Skin Contact:	Prolonged or repeated skin contact may cause irritation.
Eye Contact:	Dust in the eyes will cause irritation.
Ingestion:	Expected to be a low ingestion hazard.
Inhalation:	Inhalation of dusts may cause respiratory irritation.
Symptoms related to the physical, chemical and toxicological characteristics:	Eye and skin contact: Exposure may cause temporary irritation, redness, or discomfort. For ingestion, consuming less than a few grams would not be harmful. The following effects were observed after ingesting an excessive quantity: nausea and vomiting, diarrhea, cramps, restlessness, irritability, dehydration, water retention, nose bleed, gastrointestinal tract damage, fever, sweating, sunken eyes, high blood pressure, muscle weakness, dry mouth and nose, shock, cerebral edema (fluid on brain), pulmonary edema (fluid in lungs), blood cell shrinkage, and brain damage (due to dehydration of brain cells). Death is generally due to cardiovascular collapse or CNS damage.
Acute toxicity:	In some cases of confirmed hypertension, ingestion may result in elevated blood pressure.

## SAFETY DATA SHEET (SDS)

Silk Salt - Pg 6

Rupert, Gibbon &amp; Spider, Inc. | P.O. Box 425 | Healdsburg, CA 95448 | 800.442.0455 | Fax: 707.433.4906 | www.jacquardproducts.com

## SECTION 12 - ECOLOGICAL INFORMATION

**Toxicity:***The product is not classified as environmentally hazardous.**However, this does not exclude the possibility that large or frequent spills can have a harmful or damaging effect on the environment.*

Acute/prolonged toxicity to fish:	LC50	Rainbow trout, donaldson trout ( <i>Oncorhynchus mykiss</i> )	4,747 - 7,824 mg/l, 96 hours
Acute/prolonged toxicity to aquatic invertebrates:	EC50	Water flea ( <i>Daphnia magna</i> )	340.7 - 469.2 mg/l, 48 hours
Persistence and degradability:	No data is available on the degradability of this product.		
Bioaccumulative potential:	No data available		
Mobility in soil:	No data available		
Other adverse effects:	None known		

## SECTION 13 - DISPOSAL CONSIDERATIONS

**Waste treatment methods:**

Disposal instructions:	Collect and reclaim or dispose in sealed containers at licensed waste disposal site. Dispose of in accordance with all applicable regulations.
Hazardous waste code:	The waste code should be assigned in discussion between the user, the producer and the waste disposal company.
Waste from residues / unused products:	Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see: Disposal instructions).
Contaminated packaging:	Empty containers should be taken to an approved waste handling site for recycling or disposal. Since emptied containers may retain product residue, follow label warnings even after container is emptied.

## SECTION 14 - TRANSPORT INFORMATION

General Information:	The product is not covered by international regulations on the transport of dangerous goods (IMDG, IATA, DOT).
UN number:	Not relevant
UN proper shipping name:	Not relevant
Transport hazard class:	Not relevant
Packing group:	Not relevant
<b>Environmental Hazards:</b>	
Environmentally hazardous substance:	No
Special precautions for user:	Not relevant

## SAFETY DATA SHEET (SDS)

Silk Salt - Pg 7

Rupert, Gibbon &amp; Spider, Inc. | P.O. Box 425 | Healdsburg, CA 95448 | 800.442.0455 | Fax: 707.433.4906 | www.jacquardproducts.com

## SECTION 15 - REGULATORY INFORMATION

Safety, health and environmental regulations/legislation specific for the substance or mixture:		
US Federal Regulations		
TSCA/OSHA:	All components are on the U.S. EPA TSCA Inventory List. This product is not known to be a “Hazardous Chemical” as defined by the OSHA Hazard Communication Standard, 29 CFR 1910.1200.	
TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D):	Not regulated	
OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050):	Not listed	
CERCLA Hazardous Substance List (40 CFR 302.4):	Not listed	
Superfund Amendments and Reauthorization Act of 1986 (SARA):		
Hazard categories:	Immediate Hazard:	No
	Delayed Hazard:	No
	Fire Hazard:	No
	Pressure Hazard:	No
	Reactivity Hazard:	No
SARA 302 Extremely hazardous substance:	Not listed	
SARA 311/312 Hazardous Chemical:	No	
SARA 313 (TRI reporting):	Not regulated	
Other Federal Regulations		
Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List:	Not regulated	
Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130):	Not regulated	
Safe Drinking Water Act (SDWA):	Not regulated	
US State Regulations		
US Massachusetts RTK - Substance List:	Not regulated	
US New Jersey Worker and Community Right-to-Know Act:	Not listed	
US Pennsylvania Worker and Community Right-to-Know Law:	Not listed	
US Rhode Island RTK:	Not regulated	
US California Proposition 65	California Safe Drinking Water and Toxic Enforcement Act of 1986 (Proposition 65): This material is not known to contain any chemicals currently listed as carcinogens or reproductive toxins.	
US California Proposition 65 - Carcinogens & Reproductive Toxicity (CRT): Listed substance:	Not listed	

## SAFETY DATA SHEET (SDS)

Silk Salt - Pg 8

Rupert, Gibbon &amp; Spider, Inc. | P.O. Box 425 | Healdsburg, CA 95448 | 800.442.0455 | Fax: 707.433.4906 | www.jacquardproducts.com

## SECTION 15 - REGULATORY INFORMATION

International Inventories:		
Country(s) or Region	Inventory Name	On Inventory (Yes/No)*
Australia	Australian Inventory of Chemical Substances (AICS)	Yes
Canada	Domestic Substances List (DSL)	Yes
Canada	Non-Domestic Substances List (NDSL)	No
China	Inventory of Existing Chemical Substances in China (IECSC)	Yes
Europe	European Inventory of Existing Commercial Chemical Substances (EINECS)	Yes
Europe	European List of Notified Chemical Substances (ELINCS)	No
Japan	Inventory of Existing and New Chemical Substances (ENCS)	Yes
Korea	Existing Chemicals List (ECL)	Yes
New Zealand	New Zealand Inventory	Yes
Philippines	Philippine Inventory of Chemicals and Chemical Substances (PICCS)	Yes
United States & Puerto Rico	Toxic Substances Control Act (TSCA) Inventory	Yes
* A "Yes" indicates this product complies with the inventory requirements administered by the governing country(s). A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).		



## SAFETY DATA SHEET (SDS)

Silk Salt - Pg 9

Rupert, Gibbon &amp; Spider, Inc. | P.O. Box 425 | Healdsburg, CA 95448 | 800.442.0455 | Fax: 707.433.4906 | www.jacquardproducts.com

## SECTION 16 - OTHER INFORMATION

HMIS Hazard ID:	
Health:	I
Flammability:	0
Reactivity:	0
Personal Protection:	A
Hazard rating: 0 - Minimal; 1 - Slight; 2 - Moderate; 3 - Serious; 4 - Severe; *Chronic health effect	

**Disclaimer:**

The information contained in this SDS is based on data from sources considered to be reliable but Rupert, Gibbon & Spider, Inc. does not guarantee the accuracy or completeness thereof. Rupert, Gibbon & Spider, Inc. urges each customer or recipient of this SDS to study it carefully to become aware of and understand the hazards associated with this product. The reader should consider consulting reference works or individuals who are experts in ventilation, toxicology or fire and understand the data in this SDS.

**Revision Date: 03/05/2018**

National Chemical Inventories:	
All components of this product are listed on the following chemical substance inventories: TSCA (USA)	
DSL	(Canada)
EINECS	(Europe)
ENCS	(Japan) ECL
	(Korea)
AICS	(Australia) NZIoC
	(New Zealand)
PICCS	(Philippines)
IECSC	(China)

## SAFETY DATA SHEET (SDS)

Silk Salt - Pg 10

Rupert, Gibbon &amp; Spider, Inc. | P.O. Box 425 | Healdsburg, CA 95448 | 800.442.0455 | Fax: 707.433.4906 | www.jacquardproducts.com

Abbreviations:	
ACGIH	American Conference of Governmental Industrial Hygienists
ADR	International carriage of Dangerous goods by Road
AICS	Australian Inventory of Chemical Substances
ATE	Acute Toxicity Estimate
BfR	Bundesinstitut für Risikobewertung recommendations for food contact materials
BCF	Bioconcentration Factor
BOD5	5-day Biochemical Oxygen Demand
CERCLA	Comprehensive Environmental Response, Compensation and Liability Act
CLP	Classification, Labeling and Packaging regulation
COD	Chemical Oxygen Demand DOT Department of Transportation DSL Domestic Substances List
EINECS	European Inventory of Existing Chemical Substances
ECL	Existing Chemicals List (Korea)
ENCS	Existing and New Chemical Substances Inventory (Japan)
EN 689	Workplace atmospheres - Guidance for the assessment of exposure by inhalation to chemical agents for comparison with limit values and measurement strategy.
ERG	Emergency Response Guide
GHS	Globally Harmonized System
HMIS	Hazardous Materials Information System IARC International Agency for Research on Cancer IATA International Air Transport Association
ICAO	International Civil Aviation Organization IDLH Immediately Dangerous to Life and Health IMDG International Maritime Dangerous Goods
LD50	Lethal Dose to 50% of test animal population
MAK	Maximale Arbeitsplatz Konzentration
NTP	National Toxicology Program
OEL	Occupational Exposure Limit
OSHA	Occupational Safety & Health Administration
PBT	Persistent, Bioaccumulative and Toxic vPvB Very Persistent and Very Bioaccumulative PEL Permissible exposure limit
PICCS	Philippine Inventory of Commercial Chemical Substances
PNEC	Predicted No Effect Concentration
REACH	Registration, Evaluation and Authorization of Chemical Substances
RID	International carriage of dangerous goods by Rail SARA Superfund Amendments and Reauthorization Act STEL Short Term Exposure Limit
SVHC	Substance of Very High Concern
TLV	Threshold Limit Value
TSCA	Toxic Substances Control Act
TWA	Time Weighted Average
VOC	Volatile Organic Compound
WGK	Wassergefährdungsklasse (Water Hazard Class) WHMIS Workplace Hazardous Material Identification System