

Jacquard Products Manufactured by Rupert, Gibbon & Spider, Inc. P.O. Box 425 | Healdsburg, CA 95448 800.442.0455 | Fax: 707.433.4906 www.jacquardproducts.com

### Revision Date: 12/15/2020

This SDS Sheet covers the following Jacquard products:

Item Number:	Item Name:
JACIKIT	Marbling Class Pack

### These products contain the following components:

Item Number:	Item Name:	SDS Page Reference:
101-110 (ALL COLORS)	Marbling Color	Marbling Color Pages 1-6
CHM1006 / CHM2006 / CHM3006	Alum	Alum Pages I-7
CHM0003 / CHM1003 / CHM2003	Carrageenan	Carrageenan Pages 1-10
JMA1200 / JMA2200 / JMA4200	Synthetic Gall	Synthetic Gall Pages I-7

# 01241-XXXX



Jacquard Products Manufactured by Rupert, Gibbon & Spider, Inc. P.O. Box 425 | Healdsburg, CA 95448 800.442.0455 | Fax: 707.433.4906 www.jacquardproducts.com

Marbling Color - Pg I

#### Revision Date: 08/26/2019

### SECTION I - CHEMICAL, PRODUCT & COMPANY INFORMATION

Product Name:	MARBLING COLOR		
Product Number/Code:	101-110 (ALL COLORS)		
Recommended Use:	Paint for fabric and paper		
Restrictions on use:	None known		
Manufacturer:	Rupert, Gibbon & Spider, Ind I 147 Healdsburg Ave. Healdsburg, CA 95448 I-800-442-0455 / 707-433		
Emergency Number:	ChemTel, Inc Contract	ChemTel, Inc Contract #MIS9128344	
	North America: I-800-255-3924	International: I-8I3-248-0585	

#### SECTION 2 - HAZARD(S) IDENTIFICATION

This product is not considered to be or contain hazardous chemicals based on evaluations made by our company under the OSHA Hazard Communication Standard, reference 29 CFR 1910.1200. **Toxicological Data on Ingredients:** Hazard Classification Not classified Physical Hazards: Not classified Health Hazards: Not classified Environmental Hazards: Not classified Label Elements Pictogram: None Signal Words: None Hazard Statements-EU: The mixture does not meet the criteria for classification. **Precautionary Statements-EU:** Prevention: Observe good industrial hygiene practices. Response: Wash hands after handling. Storage: Keep in cool, dry location. Disposal: Dispose of waste and residues in accordance with local authority requirements. Hazard(s) not otherwise classified: None known

Marbling Color - Pg 2

Rupert, Gibbon & Spider, Inc. | P.O. Box 425 | Healdsburg, CA 95448 | 800.442.0455 | Fax: 707.433.4906 | www.jacquardproducts.com

# SECTION 3 - COMPOSITION / INFORMATION ON INGREDIENTS

Chemical identity	CAS #	Content in percent (%)*
Organic Pigments	Not Hazardous	>3
Acrylic Polymer(s)	Not Hazardous	>9
Residual Monomers	Not Available	<0.01
Aqua ammonia	1336-21-6	<0.02
Water	7732-18-5	< 88

#### SECTION 4 - FIRST AID MEASURES

Description of first aid measures:	
In the event of skin contact:	Wash with water and soap as a precaution. If skin irritation persists, call a physician.
In the event of eye contact:	Rinse with plenty of water. If eye irritation persists, consult a specialist.
In the event of swallowing:	Consult a physician if necessary.
In the event of exposure by inhalation:	Move to fresh air.

### SECTION 5 - FIREFIGHTING MEASURES

Flammability of the product:	N/A
Auto-Ignition Temperature:	Non-ignitable
Flash Points:	Non-combustible

#### SECTION 6 - ACCIDENTAL RELEASE MEASURES

	Contain spills immediately with inert materials (e.g., sand, earth). Trans- fer liquids and solid diking material to separate suitable containers for recovery or disposal.
--	---

# SECTION 7 - HANDLING AND STORAGE

Conditions for safe storage including any	Keep in cool, dry location.
incompatibilities:	

### SECTION 8 - EXPOSURE CONTROLS / PERSONAL PROTECTION

Control parameters:		
Exposure controls:	N/A	
Appropriate engineering controls:	N/A	
Individual protection measures, such as personal protective equipment:		
Eye/face protection:	Safety Glasses	

Item Numbers: 01241-1023, 01241-2023, 01241-3013, 01241-4013, 01241-4513, 01241-5013, 01241-5113, 01241-6063, 01241-7013

Rupert, Gibbon & Spider, Inc. | P.O. Box 425 | Healdsburg, CA 95448 | 800.442.0455 | Fax: 707.433.4906 | www.jacquardproducts.com

### SECTION 9 - PHYSICAL AND CHEMICAL PROPERTIES

Color:Yellow, Orange, Red, Violet, Blue, Turquoise, Green, White, BlackType of Odor:Acrylic odorOdor threshold:N/Amportant health, safety and environmental information:Initial Boiling Point and Boiling Range:100°C/212°FMelting Point/Freezing Point:N/AFlammability Classification:N/AFlash Point:Non-combustibleAuto-ignition Temperature:N/APoemposition Temperature:N/AFlammability Limits (lower/upper):N/AVapor Pressure:N/AVapor Density (Air=1):N/AOctanol/Water Partition Coefficient (log Pow):N/ASpecific Gravity:1.1Bulk Density:N/AVater Solubility:9.5Viscosity:N/AExplosive Properties:N/AMater Solubility:N/ARelative Density:N/ARelative Density:N/AMater Solubility:N/AMater S	General information:	
Type of Odor:Acrylic odorOdor threshold:N/Amportant health, safety and environmental information:Initial Boiling Point and Boiling Range:100°C/212°FMelting Point/Freezing Point:N/AFlammability Classification:N/AFlash Point:Non-combustibleAuto-ignition Temperature:Non-combustibleDecomposition Temperature:N/AFlammability Limits (lower/upper):N/AEvaporation rate:N/AVapor Pressure:N/AVapor Density (Air=1):N/AOctanol/Water Partition Coefficient (log Pow):N/ASpecific Gravity:1.1Bulk Density:N/AViscosity:N/AExplosive Properties:N/AOxidizing Properties:N/AMolecular Formula:N/AMolecular Formula:M/AMolecular Formula:M/AMolecular Formula:M/AMolecular Formula:M/AMolecular Fo	Appearance and physical state:	Liquid
Odor threshold:N/Amportant health, safety and environmental information:Initial Boiling Point and Boiling Range:100°C/212°FMelting Point/Freezing Point:N/AFlammability Classification:N/AFlammability Classification:Non-combustibleAuto-ignition Temperature:Non-ignitableDecomposition Temperature:N/AFlammability Limits (lower/upper):N/AVapor Pressure:N/AVapor Density (Air=1):N/AOctanol/Water Partition Coefficient (log Pow):N/ASpecific Gravity:1.1Bulk Density:N/AViscosity:N/AExplosity Properties:N/AOxidizing Properties:N/AOxidizing Properties:N/AMolecular Formula:N/AMolecular Formula:N/AMolecular Veight:N/AMolecular Formula:N/AMolecular Veight:N/AMolecular Veight	Color:	Yellow, Orange, Red, Violet, Blue, Turquoise, Green, White, Black
mportant health, safety and environmental information:Initial Boiling Point and Boiling Range:100°C/212°FMelting Point/Freezing Point:N/AFlammability Classification:N/AFlash Point:Non-combustibleAuto-ignition Temperature:Non-ignitableDecomposition Temperature:N/AFlash Boint:N/AEvaporation Temperature:N/AEvaporation rate:N/AVapor Pressure:N/AVapor Density (Air=1):N/AOctanol/Water Partition Coefficient (log Pow):N/ABulk Density:N/AWater Solubility:N/AVater Solubility:N/AWater Solubility:N/AWater Solubility:N/AMatter Barting:N/AMatter Solubility:N/AMatter Solubility:N/AMatter Solubility:N/AMatter Solubility:N/AMatter Solubility:N/AMatter Solubility:N/AMatter Solubility:N/AMatter Solubility:N/AMolecular Formula:N/AMolecular Formula:N/AMolecular Formula:N/AMolecular Weight:N/AMolecular Weight:N/AMolecular Weight:N/AMolecular Weight:N/AMolecular Weight:N/AMolecular Weight:N/AMolecular Weight:N/AMolecular Weight:N/AMolecular Weight:N/AMolecular Weight:N/A<	Type of Odor:	Acrylic odor
Initial Boiling Point and Boiling Range:I00°C/212°FMelting Point/Freezing Point:N/AFlammability Classification:N/AFlash Point:Non-combustibleAuto-ignition Temperature:N/ADecomposition Temperature:N/AFlammability Limits (lower/upper):N/AEvaporation rate:N/AVapor Pressure:N/AVapor Density (Air=1):N/AOctanol/Water Partition Coefficient (log Pow):N/ABulk Density:N/AWater Solubility:N/AViscosity:N/AViscosity:N/AValet Properties:N/AOxidizing Properties:N/AMolecular Formula:N/AMolecular Weight:N/AMolecular Weight:N/AMolecular Weight:N/AMolecular Weight:M/AMolecular Weight:M/AMolecular Weight:M/AMolecular Weight:M/AMolecular Weight:M/AMolecular Weight:M/AMolecular Weight: <td>Odor threshold:</td> <td>N/A</td>	Odor threshold:	N/A
Melting Point/Freezing Point:N/AFlammability Classification:N/AFlash Point:Non-combustibleAuto-ignition Temperature:Non-ignitableDecomposition Temperature:N/AFlammability Limits (lower/upper):N/AEvaporation rate:N/AVapor Pressure:N/AVapor Density (Air=1):N/AOctanol/Water Partition Coefficient (log Pow):N/ASpecific Gravity:I.1Bulk Density:N/AVater Solubility:N/APH:9.5Viscosity:N/AExplosive Properties:N/AMolecular Formula:N/AMolecular Weight:N/ARelative Density:N/AMolecular Weight:N/AMater Solubility:N/AMater Solubility:N/AMolecular Veight:N/AMolecular Veight:N/AMolecular Weight:N/AMolecular Weight:N/AMater Molecular Weight:N/AMolecular	Important health, safety and environmental in	formation:
Flammability Classification:N/AFlash Point:Non-combustibleAuto-ignition Temperature:Non-ignitableDecomposition Temperature:N/AFlammability Limits (lower/upper):N/AEvaporation rate:N/AVapor Pressure:N/AVapor Density (Air=1):N/AOctanol/Water Partition Coefficient (log Pow):N/ASpecific Gravity:1.1Bulk Density:N/AVater Solubility:9.5Viscosity:N/AExplosity Properties:N/AMolecular Formula:N/AMolecular Veight:N/AMolecular Veight:N/AVater/Oil Dist. Coeff.:N/AIonicity (in water):N/A	Initial Boiling Point and Boiling Range:	100°C/212°F
Flash Point:Non-combustibleAuto-ignition Temperature:Non-ignitableDecomposition Temperature:N/AFlammability Limits (lower/upper):N/AEvaporation rate:N/AVapor Pressure:N/AVapor Density (Air=1):N/AOctanol/Water Partition Coefficient (log Pow):N/ASpecific Gravity:1.1Bulk Density:N/AVater Solubility:N/APh:9.5Viscosity:N/AExplosive Properties:N/AMolecular Formula:N/AMolecular Veight:N/AMolecular Veight:N/ANaN/AMolecular Veight:N/ANater/Oil Dist. Coeff.:N/AIonicity (in water):Anionic	Melting Point/Freezing Point:	N/A
Auto-ignition Temperature:Non-ignitableDecomposition Temperature:N/AFlammability Limits (lower/upper):N/AEvaporation rate:N/AVapor Pressure:N/AVapor Density (Air=1):N/AOctanol/Water Partition Coefficient (log Pow):N/ASpecific Gravity:1.1Bulk Density:N/AVater Solubility:9.5Viscosity:N/AExplosive Properties:N/AOxidizing Properties:N/AMolecular Formula:N/AMolecular Veight:N/ANolecular Veight:N/ANon-ignitableN/AMolecular Veight:N/AMolecular Veight:N/AMater/Oil Dist. Coeff.:N/AIonicity (in water):Anionic	Flammability Classification:	N/A
Decomposition Temperature:N/AFlammability Limits (lower/upper):N/AEvaporation rate:N/AVapor Pressure:N/AVapor Density (Air=1):N/AOctanol/Water Partition Coefficient (log Pow):N/ASpecific Gravity:1.1Bulk Density:N/AVater Solubility:N/ApH:9.5Viscosity:N/AExplosive Properties:N/AOxidizing Properties:N/AMolecular Formula:N/AMolecular Veight:N/ARelative Density:N/AVater/Oil Dist. Coeff.:N/AIonicity (in water):Anionic	Flash Point:	Non-combustible
Flammability Limits (lower/upper):N/AEvaporation rate:N/AVapor Pressure:N/AVapor Density (Air=1):N/AOctanol/Water Partition Coefficient (log Pow):N/ASpecific Gravity:1.1Bulk Density:N/AWater Solubility:N/ApH:9.5Viscosity:N/AExplosive Properties:N/AOxidizing Properties:N/AMolecular Formula:N/AMolecular Veight:N/ARelative Density:N/AWater/Oil Dist. Coeff.:N/AIonicity (in water):Anionic	Auto-ignition Temperature:	Non-ignitable
Evaporation rate:N/AVapor Pressure:N/AVapor Density (Air=1):N/AOctanol/Water Partition Coefficient (log Pow):N/ASpecific Gravity:1.1Bulk Density:N/AWater Solubility:N/ApH:9.5Viscosity:N/AExplosive Properties:N/AOxidizing Properties:N/AMolecular Formula:N/AMolecular Veight:N/ARelative Density:N/AVater/Oil Dist. Coeff.:N/AIonicity (in water):Anionic	Decomposition Temperature:	N/A
Vapor Pressure:N/AVapor Density (Air=1):N/AOctanol/Water Partition Coefficient (log Pow):N/ASpecific Gravity:1.1Bulk Density:N/AWater Solubility:N/APH:9.5Viscosity:N/AExplosive Properties:N/AOxidizing Properties:N/AMolecular Formula:N/AMolecular Weight:N/ARelative Density:N/AVater/Oil Dist. Coeff.:N/AIonicity (in water):Anionic	Flammability Limits (lower/upper):	N/A
Vapor Density (Air=1):N/AOctanol/Water Partition Coefficient (log Pow):N/ASpecific Gravity:1.1Bulk Density:N/AWater Solubility:N/ApH:9.5Viscosity:N/AExplosive Properties:N/AOxidizing Properties:N/AMolecular Formula:N/AMolecular Veight:N/ARelative Density:N/AVater/Oil Dist. Coeff.:N/AIonicity (in water):Anionic	Evaporation rate:	N/A
Octanol/Water Partition Coefficient (log Pow):N/ASpecific Gravity:1.1Bulk Density:N/AWater Solubility:N/ApH:9.5Viscosity:N/AExplosive Properties:N/AOxidizing Properties:N/AMolecular Formula:N/AMolecular Weight:N/ARelative Density:N/AVater/Oil Dist. Coeff.:N/AIonicity (in water):Anionic	Vapor Pressure:	N/A
Specific Gravity:1.1Bulk Density:N/AWater Solubility:N/APH:9.5Viscosity:N/AExplosive Properties:N/AOxidizing Properties:N/AMolecular Formula:N/AMolecular Weight:N/ARelative Density:N/AWater/Oil Dist. Coeff.:N/AIonicity (in water):Anionic	Vapor Density (Air=1):	N/A
Bulk Density:N/AWater Solubility:N/ApH:9.5Viscosity:N/AExplosive Properties:N/AOxidizing Properties:N/AMolecular Formula:N/AMolecular Weight:N/ARelative Density:N/AWater/Oil Dist. Coeff.:N/AIonicity (in water):Anionic	Octanol/Water Partition Coefficient (log Pow):	N/A
Water Solubility:N/ApH:9.5Viscosity:N/AExplosive Properties:N/AOxidizing Properties:N/AMolecular Formula:N/AMolecular Weight:N/ARelative Density:N/AWater/Oil Dist. Coeff.:N/AIonicity (in water):Anionic	Specific Gravity:	1.1
pH:9.5Viscosity:N/AExplosive Properties:N/AOxidizing Properties:N/AMolecular Formula:N/AMolecular Weight:N/ARelative Density:N/AVater/Oil Dist. Coeff.:N/AIonicity (in water):Anionic	Bulk Density:	N/A
Viscosity:N/AExplosive Properties:N/AOxidizing Properties:N/AMolecular Formula:N/AMolecular Weight:N/ARelative Density:N/AWater/Oil Dist. Coeff.:N/AIonicity (in water):Anionic	Water Solubility:	N/A
Explosive Properties:N/AOxidizing Properties:N/AMolecular Formula:N/AMolecular Weight:N/ARelative Density:N/AWater/Oil Dist. Coeff.:N/AIonicity (in water):Anionic	pH:	9.5
Oxidizing Properties:N/AMolecular Formula:N/AMolecular Weight:N/ARelative Density:N/AWater/Oil Dist. Coeff.:N/AIonicity (in water):Anionic	Viscosity:	N/A
Molecular Formula:       N/A         Molecular Weight:       N/A         Relative Density:       N/A         Water/Oil Dist. Coeff.:       N/A         Ionicity (in water):       Anionic	Explosive Properties:	N/A
Molecular Weight:     N/A       Relative Density:     N/A       Water/Oil Dist. Coeff.:     N/A       Ionicity (in water):     Anionic	Oxidizing Properties:	N/A
Relative Density:     N/A       Water/Oil Dist. Coeff.:     N/A       Ionicity (in water):     Anionic	Molecular Formula:	N/A
Water/Oil Dist. Coeff.:     N/A       Ionicity (in water):     Anionic	Molecular Weight:	N/A
lonicity (in water): Anionic	Relative Density:	N/A
	Water/Oil Dist. Coeff.:	N/A
Dispersion properties: Suspension	lonicity (in water):	Anionic
	Dispersion properties:	Suspension

# SECTION 10 - STABILITY AND REACTIVITY

Stability:	Stable
Instability temperature:	N/A
Conditions of instability:	N/A
Incompatibility with various substances:	Acids
Corrosivity:	N/A
Special remarks on reactivity:	N/A
Special remarks on corrosivity:	N/A
Polymerization:	N/A

Item Numbers: 01241-1023, 01241-2023, 01241-3013, 01241-4013, 01241-4513, 01241-5013, 01241-5113, 01241-6063, 01241-7013

Page 4 of 31

Marbling Color - Pg 3

Rupert, Gibbon & Spider, Inc. | P.O. Box 425 | Healdsburg, CA 95448 | 800.442.0455 | Fax: 707.433.4906 | www.jacquardproducts.com

### SECTION II - TOXICOLOGICAL INFORMATION

Information on toxicological effects: Acute toxicity (list all possible routes of exposure)		
Acute Oral Toxicity:	LD50, Rat > 5,000 mg/kg	
Acute Dermal Toxicity:	LD50, Rabbit > 5,000mg/kg	
Acute Inhalation Toxicity:	Product test data not available	
Skin Corrosion/irritation:	May cause transient irritation	
Serious Eye Damage / Eye Irritation:	No eye irritation	
Respiratory or Skin Sensitization:	N/A	
Carcinogenicity:	N/A	
Reproductive Toxicity:		
Specific Target Organ Toxicity - single exposure (STOT-se):	N/A	
Specific Target Organ Toxicity - repeated exposure (STOT-re):	N/A	

### SECTION 12 - ECOLOGICAL INFORMATION

Toxicity:	
Ecotoxicity:	N/A
BOD5 and COD:	N/A
Products of biodegradation:	N/A
Toxicity of the products of biodegradation:	N/A
Special remarks on the products of biodegradation:	N/A

#### SECTION 13 - DISPOSAL CONSIDERATIONS

Waste treatment methods:		
Disposal:	In accordance with local regulations.	

### SECTION 14 - TRANSPORT INFORMATION

DOT Classification:	Not regulated for transport
Classification for SEA transport (IMO-IMDG):	Not regulated for transport. Consult IMO regulations before transport- ing ocean bulk.Transport in bulk according to Annex I or II of MARPOL 73/78 and the IBC or IGC Code.
Classification for AIR transport (IATA/ICAO):	Not regulated for transport

This information is not intended to convey all specific regulatory or operational requirements/information relating to this product. Transportation classifications may vary by container volume and may be influenced by regional or country variations in regulations. Additional transportation system information can be obtained through an authorized sales or customer service representative. It is the responsibility of the transporting organization to follow all applicable laws, and regulations an rules relating to the transportation of the material.

Marbling Color - Pg 4

Marbling Color - Pg 5

Rupert, Gibbon & Spider, Inc. | P.O. Box 425 | Healdsburg, CA 95448 | 800.442.0455 | Fax: 707.433.4906 | www.jacquardproducts.com

### SECTION 15 - REGULATORY INFORMATION

Safety, health and environmental regulations/legi	slation specific for the substance or mixture:
This product is not a hazardous chemical under 29CFR	1910.1200, and therefore is not covered by Title III of SARA.
Superfund Amendments and Reauthorization Act of 1986 Title III (Emergency Planning and Community Right-to Know Act of 1986) Section 313:	This product does not contain a chemical which is listed in Section 13 at or above de minimis concentrations.
Comprehensive Environmental Response, Compensa- tion, and Liability Act of 1980 (CERCLA) Section 103:	Releases of this material to air, land, or water are not reportable to the National Response Center under the Comprehensive Environmental Re- sponse, Compensation, and Liability Act (CERCLA) or to state and local emergency planning committees under the Superfund Amendments and Reauthorization Act (SARA) Title III Section 304.
Pennsylvania Worker and Community Right-to-Know Act:	Any material listed as "Not Hazardous" in the CAS REG No. column of Section 2, Composition/Information On Ingredients, of this SDS is a trade secret under the provisions of the Pennsylvania Worker and Community Right-to-Know Act.
United States TSCA Inventory (TSCA):	All components of this product are in compliance with the inventory listing requirements of the U.S. Toxic Substances Control Act (TSCA) Chemical Substance Inventory.
California Proposition 65:	This product does NOT contain any chemicals known to the state of California to cause cancer.

# SECTION 16 - OTHER INFORMATION

HMIS Hazard ID:		
Health: N/A		
Flammability: N/A		
Reactivity: N/A		
Hazard rating: 0 - Minimal; 1 - Slight; 2 - Moderate; 3 - Serious; 4 - Severe; *Chronic health effect		

#### **Disclaimer:**

The information contained in this SDS is based on data from sources considered to be reliable but Rupert, Gibbon & Spider, Inc. does not guarantee the accuracy or completeness thereof. Rupert, Gibbon & Spider, Inc. urges each customer or recipient of this SDS to study it carefully to become aware of and understand the hazards associated with this product. The reader should consider consulting reference works or individuals who are experts in ventilation, toxicology or fire and understand the data in this SDS.

#### Revision Date: 08/26/2019

National Chemical Inventories:		
All components of this product ar	e listed on the following chemical substance inventories:TSCA (USA)	
DSL	(Canada)	
EINECS	(Europe)	
ENCS	(Japan) ECL	
	(Korea)	
AICS	(Australia) NZIoC	
	(New Zealand)	
PICCS	(Philippines)	
IECSC	(China)	

Item Numbers: 01241-1023, 01241-2023, 01241-3013, 01241-4013, 01241-4513, 01241-5013, 01241-5113, 01241-6063, 01241-7013

Rupert, Gibbon & Spider, Inc. | P.O. Box 425 | Healdsburg, CA 95448 | 800.442.0455 | Fax: 707.433.4906 | www.jacquardproducts.com

Abbreviations:				
ACGIH	American Conference of Governmental Industrial Hygienists			
ADR	International carriage of Dangerous goods by Road			
AICS	Australian Inventory of Chemical Substances			
ATE	Acute Toxicity Estimate			
BfR	Bundesinstitut für Risikobewertung recommendations for food contact materials			
BCF	Bioconcentration Factor			
BOD5	5-day Biochemical Oxygen Demand			
CERCLA	Comprehensive Environmental Response, Compensation and Liability Act			
CLP	Classification, Labeling and Packaging regulation			
COD	Chemical Oxygen Demand DOT Department of Transportation DSL Domestic Substances List			
EINECS	European Inventory of Existing Chemical Substances			
ECL	Existing Chemicals List (Korea)			
ENCS	Existing and New Chemical Substances Inventory (Japan)			
EN 689	Workplace atmospheres - Guidance for the assessment of exposure by inhalation to chemical agents for comparison with limit values and measurement strategy.			
ERG	Emergency Response Guide			
GHS	Globally Harmonized System			
HMIS	Hazardous Materials Information System IARC International Agency for Research on Cancer IATA International Air Transport Association			
ICAO	International Civil Aviation Organization IDLH Immediately Dangerous to Life and Health IMDG International Maritime Dangerous Goods			
LD50	Lethal Dose to 50% of test animal population			
MAK	Maximale Arbeitsplatz Konzentration			
NTP	National Toxicology Program			
OEL	Occupational Exposure Limit			
OSHA	Occupational Safety & Health Administration			
РВТ	Persistent, Bioaccumulative and Toxic vPvB Very Persistent and Very Bioaccumulative PEL Permissible exposure limit			
PICCS	Philippine Inventory of Commercial Chemical Substances			
PNEC	Predicted No Effect Concentration			
REACH	Registration, Evaluation and Authorization of Chemical Substances			
RID	International carriage of dangerous goods by Rail SARA Superfund Amendments and Reauthorization Act STEL Short Term Exposure Limit			
SVHC	Substance of Very High Concern			
TLV	Threshold Limit Value			
TSCA	Toxic Substances Control Act			
TWA	Time Weighted Average			
VOC	Volatile Organic Compound			
WGK	Wassergefahrdungsklasse (Water Hazard Class) WHMIS Workplace Hazardous Material Identification System			

Item Numbers: 01241-1023, 01241-2023, 01241-3013, 01241-4013, 01241-4513, 01241-5013, 01241-5113, 01241-6063, 01241-7013

Page 7 of 31

Marbling Color - Pg 6



Jacquard Products Manufactured by Rupert, Gibbon & Spider, Inc. P.O. Box 425 | Healdsburg, CA 95448 800.442.0455 | Fax: 707.433.4906 www.jacquardproducts.com

Alum - Pg I

### Revision Date: 07/30/2018

#### SECTION I - CHEMICAL, PRODUCT & COMPANY INFORMATION

Product Name:	ALUM	ALUM		
Product Number/Code:	CHM1006 / CHM2006 / 0	CHM1006 / CHM2006 / CHM3006		
Recommended Use:	Mordant for paper and fabri	Mordant for paper and fabric		
Synonym(s):	Potassium alum (chemical fa	Potassium alum (chemical family: inorganic aluminum salt)		
Restrictions on use:	None known	None known		
Manufacturer:	1147 Healdsburg Ave. Healdsburg, CA 95448	5		
Emergency Number:	ChemTel, Inc Contract	#MIS9128344		
	North America: I-800-255-3924	International: I-8I3-248-0585		

### SECTION 2 - HAZARD(S) IDENTIFICATION

•	or contain hazardous chemicals based on evaluations made by our company ation Standard, reference 29 CFR 1910.1200.	
Toxicological Data on Ingredients:		
Hazard Classification	Irritant	
Label Elements		
Pictogram:		
Signal Words:	WARNING	
Hazard Statements-EU:	H315 Causes skin irritation. H319 Causes serious eye irritation. H302 Harmful if swallowed. H335 May cause respiratory irritation.	
Precautionary Statements-EU:		
Prevention:	PI02 Keep out of reach of children.	
Response:	P310+P312 If Swallowed and feeling unwell: contact a Poison Control Center or physician. P305+P351+P338 If in Eyes: Rinse cautiously with water for several min- utes. If present and easy to do remove contacts. Continue rinsing. P302+P352 If on Skin: Wash with soap and water.	

Rupert, Gibbon & Spider, Inc. | P.O. Box 425 | Healdsburg, CA 95448 | 800.442.0455 | Fax: 707.433.4906 | www.jacquardproducts.com

# SECTION 3 - COMPOSITION / INFORMATION ON INGREDIENTS

Component	Weight %	67/548/EEC Classification (EU)	CLP/Classification Regulation (EC)	REACH No./EC- No.
Aluminum potassium sulfate dodeca- hydrate CAS# 7784-24-9	100	Xn: R22 Xi: R36/38	H315-Skin Irrit. H319-Eye Irrit. H302-Harmful if swallowed.	

(see section 16 for full EU text R-phases)

# SECTION 4 - FIRST AID MEASURES

Description of first aid measures:	
In the event of skin contact:	Wash with soap and water. If irritation persists get medical attention.
In the event of eye contact:	Immediately rinse with water. Continue rinsing for at least 15 minutes. Get medical attention.
In the event of swallowing:	Clean and rinse mouth with water. Do Not induce vomiting. If feeling unwell get medical attention.
In the event of exposure by inhalation:	Move to fresh air. Get medical attention if needed.
Notes to physician:	Treat symptomatically and supportively.

## SECTION 5 - FIREFIGHTING MEASURES

Flammability classification:	Non-flammable
Flash point:	N/A
Auto Ignition:	N/A
Burn Rate:	N/A
LEL:	N/A
UEL:	N/A
Hazardous combustion products:	Thermal decomposition can lead to the formation of hazardous and irritating gases and vapors.
Extinguishing media:	Water, CO <sub>2</sub> , chemical foam.
Advice for fire fighters:	As in any fire, when appropriate wear self-contained breathing apparatus and protective gear.

# SECTION 6 - ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures:	Avoid dust formation and have adequate ventilation. Use appropriate personal protective equipment.
Methods and material for containment and clean up:	Sweep, shovel or vacuum into a suitable container for reuse or disposal. Avoid creating dust.
Environmental precautions:	Contain and clean up spill. Prevent from entering the environment.

Alum - Pg 2

Alum - Pg 3

Rupert, Gibbon & Spider, Inc. | P.O. Box 425 | Healdsburg, CA 95448 | 800.442.0455 | Fax: 707.433.4906 | www.jacquardproducts.com

### SECTION 7 - HANDLING AND STORAGE

Precautions for safe handling:	Avoid creating dusty conditions. Use personal protect equipment as appropriate. Avoid contact with eyes and skin. Avoid breathing dust. Do not ingest. Always wash hands when leaving the work area. Never eat or drink, smoke, or take medicine without first washing.
Conditions for safe storage including any incompatibilities:	Keep material in closed container stored in a secure, dry location away from incompatible materials.

## SECTION 8 - EXPOSURE CONTROLS / PERSONAL PROTECTION

Control parameters:			
Exposure limits:		This product as supplied does not contain any hazardous materials occupational exposure limits established by region specific regulate bodies.	
Biological Limit Value:		This product as supplied does not contain any hazardous materials with biological limits established by region specific regulatory bodies.	
Derived No effect Level (	DNEL):	No information available.	
Predicted No Effect Concentration (PNEC): No information available.			
North America: Soluble	e aluminum salts resp	iratory category	
Category	ACGIH	NIOSH	OSHA-Final PELs
Soluble aluminum salts	None listed	2mg/m3 TVVA (as Al)	None listed
		(listed as soluble aluminum salts)	
Individual protection m	easures, such as pers	onal protective equipment:	
Eye/face protection:		Goggles	
Skin protection:		Wear appropriate clothing to preve	ent skin exposure.
Hand protection:		Wear gloves.	
Environmental exposure controls:		Ensure adequate ventilation. Have eyewash and safety shower stations available. Have work procedures and handling systems that minimize dust formation.	
Respiratory protection:		If exposure to dust is expected or i OSHA 29CFR 1910.134 or Europea respirator use.	

Rupert, Gibbon & Spider, Inc. | P.O. Box 425 | Healdsburg, CA 95448 | 800.442.0455 | Fax: 707.433.4906 | www.jacquardproducts.com

# SECTION 9 - PHYSICAL AND CHEMICAL PROPERTIES

General information:	
Appearance and physical state:	Powder, solid granules
Color:	White
Type of Odor:	Negligible
Odor threshold:	N/A
Important health, safety and environmental in	formation:
Initial Boiling Point and Boiling Range:	N/A
Melting Point/Freezing Point:	92°C
Flammability Classification:	N/A
Flash Point:	N/A
Auto-ignition Temperature:	N/A
Decomposition Temperature:	>200°C
Flammability Limits (lower/upper):	N/A
Evaporation rate:	N/A
Vapor Pressure:	N/A
Vapor Density (Air=1):	N/A
Octanol/Water Partition Coefficient (log Pow):	N/A
Specific Gravity:	1.757
Bulk Density:	N/A
Water Solubility:	140 g/l @ 20°C
pH:	10% Solution @ 20°C: 3.0-3.5
Viscosity:	N/A
Explosive Properties:	N/A
Oxidizing Properties:	N/A
Molecular Formula:	AIK(SO <sub>4</sub> ) <sub>2</sub> - 12H <sub>2</sub> 0
Molecular Weight:	474.39
Relative Density:	N/A

### SECTION 10 - STABILITY AND REACTIVITY

Stability:	Stable under normal conditions.
Possibility of hazardous reactions:	Hazardous polymerization does not occur.
Conditions to avoid:	Incompatible products, dust generation.
Incompatible materials:	Strong oxidizing agents, water reactive materials, metals other than stain- less alloys.
Hazardous decomposition products:	Decomposition of dried potassium aluminum sulfate occurs at high tem- peratures can produce sulfur oxides and other noxious fumes.

Alum - Pg 4

Rupert, Gibbon & Spider, Inc. | P.O. Box 425 | Healdsburg, CA 95448 | 800.442.0455 | Fax: 707.433.4906 | www.jacquardproducts.com

### SECTION 11 - TOXICOLOGICAL INFORMATION

Information on toxicological effects: Acute toxicity (list all possible routes of expos	sure)
Acute Toxicity:	No acute toxicity information is available for this product.
Chronic Toxicity:	No known carcinogenic chemicals in this product. Not listed by:ACGIH, IARC, NTP, OSHA.
Mutagenic effects:	No information available.
Reproductive effects:	No information available.
Developmental effects:	No information available.
Endocrine Disruptor Information:	None known.
Sensitivity:	No information available.
Target Organs:	No information available.
Additional Information:	see RTECS # VVS5690000

## SECTION 12 - ECOLOGICAL INFORMATION

Toxicity:	
Ecotoxicity:	No information available.
Persistence and degradability:	No information available.
Bioaccumulative potential:	No information available.
Mobility in soil:	No information available.
Results of PBT and vPvB assessment (EC reg. 453/2010):	No information available.

# SECTION 13 - DISPOSAL CONSIDERATIONS

Waste treatment methods:	
Product and product residue disposal:	Dispose of in accordance with local regulations.
USEPA/RCRA:	Unused product is not listed as a hazardous waste.
Contaminated packaging:	Dispose of in accordance with local regulations. Clean and recycle packaging when possible.

# SECTION 14 - TRANSPORT INFORMATION

US DOT:	Not regulated
Canada TDG:	Not regulated
IMDG/IMO:	Not regulated
ADR:	Not regulated
IATA:	Not regulated

Alum - Pg 5

Alum - Pg 6

Rupert, Gibbon & Spider, Inc. | P.O. Box 425 | Healdsburg, CA 95448 | 800.442.0455 | Fax: 707.433.4906 | www.jacquardproducts.com

### SECTION 15 - REGULATORY INFORMATION

Safety, health and environmental regulations	/legislation specific for the substance or mixture:
USA TSCA Inventory:	Listed
Canada DSL/NDSL Inventory:	Listed
EU/EINECS/ELINCS Inventory:	Listed
KECL Inventory:	Listed
PICCS:	Listed
ENCS:	Listed
CHINA:	Listed
AICS:	Listed
OSHA regulated substances (29CFR 1910):	Not listed
SARA 302 Extremely Hazardous Substance:	Not listed
SARA 311/312 Category:	No SARA hazards
SARA 313:	Not listed
CERCLA Hazardous Substance:	Not listed
SARA Toxic Chemical (40CFR 372.65)	Not listed
CERCLA Reportable Quantity (RQ):	Not listed
CA Prop 65:	This product does not contain any chemicals(s) known to the State of California to cause cancer, birth defects or reproductive harm.
112R:	Not listed
State/Province:	State/Province/regional specific regulations have not been determined.

## SECTION 16 - OTHER INFORMATION

HMIS Hazard ID:	
Health:	1
Flammability:	0
Physical hazards:	0
NFTA Rating:	
Health:	I
Fire:	0
Reactivity hazard:	0
Hazard rating: 0 - Minimal; I - Slight;	2 - Moderate; 3 - Serious; 4 - Severe; *Chronic health effect
Full Text R-phrases referenced section 3:	R22 Harmful if swallowed. R36/38 Irritating to eyes and skin.

#### **Disclaimer:**

The information contained in this SDS is based on data from sources considered to be reliable but Rupert, Gibbon & Spider, Inc. does not guarantee the accuracy or completeness thereof. Rupert, Gibbon & Spider, Inc. urges each customer or recipient of this SDS to study it carefully to become aware of and understand the hazards associated with this product. The reader should consider consulting reference works or individuals who are experts in ventilation, toxicology or fire and understand the data in this SDS.

#### Revision Date: 07/30/2018

Rupert, Gibbon & Spider, Inc. | P.O. Box 425 | Healdsburg, CA 95448 | 800.442.0455 | Fax: 707.433.4906 | www.jacquardproducts.com

Abbreviations:	
ACGIH	American Conference of Governmental Industrial Hygienists
ADR	International carriage of Dangerous goods by Road
AICS	Australian Inventory of Chemical Substances
ATE	Acute Toxicity Estimate
BfR	Bundesinstitut für Risikobewertung recommendations for food contact materials
BCF	Bioconcentration Factor
BOD5	5-day Biochemical Oxygen Demand
CERCLA	Comprehensive Environmental Response, Compensation and Liability Act
CLP	Classification, Labeling and Packaging regulation
COD	Chemical Oxygen Demand DOT Department of Transportation DSL Domestic Substances List
EINECS	European Inventory of Existing Chemical Substances
ECL	Existing Chemicals List (Korea)
ENCS	Existing and New Chemical Substances Inventory (Japan)
EN 689	Workplace atmospheres - Guidance for the assessment of exposure by inhalation to chemical agents for comparison with limit values and measurement strategy.
ERG	Emergency Response Guide
GHS	Globally Harmonized System
HMIS	Hazardous Materials Information System IARC International Agency for Research on Cancer IATA International Air Transport Association
ICAO	International Civil Aviation Organization IDLH Immediately Dangerous to Life and Health IMDG International Maritime Dangerous Goods
LD50	Lethal Dose to 50% of test animal population
MAK	Maximale Arbeitsplatz Konzentration
NTP	National Toxicology Program
OEL	Occupational Exposure Limit
OSHA	Occupational Safety & Health Administration
РВТ	Persistent, Bioaccumulative and Toxic vPvB Very Persistent and Very Bioaccumulative PEL Permissib exposure limit
PICCS	Philippine Inventory of Commercial Chemical Substances
PNEC	Predicted No Effect Concentration
REACH	Registration, Evaluation and Authorization of Chemical Substances
RID	International carriage of dangerous goods by Rail SARA Superfund Amendments and Reauthorization Act STEL Short Term Exposure Limit
SVHC	Substance of Very High Concern
TLV	Threshold Limit Value
TSCA	Toxic Substances Control Act
TWA	Time Weighted Average
VOC	Volatile Organic Compound
WGK	Wassergefahrdungsklasse (Water Hazard Class) WHMIS Workplace Hazardous Material Identification System

Item Numbers: 01241-1023, 01241-2023, 01241-3013, 01241-4013, 01241-4513, 01241-5013, 01241-5113, 01241-6063, 01241-7013

Page 14 of 31

Alum - Pg 7



Jacquard Products Manufactured by Rupert, Gibbon & Spider, Inc. P.O. Box 425 | Healdsburg, CA 95448 800.442.0455 | Fax: 707.433.4906 www.jacquardproducts.com

Carrageenan - Pg I

#### Revision Date: 03/02/2018

### SECTION I - CHEMICAL, PRODUCT & COMPANY INFORMATION

Product Name:	CARRAGEENAN		
Product Number/Code:	CHM0003 / CHM1003 / CHM2003		
Recommended Use:	Natural gelling agent that pr	ovides a viscous surface for marbling	
Description:	Chemical family: Polysacchar	Chemical family: Polysaccharides	
Synonym(s):		Chondrus crispus (Carrageenan) extract (INCI name), Carrageenan, Irish moss, Chondrus extract, Seaweed flour	
Restrictions on use:	See section 16 for more information		
Manufacturer:	Rupert, Gibbon & Spider, Inc I 147 Healdsburg Ave. Healdsburg, CA 95448 I-800-442-0455 / 707-433-		
Emergency Number:	ChemTel, Inc Contract 3	#MIS9128344	
	North America: <b>I-800-255-3924</b>	International: I-8I3-248-0585	

### SECTION 2 - HAZARD(S) IDENTIFICATION

Toxicological Data on Ingredients:	
Hazard Classification	May form combustible dust concentrations in air.
Physical Hazards:	Not classified
Health Hazards:	Do not inhale
Environmental Hazards:	Not classified
Label Elements	
Pictogram:	None
Signal Words:	None
Hazard Statements-EU:	The mixture does not meet the criteria for classification.
Precautionary Statements-EU:	
Prevention:	See section 8
Response:	See sections 4, 5 & 6
Storage:	See section 7
Disposal:	See section 13
Hazard(s) not otherwise classified:	None known

Carrageenan - Pg 2

Rupert, Gibbon & Spider, Inc. | P.O. Box 425 | Healdsburg, CA 95448 | 800.442.0455 | Fax: 707.433.4906 | www.jacquardproducts.com

# SECTION 3 - COMPOSITION / INFORMATION ON INGREDIENTS

Chemical identity	Content in percent (%)*	CAS#
Carrageenan (Chemical family: polysaccharides)	100%	9000-07- I

#### SECTION 4 - FIRST AID MEASURES

Description of first aid measures:	
In the event of skin contact:	Wash with water and soap as a precaution.
In the event of eye contact:	Flush eyes with water as a precaution. Get medical attention if eye irrita- tion develops or persists.
In the event of swallowing:	Never give anything by mouth to an unconscious person. Drink plenty of water. Get medical attention if symptoms occur.
In the event of exposure by inhalation:	Remove person to fresh air. If breathing is difficult or if discomfort occurs and persists, obtain medical attention.
Most important symptoms and effects, acute and delayed:	Difficulty breathing. Cough.
Indication of any immediate medical attention and special treatment needed:	Aspiration or inhalation of this product could cause chemical pneumoni- tis. Treatment is symptomatic and supportive.

# SECTION 5 - FIREFIGHTING MEASURES

Suitable extinguishing media:	Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.
Unsuitable extinguishing media:	None known
Special hazards arising from the substance or mixture :	Avoid dust formation fine dust dispersed in air, in sufficient concen- trations, and in the presence of an ignition source is a potential dust explosion hazard.
Advice for fire fighters:	As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.
Explosion data:	
Sensitivity to mechanical impact:	Not sensitive.
Sensitivity to static discharge:	Static electricity might be sufficient to ignite dust clouds. Possibility of ignition will depend on the minimum ignition energy (MIE) and the type of operations undertaken with the material. MIE values are not provided in this SDS.

Carrageenan - Pg 3

Rupert, Gibbon & Spider, Inc. | P.O. Box 425 | Healdsburg, CA 95448 | 800.442.0455 | Fax: 707.433.4906 | www.jacquardproducts.com

### SECTION 6 - ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures:	Avoid dispersal of dust in the air (i.e., cleaning dust surfaces with com- pressed air.) Avoid breathing dust. Powder may become slippery when wet. For personal protection see section 8.
Methods and material for containment and clean up:	Dust deposits should not be allowed to accumulate on surfaces, as these may form an explosive mixture if they are released into the atmosphere in sufficient concentration.
	Sweep, vacuum or shovel into suitable containers for disposal. Non-sparking tools should be used. Wash down water is not recom- mended. Powder may become slippery when wet.
Environmental procedures:	See Section 12 for additional Ecological Information.
Reference to other sections:	Section 8: Personal Protection Section 12: Ecological Information

## SECTION 7 - HANDLING AND STORAGE

Precautions for safe handling:	Handle in accordance with good industrial hygiene and safety practice. Minimize dust generation and accumulation. Routine housekeeping should be instituted to ensure that dusts do not accumulate on surfaces. Dry powdered material can build static electricity when subjected to the friction of transfer and mixing operations. Provide adequate precautions, such as electrical grounding and bonding, or inert atmosphere. Ensure adequate ventilation. In case of insufficient ventilation, wear suitable respi- ratory equipment if release of airborne dust is expected.
Conditions for safe storage including any incompatibilities:	Store at less than 25°C, in tightly closed containers. Keep out of direct sunlight. Store in dry environment away from heat and sources of ignition, i.e., steam pipes, radiant heaters, hot air vents or welding sparks. Do not store with strong smelling materials. Incompatible products: oxidizing agents, strong acids.

Carrageenan - Pg 4

Rupert, Gibbon & Spider, Inc. | P.O. Box 425 | Healdsburg, CA 95448 | 800.442.0455 | Fax: 707.433.4906 | www.jacquardproducts.com

# SECTION 8 - EXPOSURE CONTROLS / PERSONAL PROTECTION

Control parameters:	
Occupational exposure limits:	This product, as supplied, does not contain any hazardous materials with occupational exposure limits established by the region specific regulatory bodies.
Appropriate engineering controls:	It is recommended that all dust control equipment such as local exhaust ventilation and material transport systems involved in the handling of this product contain explosion relief vents or an explosion suppression or an oxygen-deficient environment. Use only appropriately classified electrical equipment and powered industrial trucks.
Individual protection measures, such as	personal protective equipment:
Eye/face protection:	Safety glasses.
Skin protection:	Minimize skin contamination by following good industrial hygiene practices.
Hand protection:	Use protective gloves if extended exposure is anticipated.
Other protective equipment:	Handle in accordance with good industrial hygiene and safety practice.
General information:	Protective engineering solutions should be implemented and in use. These recommendations apply to the product as supplied. If the product is used in mixtures, contact an appropriate protective equipment supplier or industrial hygienist for more information.
Respiratory protection:	If exposure limits are exceeded or irritation is experienced, NIOSH/ MSHA approved respiratory protection should be worn. Positive-pres- sure supplied air respirators may be required for high airborne con- taminant concentrations. Respiratory protection must be provided in accordance with current local regulations.

Rupert, Gibbon & Spider, Inc. | P.O. Box 425 | Healdsburg, CA 95448 | 800.442.0455 | Fax: 707.433.4906 | www.jacquardproducts.com

# SECTION 9 - PHYSICAL AND CHEMICAL PROPERTIES

General information:		
Appearance and physical state:	Dry powder, free flowing powder	
Color:	Off-white	
Type of Odor:	Slight marine	
Odor threshold:	No information available	
Important health, safety and environmental information:		
Initial Boiling Point and Boiling Range:	No information available	
Melting Point/Freezing Point:	Not applicable	
Flammability Classification:	No information available	
Flash Point:	Not applicable	
Auto-ignition Temperature:	No information available	
Decomposition Temperature:	No information available	
Flammability Limits (lower/upper):	No information available	
Evaporation rate:	No information available	
Vapor Pressure:	No information available	
Vapor Density (Air=1):	No information available	
Octanol/Water Partition Coefficient (log Pow):	No information available	
Specific Gravity:	No information available	
Bulk Density:	No information available	
Water Solubility:	10% maximum (% by weight)	
pH:	7.0 - 10.5	
Viscosity:	No information available	
Explosive Properties:	No information available	
Oxidizing Properties:	No information available	
Molecular Formula:	No information available	
Molecular Weight:	No information available	
Relative Density:	No information available	
K <sub>st</sub> :	>0 bar m/s	

# SECTION 10 - STABILITY AND REACTIVITY

Reactivity:	Not applicable
Stability:	Stable under recommended storage conditions.
Possibility of hazardous reactions:	None under normal processing.
Hazardous polymerization:	Hazardous polymerization does not occur.
Conditions to avoid:	Dust formation. Excessive heat. Humid air. Sparks.
Incompatible materials:	Oxidizing agents/ Strong acids.
Hazardous decomposition products:	Burning produces obnoxious and toxic fumes: Sulfur oxides.

Item Numbers: 01241-1023, 01241-2023, 01241-3013, 01241-4013, 01241-4513, 01241-5013, 01241-5113, 01241-6063, 01241-7013

Carrageenan - Pg 5

Page 19 of 31

Carrageenan - Pg 6

Rupert, Gibbon & Spider, Inc. | P.O. Box 425 | Healdsburg, CA 95448 | 800.442.0455 | Fax: 707.433.4906 | www.jacquardproducts.com

#### SECTION II - TOXICOLOGICAL INFORMATION

Acute Oral Toxicity:	5,400 mg/kg ( Rat )
Acute Dermal Toxicity:	
Acute Inhalation Toxicity:	>0.93 mg/l (4h) (Rat)* * No mortality was observed at the maximum attainable concentration.
Skin Corrosion/irritation:	
Serious Eye Damage / Eye Irritation:	
Respiratory or Skin Sensitization:	Not expected to be sensitizing based on the components.
Germ Cell Mutagenicity:	No known mutagenic or teratogenic effects.
Carcinogenicity:	Contains no ingredient listed as a carcinogen.
Reproductive Toxicity:	This product does not contain any known or suspected reproductive hazards.
Specific Target Organ Toxicity - single exposure (STOT-se):	None known.
Specific Target Organ Toxicity - repeated exposure (STOT-re):	None noted in chronic animal studies.
Aspiration Hazard:	Aspiration may cause chemical pneumonitis. Excessive inhalation of dust can mechanically impede respiration.
Potential Health Effects:	
Skin Contact:	
Eye Contact:	
Ingestion:	
Inhalation:	
Chronic Health Effects:	Product does not present a chronic toxicity hazard based on known or supplied information.
Additional Data:	

### SECTION 12 - ECOLOGICAL INFORMATION

<b>Toxicity:</b> The environmental impact of this product has not been fully investigated. Carrageenan is an extract of seaweeds of the class Rhodophycaea (red seaweeds).	
Persistence and degradability: Expected to biodegrade, based on component information.	
Bioaccumulative potential:	Bioaccumulation is unlikely.
Mobility in soil:	No information available.
Other adverse effects:	None known.

Carrageenan - Pg 7

Rupert, Gibbon & Spider, Inc. | P.O. Box 425 | Healdsburg, CA 95448 | 800.442.0455 | Fax: 707.433.4906 | www.jacquardproducts.com

### SECTION 13 - DISPOSAL CONSIDERATIONS

Waste treatment methods:		
Disposal:	This material, as supplied, is not a hazardous waste according to Federal regulations (40 CFR 261). This material could become a hazardous waste if it is mixed with or otherwise comes in contact with a hazardous waste, if chemical additions are made to this material, or if the material is processed or otherwise altered. Consult 40 CFR 261 to determine whether the altered material is a hazardous waste. Consult the appropriate state, regional, or local regulations for additional requirements.	
Container Disposal:	Dispose of in accordance with federal, state and local regulations.	

# SECTION 14 - TRANSPORT INFORMATION

General Information:	The product is not covered by international regulations on the transport of dangerous goods (IMDG, IATA, DOT).	
UN number:	Not relevant	
UN proper shipping name:	Not relevant	
Transport hazard class:	Not relevant	
Packing group:	Not relevant	
Environmental Hazards:		
Environmentally hazardous substance:	No	
Special precautions for user:	Not relevant	

#### SECTION 15 - REGULATORY INFORMATION

U.S. Federal Regulations:		
SARA 313: Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA).	This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372.	
SARA 311/312 Hazard Categories:	Acute health hazard:	No
	Chronic health hazard:	No
	Fire hazard:	No
	Sudden release of pressure hazard:	No
	Reactive hazard:	No
Clean Water Act:	This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42).	
CERCLA:	This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material.	
US State Regulations:		
California Proposition 65:	This product does NOT contain any Proposition 65 chemicals.	
U.S. State Right-to-Know Regulations:	This product does not contain any s know regulations.	ubstances regulated by state right-t

Item Numbers: 01241-1023, 01241-2023, 01241-3013, 01241-4013, 01241-4513, 01241-5013, 01241-5113, 01241-6063, 01241-7013

Page 21 of 31

Carrageenan - Pg 8

Rupert, Gibbon & Spider, Inc. | P.O. Box 425 | Healdsburg, CA 95448 | 800.442.0455 | Fax: 707.433.4906 | www.jacquardproducts.com

### SECTION 15 - REGULATORY INFORMATION

International Inventories:		
A food additive, drug, cosmetic, or device, when ic, or device is not subject to the notification re	n manufactured, processed or distributed in commerce for use as a food additive, drug, cosmet- equirements of 40 CFR 720.	
TSCA (United States):	X	
DSL (Canada):	X	
EINECS/ELINCS (Europe):	X	
ENCS (Japan):	-	
IECSC (China):	X	
KECL (Korea):	-	
PICCS (Philippines):	X	
AICS (Australia):	X	
Mexico - Grade:	Minimum risk, Grade 0	
WHMIS Statement: This product has been classified in accordance with the Haza ucts Regulations (HPR) and the SDS contains all the informat by the HPR.		
WHMIS Class:	See section 2 for more information.	

# SECTION 16 - OTHER INFORMATION

HMIS Hazard ID:	
Health:	1
Flammability:	1
Physical Hazard:	0
Personal Protection:	X
NFPA Hazard ID:	
Health:	1
Flammability:	1
Instability:	0
Special Hazards:	
Hazard rating: 0 - Min	imal; I - Slight; 2 - Moderate; 3 - Serious; 4 - Severe; *Chronic health effect

#### **Disclaimer:**

The information contained in this SDS is based on data from sources considered to be reliable but Rupert, Gibbon & Spider, Inc. does not guarantee the accuracy or completeness thereof. Rupert, Gibbon & Spider, Inc. urges each customer or recipient of this SDS to study it carefully to become aware of and understand the hazards associated with this product. The reader should consider consulting reference works or individuals who are experts in ventilation, toxicology or fire and understand the data in this SDS.

#### Revision Date: 03/02/2018

Carrageenan - Pg 9

Rupert, Gibbon & Spider, Inc. | P.O. Box 425 | Healdsburg, CA 95448 | 800.442.0455 | Fax: 707.433.4906 | www.jacquardproducts.com

National Chemical Inventories		
All components of this product are	listed on the following chemical substance inventories:TSCA (USA)	
DSL	(Canada)	
EINECS	(Europe)	
ENCS	(Japan) ECL	
	(Korea)	
AICS	(Australia) NZIoC	
	(New Zealand)	
PICCS	(Philippines)	
IECSC	(China)	

Rupert, Gibbon & Spider, Inc. | P.O. Box 425 | Healdsburg, CA 95448 | 800.442.0455 | Fax: 707.433.4906 | www.jacquardproducts.com

Abbreviations:		
ACGIH	American Conference of Governmental Industrial Hygienists	
ADR	International carriage of Dangerous goods by Road	
AICS	Australian Inventory of Chemical Substances	
ATE	Acute Toxicity Estimate	
BfR	Bundesinstitut für Risikobewertung recommendations for food contact materials	
BCF	Bioconcentration Factor	
BOD5	5-day Biochemical Oxygen Demand	
CERCLA	Comprehensive Environmental Response, Compensation and Liability Act	
CLP	Classification, Labeling and Packaging regulation	
COD	Chemical Oxygen Demand DOT Department of Transportation DSL Domestic Substances List	
EINECS	European Inventory of Existing Chemical Substances	
ECL	Existing Chemicals List (Korea)	
ENCS	Existing and New Chemical Substances Inventory (Japan)	
EN 689	Workplace atmospheres - Guidance for the assessment of exposure by inhalation to chemical agents for comparison with limit values and measurement strategy.	
ERG	Emergency Response Guide	
GHS	Globally Harmonized System	
HMIS	Hazardous Materials Information System IARC International Agency for Research on Cancer IATA International Air Transport Association	
ICAO	International Civil Aviation Organization IDLH Immediately Dangerous to Life and Health IMDG International Maritime Dangerous Goods	
LD50	Lethal Dose to 50% of test animal population	
MAK	Maximale Arbeitsplatz Konzentration	
NTP	National Toxicology Program	
OEL	Occupational Exposure Limit	
OSHA	Occupational Safety & Health Administration	
РВТ	Persistent, Bioaccumulative and Toxic vPvB Very Persistent and Very Bioaccumulative PEL Permissible exposure limit	
PICCS	Philippine Inventory of Commercial Chemical Substances	
PNEC	Predicted No Effect Concentration	
REACH	Registration, Evaluation and Authorization of Chemical Substances	
RID	International carriage of dangerous goods by Rail SARA Superfund Amendments and Reauthorization Act STEL Short Term Exposure Limit	
SVHC	Substance of Very High Concern	
TLV	Threshold Limit Value	
TSCA	Toxic Substances Control Act	
TWA	Time Weighted Average	
VOC	Volatile Organic Compound	
WGK	Wassergefahrdungsklasse (Water Hazard Class) WHMIS Workplace Hazardous Material Identification System	

Item Numbers: 01241-1023, 01241-2023, 01241-3013, 01241-4013, 01241-4513, 01241-5013, 01241-5113, 01241-6063, 01241-7013

Page 24 of 31

Carrageenan - Pg 10



Jacquard Products Manufactured by Rupert, Gibbon & Spider, Inc. P.O. Box 425 | Healdsburg, CA 95448 800.442.0455 | Fax: 707.433.4906 www.jacquardproducts.com

Synthetic Gall - Pg I

#### Revision Date: 08/26/2019

### SECTION I - CHEMICAL, PRODUCT & COMPANY INFORMATION

Product Name:	SYNTHETIC GALL	
Product Number/Code:	JMA1200 / JMA2200 / JMA4200	
Recommended Use:	Textile auxilary	
Restrictions on use:	None known	
Manufacturer:	Rupert, Gibbon & Spider, Inc. I 147 Healdsburg Ave. Healdsburg, CA 95448 I-800-442-0455 / 707-433-9577	
Emergency Number:	ChemTel, Inc Contract	#MIS9128344
	North America: I-800-255-3924	International: 1-813-248-0585

### SECTION 2 - HAZARD(S) IDENTIFICATION

Toxicological Data on Ingredients:		
Hazard Classification		
Physical Hazards:		
Health Hazards:	Skin Sensitizer	Category IE
	Eye Irritant	Category 2E
	Skin Irritant	Category 3
	Oral Toxicity	Category 5
Environmental Hazards:		
Label Elements		· · · · · · · · · · · · · · · · · · ·
Pictogram:		
Signal Words:	Warning	
Hazard Statements-EU:	H315 Causes mild skin irritation. H320 Cuses eye irritation. H303 May be harmful if swallowed.	

Synthetic Gall - Pg 2

Rupert, Gibbon & Spider, Inc. | P.O. Box 425 | Healdsburg, CA 95448 | 800.442.0455 | Fax: 707.433.4906 | www.jacquardproducts.com

Precautionary Statements-EU:		
Prevention:	<ul> <li>P264 Wash face, hands, and any exposed skin thoroughly after handling.</li> <li>P280 Wear protective gloves/ protective clothing/eye protection/face protection.</li> <li>P270 Do not eat, drink, or smoke when using this product.</li> <li>P260 Do not breath dust/fume/gas/mist/vapors/spray.</li> </ul>	
Response:	<ul> <li>P305+P351+P338 IF IN EYES: Rinse cautiously with water for 15 minute Remove contact lenses, if present and easy to do. Continue rinsing.</li> <li>P337+P313 If eye irritation persists: Get medical advice/attention.</li> <li>P302+P352 IF ON SKIN: Wash with plenty of soap and water for 15 minutes.</li> <li>P332+P313 If skin irritation occurs: Get medical advice/attention.</li> <li>P301+P330+P331 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.</li> <li>P304+P340 IF INHALED: Remove victim to fresh air and keep at rest in comfortable position for breathing.</li> </ul>	
Storage:	P273: Avoid release to the environment.	
Disposal:	P501: Dispose of contents/container in accordance with local/regional/ international regulations.	
Hazard(s) not otherwise classified:		

#### SECTION 3 - COMPOSITION / INFORMATION ON INGREDIENTS

Chemical identity	Content in percent (%)*	CAS#
Proprietary textile mixture - Eye and skin irritant. - May be harmful if swallowed.	0.1-10%	The exact percentages and composition has been withheld as a trade secret.

# SECTION 4 - FIRST AID MEASURES

Description of first aid measures:	
General information:	Immediately remove all contaminated clothing.
In the event of skin contact:	Remove all contaminated clothing immediately. Wash immediately with soap and plenty of water. If a temporary skin reaction occurs, it should be treated as allergic contact dermatitis. Launder contaminated clothing before reuse.
In the event of eye contact:	Wash immediately with large amounts of water for 15 minutes, lifting the upper and lower lids until no evidence of product remain. Get medical attention immediately. Do not wear contact lenses while handling.
In the event of swallowing:	Induce vomiting by giving 2 glasses of water and place finger down throat Get medical attention. Never give fluids or induce vomiting if patient is unconscious or has convulsions.
In the event of exposure by inhalation:	If inhaled, remove to fresh air. If not breathing, give artificial respiration, preferably mouth to mouth. If breathing is difficult, give oxygen. Call a physician.
Most important symptoms and effects, acute and delayed:	The most significant symptoms and effects are described in the labelling (see section 2) and/or in section 11.
Indication of any immediate medical attention and special treatment needed:	No data available

Item Numbers: 01241-1023, 01241-2023, 01241-3013, 01241-4013, 01241-4513, 01241-5013, 01241-5113, 01241-6063, 01241-7013

Page 26 of 31

Synthetic Gall - Pg 3

Rupert, Gibbon & Spider, Inc. | P.O. Box 425 | Healdsburg, CA 95448 | 800.442.0455 | Fax: 707.433.4906 | www.jacquardproducts.com

# SECTION 5 - FIREFIGHTING MEASURES

Flash point:	530°F
Extinguishing media:	CO2, Dry Chemical, Foam, Water, Fog
Special firefighting procedures/unusual fire or explosion hazards:	Firefighters should be equipped with protective clothing & self-contained breathing apparatus to protect against potentially toxic & irritating fumes. In case of fire or explosion, keep unnecessary people away. Isolate hazard area & any entry. Stay upwind, out of low areas, and ventilate closed spaces before entering.
Additional information:	Avoid dusting conditions. May form explosive dust mixtures with air.

### SECTION 6 - ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures:	Do not touch or walk through the spilled material: stop leak if you can do it without risk.
Methods and material for containment and clean up:	Take up with sand or other non-combustible absorbent material or suit- able vacuum and place into labeled sealable containers.
Environmental procedures:	Do not empty into drains or waters.
Reference to other sections:	For further disposal measures see section 13.

# SECTION 7 - HANDLING AND STORAGE

Precautions for safe handling:	In accord with good industrial practice. Handle with care and avoid personal contact.
Conditions for safe storage including any incompatibilities:	Keep container protected from direct sunlight in a dry, cool and in a well-ventilated area. Keep the container tightly sealed and away from any incompatible materials (see Section 10).

## SECTION 8 - EXPOSURE CONTROLS / PERSONAL PROTECTION

Control parameters:		
Occupational exposure limits:	Avoid contact with eyes and skin. Immediately remove all contaminated clothing.	
Appropriate engineering controls:	Handle with good industrial practices and industrial hygiene. Wash hands after use.	
Individual protection measures, such as p	personal protective equipment:	
Eye/face protection:	Employees should wear protective eye-goggles with side protection shield.	
Skin protection:	Employees should avoid skin contact by wearing protective clothing. Long sleeve shirts, pants, gloves e.g. of PVC or nitrile rubber, and boots are recommended. Additional protections such as impervious suits are recommended when the potential for dermal contact is significant. Em- ployees should wash their hands and face before eating and drinking and shower thoroughly before leaving work. Keep away from food and drink stuffs.	
Hand protection:	Gloves	
Other protective equipment:	Wear overalls, apron or other protective clothing.	
Environmental exposure controls:	Use local ventilation.	
Respiratory protection:	Inhalation of dust and aerosols must be absolutely prevented by the use	

Item Numbers: 01241-1023, 01241-2023, 01241-3013, 01241-4013, 01241-4513, 01241-5013, 01241-5113, 01241-6063, 01241-7013

Page 27 of 31

Rupert, Gibbon & Spider, Inc. | P.O. Box 425 | Healdsburg, CA 95448 | 800.442.0455 | Fax: 707.433.4906 | www.jacquardproducts.com

### SECTION 9 - PHYSICAL AND CHEMICAL PROPERTIES

General information:		
Appearance and physical state:	Liquid	
Color:	Clear	
Type of Odor:	Nearly odorless	
Odor threshold:	N/D	
Important health, safety and environmental information:		
Initial Boiling Point and Boiling Range:	N/D	
Melting Point/Freezing Point:	N/D	
Flammability Classification:	Non combustible	
Flash Point:	212°F/100°C	
Auto-ignition Temperature:	N/D	
Decomposition Temperature:	N/D	
Flammability Limits (lower/upper):	N/A	
Evaporation rate:	N/D	
Vapor Pressure:	N/D	
Vapor Density (Air=1):	N/D	
Octanol/Water Partition Coefficient (log Pow):	N/D	
Specific Gravity:	1.04	
Bulk Density:	N/A	
Water Solubility:	Dispersible	
pH:	N/D	
Viscosity:	N/D	
Explosive Properties:	N/A	
Oxidizing Properties:	N/A	
Molecular Formula:	N/A	
Molecular Weight:	N/A	
Relative Density:	N/A	
% Volatile:	N/D	

### SECTION 10 - STABILITY AND REACTIVITY

Reactivity:	Will not occur
Stability:	Stable
Possibility of hazardous reactions:	None expected
Conditions to avoid:	N/D
Incompatible materials:	Strong oxidizing agents
Hazardous decomposition products:	CO2, CO, Sulfur oxides, Nitrogen oxides

Item Numbers: 01241-1023, 01241-2023, 01241-3013, 01241-4013, 01241-4513, 01241-5013, 01241-5113, 01241-6063, 01241-7013

Page 28 of 31

Synthetic Gall - Pg 5

Rupert, Gibbon & Spider, Inc. | P.O. Box 425 | Healdsburg, CA 95448 | 800.442.0455 | Fax: 707.433.4906 | www.jacquardproducts.com

### SECTION II - TOXICOLOGICAL INFORMATION

<b>Information on toxicological effects:</b> Acute toxicity (list all possible routes of exposur	e)
Acute Oral Toxicity:	LD50 (ingestion) - No data
Acute Dermal Toxicity:	No data
Skin Corrosion/irritation:	No data
Serious Eye Damage / Eye Irritation:	No data
Respiratory or Skin Sensitization:	Not expected
Carcinogen status (IARC/NTP/OSHA):	No
Signs and symptoms of overexposure:	Irritating to the eyes. Prolonged skin contact may cause irritation. Ingestion may cause nausea, vomiting, or diarrhea. Inhalation may cause irritation of the nose, throat, and upper respiratory tract.
Medical conditions aggravated:	Persons with any pre-existing skin, eye or respiratory condition may be more susceptible to the effects of this product.
Primary routes of exposure:	
Skin absorption:	No
Eye contact:	Yes
Ingestion:	Yes
Inhalation:	No
Skin contact::	Yes

### SECTION 12 - ECOLOGICAL INFORMATION

Biodegradability:	N/D
Bacteria toxicity:	N/D
COD:	N/D
AOX:	N/D

### SECTION 13 - DISPOSAL CONSIDERATIONS

Waste treatment methods:	
Disposal:	If utilization or recycling of the product is not possible, it should be dis- posed of in accordance with existing federal, state and local environmen- tal regulations, e.g. by incineration in a suitable plant.
Container Disposal:	Soiled, empty containers are to be treated in the same way as the con- tents.

# SECTION 14 - TRANSPORT INFORMATION

Proper Shipping Description:	Non-hazardous ink material
DOT Hazard Classification:	Not regulated
Frt. Class Package:	55
IATA:	Non-regulated
IMDG:	Non-regulated

Item Numbers: 01241-1023, 01241-2023, 01241-3013, 01241-4013, 01241-4513, 01241-5013, 01241-5113, 01241-6063, 01241-7013

Synthetic Gall - Pg 6

Rupert, Gibbon & Spider, Inc. | P.O. Box 425 | Healdsburg, CA 95448 | 800.442.0455 | Fax: 707.433.4906 | www.jacquardproducts.com

### SECTION 15 - REGULATORY INFORMATION

US Regulations:			
TSCA:	The components of this product ar	The components of this product are listed on the TSCA Inventory.	
SARA 313:	This product is not subject to SARA quirements under 40 CFR 372.	A Title III Section 313 reporting re-	
SARA 312:	Immediate (Acute) health hazard:	Yes	
	Delayed (chronic) health hazard:	No	
	Fire hazard:	No	
	Sudden release of pressure:	No	
	Reactivity:	No	
California Proposition 65:	•	This product does NOT contain any components currently on the Cali- fornia List of Known Carcinogens and reproductive Toxins.	

### SECTION 16 - OTHER INFORMATION

HMIS Hazard ID:	
Health:	1
Flammability:	1
Reactivity:	0
Hazard rating: 0 - Minimal; 1 - Slight; 2 - Moderate; 3 - Serious; 4 - Severe; *Chronic health effect	

#### **Disclaimer:**

The information contained in this SDS is based on data from sources considered to be reliable but Rupert, Gibbon & Spider, Inc. does not guarantee the accuracy or completeness thereof. Rupert, Gibbon & Spider, Inc. urges each customer or recipient of this SDS to study it carefully to become aware of and understand the hazards associated with this product. The reader should consider consulting reference works or individuals who are experts in ventilation, toxicology or fire and understand the data in this SDS.

#### Revision Date: 08/26/2019

National Chemical Inventories:           All components of this product are listed on the following chemical substance inventories:TSCA (USA)	
EINECS	(Europe)
ENCS	(Japan) ECL
	(Korea)
AICS	(Australia) NZIoC
	(New Zealand)
PICCS	(Philippines)
IECSC	(China)

Rupert, Gibbon & Spider, Inc. | P.O. Box 425 | Healdsburg, CA 95448 | 800.442.0455 | Fax: 707.433.4906 | www.jacquardproducts.com

Abbreviations:	
ACGIH	American Conference of Governmental Industrial Hygienists
ADR	International carriage of Dangerous goods by Road
AICS	Australian Inventory of Chemical Substances
ATE	Acute Toxicity Estimate
BfR	Bundesinstitut für Risikobewertung recommendations for food contact materials
BCF	Bioconcentration Factor
BOD5	5-day Biochemical Oxygen Demand
CERCLA	Comprehensive Environmental Response, Compensation and Liability Act
CLP	Classification, Labeling and Packaging regulation
COD	Chemical Oxygen Demand DOT Department of Transportation DSL Domestic Substances List
EINECS	European Inventory of Existing Chemical Substances
ECL	Existing Chemicals List (Korea)
ENCS	Existing and New Chemical Substances Inventory (Japan)
EN 689	Workplace atmospheres - Guidance for the assessment of exposure by inhalation to chemical agents for comparison with limit values and measurement strategy.
ERG	Emergency Response Guide
GHS	Globally Harmonized System
HMIS	Hazardous Materials Information System IARC International Agency for Research on Cancer IATA International Air Transport Association
ICAO	International Civil Aviation Organization IDLH Immediately Dangerous to Life and Health IMDG International Maritime Dangerous Goods
LD50	Lethal Dose to 50% of test animal population
MAK	Maximale Arbeitsplatz Konzentration
NTP	National Toxicology Program
OEL	Occupational Exposure Limit
OSHA	Occupational Safety & Health Administration
PBT	Persistent, Bioaccumulative and Toxic vPvB Very Persistent and Very Bioaccumulative PEL Permissib exposure limit
PICCS	Philippine Inventory of Commercial Chemical Substances
PNEC	Predicted No Effect Concentration
REACH	Registration, Evaluation and Authorization of Chemical Substances
RID	International carriage of dangerous goods by Rail SARA Superfund Amendments and Reauthorization Act STEL Short Term Exposure Limit
SVHC	Substance of Very High Concern
TLV	Threshold Limit Value
TSCA	Toxic Substances Control Act
TWA	Time Weighted Average
VOC	Volatile Organic Compound
WGK	Wassergefahrdungsklasse (Water Hazard Class) WHMIS Workplace Hazardous Material Identification System

Item Numbers: 01241-1023, 01241-2023, 01241-3013, 01241-4013, 01241-4513, 01241-5013, 01241-5113, 01241-6063, 01241-7013

Page 31 of 31

Synthetic Gall - Pg 7