01251-XXXX

SAFETY DATA SHEET

Issuing Date 6/1/2016 Revision Date 6/1/2020 Revision Number

1. IDENTIFICATION

Product Identifier

Product Name NFP200's, NFP250's, NFP300's

Other means of identification

Synonyms NONE

Recommended use of the chemical and restrictions on use

Recommended use Artistic Medium

Uses advised against

Details of the supplier of the safety data sheet

Supplier NameYasutomoSupplier Address3740 Skypark DrTorrance CA

90505

Supplier Phone Number310-791-1995Supplier Emailcsr@yasutomo.com

Emergency telephone number 911

2. HAZARDS IDENTIFICATION

Classification

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

Carcinogenicity Category 1A

GHS Label elements, including precautionary statements

Danger

Emergency Overview

Signal word Hazard Statements

May cause cancer



AppearanceBlack Powder or PelletsPhysical StateSolidOdor

Precautionary Statements - Prevention

Do not handle until all safety precautions have been read and understood Use personal protective equipment as required

Precautionary Statements - Response

IF exposed or concerned: Get medical advice/attention

Precautionary Statements - Storage

Store locked up

Precautionary Statements - Disposal

Dispose of contents/container to an approved waste disposal plant

Hazard not otherwise classified (HNOC)

NA

Unknown Toxicity

None

Other information

No information available

Interactions with Other Chemicals

Use of alcoholic beverages may enhance toxic effects.

3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Name	CAS No	Weight-%	Trad
Carbon Black	1333-86-4	15-20%	
Benzoic Acid	65-85-0	1-5%	
Sodium Carboxymethyl Cellulose	9004-32-4	1-5%	
Shellac Flakes	9000-59-3	45-50%	
Citric Acid	77-92-9	1-5%	
Water	7732-18-5	45-50%	

^{*} The exact percentage (concentration) of composition has been withheld as a trade secret.

4. FIRST AID MEASURES

First aid measures

Eye Contact Rinse thoroughly with plenty of water. If symptoms persist, call a physician.

Skin Contact Wash with soap and water.

Inhalation Remove to fresh air.

Ingestion Rinse mouth immediately and drink plenty of water. Never give anything by mouth to an unconsci

not induce vomiting.

Most Important symptoms and effects, both acute and delayed

Most Important symptoms and effects No information available.

Indication of any immediate medical attention and special treatment needed

Notes to Physician Treat symptomatically

5. FIRE-FIGHTING MEASURES

Suitable Extinguishing Media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment

Unsuitable extinguishing media

CAUTION: Use of water spray when fighting fire may be inefficient.

Specific Hazards Arising from the Chemical

It may not be obvious that carbon black is burning unless the material is stirred and sparks are apparent.

Hazardous Combustion Products

Carbon oxides.

Explosion Data

Sensitivity to Mechanical Impact No.
Sensitivity to Static Discharge No.

Protective equipment and precautions for firefighters

As in any fire, wear self-contained breathing appartus pressure-demand, MSHA/NIOSH (approved or equivalent) protective gear.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Personal precautions Avoid contact with eyes. Wet carbon black produces slippery walking surfaces.

Other information Refer to protective measures listed in Sections 7 and 8

Environmental Precautions

Environmental Precautions Refer to protective measures listed in Sections 7 and 8.

Methods and material for containment and cleaning up

Methods for Containment Prevent further leakage or spillage if safe to do so.

Methods for cleaning up Clean up promptly by vacuum. HEPA filtration is recommended.

7. HANDLING AND STORAGE

Precautions for safe handling

Handling Handle in accordance with good industrial hygiene and safety practice. Avoid contact with skin, ey

Do not breathe dust. Do not eat, drink or smoke when using this product. Take off contaminated of

wash before reuse.

Conditions for safe storage, including any incompatibilities

Storage Keep container tightly closed in a cool, dry, well-ventilated area.

Incompatible products Strong oxidizing agents.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters

Exposure Guidelines

Γ	Chemical Name	ACGIH TLV	OSHA PEL	NIO
Г	Carbon Black	TWA: 3 mg/m3 inhalable fraction	TWA: 3.5 mg/m3	IDLH: 1
	1333-86-4		(vacated) TWA: 3.5 mg/m3	TWA:
				TWA: 0.1 mg/ı
				presence of P
				hydroc
r	Shellac Flakes		TWA: 15 mg/m3 (Inhalation)	
	9000-59-3		TWA: 5 mg/m3 (Inhalation Respirable)	

ACGIH TLV: American Conference of Governmental Industrial Hygienists - Threshold Limit Value OSHA PEL: Occupational Safety and Health Administration Exposure Limits Immediately Dangerous to Life or Health

Other Exposure Guidelines

Vacated limits revoked by the Court of Appeals decision in AFL-CIO v. 962 (11th Cir., 1992) See section 15 for national exposure control par

Appropriate engineering controls

Engineering Measures Ventilation systems

Individual protection measures, such as personal protective equipment

Eye/Face ProtectionWear safety glasses with shields. Goggles. **Skin and Body Protection**Wear protective gloves and protective clothing.

Respiratory Protection Wear Air-Purifying Respirator if exposure exceeds occupational exposure

Respirators should by NIOSH/OSHA approved.

Hygiene Measures Handle in accordance with good industrial hygiene and safety practic

drink or smoke when using this product. Wash hands before breaks $\boldsymbol{\epsilon}$

after handling the product.

9. PHYSICAL AND CHEMICAL PROPERTIES

Physical State Solid

AppearanceBlack Powder or PelletsOdorNoneColorNo information availableOdor ThresholdNA

PropertyValuesRemarks MethodpHNo data availableNone knownMelting/Freezing pointNo data availableNone knownBoiling point / boiling rangeNo data availableNone knownFlash PointNo data availableNone known

Evaporation Rate	No data available	None known
Fammability (solid, gas)	No data available	None known
Flammability Limit in Air		
Upper flammability limit	No data available	
Lower flammability limit	No data available	
Vapor pressure	No data available	None known
Vapor density	No data available	None known
Specific Gravity	No data available	None known
Water Solubility	Insoluble	None known
Solubility in other solvents	No data available	None known
Partition coefficient:	No data available	None known
Autoignition temperature	>140 C	None known
Decomposition temperature	No data available	None known
Kinematic viscosity	No data available	None known
Dynamic viscosity	No data available	None known
Explosive properties	No data available	

No data available

Other Information

Oxidizing Properties

Softening PointNo data availableVOC Content (%)No data availableParticle SizeNo data available

Particle Size Distribution

10. STABILITY AND REACTIVITY

Reactivity

May react exothermically upon contact with strong oxidizers.

Chemical Stability

 ${\bf Stable\ under\ recommended\ storage\ conditions.}$

Possibility of Hazardous Reactions

None under normal processing.

Hazardous Polymerization

Hazardous polymerization does not occur.

Conditions to avoid

Do not expose to temperatures above 300 C. Keep away from oxidixing agents.

Incompatible materials

Strong Oxidizers such as chlorates, bromates, and nitrates.

Hazardous Decomposition Products

Carbon oxides.

11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Product Information

InhalationSpecific test data for the substance or mixture is not available.Eye ContactSpecific test data for the substance or mixture is not available.Skin ContactSpecific test data for the substance or mixture is not available.IngestionSpecific test data for the substance or mixture is not available.

Component Information

Chemical Name	Oral LD50	Dermal LD50	Inhala
Carbon Black			
1333-86-4	> 8000 mg/kg (Rat)	_	
Water			
7732-18-5	> 90 ml/kg (Rat)	_	

Citric Acid 77-92-9	> 5040 mg/kg (mouse)	-	
Sodium Carboxymethyl Cellulose 9004-32-4		_	
_	> 27000 mg/kg (rat)		> 5800 mg
Benzoic Acid 65-85-0	> 2565 mg/kg (rat)	> 2000 mg/kg (rabbit)	> 12.2 m

Information on toxicological effects

Symptoms No information available.

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Sensitization No information available.

Mutagenic Effects No information available.

Carcinogenicity

The table below indicates whether each agency has listed any ingredient as a carcinogen

Chemical Name	ACGIH	IARC	NTP	С
Carbon Black	A3	Group 2B		
1333-86-4				

ACGIH (American Conference of Governmental Industrial Hygienists)

A2 - Suspected Human Carcinogen

A3 - Animal Carcinogen

IARC (International Agency for Research on Cancer)

Group 1 - Carcinogenic to Humans

Group 2B - Possibly Carcinogenic to Humans

Group 3 - Not Classifiable as to Carcinogenicity in Humans

NTP (National Toxicology Program)

Known - Known Carcinogen

OSHA (Occupational Safety and Health Administration of the US Dept of Labor)

X - Present

Reproductive ToxicityNo information availableSTOT - single exposureNo information availableSTOT - repeated exposureNo information available

Chronic Toxicity Contains a known or suspected carcinogen. May cause adverse effect

marrow and blood-forming system. May cause adverse liver effects.

Target Organ Effects Respiratory system. Eyes. Skin. Gastrointestinal tract (GI). Bladder. Bl

Nervous System (CNS). Kidney. Liver. Lungs. Lymphatic System.

Aspiration Hazard No information available

Numerical measures of toxicity Product Information

The following values are calculated based on chapter 3.1 of the GHS document

ATEmix (oral)

NA

ATEmix (inhalation-dust/mist)

NA

ATEmix (inhalation-vapor)

NA

12. ECOLOGICAL INFORMATION

Ecotoxicity

The environmental impact of this product has not been fully investigated

Chemical Name	Toxicity to	Toxicity to Fish	Toxicity to Microorganisms	Daphnia N
	Algae			F

Carbon	Black	EC50:>10000 mg/L	LC50: >1000 mg/L 96	24h EC50
1333-8	86-4	72h (Scenedesmus	hr (Brachydanio Rerio)	
		subspicatus)		
Citric /	Acid	EC50:> 640 mg/L 72h	LD0: > 625 mg/L	LD100: 120 mg,
77-92	2-9	(Scenedesmus	lifetime exposure	
		quadricauda)	(Goldfish)	
Benzoio	Acid		LC50: > 44.6 mg/L 96	48h EC50
65-85	5-0		hr (Bluegill Sunfish)	

Persistance and Degradability

Not expected to degrade

Bioaccumulation

Not expected due to physicochelical properties of the substance

Other adverse effects

No information available.

13. DISPOSAL CONSIDERATIONS

Waste treatment methods

Disposal methods Dispose of contents/containers in accordance with local regulations.

Contaminated Packaging

Do not reuse empty containers.

		14. TRANSPORT INFORMATION
DOT	Not Regulated	
<u>TDG</u>	Not Regulated	
MEX	Not Regulated	
<u>ICAO</u>	Not Regulated	
<u>IATA</u>	Not Regulated	
IMDG/IMO	Not Regulated	
RID	Not Regulated	
<u>ADR</u>	Not Regulated	
AND	Not Regulated	

15. REGULATORY INFORMATION

International Inventories

TSCA Complies

DSL All components are listed either on the DSL or NDSL

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory
DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

US Federal Regulations

CERCLA

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compe Act (CERCLA) (40 CFR 302) or the Superfund Ammendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements a or state level pertaining to release of this material.

US State Regulations

U.S. State Right-to-Know Regulations

		Chemical Name	New Jersey	Massachusetts	Pennsylvania	Rhode Island	II
--	--	---------------	------------	---------------	--------------	--------------	----

Carbon Black 1333-86-4	Х	Х	×	
Shellac Flakes 9000-59-3	Х			

International Regulations

Mexico

National Occupational exposure limits

Component	Carcinogen Status	Exposure Limits
Carbon Black		Mexico: TWA = 3.5 mg/
1333-86-4 (1-5)		Mexico: STEL - 7 mg/m

Mexico - Occupational Exposure Limits - Carcinogens

			16. OTHER	INFORMATION		
NFPA	Health Hazards	1	Flammability 0	Instability	0	Physical and Chemical Ha
HMIS	Health Hazards	1*	Flammability 0	Physical Hazard	0	Personal Pro x

Chronic Hazard Star Legend * = Chronic Health Hazard

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The informa only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specific information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any p specified in the text.

End of Safety Data Sheet

Page	8	of	1	4
------	---	----	---	---

2

None

e Secret		

ious person. Do

and full

res or clothing.

SH IDLH

.750 mg/m3
3.5 mg/m3
m3 Carbon black in olycyclic aromatic arbons PAH

-

- Permissible

. OSHA, 965 F.2d rameters

sure limits.

e. Do not eat, and immediately

tion LC50		
_		
_		

_
;/m3 4hr (Rat)
g/l 4hr (Rat)

SHA		
х		

ts on the bone

ood. Central

/lagna (Water ∹lea)

): >5600 mg/L	1			
/I Lifetime exposure	1			
0: > 100 mg/L				
	1			
ensation and Liability				
t the local, regional,				
linois	1			
	1			
Numbers: 01251-1010. 01251-2	020, 01251-2500, 01251-2690, 01251-3010, 01251-3040, 0	1251-3060, 01251-3480, 01251-3710, 01251-4	4060, 01251-4510, 01251-4560, 01251-5010, 01	251-5070, 01251-5110, 01251 Page 133hf
04054 5040 04054 5000 0405	51-6000 01251-6420 01251-6910 01251-7010 01251-723	00.04054.7040.04054.0000		.,,

Х	

5	
m3	
13	

zards tection

tion given is designed cation. The rocess, unless