

01257-1792



Laundry Lines -White Wash

Safety Data Sheet

according to the Hazardous Products Regulation (WHMIS 2015) & OSHA Hazard Communication Standard 29 CFR 1910.1200 (HazCom 2012)
Issue date: 9/19/2024 Revision date: 12/19/2024 Version: 1.0

SECTION 1: Identification

1.1. Product identifier

Product name : Laundry Lines -White Wash

1.2. Recommended use and restrictions on use

Recommended use : Laundry detergents

1.3. Supplier

Supplier
Nakoma Products LLC
8455 S. 77th Avenue
Bridgeview, 60455
US
T 317-357-5715
cs@preval.com

Distributor
Missing Canadian Distributor

1.4. Emergency telephone number

No additional information available

SECTION 2: Hazard identification

2.1. Classification of the substance or mixture

Classification (GHS CA/US)

Acute toxicity (oral) Category 4
Skin corrosion/irritation Category 1B
Serious eye damage/eye irritation Category 1
Health hazard not otherwise classified, category 1

Harmful if swallowed
Causes severe skin burns and eye damage
Causes serious eye damage

2.2. GHS Label elements, including precautionary statements

GHS CA/US labeling

Hazard pictograms (GHS CA/US) :



Signal word (GHS CA/US) :

Danger

Hazard statements (GHS CA/US) :

Harmful if swallowed
Causes severe skin burns and eye damage

Precautionary statements (GHS CA/US) :

Do not breathe vapors, mist, spray.
Wash hands, forearms and face thoroughly after handling.
Do not eat, drink or smoke when using this product.
Wear protective gloves, protective clothing, eye protection, face protection.
IF SWALLOWED: Rinse mouth. Do NOT induce vomiting
IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water .
Wash contaminated clothing before reuse.
Specific treatment (see supplemental first aid instruction on this label).
IF INHALED: Remove person to fresh air and keep comfortable for breathing.
IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
Immediately call a POISON CENTER or doctor.

Laundry Lines -White Wash

Safety Data Sheet

according to the Hazardous Products Regulation (WHMIS 2015) & OSHA Hazard Communication Standard 29 CFR 1910.1200 (HazCom 2012)
Issue date: 9/19/2024 Revision date: 12/19/2024 Version: 1.0

Store locked up.

Dispose of contents/container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation.

2.3. Other hazards

No additional information available

2.4. Unknown acute toxicity (GHS CA/US)

9.98% of the mixture consists of ingredient(s) of unknown acute toxicity (Oral)

14.96% of the mixture consists of ingredient(s) of unknown acute toxicity (Dermal)

18.35% of the mixture consists of ingredient(s) of unknown acute toxicity (Inhalation (vapors))

SECTION 3: Composition/Information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

Name	Common Name (Synonyms)	Product identifier	%
Disodium carbonate	Sodium carbonate anhydrous / SODIUM CARBONATE / Carbonic acid sodium salt (1:2) / Sodium carbonate, anhydrous / Sodium carbonate (2:1) / Soda ash / Carbonic acid, disodium salt / Sodium carbonate	CAS-No.: 497-19-8	45 - 70
Sodium dithionite	Dithionous acid, disodium salt / Sodium hydrosulfite / Sodium hydrosulphite / Dithionous acid, sodium salt (1:2) / SODIUM HYDROSULFITE / Sodium hyposulfite / sodium dithionite	CAS-No.: 7775-14-6	10 – 30
Sodium metasilicate	Silicic acid, sodium salt (1:2) / Sodium silicate / Disodium dioxido(oxo)silane / SODIUM METASILICATE / Silicic acid (H ₂ SiO ₃), sodium salt (1:2) / Disodium trioxosilicate / Disodium metasilicate (Na ₂ SiO ₃) / Silicic acid, disodium salt / Sodium metasilicate, anhydrous / Silicic acid (H ₂ SiO ₃), disodium salt / Silicate, disodium / Disodium metasilicate	CAS-No.: 6834-92-0	5 - 10

Laundry Lines -White Wash

Safety Data Sheet

according to the Hazardous Products Regulation (WHMIS 2015) & OSHA Hazard Communication Standard 29 CFR 1910.1200 (HazCom 2012)
Issue date: 9/19/2024 Revision date: 12/19/2024 Version: 1.0

Name	Common Name (Synonyms)	Product identifier	%
Polyethylene glycol	Poly(oxy-1,2-ethanediyl), .alpha.-hydro-.omega.-hydroxy- / .alpha.-Hydro-.omega.-hydroxypoly(oxyethylene) / .alpha.-Hydro-.omega.-hydroxypoly(oxy-1,2-ethanediyl) / Ethoxylated 1,2-ethanediol / Macrogol / 1,2-Ethanediol, homopolymer / Ethylene oxide polymer / Macrogols / PEG / Polyethylene glycols / Polyethylene glycol ether / Polyethylene oxide / Ethylene glycol homopolymer	CAS-No.: 25322-68-3	1 - 5
Tetrasodium EDTA tetrahydrate	Glycine, N,N'-1,2-ethanediylbis[N-(carboxymethyl)-, tetrasodium salt, tetrahydrate / Ethylenedinitrilotetraacetic acid, tetrasodium salt, tetrahydrate / Ethylenediaminetetraacetic acid, tetrasodium salt, tetrahydrate / Tetrasodium ethylenediaminetetraacetate tetrahydrate / Glycine, N,N'-1,2-ethanediylbis[N-(carboxymethyl)-, sodium salt, hydrate (1:4:4) / Sequestrene 220 / Tetrasodium edetate tetrahydrate / Tetrasodium 2,2',2'',2'''-(ethane-1,2-diyldinitrilo)tetraacetate tetrahydrate / Edetate sodium tetrahydrate	CAS-No.: 13235-36-4	1 - 5

Comments : All concentrations are in percent by weight unless ingredient is a gas. Gas concentrations are in percent by volume.
CANADA GHS: The exact percentage (concentration) of composition has been withheld as a trade secret in accordance with the amended HPR as of April 2018.
US GHS: The exact percentage (concentration) of composition has been withheld as a trade secret in accordance with paragraph (i) of §1910.1200.

SECTION 4: First-aid measures

4.1. Description of first aid measures

First-aid measures after inhalation : IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. Immediately call a POISON CENTER or doctor.

First-aid measures after skin contact : IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water . Wash contaminated clothing before reuse. Specific treatment (see supplemental first aid instruction on this label). Immediately call a poison center or doctor/physician.

First-aid measures after eye contact : IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a poison center or doctor/physician.

First-aid measures after ingestion : IF SWALLOWED: Rinse mouth. Do NOT induce vomiting. Immediately call a poison center or doctor/physician. If vomiting occurs have person lean forward. Never give anything by mouth to an unconscious person.

Laundry Lines -White Wash

Safety Data Sheet

according to the Hazardous Products Regulation (WHMIS 2015) & OSHA Hazard Communication Standard 29 CFR 1910.1200 (HazCom 2012)
Issue date: 9/19/2024 Revision date: 12/19/2024 Version: 1.0

First-aid measures general : Call a physician immediately. If you feel unwell, seek medical advice (show the label where possible). Medical personnel should be made aware of substance(s) involved and take measures for self protection. Show this safety data sheet to the doctor in attendance. Avoid contact with skin and eyes. Keep out of the reach of children.

4.2. Most important symptoms and effects (acute and delayed)

Symptoms/effects after inhalation : Prolonged inhalation may be harmful.
Symptoms/effects after skin contact : Causes severe burns. May cause an allergic skin reaction.
Symptoms/effects after eye contact : Causes serious eye damage. Symptoms may include stinging, tearing, redness, swelling, and blurred vision.
Symptoms/effects after ingestion : Harmful if swallowed. Burns. May cause stomach distress, nausea or vomiting.

4.3. Immediate medical attention and special treatment, if necessary

Other medical advice or treatment : Treat symptomatically. Symptoms may be delayed.

SECTION 5: Fire-fighting measures

5.1. Suitable extinguishing media

Suitable extinguishing media : Treat for surrounding material.

5.2. Unsuitable extinguishing media

Unsuitable extinguishing media : Do not use a water jet since it may cause the fire to spread.

5.3. Specific hazards arising from the hazardous product

Fire hazard : During fire, gases hazardous to health may be formed. In case of fire or explosion do not breathe fumes.
Explosion hazard : No direct explosion hazard.
Hazardous decomposition products in case of fire : May include and are not limited to: oxides of carbon.

5.4. Special protective equipment and precautions for fire-fighters

Firefighting instructions : Move containers from fire area if it can be done without personal risk.
Protection during firefighting : Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

General measures : Keep unnecessary personnel away. For personal protection, see section 8 of the SDS. In the event of a significant spillage : Notify authorities if product enters sewers or public waters.

6.2. Methods and materials for containment and cleaning up

For containment : Stop leaks if it can be done without personal risk. Contain any spills with dikes or absorbents to prevent migration and entry into sewers or streams.
Methods for cleaning up : Soak up with inert absorbent material (for example sand, sawdust, a universal binder, silica gel). Take up mechanically (sweeping, shoveling) and collect in suitable container for disposal. Clean contaminated surfaces with an excess of water. Minimize generation of dust.
Other information : Dispose of materials or solid residues at an authorized site. This material and its container must be disposed of in a safe way, and as per local legislation.

6.3. Reference to other sections

For further information refer to section 8: "Exposure controls/personal protection"

Laundry Lines -White Wash

Safety Data Sheet

according to the Hazardous Products Regulation (WHMIS 2015) & OSHA Hazard Communication Standard 29 CFR 1910.1200 (HazCom 2012)
Issue date: 9/19/2024 Revision date: 12/19/2024 Version: 1.0

SECTION 7: Handling and storage

7.1. Precautions for safe handling

- Precautions for safe handling : Do not breathe vapors, mist, spray. Do not get in eyes, on skin, or on clothing. Do not taste or swallow. Wear personal protective equipment. Ensure good ventilation of the work station. Handle and open container with care.
- Hygiene measures : Take off immediately all contaminated clothing and wash it before reuse. Do not eat, drink or smoke when using this product. Always wash hands after handling the product.

7.2. Conditions for safe storage, including any incompatibilities

- Storage conditions : Store locked up. Store in a closed container. Keep out of reach of children. Store tightly closed in a dry, cool and well-ventilated place. Store away from incompatible materials (see Section 10 of the SDS).
- Storage area : Store away from heat.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Polyethylene glycol (25322-68-3)	
USA - AIHA - Occupational Exposure Limits	
WEEL TWA	10 mg/m ³ (molecular weight >200-aerosol)

8.2. Appropriate engineering controls

- Appropriate engineering controls : Ensure good ventilation of the work station. Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level.
- Environmental exposure controls : Avoid release to the environment.

8.3. Individual protection measures/Personal protective equipment

Personal protective equipment:

Avoid all unnecessary exposure.

Hand protection:

Wear protective gloves. Confirm with a reputable supplier first.

Eye protection:

Wear eye protection

Skin and body protection:

Wear suitable protective clothing. Wear suitable protective clothing. As required by employer code.

Respiratory protection:

[In case of inadequate ventilation] wear respiratory protection. Where exposure guideline levels may be exceeded, use an approved NIOSH respirator. Respirator should be selected by and used under the direction of a trained health and safety professional following requirements found in OSHA's respirator standard (29 CFR 1910.134), CAN/CSA-Z94.4 and ANSI's standard for respiratory protection (Z88.2).

Laundry Lines -White Wash

Safety Data Sheet

according to the Hazardous Products Regulation (WHMIS 2015) & OSHA Hazard Communication Standard 29 CFR 1910.1200 (HazCom 2012)
Issue date: 9/19/2024 Revision date: 12/19/2024 Version: 1.0

Personal protective equipment symbol(s):



Other information:

Do not eat, drink or smoke when using this product.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state	: Solid
Appearance	: Powder
Color	: No data available
Odor	: No data available
Odor threshold	: No data available
pH	: No data available
Relative evaporation rate (butyl acetate=1)	: No data available
Relative evaporation rate (ether=1)	: No data available
Melting point	: Not applicable
Freezing point	: No data available
Boiling point	: No data available
Flash point	: No data available
Auto-ignition temperature	: No data available
Decomposition temperature	: No data available
Flammability (solid, gas)	: No data available
Vapor pressure	: No data available
Relative vapor density at 20°C	: No data available
Relative density	: No data available
Solubility	: Soluble in water.
Partition coefficient n-octanol/water (Log Pow)	: No data available
Viscosity, kinematic	: No data available
Explosive properties	: Not explosive.
Oxidizing properties	: Not oxidising.
Explosion limits	: No data available

9.2. Other information

No additional information available

SECTION 10: Stability and reactivity

Reactivity	: The product is non-reactive under normal conditions of use, storage and transport.
Chemical stability	: Stable under normal conditions.
Possibility of hazardous reactions	: No dangerous reactions known under normal conditions of use.
Conditions to avoid	: Keep away from heat and direct sunlight. Do not mix with other chemicals.
Incompatible materials	: Strong oxidizing agents.
Hazardous decomposition products	: May include and are not limited to: oxides of carbon.

Laundry Lines -White Wash

Safety Data Sheet

according to the Hazardous Products Regulation (WHMIS 2015) & OSHA Hazard Communication Standard 29 CFR 1910.1200 (HazCom 2012)
Issue date: 9/19/2024 Revision date: 12/19/2024 Version: 1.0

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity (oral) : Harmful if swallowed.
Acute toxicity (dermal) : Not classified
Acute toxicity (inhalation) :

Laundry Lines -White Wash	
ATE CA (oral)	1355.691 mg/kg body weight
Unknown acute toxicity (GHS CA/US)	9.98% of the mixture consists of ingredient(s) of unknown acute toxicity (Oral) 14.96% of the mixture consists of ingredient(s) of unknown acute toxicity (Dermal) 18.35% of the mixture consists of ingredient(s) of unknown acute toxicity (Inhalation (vapors))

Disodium carbonate (497-19-8)	
LD50 oral rat	4090 mg/kg (Source: NLM_HSDB)
LD50 dermal rabbit	> 2000 mg/kg (Source: ECHA)
LC50 Inhalation - Rat	2300 mg/m ³ (Exposure time: 2 h Source: ECHA_API)
ATE CA (oral)	4090 mg/kg body weight
ATE CA (vapors)	2.3 mg/l/4h
ATE CA (dust,mist)	2.3 mg/l/4h

Sodium dithionite (7775-14-6)	
LD50 oral rat	2500 mg/kg (Source: JAPAN_GHS)
LD50 dermal rat	> 2000 mg/kg body weight Animal: rat, Guideline: OECD Guideline 402 (Acute Dermal Toxicity)
LC50 Inhalation - Rat (Dust/Mist)	> 5.5 mg/l/4h Animal: rat, Guideline: OECD Guideline 403 (Acute Inhalation Toxicity)
ATE CA (oral)	500 mg/kg body weight

Sodium metasilicate (6834-92-0)	
LD50 oral rat	1153 mg/kg (Source: NLM_CIP)
LD50 dermal rat	> 5000 mg/kg body weight Animal: rat, Guideline: EPA OPPTS 870.1200 (Acute Dermal Toxicity)
LC50 Inhalation - Rat	> 2.06 mg/l air Animal: rat, Guideline: EPA OPPTS 870.1300 (Acute inhalation toxicity)
LC50 Inhalation - Rat (Dust/Mist)	> 2.06 mg/l/4h
ATE CA (oral)	1153 mg/kg body weight
ATE CA (dust,mist)	1.5 mg/l/4h

Polyethylene glycol (25322-68-3)	
LD50 oral rat	22 g/kg (Source: NLM_CIP)
LD50 dermal rat	> 2000 mg/kg body weight Animal: rat, Guideline: OECD Guideline 402 (Acute Dermal Toxicity)
LD50 dermal rabbit	> 20 g/kg (Source: NLM_CIP)
ATE CA (oral)	22000 mg/kg body weight

Laundry Lines -White Wash

Safety Data Sheet

according to the Hazardous Products Regulation (WHMIS 2015) & OSHA Hazard Communication Standard 29 CFR 1910.1200 (HazCom 2012)
Issue date: 9/19/2024 Revision date: 12/19/2024 Version: 1.0

Tetrasodium EDTA tetrahydrate (13235-36-4)	
ATE CA (oral)	500 mg/kg body weight
Skin corrosion/irritation	: Causes severe skin burns.
Serious eye damage/irritation	: Causes serious eye damage.
Respiratory or skin sensitization	: Not classified
Germ cell mutagenicity	: Not classified
Carcinogenicity	: Not classified
Reproductive toxicity	: Not classified
STOT-single exposure	: Not classified
Sodium metasilicate (6834-92-0)	
STOT-single exposure	May cause respiratory irritation.
Tetrasodium EDTA tetrahydrate (13235-36-4)	
STOT-single exposure	May cause respiratory irritation.
STOT-repeated exposure	: Not classified
Sodium metasilicate (6834-92-0)	
NOAEL (oral,rat,90 days)	227 – 237 mg/kg body weight Animal: rat, Guideline: OECD Guideline 408 (Repeated Dose 90-Day Oral Toxicity Study in Rodents)
Polyethylene glycol (25322-68-3)	
LOAEL (oral,rat,90 days)	16000 mg/kg body weight Animal: rat, Guideline: other:
NOAEL (oral,rat,90 days)	8000 mg/kg body weight Animal: rat, Guideline: other:
NOAEC (inhalation,rat,dust/mist/fume,90 days)	1 mg/l air Animal: rat, Guideline: other:
Aspiration hazard	: Not classified
Likely routes of exposure	: Skin and eye contact. Ingestion. Inhalation.
Symptoms/effects after inhalation	: Prolonged inhalation may be harmful.
Symptoms/effects after skin contact	: Causes severe burns. May cause an allergic skin reaction.
Symptoms/effects after eye contact	: Causes serious eye damage. Symptoms may include stinging, tearing, redness, swelling, and blurred vision.
Symptoms/effects after ingestion	: Harmful if swallowed. Burns. May cause stomach distress, nausea or vomiting.

SECTION 12: Ecological information

12.1. Toxicity

Ecology - general	: Before neutralisation, the product may represent a danger to aquatic organisms. See below for route-specific details.
Hazardous to the aquatic environment, short-term (acute)	: Not classified.
Hazardous to the aquatic environment, long-term (chronic)	: Not classified.

Disodium carbonate (497-19-8)	
LC50 - Fish [1]	300 mg/l (Exposure time: 96 h - Species: Lepomis macrochirus [static] Source: EPA)

Laundry Lines -White Wash

Safety Data Sheet

according to the Hazardous Products Regulation (WHMIS 2015) & OSHA Hazard Communication Standard 29 CFR 1910.1200 (HazCom 2012)
Issue date: 9/19/2024 Revision date: 12/19/2024 Version: 1.0

Disodium carbonate (497-19-8)	
LC50 - Fish [2]	310 – 1220 mg/l (Exposure time: 96 h - Species: Pimephales promelas [static] Source: EPA)
EC50 - Crustacea [1]	265 mg/l (Exposure time: 48 h - Species: Daphnia magna)
EC50 - Crustacea [2]	200 – 227 mg/l Test organisms (species): Ceriodaphnia sp.

Sodium dithionite (7775-14-6)	
EC50 - Crustacea [1]	98 mg/l (Exposure time: 48 h - Species: Daphnia magna Straus)
EC50 72h - Algae [1]	120 mg/l (Species: Desmodesmus subspicatus)
EC50 96h - Algae [1]	87 mg/l (Species: Desmodesmus subspicatus)
NOEC chronic fish	≥ 316 mg/l Test organisms (species): Danio rerio (previous name: Brachydanio rerio) Duration: '34 d'
NOEC (chronic)	> 10 mg/l Test organisms (species): Daphnia magna Duration: '21 d'

Sodium metasilicate (6834-92-0)	
LC50 - Fish [1]	210 mg/l (Exposure time: 96 h - Species: Brachydanio rerio [semi-static] Source: IUCLID)
LC50 - Fish [2]	210 mg/l (Exposure time: 96 h - Species: Brachydanio rerio Source: IUCLID)
EC50 - Crustacea [1]	1700 mg/l Test organisms (species): Daphnia magna
EC50 72h - Algae [1]	207 mg/l Test organisms (species): Desmodesmus subspicatus (previous name: Scenedesmus subspicatus)

Polyethylene glycol (25322-68-3)	
LC50 - Fish [1]	> 100 mg/l Test organisms (species): Poecilia reticulata
EC50 - Crustacea [1]	> 100 mg/l Test organisms (species): Daphnia magna
EC50 96h - Algae [1]	> 100 mg/l Test organisms (species): other:
NOEC chronic fish	13671.59 mg/l Test organisms (species): other: Duration: '28 d'
NOEC (chronic)	17475.27 mg/l Test organisms (species): Daphnia magna Duration: '21 d'

12.2. Persistence and degradability

Disodium carbonate (497-19-8)	
Persistence and degradability	Biodegradability: not applicable.
Chemical oxygen demand (COD)	Not applicable (inorganic)
ThOD	Not applicable (inorganic)

12.3. Bioaccumulative potential

Disodium carbonate (497-19-8)	
Bioaccumulative potential	Not bioaccumulative.
BCF - Fish [1]	(no bioaccumulation)

12.4. Mobility in soil

Disodium carbonate (497-19-8)	
Surface tension	No data available in the literature

Laundry Lines -White Wash

Safety Data Sheet

according to the Hazardous Products Regulation (WHMIS 2015) & OSHA Hazard Communication Standard 29 CFR 1910.1200 (HazCom 2012)
Issue date: 9/19/2024 Revision date: 12/19/2024 Version: 1.0

Disodium carbonate (497-19-8)	
Ecology - soil	Low potential for adsorption in soil.

12.5. Other adverse effects

Ozone : Not classified

SECTION 13: Disposal considerations

13.1. Disposal methods

Waste treatment methods : Dispose of the material collected according to regulations.
Sewage disposal recommendations : Disposal must be done according to official regulations.
Product/Packaging disposal recommendations : Since emptied containers may retain product residue, follow label warnings even after container is emptied. Empty containers should be taken to an approved waste handling site for recycling, disposal or collection.

SECTION 14: Transport information

In accordance with TDG / DOT

TDG	DOT
14.1. UN number	
UN1759	UN1759
14.2. Proper Shipping Name	
CORROSIVE SOLID, N.O.S. (Sodium metasilicate)	Corrosive solids, n.o.s. (Sodium metasilicate)
Transport document description	
UN1759 CORROSIVE SOLID, N.O.S. (Sodium metasilicate), 8, II	UN1759 Corrosive solids, n.o.s. (Sodium metasilicate), 8, II
14.3. Transport hazard class(es)	
8	8
14.4. Packing group	
II	II
14.5. Environmental hazards	
Dangerous for the environment: No	Dangerous for the environment: No
No supplementary information available	

14.6. Special precautions for user

TDG
UN-No. (TDG) : UN1759
Excepted quantities (TDG) : E2
Emergency Response Guide (ERG) Number : 154

DOT
UN-No.(DOT) : UN1759

Laundry Lines -White Wash

Safety Data Sheet

according to the Hazardous Products Regulation (WHMIS 2015) & OSHA Hazard Communication Standard 29 CFR 1910.1200 (HazCom 2012)
 Issue date: 9/19/2024 Revision date: 12/19/2024 Version: 1.0

DOT Special Provisions (49 CFR 172.102)	: 128 - Regardless of the provisions of §172.101(c)(12), aluminum smelting by-products and aluminum remelting by-products described under this entry, meeting the definition of Class 8, Packing Group II and III may be classed as a Division 4.3 material and transported under this entry. The presence of a Class 8 hazard must be communicated as required by this Part for subsidiary hazards T3 - 2.65 178.274(d)(2) Normal..... 178.275(d)(2) TP33 - The portable tank instruction assigned for this substance applies for granular and powdered solids and for solids which are filled and discharged at temperatures above their melting point which are cooled and transported as a solid mass. Solid substances transported or offered for transport above their melting point are authorized for transportation in portable tanks conforming to the provisions of portable tank instruction T4 for solid substances of packing group III or T7 for solid substances of packing group II, unless a tank with more stringent requirements for minimum shell thickness, maximum allowable working pressure, pressure-relief devices or bottom outlets are assigned in which case the more stringent tank instruction and special provisions shall apply. Filling limits must be in accordance with portable tank special provision TP3. Solids meeting the definition of an elevated temperature material must be transported in accordance with the applicable requirements of this subchapter.
DOT Packaging Exceptions (49 CFR 173.xxx)	: 154
DOT Packaging Non Bulk (49 CFR 173.xxx)	: 212
DOT Packaging Bulk (49 CFR 173.xxx)	: 240
DOT Quantity Limitations Passenger aircraft/rail (49 CFR 173.27)	: 15 kg
DOT Quantity Limitations Cargo aircraft only (49 CFR 175.75)	: 50 kg
DOT Vessel Stowage Location	: A - The material may be stowed "on deck" or "under deck" on a cargo vessel and on a passenger vessel.

14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable

SECTION 15: Regulatory information

15.1. National regulations

All components of this product are present on DSL, except for:

All components of this product are present and listed as Active on the United States Environmental Protection Agency Toxic Substances Control Act (TSCA) inventory, except for:		
C.I. Fluorescent Brightener 113	CAS-No. 12768-92-2	1 - 5%
Tetrasodium EDTA tetrahydrate	CAS-No. 13235-36-4	1 - 5%
Hexane, 3,3-diethyl-4-methyl-	CAS-No. 61968-71-6	0.1 – 1%
Fragrance	CAS-No. Mixture	0.1 – 1%

This product or mixture is not known to contain a toxic chemical or chemicals in excess of the applicable de minimis concentration as specified in 40 CFR §372.38(a) subject to the reporting requirements of section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 and 40 CFR Part 372.

Laundry Lines -White Wash

Safety Data Sheet

according to the Hazardous Products Regulation (WHMIS 2015) & OSHA Hazard Communication Standard 29 CFR 1910.1200 (HazCom 2012)
Issue date: 9/19/2024 Revision date: 12/19/2024 Version: 1.0

California Proposition 65 - This product does not contain any substances known to the state of California to cause cancer, developmental and/or reproductive harm

SECTION 16: Other information

Issue date : 09/19/2024
Revision date : 12/19/2024

Other information : For an updated SDS, please contact the supplier or manufacturer listed on the first page of the document.

The information in the safety data sheet was written by Dell Tech Laboratories Ltd. (www.delltech.com) based on the best knowledge and experience currently available. Information contained herein was obtained from sources considered technically accurate and reliable. While every effort has been made to ensure full disclosure of product hazards, in some cases data is not available and is so stated. Since conditions of actual product use are beyond control of the supplier, it is assumed that users of this material have been fully trained according to the requirements of all applicable legislation and regulatory instruments. No warranty, expressed or implied, is made and supplier will not be liable for any losses, injuries or consequential damages which may result from the use of or reliance on any information contained in this document.